

BQF12 Qualatril Blue Nitrile 12" Powder-Free Gloves

Data Sheet



Key Features

- Latex-Free – 100% Nitrile
- Anti-static, surface resistance 10⁹ ohms
- Powder Free
- Beaded Cuff
- GeoGrip 360(SM) fully textured fingers and palm
- ROHS compliant
- 3X Puncture Resistance of vinyl or natural rubber latex gloves
- Size: S – XXL 12" Length, Ambi
- Pack: 100 gloves/dispenser box

Industrial Applications

- Assembly
- Small parts handling
- Inspection
- Medical component manufacturing
- Pharmaceutical manufacturing
- Painting and finishing
- Food processing/packing
- Janitorial

Quality Assurance Conformity

ASTM D6319 – 10 (2015)	ASTM D5151
ASTM D412	ASTM D6124
ASTM D573	U.S. Pharmacopeia-National Formulary (USP-NF)
ASTM D3577 – 09(2015)	ANSI ESD S 11.11-1993
ASTM D3578 – 95	ESD STN 11.12-2000
ASTM D3767	EN 455 (1 & 2)

About QRP Gloves

Founded in 1974, QRP Gloves, Inc. is a global growth company and leading independent supplier of gloves and fingercots for use in industry.

Known for innovations such as the first Class 100 cleanroom latex glove, first carbon-free ESD control glove and first ESD control finger cot, all QRP products are engineered to increase yields in industrial applications, high technology manufacturing, aerospace, biotechnology and pharmaceuticals.

For further information about QRP Gloves, Inc., feel free to call us at: 800-832-3882, ext. 250, PO Box 27466 Tucson, AZ 85726 or email us: info@QRPGloves.com

Qualatrite®

NITRILE GLOVES

BQF12 Qualatrite Blue Nitrile 12" Powder-Free Gloves

GLOVE COMPOSITION

Material:	Acrylonitrile Butadiene Rubber	Material Color:	Blue
Mil Thickness:	5	Length:	12 inches
Country of Origin:	Thailand	Product ID:	BQF12

Physical Data

Dimensions:	Length		Width mm	Thickness (mm)		
	Inches	mm		Finger	Palm	Cuff
X-Small	12	300±10	74 ₊₃	0.18±0.03	0.15±0.03	0.12±0.03
Small	12	300±10	84 ₊₃	0.18±0.03	0.15±0.03	0.12±0.03
Medium	12	300±10	94 ₊₃	0.18±0.03	0.15±0.03	0.12±0.03
Large	12	300±10	104 ₊₃	0.18±0.03	0.15±0.03	0.12±0.03
X-Large	12	300±10	115 ₊₃	0.18±0.03	0.15±0.03	0.12±0.03
XX-Large	12	300±10	125 ₊₃	0.18±0.03	0.15±0.03	0.12±0.03
Tensile Properties:	(ASTM D3577-91)			Aged		Unaged
	Tensile Strength (MPa)		minimum	16	18	
	Ultimate Elongation (%)		minimum	450%	650%	
Physical Appearance:	Roll beaded cuff, gloves are blue in color					
Powder Coating:	None					
Case Pack:	100 gloves (packed by weight) per box			10 boxes/case		

Storage: Store in a cool, dry location, away from sources of light. Avoid extremes of heat or cold. Recommended storage temperature range: 50°F – 86°F (10°C – 30°C)

PROTECTION STANDARDS



The information presented herein, while not guaranteed, was prepared by technical personnel and, to the best of our knowledge and belief, is true and accurate as of the date hereof. No warranty, representation or guarantee, express or implied, is made regarding accuracy, performance, stability, reliability or use. This information is not intended to be all-inclusive, because the manner and conditions of use, handling, storage and other factors may involve other or additional safety or performance considerations. The user is responsible for determining the suitability of any material for a specific purpose and for adopting such safety precautions as may be required. QRP, Inc does not warrant the results to be obtained in using any material, and disclaims all liability with respect to the use, handling or further processing of any such material. No suggestion for use is intended as, and nothing herein shall be construed as, a recommendation to infringe any existing patent or to violate any federal, state or local law or regulation. User assumes all risks. In the interests of continual product improvement, specifications subject to change without notice. The information contained in this sheet relates only to the specific material designated herein and does not relate to use in combination with other material or in any process. The information presented is from sources deemed to be reliable, but the thoroughness or completeness is not guaranteed.

Note: Gloves are included in the Manufactured Article Exemption of the Hazard Communications Regulations in the Code of Federal Regulations (29 CFR 1910.1200). As a result, an SDS is not required. QRP endeavors to provide as much information as is possible about the product in its catalog and product information sheets.

rev: 1Jul2019