

43SOUTH FARM & INDUSTRIAL PRICE LIST 2023



PENTAIR
SOUTHERN CROSS



PENTAIR
JUNG PUMPEN



RIVERSCREEN.





OUR STORY

43South is a New Zealand Family owned and operated business focused on delivering a brilliant customer experience. Our story started in 2017, bringing a fresh approach to the industry. We specialise in pumps, motors, filtration, and aquatic products and pride ourselves on our family of brands.

We value building great relationships with our distributors and customers, without them our business would not be possible. The team at 43South has an active part in our local community, supporting charities and organisations close to home.

We're here to help, here when you need us, and here for the long haul!

You and your customers can rely on a high level of technical support and local industry knowledge. Bigger isn't always better - as a local company, we are remarkably agile. Our team will get onto it quickly and professionally, saving you time and headaches.

Our team is diverse and comes from a range of different backgrounds - we have a lot of different experiences and areas of expertise to bring to the table! One thing we all have in common: we're excited to be part of a keen company that's up for the challenge of taking on bigger multinational companies.




















CONTENTS

FARM PUMPS	3				
IntelliMaster	4				
43South 10 Bar Pressure Tanks					
43South 16 Bar Mega-Plus Pressure Tanks	6				
Pro Source Pressure Tanks	7				
'VP' High Pressure Vessel Tanks	8				
Accessories	9				
500 Series	10				
SSS Series	11				
JJ Series	12				
Junior Jet Farmmaster Pump	12				
Shallow Well Performance	13				
Deep Well Performance	14				
JJ Series - Accessories	15				
OJ Series	16				
Jet Farmmaster Pump	16				
OJ700 - Shallow Well Performance	17				
OJ800 - Shallow Well Performance	18				
OJ700-800 SERIES - Shallow Well Accessories	19				
OJ Series - Deep Well Performance	20				
OJ700-800 SERIES - Deep Well Accessories	21				
OJ-E SERIES	22				
Hi-Flo 112	23				
14 Series	24				
400 Series	25				
12 Series	26				
18 Series	27				
15 Series	28				
BLAZEMASTER	29				
Single Stage	30				
Twin Stage	33				
TorrentMaster	36				
MiniBlaze	37				
HTP750VR Polypump	38				
HTP1600V	39				

VERTICAL MULTISTAGE	41
SBI Series	42
END SUCTION ISO PUMPS	60
Starline Selection Chart	61
Starline	62
Starline Parts	70
ISO Sovereign	72
ISO Pro	74
Electric Motors - W21	76
Electric Motors - W22	77
WEG CFW11	78
Variable Frequency Drive	79
RIVERSCREEN	81
Riverscreen & Motor Drive Kit	82
TERMS & ENGINEERING	83
Terms & Conditions of Trade	84
Engineering	86

43SÔUTH



JTH | 2023 Farm & Industrial Price List

43SÔUTH | 2023 Farm & Industrial Price List

INTELLIMASTER - Multistage Variable Speed Pump





PRESSURE TANKS

43SOUTH - 10 Bar Rated Pressure Tanks

NOTHING BUT THE BEST

The Intellimaster variable speed pumps are the latest innovation from Pentair Onga. Every feature of the Intellimaster pump range has been engineered to answer the needs of today's savvy buyer; high efficiency, reliability and low maintenance.

ENVIRONMENT-FRIENDLY & ENERGY EFFICIENT

The Intellimaster series of pumps are your perfect environment friendly, energy saving choice. The variable speed drive adjusts the pump speed in relation to water demand ensuring constant pressure all of the time. Consuming significantly less power when compared to a conventional fixed speed pump of the same size.

EASY TO INSTALL. EASY TO OPERATE

Intellimaster kits include chosen pump model, variable speed frequency drive, five-way tee, pressure transducer and 8L pressure tank - offering the complete package for easy installation with no additional fittings required.


KEY FEATURES

- · High efficiency, reliability and low maintenance.
- Large LCD Display with adjustable pressure set point.
- 16Bar Transducer, pressure gauge.
- Stainless Steel five-way tee with inbuilt non-return valve.
- · Quiet operation.
- Fan-cooled motor with inbuilt thermal overload.
- · Maximum Head 58 m.
- Maximum Flow 270 lpm.

APPLICATIONS

- · Domestic pressure system.
- Pressure boosting.
- Irrigation and garden water supply.
- · Water transfer.
- · Stock water.









PERFORMANCE TABLE

Model	Motor Rating (kW)	Weight Approx. (kg)	Pump Inlet	Pump Outlet
Intellimaster 750k	0.75	19	1" BSP (Female)	1" BSP (Female)
Intellimaster 1100k	1.1	19	1 1/4" BSP (Female)	1" BSP (Female)
Intellimaster 2200k	2.2	28	1 1/2" BSP (Female)	1 1/4" BSP (Female)

INTELLIMASTER PRICING				
Model	Code	Price		
Intellimaster 750k	IMH750K	\$2,424.95		
Intellimaster 1100k	IMH1100K	\$2,749.62		
Intellimaster 2200k	IMH2200K	\$3,747.89		



A pressure tank is an essential part of a pressurised water system that provides water pressure at a set level. The tank stores supplemental water between diaphragm and liner. This process reduces the number of times the motor needs to start in order for the system pressure to remain at the set level.

A properly sized pump and pump tank will work as a team to meet your needs and will deliver many years of dependable service.

KEY FEATURES

- Seamless Connector Patented Leak Safe Technology with Welded 304 Stainless Steel Connector.
- PP Liner FDA Polypropylene Liner.
- Air-Seal Diaphragm NSF Certified Butyl Rubber Diaphragm, 100% Air Seal.
- Welding Zone Pressure Equipment Directive Certified Welding Structure.

43SP8-43

• Coating – Triple Coating Rust Protection.

Model/Code	Total Tank Volume (Litre)	Draw off Volume (Litre)	Diameter (cm)	Height Incl. Base (cm)	Box Dimensions L x W x H (cm)	Net Weight (kg)	Gross Weight (kg)	Connection (Inch)	Price
43SPT-003*	3	1	13	21.5	31 x 30 x 24	4.1	4.7	1/4	\$76.68
43SPT-008*	8	3.5	20.3	29	21.5 x 21.5 x 31.5	1.9	2.3	1	\$121.32
43SPT-018*	18	9.5	28	39	28.5 x 28.5 39.5	3.3	3.7	1	\$125.90
43SPT-024*	24	11.5	29.5	41.5	31 x 31 x 44.5	3.9	4.8	1	\$164.81
43SPT-060	58	42.8	38.1	60	41 x 41 x 61	9.7	11	1	\$404.01
43SPT-080	80	50	38.1	78	41 x 41 x 81	13.1	14.6	1	\$587.13
43SPT-100	100	58.5	38.1	99.5	41 x 41 x101	16.6	18.4	1	\$677.54
43SPT-130	130	85.6	55.9	78.5	56 x 56 76	21	24.5	1 1/4	\$812.60
43SPT-160	160	115	55.9	92.1	56 x 56 x 92	24.5	27.8	1 1/4	\$1,229.19
43SPT-240	240	140	55.9	116.6	56 x 56 x 118	34.9	37.7	1 1/4	\$1,600.00
43SPT-300	300	167	55.9	145.6	56 x 56 x 147	41.1	47.1	1 1/4	\$1,811.74
43SPT-450	450	360	65	140	69 x 69 x 144	56.5	61.5	1 1/4	\$2,477.84

HORIZONTAL PRESSURE TANKS - PERFORMANCE TABLE

HURIZUNTAL PRESSURE TANKS - PERFURIMANCE TABLE									45570-45
Model/Code	Total Tank Volume (Litre)	Draw off Volume (Litre)	Diameter (cm)	Height Incl. Base (cm)	Box Dimensions L x W x H (cm)	Net Weight (kg)	Gross Weight (kg)	Connection (Inch)	Price
43SPT-024H	24	11.5	29.5	41.5	31 x 31 x 44.5	3.9	4.8	1	\$189.99
43SPT-060H	58	42.8	38.1	60	41 x 41 x 62	9.7	11	1	\$404.01
43SPT-080H	80	50	38.1	78	41 x 41 x 81	13.1	14.6	1	\$534.48

* Pressure tank has no base.

43SÔUTH | 2023 Farm & Industrial Price List

All prices exclude GST & Freight

All prices exclude GST & Freight

43SÔUTH | 2023 Farm & Industrial Price List

5

RESIDENTIAL WATER

43SOUTH - 16 Bar Mega-Plus Pressure Tanks





PRESSURE TANKS

PRO-SOURCE - 6.9 Bar Rated Pressure Tanks

MegaPlus Pressure tank is an essential part of a pressurized water system that provides water pressure at a set level. The tank stores supplemental water between diaphragm and liner, and the pressurized air chamber is able to create a supply circle. This process reduces the number of times the motor needs to start in order for the system pressure to remain at a set level.

The tension of the diaphragm maintains water pressure within the system, ensuring proper operation of the dishwasher and washing machine, and robust flow for showering and bathing. MegaPlus provides high water pressure solution for the high rise building and the long distant pressure support. Ensuring the water system works efficiently and energy saving with no maintenance.

KEY FEATURES

- Rubber Diaphragm membrane type pressure tank:
- 16 Bar High Pressure Booster Water System
- Water Machining
- Fire system
- Water Jet, 1.5L per Min Flow Rate
- Polypropylene liner and the diaphragm membrane create a water zone to avoid water contact with the tanks metallic surface, so the tank is able to be used for drinking water
- The Stainless steel water connector is the perfect connection for water pipe
- · Epoxy powder exterior painting to guarantee a high level of protection against oxidation

OPERATING CONDITIONS

- · Shell: Cold rolled Carbon Steel
- · System Connection: 304 Stainless Steel connector
- · Coating: Triple coated liquid paint
- · Diaphragm: Heavy-Duty butyl rubber
- Liner Material: FDA grade polypropylene
- Factory Pre-Charge: 4 Bar / 58 PSI
- Max Working Temperature: 93°C / 200°F
- · Max Working Pressure: 16 Bar / 232 PSI













16 BAR MEGA-PLUS PRESSURE TANKS - PERFORMANCE TABLE

Model	Total Tank Volume (Litre)	Accept Volume (Litre)	Diameter (cm)	Height Incl. Base (cm)	Box Dimensions L x W x H (cm)	Net Weight (kg)	Gross Weight (kg)
MEGA-24	24	11.5	29.0	41.5	30.3 x 30.3 x 43.5	4.4	5.3
MEGA-80	80	50.0	39.0	77.0	40 x 40 x 79.7	15.3	16.8
MEGA-100	100	58.5	39.0	96.3	40 x 40 x 98.3	19.9	21.7
MEGA-240	240	140	55.0	119.0	56 x 56 x 118	39.4	42.2

16 BAR MEGA-PLUS PRESSURE TANKS - PRICING				
Model	Code	Price		
Tank Pressure 43S 24Lt 1" BSP FS High Pressure	43SPT-024-MEGA	\$332.57		
Tank Pressure 43S 80Lt 1" BSP PB High Pressure	43SPT-080-MEGA	\$1,260.97		
Tank Pressure 43S 100Lt 1" BSP PB High Pressure	43SPT-100-MEGA	\$1,524.26		
Tank Pressure 43S 240Lt 1-1/4" BSP SB High Pressure	43SPT-240-MEGA	\$2,222.14		



The First Choice for Clean and Dependable Fresh-Water Delivery

Designed and manufactured with capacities to match a wide range of fresh water needs, PROSource® Composite tanks are the choice for lasting durability and quality. Tougher-than-steel composite construction includes an outer shell wrapped with more than three miles of continuous overlapping fibers. PRO-Source Composite tanks will not rust, corrode, dent or scratch, and require no painting or exterior maintenance. The Water Quality Association approved air cell will not affect the natural purity of your water.

KEY FEATURES

- Pro-Source composite fibrewound tanks are designed and manufactured to match a wide range of fresh water applications.
- Pro-Source composite tanks will not rust, corrode, dent or scratch and require no painting or exterior maintenance.
- · NEW seamless durable air cell constructed of heavy gauge engineered polymer.
- NEW drain screen field proven and unobtrusive design flush mounted to bottom of the tank.
- PRO-Source composite tanks are the choice for longevity and durability.

OPERATING CONDITIONS

Designed and manufactured with capacities to match a wide range of fresh water needs.

- Capacity: 55l 453l
- · Maximum water temperature: 49°C.
- Maximum ambient air temperature: 49°C.



PRO-SOURCE PRESSURE TANKS - PERFORMANCE TABLE

Model	Water Yield Per	Pump Cycle Pressur	e Switch Setting	Tank	Tank Diameter	Tank Height	BSP
Model	20-40psi	30-50psi	40-60psi	Capacity (litre)	(cm)	(cm)	(Inch)
APSC-14-4-01	18.7	16.5	14.3	55	41	71.6	1"
APSC-20-6-01	25.5	22.5	19.5	75	41	86.6	1"
APSC-30-9-01	38.1	33.5	29.1	112	41	117.6	1"
APSC-48-14-01	60.5	53.5	46.3	178	61	112.8	1¼"
APSC-60-20-01	77.2	68.1	59.0	227	53	166.4	1¼"
APSC-85-25-01	111.5	98.5	85.3	328	61	145.3	1¼"
APSC-119-35-01	154	135.9	117.8	453	61	191.5	1¼"

PRO-SOURCE PRESSURE TANK PRICING				
Model	Code	Price		
Pro-Source Pressure Tank 55 litre	APSC-14-4-01	\$693.19		
Pro-Source Pressure Tank 75 litre	APSC-20-6-01	\$1,021.42		
Pro-Source Pressure Tank 112 litre	APSC-30-9-01	\$1,021.42		
Pro-Source Pressure Tank 178 litre	APSC-48-14-01	\$1,622.75		
Pro-Source Pressure Tank 227 litre	APSC-60-20-01	\$1,837.08		
Pro-Source Pressure Tank 328 litre	APSC-85-25-01	\$2,131.01		
Pro-Source Pressure Tank 453 litre	APSC-119-35-01	\$2,816.86		

PRESSURE TANKS

'VP' HIGH PRESSURE VESSEL TANKS - 16 Bar Rated Pressure Tanks



The Onga high pressure vessels are high in quality, and deliver high performance at high pressure. These tanks are also easier to upkeep especially when needing to remove and replace the bladder, which can be done without disassembly, saving cost on servicing. Available in a range of sizes suiting a wide variety of applications these can include: hydronic heating systems, water hammer arrestor systems and fire protection systems.

KEY FEATURES

- · Watermark approved.
- · Durable membrane.
- Steel body.
- · Replacable cell.
- · Capacities from 20 200 litres.
- · Maximum pressure rating 1600 kPa.
- Certified to Australian standards:
- BS EN1381-2007.

APPLICATIONS

Domestic, industrial or rural pressure systems, hydronic heating systems, water hammer arrestor systems, range of sizes to suit a wide variety of applications

OPERATING CONDITIONS

Suitable for use with potable water.

CE certified.
• Fluid: Water.

- Minimum water temperature: +1.0°C.
- Willimiditi water temperature. 11.0 C
- $\bullet \ \ \text{Maximum water temperature: } 70^{\circ}\text{C}.$
- Maximum operating pressure: 1600 kPa.
- Maximum capacity: 200 L.





HIGH PRESSURE VESSEL TANKS - PERFORMANCE TABLE

Model	Tank Capacity (litre)	Maximum Pressure Rating (kPa)	Carton L x W x H (mm)	Packed Weight (kg)	BSP (Inch)
VP20	20	1600	515 x 275 x 278	7.9 kg	1"BSPT (male)
VP50	50	1600	793 x 393 x 403	12.9 kg	1"BSPT (male)
VP80	80	1600	823 x 453 x 463	30.7 kg	1"BSPT (male)
VP100	100	1600	948 x 451 x 468	32.2 kg	1"BSPT (male)
VP200	200	1600	1283 x 573 x 558	56.2 kg	1 1/2" BSPT (male)

HIGH PRESSURE VESSEL TANKS PRICING					
Model	Code	Price			
VP20	VP20	\$317.45			
VP50	VP50	\$753.94			
VP80	VP80	\$1,203.65			
VP100	VP100	\$1,454.97			
VP200	VP200	\$2,222.13			

FARM PUMPS ACCESSORIES

ACCESSORIES		43SP8
Description	Code	Price
PRESSURE KITS		
Pressure Kit 20-40 psi Brass, Pre-Wired	800633-1	\$136.36
Pressure Kit 30-50 psi Brass, Pre-Wired	800634-1	\$156.82
Press Control and IEC Kit (Including Union) 1.5 Bar	880800	\$408.57
Press Control and IEC Kit (Including Union) 2.2 Bar	880801	\$408.57
Mc1500 Mascontrol 10amp IEC	130003	\$589.09
Mc2200 Mascontrol 10amp IEC	880802	\$589.09
PRESSURE GAUGE		
Pressure Gauge 0-800 Kpa	700240	\$97.98
Pressure Gauge 0-1600 Kpa	PG50-0-1600	\$97.98
Pressure Gauge 0-2400 Kpa	700242	\$97.98
PRESSURE SWITCH		
Pressure Switch Square D (30-50 psi)	700244	\$146.97
Pressure Switch (20-80 psi)	700246	\$148.19
Pressure Switch L.O.P (20-80 psi)	702363	\$318.43
MRC VALVES		
25mm SS316 SCR Swing Check Valve	SSSV25	\$112.43
32mm SS316 SCR Swing Check Valve	SSSV32	\$149.15
40mm SS316 SCR Swing Check Valve	SSSV40	\$211.19
50mm SS316 SCR Swing Check Valve	SSSV50	\$263.62
25mm 2PC SS316 PTFE Seat Ball Valve 1000 Wog Lockable Handle	SSBV25-316	\$56.15
32mm 2PC SS316 PTFE Seat Ball Valve 1000 Wog Lockable Handle	SSBV32-316	\$88.94
40mm 2PC SS316 PTFE Seat Ball Valve 1000 Wog Lockable Handle	SSBV40-316	\$114.96
50mm 2PC SS316 PTFE Seat Ball Valve 1000 Wog Lockable Handle	SSBV50-316	\$183.03
ПОСТ		
HOSE Braided Hose 600mm, 25mm	Sp202	\$110.22
braided 11000 00011111, 2011111	3p202	\$110.22

500 SERIES - Moulded Jet Farmmaster Pump



Horizontal single stage centrifugal pump, jet and venturi assisted. Closed impeller for pumping clean non-aggressive liquids without solids or fibres in suspension.

Manufactured from industrial grade corrosion resistant thermoplastic, close coupled to a double award winning TEFC electric motor.

KEY FEATURES

- · Industrial grade corrosion resistant thermoplastic.
- No moving parts down bore.
- · Built-in check valve.
- · Shallow well lifts to 7.6m.
- · Manual or automatic system.
- · Maximum head 34m.
- Maximum Flow 118lpm

APPLICATIONS

- Domestic, industrial or rural pressure pump for use as a manual or an automatic pressure system.
- Stock watering, irrigation and water transfer.
- Option of a large range of water sources including tanks, bores, dams, creeks, and rivers.





PERFORMANCE TABLE

				Tota				
Model	Pressure Switch Setting (kPa)	Suction Depth (m)	15	21	27	34	40	Maximum Pump Pressure
	(Ki d)	(111)		Capacit	(kPa)			
		0	117	105	65	28	-	390
540	010 050	3	94	84	52	22	-	360
543	210 - 350	6	67	60	37	16	-	330
		7.6	47	42	26	11	-	315

ELECTRICAL DATA

N	Model	Type of		Frequency	Motor	Rating kW	Nominal	inal Current	Locked Rotor	Motor	Insulation	IP Rating	
		Current	± 10%	Hz	P1	P2	RPM	Ampere	Current	Protection	Class		
!	543	1-phase	230	50	1.4	1.1	2900	6.4 A	42 A	Auto	В	IP 44	


500 SERIES PRICING			43SP4
Model	Code	kW/Phase	Price
543 - Pump only	354300	1.10 / 10	\$2,135.60
543 - Pump + Pressure Switch + 58L Pressure Tank	354300K	1.10 / 1Ø	\$2,509.82



FARM PUMPS

SSS SERIES - Stainless Steel Centrifugal Pump





Designed by Pentair with the highest quality, performance and efficiency standards, the SSS range of Stainless Steel pumps are suitable for a wide range of agricultural, commercial and industrial applications.

Suitable for pumping clean, non-aggressive liquids without solids or fibres in suspension.

KEY FEATURES

- Easy installation and operation.
- · SS304 wet end.
- · Continuously rated.
- Built-in thermal protection (only for models SS-702, SSS-2102).
- Maximum Liquid Temperature: 85°C

APPLICATIONS

- · Agricultural.
- Commercial.
- · Industrial.
- · Water Transfer.
- Wash Down.
- · Mild Chemical Use*.

* Viton seal kits are available for mild chemical use.

	Po	wer	l/min	0	30	40	60	80	100	120	140	160	180	200	250	300	350	400	430	480	520
Model	kW	HP	m³/h	0	1.8	2.4	3.6	4.8	6	7.2	8.4	9.6	10.8	12	15	18	21	24	26	29	31
SSS 702	0.55	0.75		29.5	27.3	23.4	19.1														
SSS 2102	1.1	1.5	11/22	19.7						18.7	18.3	18.0	17.5	17.1	15.6	13.6					
SSS 2103	1.5	2.0	H(m)	24.2						23.5	23.2	22.8	22.4	21.8	20.2	18.0					
SSS 3703	2.2	3.0		23.1										21.7	20.9	20.0	18.8	17.2	16.2	14.2	12.3

SSS SERIES PRICING			43SP4
Model	Code	kW/Phase	Price
S/Steel Pump 1ph 0.55KW	SSS702	0.55 / 1Ø	\$714.26
S/Steel Pump 1ph 1.1KW	SSS2102	1.10 / 1Ø	\$899.43
S/Steel Pump 1ph 1.5KW	SSS2103	1.5 / 1Ø	\$952.34
S/Steel Pump 1ph 2.2KW	SSS3703	2.2 / 1Ø	\$1,084.61

JJ SERIES - Junior Jet Farmmaster Pump



Horizontal single stage centrifugal pump, jet and venturi assisted. Closed impeller for pumping clean non-aggressive liquids without solids or fibres in suspension. Constructed in cast iron with precision moulded internal components, they are built for many years of hard work.

KEY FEATURES

- Injectors to suit a large range of applications.
- Shallow well lifts up to 7.6m.
- Deep well lifts up to 37m.

APPLICATIONS

- Domestic, industrial or rural pressure pump for use as a manual or an automatic pressure system.
- · Stock watering, irrigation and water transfer.
- Option of a large range of water sources including tanks, bores, dams, creeks and rivers thanks to various injector combinations.





ELECTRICAL DATA

Model	Type of current	Voltage ± 10%	Frequency Hz	Motor Rating kW		Motor Rating kW		Motor Rating kW		Motor Rating kW		Motor Rating kW		Motor Rating kW		Motor Rating kW		Nominal	Current	Locked Rotor	Motor	Insulation	IP Rating
Wodel				P1	P2	RPM	Ampere	Current	Protection	Class	ii itatiiig												
JJ400	1-phase	230	50	1	0.75	2900	4.5 A	19 A	Auto	В	IP 55												
JJ600	1-phase	230	50	1.4	1.1	2900	6.4 A	42 A	Auto	В	IP 44												
JJ600	3-phase	400	50	1.5	1.1	2900	2.6 A	27 A	-	В	IP 44												

JJ SERIES PRICING			43SP4
Model	Code	kW/Phase	Price
JJ400 - Pump Only	110031	0.75 / 1Ø	\$1,441.44
JJ600 - Pump Only	110021	1.10 / 1Ø	\$2,079.00
JJ600 - Pump Only	110044	1.10 / 3Ø	\$2,130.98
JJ400 - Pump + 24L Pressure Tank	JJ400K	0.75 / 1Ø	\$1,632.21
JJ600 - Pump + 24L Pressure Tank	JJ600K1	1.10 / 1Ø	\$2,359.69
JJ600 - Pump + 24L Pressure Tank	JJ600K3	1.10 / 3Ø	\$2,320.01

Does not include injector kit or housing.




FARM PUMPS

JJ SERIES - Shallow Well Performance

JJ400

Suitable Injectors
\$500
\$501
S502




Pressure Su		Suction		Disc		Max.				
Injector Model	Switch Setting	Lift	15	21	27	34	40	46	Pump Press.	
	(kPa)	(m)		С	apaci	ty (lpr	n)		(kPa)	
		0	98	70	40				380	
o Foot	1 40 000	3	78	56	32				350	
S500*	140-280	6	56	40	23				320	
		7.6	39	28	16				305	
		0	71	66	42	21			440	
0=01#	010.050	3	57	53	34	17			410	
S501#	210-350	6	40	38	24	12			380	
		7.6	28	26	17	8			365	
		0		47	42	24	14		505	
		3		38	34	19	11		475	
S502*	280-420	6		27	24	14	8		445	
		7.6		19	17	10	6		430	

[#] Factory pressure switch setting (210-350 kPa).

JJ600

Suitable Injectors
\$600
S601
S602
\$603



	Pressure	Suction		Disc	harge	Head	l (m)		Max.
Injector Model	Switch Setting	Lift (m)	15	21	27	34	40	Pump Press.	
	(kPa)	(''')		(kPa)					
		0	137	112	71	24			375
00004	140.000	3	109	89	57				345
S600*	140-280	6	78	64	40				315
		7.6	55	45	28				300
		0	125	112	74	33			410
0.604#	210-350	3	100	89	59	26			380
S601#		6	71	64	42				350
		7.6	50	45	29				335
		0		100	82	51	29		505
24221		3		80	66	41	23		475
S602*	280-420	6		57	47	29	16		445
		7.6		40	33	20	12		440
		0			62	48	34	22	615
04004	050 560	3			50	38	27	18	585
S603*	350-560	6			35	27	19	12	555
		7.6			25	19	14	9	540

Pump suction 1½" BSP Female.

Pump discharge port 3/4" BSP Female (pump), 1" BSP Female (pressure kit).

^{*} Pressure switch adjustment needed.

JJ SERIES - Deep Well Performance



- The JJ Pumps equipped with deep well injectors are ideal for supplying water from sources where the suction lift is greater than 7.6 metres.
- Potential to draw water from any source down to 37 metres using deep well injectors.
- If your source changes, they can easily be converted between shallow well and deep well applications - there is no need to buy another numn
- Non-corroding injector materials make is suitable for hard water areas
- Cast iron casing and other parts make it suitable for rugged conditions.
- Heavy duty industrial totally enclosed, fan cooled motor provides long life.
- Both single and three phase available in the JJ600 model.

APPLICATIONS

 Tank filling, irrigation and sprinklers, stock water and household water supply.





JJ400 DEEP WELL

	Pressure		Suction	Pressure		Bore V	later Pu	mping L	evel or S	Suction I	Lift (m)		Min.	Max.
Injector Model	Switch Setting	Injector Size (Inch)	Pipe (Inch)	Pipe (Inch)	6	9	12	15	18	21	Pump 24 27 Press	Pump Press.	Pump Press.	
	(kPa)		((IIICII)		Capacity (lpm)								(kPa)
D411	140-280	3 1/4	1 ¼	1	60	45	35	25	18				95	400
D521	140-280	3 %	1 ½	1 1/4	75	65	50	40					100	400
D511	140-280	-	1 ½	1 1/4					25	20	18	13	100	385

JJ600 DEEP WELL

	Pressure		Suction	Pressure	Bore Water Pumping Level or Suction Lift (m) Pressure							Min.	Max.				
Injector Model	Switch Setting	Injector Size (Inch)	Pipe (Inch)	Pipe	6	9	12	15	18	21	24	27	30	34	37	Pump Press.	Pump Press.
	(kPa)		(men)	(Inch)	Capacity (Ipm)								(kPa)	(kPa)			
D417	140-280	3 1/4	1 1/4	1	78	58	43									140	410
D413	140-280	-	1 1/4	1				30	25	18						140	430
D523	140-280	3 %	1 ½	1 1/4	100	85	63	47								160	414
D513	140-280	-	1 ½	1 1/4					40	30	20	15				165	400
D620	140-280	4 3/8 #	2	1 1/2				52	45	40	33	25	20	18	13	124	500

Special injectors are available to fit down 4" PVC pipe Maximum pump pressure = @ minimum suction lift per injector.



FARM PUMPS

43SP4

Price

\$102.27

\$102.27

\$102.27

JJ SERIES - Accessories

Code

801125

801126

801127

SHALLOW WELL



SHALLOW WELL INJECTOR KITS	43SP4	
JJ400	Code	Price
\$500*	110445	\$231.00
\$501*	110446	\$231.00
S502*	110447	\$231.00
JJ600	Code	Price
\$600*	110448	\$231.00
\$601*	110449	\$231.00
S602*	110450	\$231.00

JJ400 \$500 \$501 \$502 JJ600 \$600

SHALLOW WELL JET & VENTURI'S

JJ600	Code	Price
\$600	801128	\$102.27
S601	801129	\$102.27
S602	801130	\$102.27
S603	801131	\$102.27

43SP4

\$689.77 \$747.73 \$747.73

MPLETE

DEEP WELL

S603*

DEEP WELL PARTS & ACCESSORIES		43SP4
Parts and Accessories	Code	Price
Over Bore Elbow	502860GN	\$177.27
Offset Flange	500100GN	\$177.27
D4 Housing & Elbow Kit D/W Inj	800492	\$572.73
D5 Housing & Elbow Kit D/W Inj	800493	\$636.36
D6 Housing & Elbow Kit D/W Inj	800494	\$781.82
D6-4# inch D4 Housing & Elbow Kit D/W Inj	800401	\$781.82
D4 Housing & Offset Kit D/W Inj	800576	\$643.18
D5 Housing & Offset Kit D/W Inj	800577	\$654.55
D6 Housing & Offset Kit D/W Inj	800578	\$804.55

DEEP WELL INJECTORS

J	IET & VENTURI ON	DEEP WELL INJECTOR COM					
JJ400	Code	Price	Elbow	Offset			
D411	801042	\$93.18	D411E	D4110			
D521	801133	\$117.05	D521E	D5210			
D511	801048	\$117.05	D511E	D5110			

110451

\$231.00


JJ600	Code	Price	Elbow	Offset	Price
D417	801132	\$117.05	D417E	D4170	\$689.77
D413	801044	\$117.05	D413E	D4130	\$689.77
D523	801134	\$117.05	D523E	D5230	\$747.73
D513	801050	\$117.05	D513E	D5130	\$747.73
D620	801050	\$117.05	D620E	D6200	\$897.73
5020	001000	Q117.00		00200	Q037.73



 $[\]ensuremath{^{\star}}$ Includes Housing, Gasket, Jet and Venturi.

OJ SERIES - Jet Farmmaster Pump





KEY FEATURES

- Injectors to suit a large range of applications.
- Shallow well lifts up to 7.6m.
- Deep well lifts up to 49m.

APPLICATIONS

- Domestic, industrial or rural pressure pump for use as a manual or an automatic pressure system.
- Stock watering, irrigation and water transfer.
- Option of a large range of water sources including tanks, bores, dams, creeks and rivers thanks to various injector combinations.





ELECTRICAL DATA

Does not include injector kit or housing.

Model	Type of current	Voltage ± 10%	Frequency Hz	Motor R	ating kW	Nominal	Current	Locked Rotor	Motor	Insulation	IP Rating	
Wiodei				P1	P2	RPM	Ampere	Current	Protection	Class		
OJ700	1-phase	230	50	2	1.5	2900	8.5 A	42 A	Auto	В	IP 44	
OJ700	3-phase	400	50	2	1.5	2900	3.6 A	27 A	-	В	IP 44	
OJ800	1-phase	230/460	50	3.6	2.4	2900	14/7 A	76 A	Auto	В	IP 44	
OJ800	3-phase	400	50	3.4	2.4	2900	5.7 A	48 A	-	В	IP 44	


OJ SERIES PRICING			43SP4
Model	Code	kW/Phase	Price
OJ700 - Pump Only	110144	1.5 / 10	\$2,986.83
OJ700 - Pump Only	110119	1.5 / 3Ø	\$3,061.91
OJ800 - Pump Only	110121	2.4 / 10	\$4,408.64
OJ800 - Pump Only	110124	2.4 / 3Ø	\$4,524.14
OJ700 - Pump + 60L Pressure Tank	0J700K1	1.5 / 1Ø	\$3,360.00
OJ700 - Pump + 60L Pressure Tank	OJ700K3	1.5 / 3Ø	\$3,360.00
OJ800 - Pump + 100L Pressure Tank	OJ800K1	2.4 / 10	\$5,040.00
OJ800 - Pump + 100L Pressure Tank	OJ800K3	2.4 / 3Ø	\$5,145.00



FARM PUMPS

OJ700 - Shallow Well Performance

Suitable Injectors	
S700	
S701	
S702	
S703	
S704	



	Pressure							Dis	charge	Head	(m)						Max.
Injector Model	Switch Setting (kPa)	Suction Lift (m)	15	21	27	34	40	46	52	58	64	70	76	82	88	95	Pump Press. (kPa)
	(2)							C	Capaci	ty (Ipm	1)						(iti u)
		0	162	159	138	80	27										430
S700#	210-350#	3	130	127	110	64											400
3700	210-330	6	92	91	79	46											370
		7.6	65	64	55	32											355
		0			144	94	61	31									540
S701*	280-455	3			91	75	49	25									510
3701	200-455	6			65	54	35	18									480
		7.6			46	38	24	12									465
		0				85	66	42	24								635
S702*	350-560	3				68	53	34	19								605
5/02	350-560	6				48	38	24	14								575
		7.6				34	26	17	10								560
		0					69	50	35	22							690
0702*+	400.600	3					55	40	28	18							660
S703*+	420-630	6					39	29	20	13							630
		7.6					28	20	14	9							615
		0					56	51	39	28	18	11					800
070.4*+	400.700	3					45	41	31	22	14	9					770
S704*+	490-700	6					32	29	22	16	10		=				740
		7.6					22	20	16	11	7						725

[#] Factory pressure switch setting (210-350 kPa).

^{*} Pressure switch adjustment needed. + 700248 Pressure switch needed for extra high pressure switching.

Pump suction 1 1/2" BSP Female. Pump discharge port 1" BSP Male (pump), 1" BSP Female (pressure kit) Both single and three phase models available.

OJ800 - Shallow Well Performance






FARM PUMPS

OJ700-800 SERIES - Shallow Well Accessories

Suitable Injectors
\$800
S801
S802
S803
S804
S805
S806



	Pressure		Discharge Head (m)										Max.				
Injector Model	Switch Setting	Suction Lift (m)	15	21	27	34	40	46	52	58	64	70	76	82	88	95	Pump Press.
	(kPa) ¯							(Capaci	ty (lpm	1)						(kPa)
		0	245	241	218	156	72										430
0000#	010.050#	3	196	193	174	125											400
S800#	210-350#	6	140	137	124	89											370
		7.6	98	96	87	62											355
		0		215	204	160	116	66									525
S801*	280-455	3		172	163	128	93	53									495
3801	280-433	6		123	116	91	66										465
		7.6		86	82	64	46										450
		0			154	150	117	85	54	25							635
S802*	350-560	3			123	120	94	68	43	20							605
3602	330-300	6			88	86	67	48	31								575
		7.6			62	60	47	34	22								560
		0					112	88	64	42	25						730
S803*	420-630	3					90	70	51	34	20						700
3003	420-030	6					64	50	36	24	14						670
		7.6					45	35	26	17	10						655
		0						90	67	47	31	18					800
S804*+	490-700	3						72	54	38	24	14					770
3004	490-700	6						51	38	27	18	10					740
		7.6						36	27	19	12	7					725
		0							70	57	43	31		1			970
S805*+	630-840	3							56	46	34	25	17				880
3003	030-040	6							40	32	25	18	12				850
		7.6							28	23	17	12	8			1	835
		0										34	33	30	25	18	1145
S806*+	770-1050	3										27	26	24	20	14	1115
3600	770-1050	6										19	18	17	14	10	1085
		7.6										14	13	12	10	7	1070

- # Factory pressure switch setting (210-350 kPa).
 * Pressure switch adjustment needed.
- + 700248 Pressure switch needed for extra high pressure switching.

Pump suction 1 1/2" BSP Female. Pump discharge port 1" BSP Male (pump), 1"BSP Female (pressure kit) Both single and three phase models available.

SHALLOW WELL INJECTOR KITS	43SP4	
OJ700	Code	Price
S700	110471	\$231.00
S701	110472	\$231.00
S702	110473	\$231.00
S703	110474	\$231.00
S704	110475	\$231.00

OJ800	Code	Price
\$800	110476	\$231.00
S801	110477	\$231.00
\$802	110478	\$231.00
\$803	110479	\$231.00
\$804	110480	\$231.00
\$805	110481	\$231.00
S806	110482	\$231.00



Includes Housing, Gasket, Jet and Venturi.

SHALLOW WELL JET & VENTUR	43SP4	
OJ700	Code	Price
S700	801106	\$108.84
S701	801107	\$108.84
S702	801122	\$108.84
\$703	801123	\$108.84
S704	801124	\$108.84

OJ800	Code	Price
S800	801108	\$108.84
S801	801109	\$108.84
S802	801110	\$108.84
S803	801111	\$108.84
S804	801112	\$108.84
S805	801113	\$108.84
S806	801114	\$108.84



OJ SERIES - Deep Well Performance



PENTAIR ONGA

FARM PUMPS

OJ700-800 SERIES - Deep Well Accessories

OJ700 - Deep Well

	Pressure	Injector	Suction	Pressure	Bore Water pumping Level or Suction Lift (m)									Min.	Max.			
Injector Model	Switch Setting	Size	Pipe	Pipe	6	9	12	15	18	21	24	27	30	34	37	40	Pump Press.	Pump Press.
	(kPa)	(Inch)	(Inch)	(Inch)		Capacity (lpm)								(kPa)	(kPa)			
D414	210-350	3 1/4	1 1/4	1	90	78	60										186	455
D415	210-350	-	-	1		40 30 28 18 15						186	483					
D514	210-350	3 %	-	1 1/4	120	105	75	63									179	469
D515	210-350	-	1 ½	1 1/4					50	40	30						193	483
D516	210-350	-	-	-								28	20	13	10		193	455
D611	210-350	4 %#	-	-	135	120	113	90									179	462
D612	210-350	-	2	1 ½		68 60 48						186	483					
D613	210-350	-	-	-								54	35	25	25	15	193	518

OJ800 - Deep Well

	Dunnanum Conitale	Injector	Suction	Pressure	Bore Water pumping Level or Suction Lift (m)							Min.	Max.								
Injector Model	Pressure Switch Setting	Size	Pipe	Pipe	6	9	12	15	18	21	24	27	30	34	37	40	43	46	49	Pump Press.	Pump Press.
	(kPa)	(Inch)	(Inch)	(Inch)	Capacity (Ipm)							(kPa)	(kPa)								
D520	210-350* or 280-480	3 %	1 1/2	1 1/4	160	135	113	85												248	573
D518	210-350* or 280-480	-	-	-	- 63 58 43							262	690								
D519	210-350* or 280-480	-	-	-								38	30	23	18	15				262	656
D618	210-350* or 280-480	4 %#	-	-	205	173	150													214	517
D619	210-350* or 280-480	-	2	1 ½				125	100	85										242	600
D616	210-350* or 280-480	-	-	-							68	60	50							276	711
D617	210-350* or 280-480	-	-	-										48	40	33	28	25	20	276	662

OJ800 - Deep Well Offset

Dunn Madal	luia stan Madal	Din a Cina (In ab)	Additional Suction Head (M) Per Horizontal Offset (M)										
Pump Model	Injector Model	Pipe Size (Inch)	30	60	120	180	240	300					
	D611	2 x 1 ½	3	6	9	12	15	17					
OJ700	D612	2 x 1 ½	2.5	4.5	7.5	10.5	13.5	15					
	D613	2 x 1 ½	2.5	4.5	7.5	10.5	12	13.5					
	D618	2 x 1 ½	6	12	18.5	23	26	29					
	D619	2 x 1 ½	4.5	9	15	18.5	21	23					
	D616	2 x 1 ½	3	6	12	17	20	23					
0.1000	D617	2 x 1 ½	3	6	10.5	15	18.5	21					
OJ800	D618	2 x 2	3.5	7.5	13.5	18.5	21	24					
	D619	2 x 2	3	6	10.5	13.5	17	18.5					
	D616	2 x 2	2	4.5	7.5	10.5	13.5	15					
	D617	2 x 2	1.5	3	6	9	12	13.5					

DEEP WELL PARTS & ACCESSORIES		43SP4
Parts & Accessories	Code	Price
Over Bore Elbow	502860GN	\$177.27
Offset Flange	500100GN	\$177.27
D4 Housing and Elbow Kit D/W Inj	800492	\$572.73
D5 Housing and Elbow Kit D/W Inj	800493	\$636.36
D6 Housing and Elbow Kit D/W Inj	800494	\$781.82
D6-4# inch Housing and Elbow Kit D/W Inj	800401	\$781.82
D4 Housing and Offset Kit D/W Inj	800576	\$643.18
D5 Housing and Offset Kit D/W Inj	800577	\$654.55
D6** Housing and Offset Kit D/W Inj	800578	\$804.55
High Pressure Switch	700248	\$831.05





DEEP WELL INJECTORS							
JET & VENTURI ONLY							
OJ700	00 Code						
D414	801045	\$108.84					
D415	801042	\$93.18					
D514	801051	\$108.84					
D515	801052	\$108.84					
D516	801053	\$108.84					
D611	801058	\$108.84					
D612	801059	\$108.84					
D613	801060	\$108.84					

OJ800	Code	Price
D518	801052	\$108.84
D519	801053	\$108.84
D520	801115	\$108.84
D616	801063	\$108.84
D617	801060	\$108.84
D618	801116	\$108.84
D619	801117	\$108.84

		435P4
DI	EEP WELL INJECTOR COM	MPLETE
Elbow	Offset	Price
D414E	D4140	\$621.67
D415E	D4150	\$621.67
D514E	D5140	\$674.58
D515E	D5150	\$674.58
D516E	D5160	\$674.58
D611E	D6110	\$806.85
D612E	D6120	\$806.85
D613E	D6130	\$806.85

ı	Elbow	Offset	Price
	D518E	D5180	\$674.58
	D519E	D5190	\$674.58
	D520E	D5200	\$674.58
	D616E	D6160	\$806.85
	D617E	D6170	\$806.85
	D618E	D6180	\$806.85
	D619E	D6190	\$806.85
		·	



[#] To suit 4 inch bore ** To suit 5 inch bore

OJ-E SERIES - EngineMaster Jet Assisted



When your property needs a serious jet-assisted pump independent of electrical supply, only cast iron is good enough. Other materials just won't stand up to the extreme pressures common in engine driven jet assisted pumps. Combining the best jet pumps available with the most reliable engines results in the Onga OJ700E and OJ800E.


The OJ-E series gives you the flexibility to draw water from almost any source and location. You can rest assured that if your water supply changes, your OJ can change along with it – with over 40 injector combinations for the Onga Farmmaster range, there's a set-up to suit almost any application.

KEY FEATURES

- · Cast iron, heavy duty construction.
- Available with Honda and B&S petrol engines or Yanmar diesel engines.
- Available in shallow well or deep well configuration, with over 40 injector combinations.


APPLICATIONS

- · High suction lifts from dams, bores & rivers.
- · Water transfer.
- · Stock watering.
- Tank filling.
- Irrigation where high suctions lifts are required.












FARM PUMPS

HI-FLO 112 - Water Transfer Centrifugal Pumps





Horizontal single stage, surface mounted centrifugal pump with closed impeller for pumping debris free water coupled to a cool running Totally Enclosed Fan Cooled 2 pole motor with external thermal overload (single phase only, three phase units require separate quick trip overload supplied by electrical contractor).

KEY FEATURES

- · High grade corrosion resistant materials.
- · Award winning high flow impeller.
- Strong and durable construction.
- · Max. head 25m
- Max. flow 320lpm.

APPLICATIONS

- Domestic, industrial or rural water transfer pump.
- Typical uses include; wash, down tank filling and general water transfer and circulation and irrigation.

ELECTRICAL DATA

Model	Type of current	Voltage ± 10%	Frequency Hz	Motor Rating kW	Nominal RPM	Current Ampere	Locked Rotor Current	Motor Protection	Insulation Class	IP Rating
112	1-phase	230	50	1.1	2900	10.8 A	38.8 A	Auto	В	IP 44
112	3-phase	400	50	1.1	2900	3.3 A	23.6 A	-	В	IP 44

PERFORMANCE TABLE

Туре	Part Number	Delivery Head (m)	3	6	9	12	15	18	21	24
 112	311200 / 311230	Capacity (litres per minute)	318	283	242	203	166	123	77	42

OJ-E SERIES PRICING 43SP5 Model HP Code Price OJ700E Honda GX160 Engine 110075 5.5 / 6.0 \$2,493.28 110160 9.0 / 8.0 OJ800E Honda GX270 Engine \$3,405.95 110161 9.0 / 8.0 OJ800E Honda GX270 Engine, Electric Start \$3,835.82 OJ800E Yanmar LAE70 Diesel Engine 110169 7.0 \$8,465.26

HI-FLO-112 SERIES PRICING							
Model	Code	kW/Phase	Price				
112 1-phase	311200	1.10 / 1Ø	\$1,641.26				
112 3-phase	311230	1.10 / 3Ø	\$1,694.39				

14 SERIES - Moulded Water Transfer Centrifugal Pumps





FARM PUMPS

400 SERIES - Moulded Water Transfer Centrifugal Pumps

Horizontal, single-stage, surface mounted centrifugal pump with closed impeller for pumping debris free water coupled to a cool running Total Enclosed Fan Cooled 2 pole motor with external thermal overload (single phase only, three phase units require separate quick trip overload supplied by electrical contractor).


KEY FEATURES

- · High grade corrosion resistant materials.
- · Award winning high flow impeller.
- · Strong and durable construction.
- Max. Head 41m
- Max. Flow 455lpm

APPLICATIONS

- · Domestic, industrial or rural water transfer pump.
- Typical uses include; wash down, tank filling and general water transfer and circulation, irrigation and garden watering.









ELECTRICAL DATA

Model	Type of current	Voltage ± 10%	Frequency Hz	Motor Rating kW	Nominal RPM	Current Ampere	Locked Rotor Current	Motor Protection	Insulation Class	IP Rating
142	1-phase	230	50	1.8	2900	10.8 A	38.8 A	External	В	IP 44
142	3-phase	400	50	1.8	2900	3.3 A	23.6 A	-	В	IP 44
143	1-phase	230 / 460	50	2.4	2900	14 A / 7 A	71 A / 37 A	External	В	IP 44
143	3-phase	400	50	2.4	2900	6 A	48 A	-	В	IP 44


PERFORMANCE TABLE

Туре	Part Number	Delivery Head (m)	5	10	15	20	25	30	35	40
142	314200 / 314230	0	406	366	316	262	195	102	-	-
142	314300 / 314330	Capacity (litres per minute)	441	403	358	308	252	197	123	22

14 SERIES PRICING								
Model	Code	kW/Phase	Price					
142 1-phase	314200	1.8 / 1Ø	\$1,891.89					
142 3-phase	314230	1.8 / 3Ø	\$2,003.93					
143 1-phase	314300	2.4 / 10	\$2,211.83					
143 3-phase	314330	2.4 / 3Ø	\$2,249.94					







Horizontal single stage, surface mounted centrifugal pump with closed impeller for pumping debris free water coupled to a cool running Totally Enclosed Fan Cooled 2 pole motor with thermal overload protection.

KEY FEATURES

- · High grade corrosion resistant materials.
- · Award winning high flow impeller.
- · Wide model selection.
- · In-built thermal overload.
- · Max. head 26m
- Max. flow 270lpm.

APPLICATIONS

- · Domestic, industrial or rural water transfer pump.
- Typical uses include; hose down, tank filling and general water transfer, hydroponics, sprinklers and garden watering.
- Large range of applications due to wide range of models available.

ELECTRICAL DATA

Model	Type of	c or reductioy		Current	Locked Rotor	Motor	Insulation	IP Rating			
	current	± 10%	Hz	P1	P2	RPM	Ampere	Current	Protection	Class	
413	1-phase	230	50	0.4	0.375	2900	2.5 A	10 A	Auto	В	IP 55
414	1-phase	230	50	0.55	0.375	2900	2.5 A	10 A	Auto	В	IP 55
415	1-phase	230	50	0.75	0.7	2900	4.3 A	15 A	Auto	В	IP 55
417	1-phase	230	50	0.75	0.67	2900	4.1 A	15 A	Auto	В	IP 55

Туре	Part Number	Delivery Head (m)	4	8	12	16	20	24
413	341300		133	90	41	-	-	-
414	341400	Constitution and an instal	198	156	89	6	-	-
415	341500	Capacity (litres per minute)	257	217	173	108	51	-
417	341700		176	158	132	102	61	18

400 SERIES PRICING								
Model	Code	kW/Phase	Price					
413	341300	0.375 / 1Ø	\$605.22					
414	341400	0.375 / 1Ø	\$740.36					
415	341500	0.7 / 1Ø	\$1,019.87					
417	341700	0.67 / 1Ø	\$1,097.25					

12 SERIES - Moulded Water Transfer Centrifugal Pumps



Horizontal, single-stage, surface mounted centrifugal pump with open impeller coupled to a cool running Totally Enclosed Fan Cooled 2 pole motor with external thermal overload (single phase only, three phase units require separate quick trip overload supplied by electrical contractor).


KEY FEATURES


- High grade corrosion resistant moulded construction.
- · Open designed impeller.
- · Strong and durable construction.
- Max. Head 20m
- Max. Flow 280pm

APPLICATIONS

- Domestic, industrial or rural water transfer pump including grey
- Sump emptying.
- · Effluent transfer.
- · Hydroponics.
- · Fountains and waterfalls.







ELECTRICAL DATA

Model	Type of current	Voltage ± 10%	Frequency Hz	Motor Rating kW	Nominal RPM	Current Ampere	Locked Rotor Current	Motor Protection	Insulation Class	IP Rating
121	1-phase	230	50	1.1	2900	10.8 A	38.8 A	Auto	В	IP 44
122	1-phase	230	50	1.1	2900	10.8 A	38.8 A	Auto	В	IP 44
123	3-phase	400	50	1.1	2900	3.3 A	23.6 A	-	В	IP 44

PERFORMANCE TABLE


Туре	Part Number	Delivery Head (m)	5	10	15	20
121	312100	Oit. /litera and install	213	144	30	-
122	312200 / 312203	Capacity (litres per minute)	262	204	129	17

12 SERIES PRICING									
Model	Code	kW/Phase	Price						
121 1-phase	312100	1.1 / 1Ø	\$1,443.18						
122 1-phase	312200	1.1 / 1Ø	\$1,872.73						
122 3-phase	312203	1.1 / 3Ø	\$2,022.73						



18 SERIES - Cast Iron Water Transfer Centrifugal Pumps





Horizontal, single stage, surface mounted centrifugal pump with closed impeller for pumping debris free water coupled to a cool running Totally Enclosed Fan Cooled 2 pole motor.

KEY FEATURES

- Cast iron external construction for strength in the toughest conditions.
- Durable moulded internal components.
- · Award winning high flow impeller.
- Extensive range to suit most applications.
- Max. head 52m
- Max. flow 950lpm.

APPLICATIONS

- Domestic, industrial or rural water transfer pump.
- Typical uses include; wash down, tank filling and general water transfer and circulation, irrigation and garden watering.

ELECTRICAL DATA

Model	Type of current	Voltage ± 10%	Frequency Hz	Motor Rating kW	Nominal RPM	Current Ampere	Locked Rotor Current	Motor Protection	Insulation Class	IP Rating
182	1-phase	230	50	1.5	2900	10.8 A	38.8 A	Auto	В	IP 44
182	3-phase	400	50	1.5	2900	3.3 A	23.6 A	-	В	IP 44
183	1-phase	230 / 460	50	2.4	2900	14 A / 7 A	60 A / 30 A	Manual	В	IP 44
183	3-phase	400	50	2.4	2900	6 A	48 A	-	В	IP 44
184	1-phase	230 / 460	50	3.8	2900	10.5 A / 20.6 A	50.5 A / 107 A	External	В	IP 44
184	3-phase	400	50	3.8	2900	7.4 A	78 A	-	В	IP 44
185	3-phase	400	50	6.0	2900	10.6 A	85 A	-	В	IP 44
187	1-phase	230 / 460	50	2.4	2900	14 A / 7 A	60 A / 30 A	Manual	В	IP 44
187	3-phase	400	50	2.4	2900	6 A	48 A	-	В	IP 44

Туре	Part Number	Delivery Head (m)	10	15	20	25	30	35	40	45	50
182	318200 / 318230		360	307	253	195	104	-	-	-	-
183	318300 / 318330		425	380	340	283	212	121	-	-	-
184	318400 / 318430	Capacity (litres per minute)	618	554	496	433	356	268	153	14	-
185	318530		904	852	791	739	663	580	471	337	118
187	318700 / 318730		840	710	552	363	-	-	-	-	-

18 SERIES PRICING		_	43SP4
Model	Code	kW/Phase	Price
182 1-phase	318200	1.5 / 1Ø	\$2,397.78
182 3-phase	318230	1.5 / 3Ø	\$2,583.74
_ 183 1-phase	318300	2.4 / 1Ø	\$3,205.13
_ 183 3-phase	318330	2.4 / 3Ø	\$3,113.88
_ 184 1-phase	318400	3.8 / 1Ø	\$4,035.57
184 3-phase	318430	3.8 / 3Ø	\$3,735.27
_ 185 3-phase	318530	6.0 / 3Ø	\$4,682.37
187 1-phase	318700	2.4 / 1Ø	\$3,878.49
187 3-phase	318730	2.4 / 3Ø	\$3,379.53

15 SERIES - Cast Iron Water Transfer Centrifugal Pumps



Horizontal, single-stage, surface mounted centrifugal pump with open impeller coupled to a cool running Totally Enclosed Fan Cooled 2 pole motor with external thermal overload (single phase only, three phase units require separate quick trip overload supplied by electrical contractor).


KEY FEATURES

- Cast iron external construction for strength and durability in the toughest conditions
- Open designed impeller with built-in check valve for excellent self-priming characteristics
- Handles soft solids without clogging
- Max. Head 18m
- Max. Flow 375pm

APPLICATIONS

- Domestic, industrial or rural water transfer pump including grey water
- Sump emptying
- · Effluent transfer.







ELECTRICAL DATA

Model	Type of current	Voltage ± 10%	Frequency Hz	Motor Rating kW	Nominal RPM	Current Ampere	Locked Rotor Current	Motor Protection	Insulation Class	IP Rating
150	1-phase	230	50	1.1	2900	10.8 A	38.8 A	Auto	В	IP 44
150	3-phase	400	50	1.1	2900	3.3 A	23.6 A	-	В	IP 44

Туре	Part Number	Delivery Head (m)	5	10	15	20	25	30
150	315000 / 315030	Capacity (litres per minute)	341	249	128	-	-	-

15 SERIES PRICING									
Model	Code	kW/Phase	Price						
150 1-phase	315000	1.1 / 1Ø	\$3,280.68						
150 3-phase	315030	1.1 / 3Ø	\$3,500.00						



BLAZEMASTER SERIES - PETROL

SINGLE STAGE - HONDA



SINGLE STAGE - BRIGGS & STRATTON

BLAZEMASTER SERIES - PETROL

The Blazemaster is a single-stage pump designed to move more water, more economically.

As the world's largest engine manufacturer, Honda offers more engine experience than anyone. A well earned reputation for engine quality and performance.

Honda GX Series engines have long been recognized as the industry leader in providing reliable, easy-starting and fuel efficient small engines.


Honda's automatic mechanical decompression system is designed to give you quicker, easier starts. The system consists of an oil level sensor inside the crankcase. When the oil reaches a level that is too low for safe operation, the engine warns you or stops automatically.


- · Lightweight high grade corrosion resistant materials.
- · Large pump casing with raised suction port and inbuilt nonreturn valve for better priming capabilities.
- Computational Fluid Dynamics designed hydraulic components for higher performance and efficiency.
- · Strong and durable construction.
- · Max. head 66m.
- · Max. flow 715lpm

APPLICATIONS

- · Fire fighting.
- · Tank filling.
- · Water transfer.
- · Irrigation and spraying.







PENTAIR

ONGA





Briggs & Stratton Intek™ I/C race-bred series engine for reliability, durability and performance.

Manual and electric start options for versatility.

Fuel tap with sediment bowl and sight glass for greater ease when checking fuel and servicing.

Dual element air filter for cleaner operation.

Polyethylene fuel tank for impact / corrosion resistance.

'Run sense' low oil protection to protect the engine from low oil failures and engine damage.

KEY FEATURES

- · Lightweight high grade corrosion resistant materials.
- · Large pump casing with raised suction port and inbuilt nonreturn valve for better priming capabilities.
- Computational Fluid Dynamics designed hydraulic components for higher performance and efficiency.
- · Strong and durable construction.
- Max. head 66m.
- · Max. flow 740lpm

APPLICATIONS

- · Fire fighting.
- · Tank filling.
- · Water transfer.
- · Irrigation and spraying.

ENGINE DATA

Model	Engine	Model	Displacement CC	Continuous Duty	Fuel Tank Capacity	Fuel	Fuel Consumption @ 3600 RPM	Recommended Oil Type	Oil Capacity
B55HR	Honda	GX160	163	3000 RPM	3.1 Litres	Unleaded	1.4 litres/hour	10W/30 API SG	0.6 Litres
B65HR	Honda	GX200	196	3000 RPM	3.1 Litres	Unleaded	1.7 litres/hour	10W/30 API SG	0.6 Litres
B65HE	Honda	GX200	196	3000 RPM	3.1 Litres	Unleaded	1.7 Litres/hour	10W/30 API SG	0.6 Litres
B90H	Honda	GX270	270	3000 RPM	5.3 Litres	Unleaded	2.5 litres/hour	10W/30 API SG	1.1 Litres

POWERED by

2 YEAR

HONDA

PERFORMANCE TABLE

Battery and leads not included

Model	Delivery Head (m)	10	20	30	40	50	60	70	80	90	100
B55HR	Capacity (litres per minute)	623	507	396	281	170	40	-	-	-	-
B65HR		680	585	484	360	232	80	-	-	-	-
B65HE		680	585	484	360	232	80	-	-	-	-
B90H		687	617	525	428	310	140	-	-	-	-

HONDA SINGLE STAGE PRICING	HONDA SINGLE STAGE PRICING							
Model	Code	Price						
Blazemaster Single GX160 + Roll Frame	B55HR	\$2,170.00						
Blazemaster Single GX200 + Roll Frame	B65HR	\$2,308.89						
Blazemaster Single GX200 e/start	B65HE	\$3,108.89						
Blazemaster Single GX270	В90Н	\$4,115.06						

Model	Engine	Model	СС	Duty	Capacity	ruei	@ 3600 RPM	Oil Type	Оп Сараспу	ENGINE DA	ATA									
B55HR	Honda	GX160	163	3000 RPM	3.1 Litres	Unleaded	1.4 litres/hour	10W/30 API SG	0.6 Litres				Nominal	Dienlagement	Continuous	Fuel Tank		Fuel Consumption	Recommended	
B65HR	Honda	GX200	196	3000 RPM	3.1 Litres	Unleaded	1.7 litres/hour	10W/30 API SG	0.6 Litres	Model	Engine	Model	HP	Displacement CC	Duty	Capacity	Fuel	Consumption @ 3600 RPM	Recommended Oil Type	Oil Capacity
B65HE	Honda	GX200	196	3000 RPM	3.1 Litres	Unleaded	1.7 Litres/hour	10W/30 API SG	0.6 Litres				_							
DOOLI	l la sada	0.7070	070	2000 DDM	F 0 1 ituan	Unlandad	O E liana a /la a	10M/20 ADLCC	1 1 1 14444	B55BSR	B&S	Intek I/C	5	205	3000 RPM	3 Litres	Unleaded	2.04 litres/hour	SAE30	0.6 Litres
B90H	Honda	GX270	270	3000 RPM	5.3 Litres	Unleaded	2.5 litres/hour	10W/30 API SG	1.1 Litres	B65BSR	B&S	Intek I/C	6	205	3000 RPM	3 Litres	Unleaded	2.11 litres/hour	SAE30	0.6 Litres

PERFORMANCE TABLE

Model	Delivery Head (m)	10	20	30	40	50	60	70	80	90	100
B55BSR	Capacity (litres	600	477	355	230	113	-	-	-	-	-
B65BSR	per minute)	670	592	495	375	241	76	-	-	-	-

BRIGGS & STRATTON SINGLE STAGE PRICING							
Model	Code	Price					
Blazemaster Single B&S 163cc + Roll Frame	B55BSR	\$1,757.78					
Blazemaster Single B&S 208cc + Roll Frame	B65BSR	\$1,984.44					

Battery and leads not included

All prices exclude GST & Freight

BLAZEMASTER SERIES - DIESEL

SINGLE STAGE - YANMAR





Horizontal, single-stage centrifugal pump with closed impeller for pumping debris free water coupled to a Yanmar 4.7HP (L48N), 6.7HP (L70N) or 10HP (L100N) engine.


KEY FEATURES

- · Lightweight high grade corrosion resistant materials.
- · Large pump casing with raised suction port and inbuilt nonreturn valve for better priming capabilities.
- Computational Fluid Dynamics designed hydraulic components for higher performance and efficiency.
- Strong and durable construction.
- · Max. head 57m.
- · Max. flow 590lpm

APPLICATIONS

- · Fire fighting.
- · Tank filling.
- · Water transfer.
- · Irrigation and spraying.









ENGINE DATA

Model	Engine	Model	Nominal HP	Displacement CC	Continuous Duty	Fuel Tank Capacity	Fuel	Recommended Oil Type	Oil Capacity
B48Y	Yanmar	L48N	4.7	0.219 litres	3000 RPM	1.9 Litres	Diesel	Refer to manual	0.8 Litres
B48YE	Yanmar	L48N	4.7	0.219 litres	3000 RPM	1.9 Litres	Diesel	Refer to manual	0.8 Litres
B70Y	Yanmar	L70N	6.7	0.320 litres	3000 RPM	2.7 Litres	Diesel	Refer to manual	1.05 Litres
B70YE	Yanmar	L70N	6.7	0.320 litres	3000 RPM	2.7 Litres	Diesel	Refer to manual	1.05 Litres
B10YE	Yanmar	L100N	10	0.435 litres	3000 RPM	4.7 Litres	Diesel	Refer to manual	1.6 Litres

PERFORMANCE TABLE


Model	Delivery Head (m)	10	20	30	40	50	60	70	80	90	100
B48Y		480	371	265	145	27	-	-	-	-	-
B48YE		480	371	265	145	27	-	-	-	-	-
B70Y	Capacity (litres per minute)	561	512	452	365	206	-	-	-	-	-
B70YE	per minute)	561	512	452	365	206	-	-	-	-	-
B10YE		561	512	452	365	206	-	-	-	-	-

YANMAR SINGLE STAGE PRICING		43SP5
Model	Code	Price
Blazemaster Single L48N	B48Y	\$5,606.67
Blazemaster Single L48N e/start	B48YE	\$7,993.33
Blazemaster Single L70N	B70Y	\$7,999.17
Blazemaster Single L70N e/start	B70YE	\$8,658.89
Blazemaster Single L100N e/start	B10YE	\$10,683.33

Battery and leads not included

PENTAIR ONGA







The Blazemaster is a twin-stage pump designed to move more water, more economically

BLAZEMASTER SERIES PETROL

As the world's largest engine manufacturer, Honda offers more engine experience than anyone. A well earned reputation for engine quality and performance.

TWIN STAGE - HONDA

Honda GX Series engines have long been recognized as the industry leader in providing reliable, easy-starting and fuel efficient small engines.

Honda's automatic mechanical decompression system is designed to give you quicker, easier starts. The system consists of an oil level sensor inside the crankcase. When the oil reaches a level that is too low for safe operation, the engine warns you or stops automatically.

KEY FEATURES

- Lightweight high grade corrosion resistant materials.
- · Large pump casing with raised suction port and inbuilt nonreturn valve for better priming capabilities.
- Computational Fluid Dynamics designed hydraulic components for higher performance and efficiency.
- · Strong and durable construction.
- Max. head 102m.
- · Max. flow 450lpm

APPLICATIONS



- · Tank filling.
- · Water transfer.
- · Irrigation and spraying.

ENGINE DATA

Model	Engine	Model	Displacement CC	Continuous Duty	Fuel Tank Capacity	Fuel	Fuel Consumption @ 3600 RPM	Recommended Oil Type	Oil Capacity
BM55HR	Honda	GX160	163	3000 RPM	3.1 Litres	Unleaded	1.4 litres/hour	10W/30 API SG	0.6 Litres
BM65HR	Honda	GX200	163	3000 RPM	3.1 Litres	Unleaded	1.4 litres/hour	10W/30 API SG	0.6 Litres
BM65HE	Honda	GX200	163	3000 RPM	3.1 Litres	Unleaded	1.4 litres/hour	10W/30 API SG	0.6 Litres
ВМ90Н	Honda	GX270	270	3000 RPM	5.3 Litres	Unleaded	2.5 litres/hour	10W/30 API SG	1.1 Litres
ВМ90НЕ	Honda	GX270	270	3000 RPM	5.3 Litres	Unleaded	2.5 litres/hour	10W/30 API SG	1.1 Litres

PERFORMANCE TABLE

Model	Delivery Head (m)	10	20	30	40	50	60	70	80	90	100
BM55HR		420	332	280	242	183	153	104	71	32	8
BM65HR		420	373	322	281	229	182	133	93	46	13
BM65HE	Capacity (litres per minute)	420	373	322	281	229	182	133	93	46	13
ВМ90Н		-	398	368	344	311	277	242	192	122	28
BM90HE		-	398	368	344	311	277	242	192	122	28

HONDA TWIN STAGE PRICING		43SP5
Model	Code	Price
Blazemaster Twin GX160 + Roll Frame	BM55HR	\$2,391.11
Blazemaster Twin GX200 + Roll Frame	BM65HR	\$2,545.56
Blazemaster Twin GX200 e/start	BM65HE	\$3,243.33
Blazemaster Twin GX270	вм90Н	\$4,287.78
Blazemaster Twin GX270 e/start	BM90HE	\$4,551.11

Battery and leads not included

All prices exclude GST & Freight

BLAZEMASTER SERIES - PETROL

TWIN STAGE - BRIGGS & STRATTON

PENTAIR

Briggs & Stratton Intek™ I/C race-bred series engine for reliability, durability and performance.

Manual and electric start options for versatility.

Fuel tap with sediment bowl and sight glass for greater ease when checking fuel and servicing.

Dual element air filter for cleaner operation.

Polyethylene fuel tank for impact / corrosion resistance.

'Run sense' low oil protection to protect the engine from low oil failures and engine damage.


KEY FEATURES

- · Lightweight high grade corrosion resistant materials.
- · Large pump casing with raised suction port and inbuilt nonreturn valve for better priming capabilities.
- Computational Fluid Dynamics designed hydraulic components for higher performance and efficiency.
- · Strong and durable construction.
- Max. head 100m.
- · Max. flow 400lpm


APPLICATIONS

- · Fire fighting.
- · Tank filling.
- · Water transfer.
- · Irrigation and spraying.












BLAZEMASTER SERIES - DIESEL

TWIN STAGE - YANMAR







YANMAR

2 YEAR WARRANTY

KEY FEATURES

- · Lightweight high grade corrosion resistant materials.
- · Large pump casing with raised suction port and inbuilt nonreturn valve for better priming capabilities.

Horizontal twin-stage centrifugal pump with closed impellers for

pumping debris free water coupled to a Yanmar 4.7HP (L48N),

- · Computational Fluid Dynamics designed hydraulic components for higher performance and efficiency.
- · Strong and durable construction.

6.7HP (L70N) or 10HP (L100N) engine.

- · Max. head 100m.
- · Max. flow 434lpm

APPLICATIONS

- · Fire fighting. • Tank filling.
- · Water transfer.
- · Irrigation and spraying.

ENGINE DATA

Model	Engine	Model	Nominal HP	Displacement CC	Continuous Duty	Fuel Tank Capacity	Fuel	Fuel Consumption @ 3600 RPM	Recommended Oil Type	Oil Capacity
BM55BSR	B&S	Intek I/C	5	205	3000 RPM	3 Litres	Unleaded	2.04 litres/hour	SAE30	0.6 Litres
BM65BSR	B&S	Intek I/C	6	205	3000 RPM	3 Litres	Unleaded	2.11 litres/hour	SAE30	0.6 Litres
BM10BSE	B&S	Intek I/C	10	305	3000 RPM	3 Litres	Unleaded	3.63 litres/hour	SAE30	0.83 Litres

PERFORMANCE TABLE

Model	Delivery Head (m)	10	20	30	40	50	60	70	80	90	100
BM55BSR		375	323	274	227	184	142	105	63	28	-
BM65BSR	Capacity (litres per minute)	400	370	333	290	246	192	139	96	55	23
BM10BSE	per minute)	400	379	356	334	306	272	230	178	108	27

BRIGGS & STRATTON TWIN STAGE PRICING		43SP5
Model	Code	Price
Blazemaster Twin B&S 205cc + Roll Frame	BM55BSR	\$2,024.44
Blazemaster Twin B&S 205cc + Roll Frame	BM65BSR	\$2,141.11
Blazemaster Twin B&S 305cc e/start	BM10BSE	\$4,866.67

Battery and leads not included

ENGINE DATA

Model	Engine	Model	Nominal HP	Displacement CC	Continuous Duty	Fuel Tank Capacity	Fuel	Recommended Oil Type	Oil Capacity
BM70Y	Yanmar	L70N	6.7	0.320 litres	3000 RPM	2.7 Litres	Diesel	Refer to manual	1.05 Litres
BM70YE	Yanmar	L70N	6.7	0.320 litres	3000 RPM	2.7 Litres	Diesel	Refer to manual	1.05 Litres
BM10YE	Yanmar	L100N	10	0.435 litres	3000 RPM	4.7 Litres	Diesel	Refer to manual	1.6 Litres

PERFORMANCE TABLE

Model	Delivery Head (m)	10	20	30	40	50	60	70	80	90	100
BM70Y		434	410	382	353	322	288	247	203	144	38
BM70YE	Capacity (litres per minute)	434	410	382	353	322	288	247	203	144	38
BM10YE		434	410	382	353	322	288	247	203	144	38

YANMAR TWIN STAGE PRICING		43SP5
Model	Code	Price
Blazemaster Twin L70N	BM70Y	\$9,342.86
Yanmar Twin L70 e/start	BM70YE	\$9,196.67
Yanmar Twin L100 e/start	BM10YE	\$10,716.67

Battery and leads not included

BLAZEMASTER PUMPS - OTHER

TORRENTMASTER - TM1000 3" Transfer Pump





BLAZEMASTER PUMPS - OTHER

MINIBLAZE

Horizontal, single-stage, surface mounted centrifugal pump with cast iron open style impeller for pumping debris free water coupled to a Honda GX200 engine.


KEY FEATURES

- Robust aluminium casing for lightweight high grade corrosion resistance
- Aluminium nut and tail fittings
- · Cast iron open style impeller
- 3" inlet and outlet for high flow rates
- · Strong and durable construction
- Rotatable discharge port makes the unit adaptable to various applications
- · Built-in non-return valve aids quick priming
- Max. head 34 m
- Max. flow 980 lpm

APPLICATIONS


- · Flood water evacuation
- High Flow Water Transfer





OTM1000

\$2,385.56



LIGHTWEIGHT, EFFICIENT AND VERSATILE.

The MiniBlaze is perfect in situations where there is isolation from electrical power preventing electrical pumps being used.

The MiniBlaze is equally at home helping plumbers and tradesman to evacuate water from work sites.

Versatility of the MiniBlaze is endless, from tradies to river camp

KEY FEATURES

- · Lightweight high grade corrosion resistant materials.
- Strong and durable construction.
- Max. head 20 m.
- Max. flow 175 lpm.

APPLICATIONS

- Fire fighting.
- · Water transfer.
- · Ute packs and spray units.
- · Water evacuation.

Model	Engine	Model	Nominal HP	Displacement CC	Continuous Duty	Fuel Tank Capacity	Fuel	Fuel Consumption	Recommended Oil Type	Oil Capacity
TM1000	Honda	GX200	6.5	196	3000 RPM	3.1 Litres	Unleaded	1.7 Litres/hour	10W/30 API SG	0.6 Litres

2 YEAR

TM1000 at 3000 rpm

PERFORMANCE TABLE

TorrentMaster TM1000

ENGINE DATA

Model	Performance										
TN41000	Head (m)	3	7	10	14	17	21	24	28	31	34
TM1000	Flow (L/min)	980.4	952.4	884.6	808.6	722.6	614	514.3	375.9	212.4	32.9

TORRENTMASTER PRICING A3SP5 Model Code Price

ENGINE DATA

Model	Engine	Model	Nominal kW @ 3600 RPM	Displacement CC	Fuel Tank Capacity	Fuel	Fuel Consumption	Recommended Oil Type	Oil Capacity
MB25L	Loncin	152F	1.2	1.63	1.4 Litres	Unleaded	4.35 g/kW-h	SAE1030	0.45 Litres

PERFORMANCE TABLE

Model	Delivery Head (m)	5	10	15	20	25
MB25L	Capacity (litres per minute)	175	135	90	40	0

MINIBLAZE PRICING				
Model	Code	Price		
MiniBlaze 25	MB25L	\$667.78		
MiniBlaze and Hose Kit	MB25LK	\$943.33		

36 43SOUTH | 2023 Farm & Industrial Price List All prices exclude GST & Freight All prices exclude GST & Freight 3/

BLAZEMASTER PUMPS - OTHER

HTP750VR POLYPUMP - Engine Driven Transfer Pump





BLAZEMASTER PUMPS - OTHER

HTP1600V - Engine Driven Transfer Pump

The HTP750VR is a versatile, economic, water and chemical transfer pump powered by a reliable Honda 6.5 hp engine. The pump casing is manufactured from polypropylene with 2" suction and discharge ports providing high volume capacity.


KEY FEATURES

- High strength nylon impeller handles solid particles in suspension up to 20mm.
- · High quality VITON mechanical seal and inlet valve for reliability and longevity.
- · VITON seal kit.
- · 2" connections for high volume capacity.
- · Polypropylene housing for chemical transfer.
- · Roll frame fitted for stability and ease of transporting.
- · Quick connect camlock fittings supplied.
- · Lightweight, easy to handle.
- · Honda GX200 6.5 hp engine.
- Pump and engine repair parts available for ease of servicing.
- · Assembled in Australia.

APPLICATIONS


- Irrigation
- · Tank Filling
- · Flood Water Removal
- · Liquid Fertiliser Transfer · Chemical Transfer.











The 3" Hypro Self-Priming Polypropylene Transfer Pump handles large, high capacity, liquid transfer jobs with ease. Use them for transferring water, liquid fertilizers and other chemicals compatible with pump materials.

Make short work of other farm jobs: filling nurse tanks, watering seedbeds and transferring liquids. This self-priming model also makes it ideal for de-watering applications.

KEY FEATURES

- · High strength nylon impeller handles solid particles in suspension up to 20mm.
- · High quality VITON mechanical seal and inlet valve for reliability and longevity.
- · Complete VITON seal kit.
- Great efficiency 3" transfer pump delivering highest flow rate in the market of up to 1600 lpm.
- 3" Polypropylene housing for corrosive chemical transfer.
- · Quick connect camlock fittings supplied.
- Honda GX390 13 hp engine Pump and engine repair parts available for ease of servicing.
- · Assembled and tested in Australia.

ENGINE DATA

Model	Engine	Displacement CC RPM	Continuous Duty	Fuel Tank Capacity	Fuel	Fuel Consumption @3600 RPM	Recommended Oil Type	Oil Capacity
GX390	Honda	389	3000 RPM	6.1 litres	Unleaded	3.7 litres/hour	10W/30 API SG	1.1 Litres

PERFORMANCE TABLE

Part number	Operating Pressure	Max. Flow	Max. Head	Max. Suction	Inlet / Outlet
HTP1600V	380 kPa	1600 lpm	38 m	7.6 m	3" NPT with cam lock fitting supplied

ENGINE DATA

Model	Engine	Model	Displacement CC	Continuous Duty	Fuel Tank Capacity	Fuel	Fuel Consumption @ 3600 RPM	Recommended Oil Type	Oil Capacity
HTP750VR	Honda	GX200	196	3000 RPM	3.1 Litres	Unleaded	1.7 litres/hour	10W/30API SG	0.6 Litres

PERFORMANCE TABLE

Model	Operating Pressure (kPa)	Max Flow (I/min)	Max Head (m)	Max Suction (m)	Inlet/Outlet
HTP750VR	400	750	40	6	2"NPT

HTP750VR POLYPUMP PRICING				
Model	Code	Price		
HTP750VR Polypump	HTP750VR	\$1,977.78		

HTP1600V PRICING					
Model	Code	Price			
HTP1600V	HTP1600V	\$5,416.67			

All prices exclude GST & Freight

Notes	
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_



SBI SERIES





VERTICAL MULTISTAGE PUMPS

SBI 1 - 32mm Discharge Nominal Flow 0.27 litres/second (1m³/h)

PVMI 1

43SP7

Corrosion resistant Stainless Steel, vertical multistage pumps.

KEY FEATURES

- · All wetted parts 304 grade Stainless Steel (SBI).
- Available with all wetted parts 316 grade Stainless Steel (SBN).
- · High efficiency, low maintenance.
- TEFC electric motors to IP55.
- · Low noise operation.
- · Vertical design with small footprint.
- · Mechanical seal to DIN 24960.
- · Silicon carbide, product lubricated bearings.
- High quality Stainless Steel cartridge type mechanical seal fitted as standard.
- · Cast Iron flanges with drilling to DIN (ISO), ANSI class 300, ISO2129 (table D/D and table F/H).

APPLICATIONS

- Irrigation.
- · Domestic water boosters.
- Sprinkler / Fire fighting.
- · Water treatment plants.
- · Boiler feed.
- · Chemical / Processing.
- Food processing.


OPERATING LIMITS

- Capacity: Maximum 180m³/hour
- Head: Maximum 320 metres
- Liquid Temperature: -15°C to +120°C • Maximum Ambient Temperature: +40°C
- Pumped Liquid: Potable water, clean water, sea water (SBN),
- hard water (SBN), Mildly Aggresive Chemicals (SBN).





		30	4SS	30	4SS	304SS		
		Bare	Shaft	Single	Single Phase		Phase	
Model	kW	Code	Price	Code	Price	Code	Price	
PVMI 1-2	0.37	SBI1-02B	\$1,233.15	SBI1-02S	\$1,696.69	SBI1-02T	\$1,585.95	
PVMI 1-3	0.37	SBI1-03B	\$1,281.46	SBI1-03S	\$1,753.72	SBI1-03T	\$1,639.28	
PVMI 1-4	0.37	SBI1-04B	\$1,354.34	SBI1-04S	\$1,812.30	SBI1-04T	\$1,696.38	
PVMI 1-5	0.37	SBI1-05B	\$1,382.73	SBI1-05S	\$1,879.02	SBI1-05T	\$1,748.98	
PVMI 1-6	0.37	SBI1-06B	\$1,437.50	SBI1-06S	\$1,904.99	SBI1-06T	\$1,792.78	
PVMI 1-7	0.37	SBI1-07B	\$1,479.02	SBI1-07S	\$1,968.01	SBI1-07T	\$1,856.54	
PVMI 1-8	0.55	SBI1-08B	\$1,535.01	SBI1-08S	\$2,069.50	SBI1-08T	\$1,896.34	
PVMI 1-9	0.55	SBI1-09B	\$1,564.35	SBI1-09S	\$2,236.90	SBI1-09T	\$2,236.90	
PVMI 1-10	0.55	SBI1-10B	\$1,659.88	SBI1-10S	\$2,343.42	SBI1-10T	\$2,263.53	
PVMI 1-11	0.55	SBI1-11B	\$1,743.47	SBI1-11S	\$2,436.62	SBI1-11T	\$2,303.47	
PVMI 1-12	0.75	SBI1-12B	\$1,803.18	SBI1-12S	\$2,463.26	SBI1-12T	\$2,383.37	
PVMI 1-13	0.75	SBI1-13B	\$1,886.78	SBI1-13S	\$2,501.79	SBI1-13T	\$2,396.68	
PVMI 1-15	0.75	SBI1-15B	\$2,025.15	SBI1-15S	\$2,642.18	SBI1-15T	\$2,463.26	
PVMI 1-17	1.1	SBI1-17B	\$2,190.25	SBI1-17S	\$2,866.91	SBI1-17T	\$2,517.33	
PVMI 1-19	1.1	SBI1-19B	\$2,341.11	SBI1-19S	\$3,031.65	SBI1-19T	\$2,683.47	
PVMI 1-21	1.1	SBI1-21B	\$2,488.66	SBI1-21S	\$3,198.90	SBI1-21T	\$2,848.50	
PVMI 1-23	1.1	SBI1-23B	\$2,861.28	SBI1-23S	\$3,352.18	SBI1-23T	\$2,998.07	
PVMI 1-25	1.5	SBI1-25B	\$2,993.16	SBI1-25S	\$3,898.67	SBI1-25T	\$3,425.47	
PVMI 1-27	1.5	SBI1-27B	\$3,214.76	SBI1-27S	\$4,130.50	SBI1-27T	\$3,638.07	
PVMI 1-30	1.5	SBI1-30B	\$3,489.91	SBI1-30S	\$4,335.47	SBI1-30T	\$3,889.64	
PVMI 1-33	2.2	SBI1-33B	\$3,901.08	SBI1-33S	\$4,878.06	SBI1-33T	\$4,353.90	
PVMI 1-36	2.2	SBI1-36B	\$3,928.78	SBI1-36S	\$5,122.31	SBI1-36T	\$5,626.36	



Stocked Non Stocked

Flanged DN25/32 (See Data Sheet for flange compatibility) Companion flanges included.

All single phase units fitted with 1.2m lead and 3 pin plug.

42 43SOUTH | 2023 Farm & Industrial Price List All prices exclude GST & Freight All prices exclude GST & Freight **43**SOUTH | 2023 Farm & Industrial Price List 43

PVMI 3





SBI 3 - 32mm Discharge Nominal Flow 0.83 litres/second (3m³/h)								
			4SS Shaft		x 240v 50Hz e Phase	304SS - 3 x 415v 50Hz Three Phase		
Model	kW	Code	Price	Code	Price	Code	Price	
PVMI 3-2	0.37	SBI3-02B	\$1,228.21	SBI3-02S	\$1,695.94	SBI3-02T	\$1,575.51	
PVMI 3-3	0.37	SBI3-03B	\$1,276.63	SBI3-03S	\$1,750.32	SBI3-03T	\$1,632.10	
PVMI 3-4	0.37	SBI3-04B	\$1,335.13	SBI3-04S	\$1,813.19	SBI3-04T	\$1,696.54	
PVMI 3-5	0.37	SBI3-05B	\$1,391.84	SBI3-05S	\$1,866.82	SBI3-05T	\$1,754.60	
PVMI 3-6	0.55	SBI3-06B	\$1,440.36	SBI3-06S	\$1,954.55	SBI3-06T	\$1,808.02	
PVMI 3-7	0.55	SBI3-07B	\$1,498.58	SBI3-07S	\$2,019.79	SBI3-07T	\$1,874.81	
PVMI 3-8	0.75	SBI3-08B	\$1,593.24	SBI3-08S	\$2,234.10	SBI3-08T	\$1,976.00	
PVMI 3-9	0.75	SBI3-09B	\$1,662.06	SBI3-09S	\$2,320.34	SBI3-09T	\$2,061.51	
PVMI 3-10	0.75	SBI3-10B	\$1,729.67	SBI3-10S	\$2,392.54	SBI3-10T	\$2,121.06	
PVMI 3-11	1.1	SBI3-11B	\$1,812.96	SBI3-11S	\$2,639.52	SBI3-11T	\$2,251.47	
PVMI 3-12	1.1	SBI3-12B	\$1,916.70	SBI3-12S	\$2,714.82	SBI3-12T	\$2,360.06	
PVMI 3-13	1.1	SBI3-13B	\$1,974.40	SBI3-13S	\$2,784.96	SBI3-13T	\$2,432.41	
PVMI 3-15	1.1	SBI3-15B	\$2,168.73	SBI3-15S	\$2,985.13	SBI3-15T	\$2,626.58	
PVMI 3-17	1.5	SBI3-17B	\$2,391.30	SBI3-17S	\$3,478.36	SBI3-17T	\$2,981.50	
PVMI 3-19	1.5	SBI3-19B	\$2,541.94	SBI3-19S	\$3,655.16	SBI3-19T	\$3,172.34	
PVMI 3-21	2.2	SBI3-21B	\$2,631.90	SBI3-21S	\$3,780.62	SBI3-21T	\$3,258.67	
PVMI 3-23	2.2	SBI3-23B	\$2,822.30	SBI3-23S	\$3,976.26	SBI3-23T	\$3,471.34	
PVMI 3-25	2.2	SBI3-25B	\$3,037.70	SBI3-25S	\$4,191.90	SBI3-25T	\$3,702.50	
PVMI 3-27	2.2	SBI3-27B	\$3,174.18	SBI3-27S	\$4,386.89	SBI3-27T	\$3,857.54	
PVMI 3-29	2.2	SBI3-29B	\$3,338.81	SBI3-29S	\$4,571.52	SBI3-29T	\$4,042.91	
PVMI 3-31	3	SBI3-31B	\$3,447.43	SBI3-31S	\$4,774.12	SBI3-31T	\$4,195.44	
PVMI 3-33	3	SBI3-33B	\$3,591.64	SBI3-33S	\$4,948.70	SBI3-33T	\$4,350.42	
PVMI 3-36	3	SBI3-36B	\$3,783.50	SBI3-36S	\$5,124.75	SBI3-36T	\$4,579.88	

Flanged DN25/32 (See Data Sheet for flange compatibility) Companion flanges included.

All single phase units fitted with 1.2m lead and 3 pin plug.

PVMI FIXED SPEED PRESSURE UNITS ON BASE WITH MANIFOLD

				Single F	hase	Three Phase		
Model	kW	M (PSI)	Tank	Code	Price	Code	Price	
PVMI3-07	0.55	33(46)	58L	SBI3-07S-NPU1	POA	SBI3-07T-NPU1	POA	
PVMI3-08	0.75	40(56)	58L	SBI3-08S-NPU1	POA	SBI3-08T-NPU1	POA	
PVMI3-09	0.75	45(63)	58L	SBI3-09S-NPU1	POA	SBI3-09T-NPU1	POA	
PVMI3-11	1.10	53(75)	58L	SBI3-11S-NPU1	POA	SBI3-11T-NPU1	POA	
PVMI3-12	1.10	61(86)	58L	SBI3-12S-NPU1	POA	SBI3-12T-NPU1	POA	





VERTICAL MULTISTAGE PUMPS PVMI 3

PVMI VARIABLE SPEED PRESSURE SYSTEM ON BASE WITH MANIFOLD


			Single Phase		Three Phase	
Model	kW	Tank	Code	Price	Code	Price
PVMIE3-5-M	0.37	18L	SBIE03-05MS	POA		
PVMIE3-7-M	0.55	18L	SBIE03-07MS	POA		
PVMIE3-10-M	0.75	18L	SBIE03-10MS	POA		
PVMIE3-15-M	1.1	18L	SBIE03-15MS	POA		
PVMIE3-19-M	1.5	18L	SBIE03-19MS	POA	SBIE03-19MT	POA



PVMI VARIABLE SPEED PUMP

		Single F	hase	Three Phase		
Model	kW	Code	Price	Code	Price	
PVMIE3-5	0.37	SBIE03-05S	POA			
PVMIE3-7	0.55	SBIE03-07S	POA			
PVMIE3-10	0.75	SBIE03-10S	POA	SBIE03-10T	POA	
PVMIE3-15	1.1	SBIE03-15S	POA	SBIE03-15T	POA	
PVMIE3-19	1.5			SBIE03-19T	POA	
PVMIE3-23	2.2			SBIE03-23T	POA	
PVMIE3-29	2.2			SBIE03-29T	POA	
PVMIE3-36	3.0			SBIE03-36T	POA	







44 43SOUTH | 2023 Farm & Industrial Price List All prices exclude GST & Freight All prices exclude GST & Freight **43**SOUTH | 2023 Farm & Industrial Price List 45

PVMI 5

PVMI 5-32

PVMI 5-36



BI 5 - 32mm D	ischarge Nomina	l Flow 1.4 li es/second	d (5m³/h)				43SP7
)4SS e Shaft)4SS e Phase	304SS Three Phase	
Model	kW	Code	Price	Code	Price	Code	Price
PVMI 5-2	0.37	SBI5-02B	\$1,369.61	SBI5-02S	\$1,797.37	SBI5-02T	\$1,706.65
PVMI 5-3	0.55	SBI5-03B	\$1,443.00	SBI5-03S	\$1,921.92	SBI5-03T	\$1,789.72
PVMI 5-4	0.55	SBI5-04B	\$1,606.99	SBI5-04S	\$2,055.62	SBI5-04T	\$1,923.77
PVMI 5-5	0.75	SBI5-05B	\$1,707.50	SBI5-05S	\$2,342.18	SBI5-05T	\$2,076.08
PVMI 5-6	1.1	SBI5-06B	\$1,747.11	SBI5-06S	\$2,467.80	SBI5-06T	\$2,133.71
PVMI 5-7	1.1	SBI5-07B	\$1,815.34	SBI5-07S	\$2,563.84	SBI5-07T	\$2,209.84
PVMI 5-8	1.1	SBI5-08B	\$1,876.18	SBI5-08S	\$2,652.47	SBI5-08T	\$2,278.00
PVMI 5-9	1.5	SBI5-09B	\$2,153.07	SBI5-09S	\$3,118.10	SBI5-09T	\$2,533.94
PVMI 5-10	1.5	SBI5-10B	\$2,240.71	SBI5-10S	\$3,168.70	SBI5-10T	\$2,708.22
PVMI 5-11	2.2	SBI5-11B	\$2,400.81	SBI5-11S	\$3,464.94	SBI5-11T	\$2,934.54
PVMI 5-12	2.2	SBI5-12B	\$2,448.41	SBI5-12S	\$3,532.60	SBI5-12T	\$2,989.02
PVMI 5-13	2.2	SBI5-13B	\$2,553.44	SBI5-13S	\$3,641.35	SBI5-13T	\$3,098.87
PVMI 5-14	2.2	SBI5-14B	\$2,624.01	SBI5-14S	\$3,702.46	SBI5-14T	\$3,175.78
PVMI 5-15	2.2	SBI5-15B	\$2,707.83	SBI5-15S	\$3,793.39	SBI5-15T	\$3,266.43
PVMI 5-16	2.2	SBI5-16B	\$2,770.54	SBI5-16S	\$3,873.42	SBI5-16T	\$3,334.66
PVMI 5-18	3	SBI5-18B	\$3,078.63	SBI5-18S	\$4,007.57	SBI5-18T	\$3,712.5
PVMI 5-20	3	SBI5-20B	\$3,235.99	SBI5-20S	\$4,176.36	SBI5-20T	\$3,881.23
PVMI 5-22	4	SBI5-22B	\$3,300.09			SBI5-22T	\$4,106.10
PVMI 5-24	4	SBI5-24B	\$3,451.40			SBI5-24T	\$4,269.94
PVMI 5-26	4	SBI5-26B	\$3,776.32			SBI5-26T	\$4,465.4
PVMI 5-29	4	SBI5-29B	\$3,871.29			SBI5-29T	\$4,722.62

Flanged DN25/32 (See Data Sheet for flange compatibility) Companion flanges included.

SBI5-32B

SBI5-36B

\$4,198.61

\$4,623.25

All single phase units fitted with 1.2m lead and 3 pin plug.

5.5

5.5

PVMI FIXED SPEED PRESSURE UNITS ON BASE WITH MANIFOLD

				Single Ph	ase	Three Phase		
Model	kW	M (PSI)	Tank	Code	Price	Code	Price	
PVMI5-07 1.10	1.1	30(42)	80L	SBI5-07S-NPU1	POA	SBI5-07T-NPU1	POA	
PVMI5-08 1.10	1.1	35(49)	80L	SBI5-08S-NPU1	POA	SBI5-08T-NPU1	POA	
PVMI5-09 1.50	1.5	41(58)	80L	SBI5-09S-NPU1	POA	SBI5-09T-NPU1	POA	
PVMI5-10 1.50	1.5	48(68)	80L	SBI5-10S-NPU1	POA	SBI5-10T-NPU1	POA	
PVMI5-11 2.20	2.2	53(75)	80L	SBI5-11S-NPU1	POA	SBI5-11T-NPU1	POA	
PVMI5-12 2.20	2.2	59(83)	80L	SBI5-12S-NPU1	POA	SBI5-12T-NPU1	POA	



SBI5-32T

SBI5-36T

\$5,374.55

\$5,678.45



VERTICAL MULTISTAGE PUMPS PVMI 5

PVMI VARIABLE SPEED PRESSURE SYSTEM ON BASE WITH MANIFOLD


			Single F	hase	Three Phase		
Model	kW	Tank	Code	Price	Code	Price	
PVMIE5-4-M	0.55	18L	SBIE05-04MS	POA			
PVMIE5-8-M	1.1	18L	SBIE05-08MS	POA	SBIE05-08MT	POA	
PVMIE5-10-M	1.5	18L	SBIE05-10MS	POA	SBIE05-10MT	POA	
PVMIE5-16-M	2.2	18L	SBIE05-16MS	POA	SBIE05-16MT	POA	
PVMIE5-20-M	3	18L			SBIE05-20MT	POA	



PVMI VARIABLE SPEED PUMP

		Single F	Phase	Three Phase		
Model	kW	Code	Price	Code	Price	
PVMIE5-2	0.37	SBIE05-02S	POA			
PVMIE5-4	0.55	SBIE05-04S	POA			
PVMIE5-8	1.1	SBIE05-08S	POA	SBIE05-08T	POA	
PVMIE5-10	1.5			SBIE05-10T	POA	
PVMIE5-16	2.2			SBIE05-16T	POA	
PVMIE5-20	3			SBIE05-20T	POA	
PVMIE5-29	4			SBIE05-29T	POA	
PVMIE5-36	5.5			SBIE05-36T	POA	







46 43SOUTH | 2023 Farm & Industrial Price List All prices exclude GST & Freight All prices exclude GST & Freight 43SOUTH | 2023 Farm & Industrial Price List 47

PVMI 10



PENTAIR SOUTHERN CROSS

43SP7 SBI 10 - 40mm Discharge Nominal Flow 2.8 litres/second (10m³/h) 304SS 304SS 304SS Bare Shaft Single Phase Three Phase Model kW Code Price Code Price Code Price PVMI 10-1 0.37 SBI10-01B \$1,805.25 SBI10-01S \$2,294.89 SBI10-01T \$2,092.43 0.75 \$2,555.27 PVMI 10-2 SBI10-02B \$1,996.40 SBI10-02S SBI10-02T \$2,250.22 1.1 PVMI 10-3 SBI10-03B \$2,304.18 SBI10-03S \$3,063.54 SBI10-03T \$2,591.08 1.5 PVMI 10-4 SBI10-04B \$2,458.92 SBI10-04S \$3,514.39 SBI10-04T \$2,921.29 2.2 PVMI 10-5 SBI10-05B \$2,685.22 SBI10-05S \$3,824.70 SBI10-05T \$3,166.28 2.2 \$3,997.64 PVMI 10-6 SBI10-06B \$2,910.30 SBI10-06S SBI10-06T \$3,314.74 3 PVMI 10-7 SBI10-07B \$3,060.15 SBI10-07S \$4,016.66 SBI10-07T \$3,626.30 PVMI 10-8 SBI10-08B \$3,277.99 SBI10-08S \$4,115.78 SBI10-08T \$3,760.79 PVMI 10-9 SBI10-09B \$3,463.41 SBI10-09S \$4,332.89 SBI10-09T \$3,897.10 PVMI 10-10 SBI10-10B \$3.813.99 SBI10-10T \$4.522.40 PVMI 10-12 SBI10-12B \$4,014.51 \$4,822.65 SBI10-12T PVMI 10-14 5.5 SBI10-14B \$4.219.50 SBI10-14T \$5.722.07 PVMI 10-16 5.5 SBI10-16B \$4,312.14 SBI10-16T \$6,065.59 PVMI 10-18 7.5 SBI10-18B \$4,605.62 SBI10-18T \$6,614.83 7.5 \$6,924.41 PVMI 10-20 SBI10-20B \$5,004.32 SBI10-20T PVMI 10-22 7.5 \$5,418.43 SBI10-22T \$7,243.30 SBI10-22B

Flanged DN40 (See Data Sheet for flange compatibility) Companion flanges not included.

All single phase units fitted with 1.2m lead and 3 pin plug.

PVMI FIXED SPEED PRESSURE UNITS ON BASE WITH MANIFOLD

				Single Phase		Three Phase	
Model	kW	M (PSI)	Tank	Code	Price	Code	Price
PVMI10-03	1.1	24(34)	80L	SBI10-03S-NPU1	POA	SBI10-03T-NPU1	POA
PVMI10-04	1.5	34(48)	80L	SBI10-04S-NPU1	POA	SBI10-04T-NPU1	POA
PVMI10-05 2.20	2.2	43(61)	80L	SBI10-05S-NPU1	POA	SBI10-05T-NPU1	POA
PVMI10-06 2.20	2.2	52(74)	80L	SBI10-06S-NPU1	POA	SBI10-06T-NPU1	POA
PVMI10-08 3	3.0	70(99)	80L			SBI10-08T-NPU1	POA
PVMI10-10 4	4.0	86(122)	80L				
PVMI10-12 4	4.0	104(147)	80L				





VERTICAL MULTISTAGE PUMPS PVMI 10

PVMI VARIABLE SPEED PRESSURE SYSTEM ON BASE WITH MANIFOLD


			Single F	hase	Three F	hase
Model	kW	Tank	Code	Price	Code	Price
PVMIE10-4-M	1.5	18L	SBIE10-04MS	POA	SBIE10-04MT	POA
PVMIE10-6-M	2.2	18L	SBIE10-06MS	POA	SBIE10-06MT	POA
PVMIE10-9-M	3	18L			SBIE10-09MT	POA
PVMIE10-12-M	4	80L			SBIE10-12MT	POA
PVMIE10-16-M	5.5	80L			SBIE10-16MT	POA



PVMI VARIABLE SPEED PUMP

		Single Phase		Three F	hase
Model	kW	Code	Price	Code	Price
PVMIE10-2	0.75	SBIE10-02S	POA	SBIE10-02T	POA
PVMIE10-3	1.1	SBIE10-03S	POA	SBIE10-03T	POA
PVMIE10-4	1.5			SBIE10-04T	POA
PVMIE10-6	2.2			SBIE10-06T	POA
PVMIE10-9	3.0			SBIE10-09T	POA
PVMIE10-12	4.0			SBIE10-12T	POA
PVMIE10-16	5.5			SBIE10-16T	POA
PVMIE10-22	7.5			SBIE10-22T	POA







48 43SOUTH | 2023 Farm & Industrial Price List All prices exclude GST & Freight All prices exclude GST & Freight **43**SOUTH | 2023 Farm & Industrial Price List 49

PVMI 15



SBI 15 - 65mm Discharge Nominal Flow 4.2 litres/second (15m³/h)							43SP7
			4SS Shaft		4SS Phase	304SS Three Phase	
Model	kW	Code	Price	Code	Price	Code	Price
PVMI 15-1	1.1	SBI15-01B	\$2,376.15	SBI15-01S	\$3,171.98	SBI15-01T	\$2,899.17
PVMI15-2	2.2	SBI15-02B	\$2,517.53	SBI15-02S	\$3,996.98	SBI15-02T	\$3,580.38
PVMI 15-3	3	SBI15-03B	\$2,594.66	SBI15-03S	\$4,201.58	SBI15-03T	\$4,133.68
PVMI15-4	4	SBI15-04B	\$2,748.40			SBI15-04T	\$4,756.45
PVMI 15-5	4	SBI15-05B	\$2,977.59			SBI15-05T	\$4,971.85
PVMI 15-6	5.5	SBI15-06B	\$3,111.67			SBI15-06T	\$5,844.86
PVMI 15-7	5.5	SBI15-07B	\$3,276.48			SBI15-07T	\$6,138.39
PVMI 15-8	7.5	SBI15-08B	\$3,452.38			SBI15-08T	\$7,113.78
PVMI 15-9	7.5	SBI15-09B	\$3,763.08			SBI15-09T	\$7,338.72
PVMI 15-10	11	SBI15-10B	\$3,980.60			SBI15-10T	\$8,607.41
PVMI 15-12	11	SBI15-12B	\$4,211.24			SBI15-12T	\$9,052.64
PVMI15-14	11	SBI15-14B	\$4,466.14			SBI15-14T	\$9,549.95
PVMI 15-17	15	SBI15-17B	\$4,775.01			SBI15-17T	\$12,085.33

Flanged DN50 (See Data Sheet for flange compatibility) Companion flanges not included.

All single phase units fitted with 1.2m lead and 3 pin plug.

PVMI FIXED SPEED PRESSURE UNITS ON BASE WITH MANIFOLD

				Three P	hase
Model	kW	M (PSI)	Tank	Code	Price
PVMI15-04	4.0	45(63)	80L	SBI15-04T-NPU1	POA
PVMI15-05	4.0	57(80)	80L	SBI15-05T-NPU1	POA
PVMI15-06	5.5	68(95)	80L	SBI15-06T-NPU1	POA
PVMI15-07	5.5	82(116)	80L	SBI15-07T-NPU1	POA
PVMI15-08	7.5	93(132)	80L	SBI15-08T-NPU1	POA





VERTICAL MULTISTAGE PUMPS PVMI 15

PVMI VARIABLE SPEED PRESSURE SYSTEM ON BASE WITH MANIFOLD


			Three P	hase
Model	kW	Tank	Code	Price
PVMIE15-2-M	2.2	18L	SBIE15-02MT	POA
PVMIE15-3-M	3.3	18L	SBIE15-03MT	POA
PVMIE15-5-M	4	18L	SBIE15-05MT	POA
PVMIE15-7-M	5.5	18L	SBIE15-07MT	POA
PVMIE15-9-M	7.5	80L	SBIE15-09MT	POA



PVMI VARIABLE SPEED PUMP

		Single Phase Three		hase	
Model	kW	Code	Price	Code	Price
PVMIE15-1	1.1	SBIE15-01S	POA	SBIE15-01T	POA
PVMIE15-2	2.2			SBIE15-02T	POA
PVMIE15-3	3.3			SBIE15-03T	POA
PVMIE15-5	4			SBIE15-05T	POA
PVMIE15-7	5.5			SBIE15-07T	POA
PVMIE15-9	7.5			SBIE15-09T	POA





PVMI 20



SBI 20 - 65mm Discharge Nominal Flow 5.6 litres/second (20m³/h)

SBI 20 - 65mm Discharge Nominal Flow 5.6 litres/second (20m³/h)							43SP7
			304SS 304SS Bare Shaft Single Phase			4SS Phase	
Model	kW	Code	Price	Code	Price	Code	Price
PVMI 20-1	1.1	SBI20-01B	\$1,917.62	SBI20-01S	\$3,287.45	SBI20-01T	\$2,992.96
PVMI 20-2	2.2	SBI20-02B	\$2,019.14	SBI20-02S	\$4,220.74	SBI20-02T	\$3,712.70
PVMI 20-3	4	SBI20-03B	\$2,109.74			SBI20-03T	\$5,083.02
PVMI 20-4	5.5	SBI20-04B	\$2,269.17			SBI20-04T	\$6,090.90
PVMI 20-5	5.5	SBI20-05B	\$2,407.39			SBI20-05T	\$6,317.32
PVMI 20-6	7.5	SBI20-06B	\$2,516.72			SBI20-06T	\$7,358.98
PVMI 20-7	7.5	SBI20-07B	\$2,652.38			SBI20-07T	\$7,601.32
PVMI 20-8	11	SBI20-08B	\$3,491.61			SBI20-08T	\$9,402.30
PVMI 20-10	11	SBI20-10B	\$3,862.47			SBI20-10T	\$9,791.91
PVMI 20-12	15	SBI20-12B	\$3,984.70			SBI20-12T	\$12,050.48
PVMI 20-14	15	SBI20-14B	\$4,166.27			SBI20-14T	\$12,631.24
PVMI 20-17	18.5	SBI20-17B	\$4,636.40			SBI20-17T	\$15,018.30

Flanged DN50 (See Data Sheet for flange compatibility) Companion flanges not included.

All single phase units fitted with 1.2m lead and 3 pin plug.

PVMI FIXED SPEED PRESSURE UNITS ON BASE WITH MANIFOLD

				Three Ph	ase
Model	kW	M (PSI)	Tank	Code	Price
PVMI20-05 5.50	5.5	58(82)	80L	SBI20-05T-NPU1	POA
PVMI20-06 7.50	7.5	69(97)	80L	SBI20-06T-NPU1	POA
PVMI20-07 7.50	7.5	82(116)	80L	SBI20-07T-NPU1	POA
PVMI20-08 11	11	93(136)	80L	SBI20-08T-NPU1	POA
PVMI20-10 11	11	118(167)	80L	SBI20-10T-NPU1	POA





VERTICAL MULTISTAGE PUMPS PVMI 20

PVMI VARIABLE SPEED PRESSURE SYSTEM ON BASE WITH MANIFOLD


			Three	Phase
Model	kW	Tank	Code	Price
PVMIE20-3-M	4	80L	SBIE20-03MT	POA
PVMIE20-5-M	5.5	80L	SBIE20-05MT	POA
PVMIE20-7-M	7.5	80L	SBIE20-07MT	POA



PVMI VARIABLE SPEED PUMP

		Three Phase	
Model	kW	Code	Price
PVMIE20-1	1.1	SBIE20-01T	POA
PVMIE20-2	2.2	SBIE20-02T	POA
PVMIE20-3	4.0	SBIE20-03T	POA
PVMIE20-5	5.5	SBIE20-05T	POA
PVMIE20-7	7.5	SBIE20-07T	POA
PVMIE20-10	11.0	SBIE20-10T	POA
PVMIE20-14	15.0	SBIE20-14T	POA
PVMIE20-17	18.5	SBIE20-17T	POA







PVMI 32





SBI 32 - 65mm Discharge Nominal Flow 8.9 litres/second (32m³/h)						
			4SS Shaft	304SS Three Phase		
Model	kW	Code	Price	Code	Price	
PVMI 32-1-1	1.5	SBI32-01-1B	\$3,606.71	SBI32-01-1T	\$3,769.98	
PVMI 32-1	2.2	SBI32-01B	\$3,844.97	SBI32-01T	\$4,050.89	
PVMI 32-2-2	3	SBI32-02-2B	\$4,327.87	SBI32-02-2T	\$4,582.22	
PVMI 32-2	4	SBI32-02B	\$5,014.64	SBI32-02T	\$5,361.45	
PVMI 32-3-2	5.5	SBI32-03-2B	\$6,299.14	SBI32-03-2T	\$6,740.99	
PVMI 32-3	5.5	SBI32-03B	\$6,299.14	SBI32-03T	\$6,740.99	
PVMI 32-4-2	7.5	SBI32-04-2B	\$7,842.58	SBI32-04-2T	\$8,322.81	
PVMI 32-4	7.5	SBI32-04B	\$7,842.58	SBI32-04T	\$8,322.81	
PVMI 32-5-2	11	SBI32-05-2B	\$9,741.43	SBI32-05-2T	\$10,451.62	
PVMI 32-5	11	SBI32-05B	\$9,741.43	SBI32-05T	\$10,451.62	
PVMI 32-6-2	11	SBI32-06-2B	\$10,155.03	SBI32-06-2T	\$10,994.86	
PVMI 32-6	11	SBI32-06B	\$10,155.03	SBI32-06T	\$10,994.86	
PVMI 32-7-2	15	SBI32-07-2B	\$12,212.43	SBI32-07-2T	\$12,999.01	
PVMI 32-7	15	SBI32-07B	\$12,212.43	SBI32-07T	\$12,999.01	
PVMI 32-8-2	15	SBI32-08-2B	\$12,831.15	SBI32-08-2T	\$13,586.39	
PVMI 32-8	15	SBI32-08B	\$12,831.15	SBI32-08T	\$13,586.39	
PVMI 32-9-2	18.5	SBI32-09-2B	\$14,560.39	SBI32-09-2T	\$15,406.01	
PVMI 32-9	18.5	SBI32-09B	\$14,560.39	SBI32-09T	\$15,406.01	
PVMI 32-10-2	18.5	SBI32-10-2B	\$15,258.51	SBI32-10-2T	\$16,063.87	
PVMI 32-10	18.5	SBI32-10B	\$15,258.51	SBI32-10T	\$16,063.87	
PVMI 32-11-2	22	SBI32-11-2B	\$16,782.58	SBI32-11-2T	\$17,994.36	
PVMI 32-11	22	SBI32-11B	\$16,782.58	SBI32-11T	\$17,994.36	
PVMI 32-12-2	22	SBI32-12-2B	\$17,343.11	SBI32-12-2T	\$18,535.72	
PVMI 32-12	22	SBI32-12B	\$17,343.11	SBI32-12T	\$18,535.72	
PVMI 32-13-2	30	SBI32-13-2B	\$19,217.42	SBI32-13-2T	\$20,727.70	
PVMI 32-13	30	SBI32-13B	\$19,217.42	SBI32-13T	\$20,727.70	
PVMI 32-14-2	30	SBI32-14-2B	\$19,801.26	SBI32-14-2T	\$21,292.88	
PVMI 32-14	30	SBI32-14B	\$20,045.84	SBI32-14T	\$21,292.88	

Flanged DN65 in accordance with BS4504. Companion flanges not included.

PVMI FIXED SPEED PRESSURE UNITS ON BASE WITH MANIFOLD

				Three P	hase
Model	kW	M (PSI)	Tank	Code	Price
PVMI32-03	5.5	40(56)	80L	SBI32-03T-NPU1	POA
PVMI32-04	7.5	55(77)	80L	SBI32-04T-NPU1	POA
PVMI32-05	11	71(99)	80L	SBI32-05T-NPU1	POA
PVMI32-06	11	85(118)	80L	SBI32-06T-NPU1	POA
PVMI32-07	15	100(139)	80L	SBI32-07T-NPU1	POA





VERTICAL MULTISTAGE PUMPS

PVMI 32

PVMI VARIABLE SPEED PRESSURE SYSTEM ON BASE WITH MANIFOLD


			Three P	hase
Model	kW	Tank	Code	Price
PVMIE32-3-M	5.5	80L	SBIE32-03MT	POA
PVMIE32-4-M	7.5	80L	SBIE32-05MT	POA
PVMIE32-6-M	11	80L	SBIE32-07MT	POA



PVMI VARIABLE SPEED PUMP

		Three F	hase
Model	kW	Code	Price
PVMIE32-1	2.2	SBIE32-01T	POA
PVMIE32-2-2	3.0	SBIE32-02-2T	POA
PVMIE32-2	4.0	SBIE32-02T	POA
PVMIE32-3	5.5	SBIE32-03T	POA
PVMIE32-4	7.5	SBIE32-04T	POA
PVMIE32-6	11.0	SBIE32-06T	POA
PVMIE32-8	150.0	SBIE32-08T	POA
PVMIE32-10	18.5	SBIE32-10T	POA
PVMIE32-12	22.0	SBIE32-12T	POA
PVMIE32-10	18.5	SBIE32-10T	POA





Stocked Non Stocked

43SÔUTH | 2023 Farm & Industrial Price List All prices exclude GST & Freight All prices exclude GST & Freight **43**SOUTH | 2023 Farm & Industrial Price List 55

PVMI 45



43SP7

PENTAIR SOUTHERN CROSS

VERTICAL MULTISTAGE PUMPS PVMI 64

43SP7


SBI 64 - 100mm Discharge Nominal Flow 17.8 litres/second (64m³/h)

_	,		4SS		4SS
		Bare	Shaft	Three	Phase
Model	kW	Code	Price	Code	Price
PVMI 64-1-1	4	SBI64-01-1B	\$3,782.94	SBI64-01-1T	\$5,606.68
PVMI 64-1	5.5	SBI64-01B	\$5,093.31	SBI64-01T	\$6,358.20
PVMI 64-2-2	7.5	SBI64-02-2B	\$6,352.82	SBI64-02-2T	\$7,807.33
PVMI 64-2-1	11	SBI64-02-1B	\$7,274.72	SBI64-02-1T	\$9,147.02
PVMI 64-2	11	SBI64-02B	\$7,274.72	SBI64-02T	\$9,147.02
PVMI 64-3-2	15	SBI64-03-2B	\$9,872.57	SBI64-03-2T	\$12,152.73
PVMI 64-3-1	15	SBI64-03-1B	\$9,872.57	SBI64-03-1T	\$12,152.73
PVMI 64-3	18.5	SBI64-03B	\$11,308.93	SBI64-03T	\$13,881.15
PVMI 64-4-2	18.5	SBI64-04-2B	\$11,876.65	SBI64-04-2T	\$14,507.17
PVMI64-4-1	22	SBI64-04-1B	\$12,957.90	SBI64-04-1T	\$16,162.25
PVMI 64-4	22	SBI64-04B	\$12,957.90	SBI64-04T	\$16,162.25
PVMI 64-5-2	30	SBI64-05-2B	\$13,776.60	SBI64-05-2T	\$17,381.42
PVMI 64-5-1	30	SBI64-05-1B	\$14,726.34	SBI64-05-1T	\$17,381.42
PVMI 64-5	30	SBI64-05B	\$14,726.34	SBI64-05T	\$17,381.42
PVMI 64-6-2	30	SBI64-06-2B	\$16,159.00	SBI64-06-2T	\$19,064.86
PVMI 64-6-1	37	SBI64-06-1B	\$16,159.00	SBI64-06-1T	\$20,682.53
PVMI 64-6	37	SBI64-06B	\$16,159.00	SBI64-06T	\$20,727.19
PVMI 64-7-2	37	SBI64-07-2B	\$16,677.24	SBI64-07-2T	\$21,584.73
PVMI 64-7-1	37	SBI64-07-1B	\$16,677.24	SBI64-07-1T	\$21,584.73
PVMI 64-7	45	SBI64-07B	\$16,677.24	SBI64-07T	\$26,101.12
PVMI 64-8-2	45	SBI64-08-2B	\$20,605.38	SBI64-08-2T	\$26,939.90
PVMI 64-8-1	45	SBI64-08-1B	\$20,605.38	SBI64-08-1T	\$26,939.90

Stocked

Non Stocked


Flanged DN100 in accordance with BS4504. Companion flanges not included.



SBI 45 - 80mm Discharge Nominal Flow 12.5 litres/second (45m³/h)

SBI 45 - BUILLIN DISCHARGE NOTHING	11 10W 12.3 littes/second (43111/11)				433F /
			4SS Shaft		4SS Phase
Model	kW	Code	Price	Code	Price
PVMI 45-1-1	3	SBI45-01-1B	\$3,608.89	SBI45-01-1T	\$4,378.53
PVMI 45-1	4	SBI45-01B	\$3,771.30	SBI45-01T	\$5,186.81
PVMI 45-2-2	5.5	SBI45-02-2B	\$4,865.43	SBI45-02-2T	\$6,540.41
PVMI 45-2	7.5	SBI45-02B	\$6,186.16	SBI45-02T	\$8,002.81
PVMI 45-3-2	11	SBI45-03-2B	\$7,806.80	SBI45-03-2T	\$10,128.12
PVMI 45-3	11	SBI45-03B	\$7,806.80	SBI45-03T	\$10,128.12
PVMI 45-4-2	15	SBI45-04-2B	\$9,864.17	SBI45-04-2T	\$12,757.33
PVMI 45-4	15	SBI45-04B	\$9,864.17	SBI45-04T	\$12,757.33
PVMI 45-5-2	18.5	SBI45-05-2B	\$12,103.38	SBI45-05-2T	\$15,034.29
PVMI 45-5	18.5	SBI45-05B	\$12,103.38	SBI45-05T	\$15,034.29
PVMI 45-6-2	22	SBI45-06-2B	\$13,961.02	SBI45-06-2T	\$17,050.09
PVMI 45-6	22	SBI45-06B	\$13,961.02	SBI45-06T	\$17,050.09
PVMI 45-7-2	30	SBI45-07-2B	\$15,100.00	SBI45-07-2T	\$18,761.62
PVMI 45-7	30	SBI45-07B	\$15,100.00	SBI45-07T	\$18,761.62
PVMI 45-8-2	30	SBI45-08-2B	\$15,562.69	SBI45-08-2T	\$19,314.37
PVMI 45-8	30	SBI45-08B	\$15,562.69	SBI45-08T	\$19,314.37
PVMI 45-9-2	30	SBI45-09-2B	\$17,332.20	SBI45-09-2T	\$19,794.30
PVMI 45-9	37	SBI45-09B	\$17,250.77	SBI45-09T	\$21,563.82
PVMI 45-10-2	37	SBI45-10-2B	\$18,234.92	SBI45-10-2T	\$22,600.86
PVMI 45-10	37	SBI45-10B	\$18,234.92	SBI45-10T	\$22,600.86
PVMI 45-11-2	45	SBI45-11-2B	\$22,788.79	SBI45-11-2T	\$28,292.01
PVMI 45-11	45	SBI45-11B	\$22,788.79	SBI45-11T	\$28,292.01
PVMI 45-12-2	45	SBI45-12-2B	\$24,367.39	SBI45-12-2T	\$29,330.20
PVMI 45-12	45	SBI45-12B	\$24,367.39	SBI45-12T	\$29,330.20
PVMI 45-13-2	45	SBI45-13-2B	\$24,657.31	SBI45-13-2T	\$29,580.68

Flanged DN80 in accordance with BS4504. Companion flanges not included.



43SOUTH | 2023 Farm & Industrial Price List All prices exclude GST & Freight

Stocked

--- Non Stocked

All prices exclude GST & Freight

43SOUTH | 2023 Farm & Industrial Price List 57

PVMI 90

PVMI 90-6



SBI 90 - 100mm Discharge Nominal Flow 25 litres/second (90m³/h)


43SP7 304SS 304SS Bare Shaft Three Phase Model kW Code Price Code Price PVMI 90-1-1 5.5 SBI90-01-1B \$6,669.66 SBI90-01-1T \$6,720.77 PVMI 90-1 7.5 SBI90-01B \$7,033.82 SBI90-01T \$8,764.24 11 \$10,008.23 PVMI 90-2-2 SBI90-02-2B \$9,121.99 SBI90-02-2T PVMI 90-2 15 SBI90-02B \$11.373.15 SBI90-02T \$12,799.25 18.5 \$13,499.60 \$14,404.20 PVMI 90-3-2 SBI90-03-2B SBI90-03-2T 22 \$14,975.27 PVMI 90-3 SBI90-03B SBI90-03T \$16,522.38 30 PVMI 90-4-2 SBI90-04-2B \$16,012.56 SBI90-04-2T \$17,654.46 PVMI 90-4 30 SBI90-04B \$16,012.56 SBI90-04T \$17,654.46 37 PVMI 90-5-2 SBI90-05-2B \$19,572.69 SBI90-05-2T \$21,557.54 37 SBI90-05B \$19,572.69 \$21,557.54 PVMI 90-5 SBI90-05T PVMI 90-6-2 45 SBI90-06-2B \$24,167.64 SBI90-06-2T \$26,530.19

SBI90-06B

45

Stocked

Flanged DN100 in accordance with BS4504. Companion flanges not included.



\$24,167.64

SBI90-06T

\$26,530.19



VERTICAL MULTISTAGE PUMPS PVMI VARIABLE SPEED DUAL PUMP PRESSURE SYSTEM


		1 x 240v	50 Hz	3 x 415v	, 50 Hz
Model	kW	Code	Price	Code	Price
PVMI					
PVMIE3-5-D	0.37	SBIE03-05DS	POA		
PVMIE3-7-D	0.55	SBIE03-07DS	POA		
PVMIE3-10-D	0.75	SBIE03-10DS	POA		
PVMIE3-15-D	1.1	SBIE03-15DS	POA		
PVMI					
PVMIE5-8-D	1.1	SBIE05-08DS	POA		
PVMIE5-10-D	1.5			SBIE05-10DT	POA
PVMIE5-16-D	2.2			SBIE05-16DT	POA
PVMI					
PVMIE10-3-D	1.1			SBIE10-03DT	POA
PVMIE10-4-D	1.5			SBIE10-04DT	POA
PVMIE10-6-D	2.2			SBIE10-06DT	POA
PVMIE10-9-D	3			SBIE10-09DT	POA
PVMI					
PVMIE15-2-D	2.2			SBIE15-02DT	POA
PVMIE15-3-D	3			SBIE15-03DT	POA
PVMIE15-5-D	4			SBIE15-05DT	POA
PVMIE15-7-D	5.5			SBIE15-07DT	POA
PVMI					
PVMIE20-2-D	2.2			SBIE20-02DT	POA
PVMIE20-3-D	4			SBIE20-03DT	POA
PVMIE20-5-D	5.5			SBIE20-05DT	POA

COMPLETE WITH THE FOLLOWING

- · Base with individual pump isolation valves.
- · Stainless steel manifolds.
- Run / Fault lights on pumps.
- · Individual pump circuit breakers.
- · Lockable main isolator.
- · Discharge pressure transducer.
- · Pressure tank.


Note:

- 1. Unit should be installed in a covered area with good ventilation.
- 2. Both 240V and 415V units are complete with lockable mains isolator. Incoming power supply must be wired by a licensed electrical contractor.





STARLINE SELECTION CHART



STARLINE





END SUCTION ISO PUMPS STARLINE

KEY FEATURES

- · Compact close coupled motor pump design.
- Superior hydraulic design and manufacturing methods for significantly higher efficiencies and reduced maintenance.
- High efficiency double curvature impeller vanes.
- 32 to 200mm discharge.
- Cast Iron or Stainless Steel construction.
- AS2129 Table "E" flanges as standard with optional drillings available.
- Back-pullout design does not require the disconnection and removal of suction and discharge lines for maintenance.
- Choice of high quality WEG TEFC IP55 motors with sealed for life (frame 132 and under) or regreasable (frame 160 and over) motor bearings.
- Taper mounted and keyed impeller. Horizontal or vertical pump discharge mounting.



						43SP7
		STAR-LINE MOTOR lete With TEFC Mot			STAR-LINE MOTOR	
MODEL	CODE	PRICE A-F	PRICE J-F	CODE	PRICE A-F	PRICE J-F
50 X 32 - 160 SHAFT MODULE #1		Cast Iron / Cast Iron	Cast Iron / Stainless Steel		Cast Iron / Cast Iron	Cast Iron / Stainless Steel
0.55kW 4 Pole Motor	MEA41	\$3,477.32	\$3,831.74	MUEA41	\$4,277.78	\$4,561.74
0.75kW 4 Pole Motor	MEA42	\$3,494.62	\$3,882.01	MUEA42	\$4,295.08	\$4,574.03
2.2kW 2 Pole Motor	MEA05	\$3,804.71	\$4,196.68	MUEA05	\$4,261.91	\$4,519.65
3kW 2 Pole Motor	MEA06	\$3,956.15	\$4,268.27	MUEA06	\$4,430.66	\$4,771.32
4kW 2 Pole Motor	MEA07	\$4,039.80	\$4,515.47	MUEA07	\$4,525.84	\$4,875.23
5.5kW 2 Pole Motor	MEA08	\$4,341.23	\$4,753.98	MUEA08	\$4,863.34	\$5,218.27
50 X 32 - 200 SHAFT MODULE #1		Cast Iron / Cast Iron	Cast Iron / Stainless Steel		Cast Iron / Cast Iron	Cast Iron / Stainless Steel
0.75kW 4 Pole Motor	MFA42	\$3,699.42	\$4,218.65	MUFA42	\$4,499.88	\$4,887.87
1.1kW 4 Pole Motor	MFA43	\$3,878.27	\$4,335.98	MUFA43	\$4,678.73	\$4,973.47
1.5kW 4 Pole Motor	MFA44	\$3,944.61	\$4,361.84	MUFA44	\$4,745.08	\$5,074.00
5.5kW 2 Pole Motor	MFA08	\$4,678.73	\$5,099.08	MUFA08	\$5,241.21	\$5,595.50
7.5kW 2 Pole Motor	MFA09	\$4,990.26	\$5,520.13	MUFA09	\$5,590.24	\$5,943.62
11kW 2 Pole Motor	MFA11	\$5,947.92	\$6,517.91	MUFA11	\$6,663.29	\$7,200.51
65 X 50 - 160 SHAFT MODULE #1		Cast Iron / Cast Iron	Cast Iron / Stainless Steel		Cast Iron / Cast Iron	Cast Iron / Stainless Steel
0.55kW 4 Pole Motor	MEB41	\$3,615.77	\$3,950.31	MUEB41	\$4,416.23	\$4,736.01
0.75kW 4 Pole Motor	MEB42	\$3,775.87	\$4,226.20	MUEB42	\$4,576.32	\$4,931.80
1.1kW 4 Pole Motor	MEB43	\$3,907.11	\$4,283.95	MUEB43	\$4,707.57	\$5,071.67
4kW 2 Pole Motor	MEB07	\$4,179.70	\$4,642.04	MUEB07	\$4,681.61	\$4,984.59
5.5kW 2 Pole Motor	MEB08	\$4,608.17	\$4,999.11	MUEB08	\$5,193.61	\$5,441.68
7.5kW 2 Pole Motor	MEB09	\$4,886.67	\$5,285.14	MUEB09	\$5,600.34	\$6,081.59

						43SP7
		STAR-LINE MOTOI			STAR-LINE MOTOR ete With TEFC Moto	
MODEL	CODE	PRICE A-F	PRICE J-F	CODE	PRICE A-F	PRICE J-F
65 X 40 - 200 SHAFT MODULE #1		Cast Iron / Cast Iron	Cast Iron / Stainless Steel		Cast Iron / Cast Iron	Cast Iron / Stainless Steel
1.1kW 4 Pole Motor	MFB43	\$3,898.45	\$4,330.88	MUFB43	\$4,698.92	\$5,159.36
1.5kW 4 Pole Motor	MFB44	\$4,015.28	\$4,353.07	MUFB44	\$4,815.74	\$5,271.21
2.2kW 4 Pole Motor	MFB45	\$4,169.61	\$4,505.76	MUFB45	\$4,970.06	\$5,673.44
7.5kW 2 Pole Motor	MFB09	\$5,187.84	\$5,573.56	MUFB09	\$5,810.91	\$6,147.93
11kW 2 Pole Motor	MFB11	\$5,986.49	\$6,294.68	MUFB11	\$7,018.11	\$7,311.79
15kW 2 Pole Motor	MFB12	\$6,452.57	\$6,661.70	MUFB12	\$7,484.18	\$8,000.73
65 X 40 - 250 SHAFT MODULE #2		Cast Iron / Cast Iron	Cast Iron / Stainless Steel		Cast Iron / Cast Iron	Cast Iron / Stainless Steel
1.5W 4 Pole Motor	MGB44	\$4,384.50	\$4,933.81	MUGB44	\$5,184.96	\$5,728.63
2.2kW 4 Pole Motor	MGB45	\$4,505.65	\$5,058.09	MUGB45	\$5,306.12	\$5,842.12
3kW 4 Pole Motor	MGB46	\$4,762.38	\$5,316.15	MUGB46	\$5,562.83	\$6,070.59
11kW 2 Pole Motor	MGB11	\$6,958.95	\$7,729.94	MUGB11	\$7,795.47	\$8,572.14
15kW 2 Pole Motor	MGB12	\$7,434.90	\$8,316.94	MUGB12	\$8,327.67	\$8,890.69
18.5kW 2 Pole Motor	MGB13	\$8,098.03	\$8,778.64	MUGB13	\$9,129.65	\$9,977.76
22kW 2 Pole Motor	MGB14	\$8,662.15	\$9,218.86	MUGB14	\$9,693.76	\$10,441.35
30kW 2 Pole Motor	MGB15	\$9,634.08	\$10,345.46	MUGB15	\$10,642.96	\$11,383.11
65 X 40 - 315 SHAFT MODULE #2		Cast Iron / Cast Iron	Cast Iron / Stainless Steel		Cast Iron / Cast Iron	Cast Iron / Stainless Steel
3kW 4 Pole Motor	MHB46	\$5,159.00	\$6,245.66	MUHB46	\$5,959.46	\$6,819.80
4kW 4 Pole Motor	MHB47	\$5,422.94	\$6,303.92	MUHB47	\$6,223.39	\$7,004.87
5.5kW 4 Pole Motor	MHB48	\$6,040.22	\$6,840.01	MUHB48	\$6,999.34	\$8,003.91
22kW 2 Pole Motor	MHB14	\$9,909.75	\$11,135.31	MUHB14	\$10,941.36	\$11,940.58
30kW 2 Pole Motor	MHB15	\$10,856.10	\$11,966.35	MUHB15	\$11,864.98	\$13,049.87
37kW 2 Pole Motor	MHB16	\$11,181.51	\$12,175.06	MUHB16	\$12,190.39	\$12,947.05
45kW 2 Pole Motor	MHB17	\$13,952.37	\$14,780.29	MUHB17	\$14,961.25	\$16,287.94
80 X 65 - 160 SHAFT MODULE #1		Cast Iron / Cast Iron	Cast Iron / Stainless Steel		Cast Iron / Cast Iron	Cast Iron / Stainless Steel
0.75kW 4 Pole Motor	MEC42	\$3,460.01	\$4,079.90	MUEC42	\$4,260.47	\$4,567.14
1.1kW 4 Pole Motor	MEC43	\$3,677.79	\$4,139.91	MUEC43	\$4,478.25	\$4,898.22
1.5kW 4 Pole Motor	MEC44	\$3,732.59	\$4,252.23	MUEC44	\$4,533.05	\$4,993.53
5.5kW 2 Pole Motor	MEC08	\$4,925.03	\$5,428.87	MUEC08	\$5,617.64	\$6,030.95
7.5kW 2 Pole Motor	MEC09	\$5,057.19	\$5,484.50	MUEC09	\$5,675.34	\$6,061.59
11kW 2 Pole Motor	MEC11	\$5,659.67	\$5,868.38	MUEC11	\$6,793.60	\$7,123.64
15kW 2 Pole Motor	MEC12	\$6,277.78	\$6,623.90	MUEC12	\$7,410.29	\$7,991.20

END SUCTION ISO PUMPS STARLINE







END SUCTION ISO PUMPS STARLINE

						STAILLINE
						43SP7
		STAR-LINE MOTO			STAR-LINE MOTOR	-
MODEL	CODE	PRICE A-F	PRICE J-F	CODE	PRICE A-F	PRICE J-F
100 X 65 - 200 SHAFT MODULE #2		Cast Iron / Cast Iron	Cast Iron / Stainless Steel		Cast Iron / Cast Iron	Cast Iron / Stainless Steel
2.2kW 4 Pole Motor	MFD45	\$4,259.02	\$4,853.45	MUFD45	\$5,059.48	\$5,572.87
3kW 4 Pole Motor	MFD46	\$4,450.84	\$5,010.55	MUFD46	\$5,251.31	\$5,784.49
4kW 4 Pole Motor	MFD47	\$4,729.21	\$5,391.02	MUFD47	\$5,529.66	\$6,096.13
5.5kW 4 Pole Motor	MFD48	\$5,179.76	\$5,804.98	MUFD48	\$6,228.27	\$6,880.42
18.5kW 2 Pole Motor	MFD13	\$8,246.90	\$8,963.82	MUFD13	\$9,237.74	\$9,929.72
22kW 2 Pole Motor	MFD14	\$8,960.83	\$9,773.99	MUFD14	\$10,036.75	\$10,858.55
30kW 2 Pole Motor	MFD15	\$10,131.42	\$10,501.59	MUFD15	\$11,201.40	\$11,788.56
37kW 2 Pole Motor	MFD16	\$10,459.66	\$11,224.75	MUFD16	\$11,681.69	\$12,235.72
100 X 65 - 250 SHAFT MODULE #2		Cast Iron / Cast Iron	Cast Iron / Stainless Steel		Cast Iron / Cast Iron	Cast Iron / Stainless Steel
4kW 4 Pole Motor	MGD47	\$5,157.56	\$5,690.78	MUGD47	\$5,958.02	\$6,355.08
5.5kW 4 Pole Motor	MGD48	\$5,675.34	\$6,260.64	MUGD48	\$6,634.45	\$7,365.97
7.5kW 4 Pole Motor	MGD49	\$6,119.55	\$6,746.20	MUGD49	\$7,078.67	\$7,847.31
30kW 2 Pole Motor	MGD15	\$10,277.62	\$11,135.62	MUGD15	\$11,512.20	\$12,222.58
37kW 2 Pole Motor	MGD16	\$10,729.65	\$11,334.65	MUGD16	\$11,951.67	\$12,603.68
45kW 2 Pole Motor	MGD17	\$13,447.93	\$14,483.96	MUGD17	\$14,669.95	\$15,882.06
55kW 2 Pole Motor	MGD18	\$14,827.68	\$15,785.01	MUGD18	\$16,187.53	\$16,742.54
75kW 2 Pole Motor	MGD19	\$17,482.03	\$18,513.97	MUGD19	\$18,841.88	\$19,887.11
100 X 65 - 315 SHAFT MODULE #3		Cast Iron / Cast Iron	Cast Iron / Stainless Steel		Cast Iron / Cast Iron	Cast Iron / Stainless Steel
7.5kW 4 Pole Motor	MHD49	\$7,195.49	\$8,149.61	MUHD49	\$8,154.59	\$9,123.61
11kW 4 Pole Motor	MHD51	\$8,311.80	\$9,342.44	MUHD51	\$9,689.17	\$10,732.17
15kW 4 Pole Motor	MHD52	\$8,794.97	\$10,153.81	MUHD52	\$10,172.34	\$11,243.85
55kW 2 Pole Motor	MHD18	\$16,403.52	\$17,042.25	MUHD18	\$17,763.38	\$18,105.67
75kW 2 Pole Motor	MHD19	\$18,044.73	\$18,769.10	MUHD19	\$19,404.58	\$20,074.78
90kW 2 Pole Motor	MHD20	\$20,494.45	\$21,427.88	MUHD20	\$21,946.67	\$22,877.25
110kW 2 Pole Motor	MHD21	\$22,634.41	\$23,585.03	MUHD21	\$32,541.38	\$25,034.40
125 X 80 - 200 SHAFT MODULE #2		Cast Iron / Cast Iron	Cast Iron / Stainless Steel		Cast Iron / Cast Iron	Cast Iron / Stainless Steel
3.0kW 4 Pole Motor	MFE46	\$4,755.17	\$5,263.93	MUFE46	\$5,555.62	\$6,046.44
4.0kW 4 Pole Motor	MFE47	\$4,919.58	\$5,537.84	MUFE47	\$5,720.04	\$6,240.07
5.5kW 4 Pole Motor	MFE48	\$5,359.48	\$5,913.22	MUFE48	\$6,318.59	\$6,888.46
7.5kW 4 Pole Motor	MFE49	\$6,064.74	\$6,738.24	MUFE49	\$7,023.86	\$7,657.86
22kW 2 Pole Motor	MFE14	\$9,200.24	\$9,747.78	MUFE14	\$10,305.03	\$11,260.32
30kW 2 Pole Motor	MFE15	\$10,205.51	\$10,872.98	MUFE15	\$11,431.43	\$12,289.35
37kW 2 Pole Motor	MFE16	\$11,363.65	\$12,074.53	MUFE16	\$12,728.03	\$13,248.17

STARLINE







END SUCTION ISO PUMPS STARLINE

						43SP7
		CTAR LINE MOTO			CTAR LINE MOTOR	
		STAR-LINE MOTOI lete With TEFC Mo			STAR-LINE MOTOR ete With TEFC Moto	
MODEL	CODE	PRICE A-F	PRICE J-F	CODE	PRICE A-F	PRICE J-F
125 X 100 - 250 SHAFT MODULE #3		Cast Iron / Cast Iron	Cast Iron / Stainless Steel		Cast Iron / Cast Iron	Cast Iron / Stainless Steel
7.5kW 4 Pole Motor	MGF49	\$7,545.96	\$8,335.28	MUGF49	\$8,923.32	\$9,745.02
11kW 4 Pole Motor	MGF51	\$8,770.45	\$9,568.53	MUGF51	\$10,147.82	\$10,928.90
15kW 4 Pole Motor	MGF52	\$9,524.75	\$10,184.38	MUGF52	\$10,902.12	\$11,730.93
55kW 2 Pole Motor	MGF18	\$18,411.10	\$19,383.33	MUGF18	\$20,249.37	\$21,019.67
75kW 2 Pole Motor	MGF19	\$19,252.54	\$19,906.18	MUGF19	\$20,704.76	\$21,327.13
90kW 2 Pole Motor	MGF20	\$20,089.48	\$20,718.84	MUGF20	\$21,541.69	\$21,633.25
110kW 2 Pole Motor	MGF21	\$21,290.19	\$22,333.71	MUGF21	\$23,329.10	\$25,518.88
125 X 100 - 315 SHAFT MODULE #3		Cast Iron / Cast Iron	Cast Iron / Stainless Steel		Cast Iron / Cast Iron	Cast Iron / Stainless Steel
11kW 4 Pole Motor	MHF51	\$8,606.51	\$9,891.34	MUHF51	\$9,841.99	\$11,029.61
15kW 4 Pole Motor	MHF52	\$9,376.19	\$10,823.62	MUHF52	\$10,753.57	\$12,080.00
18.5kW 4 Pole Motor	MHF53	\$10,628.09	\$11,793.55	MUHF53	\$12,005.46	\$13,394.16
22kW 4 Pole Motor	MHF54	\$11,267.02	\$12,471.62	MUHF54	\$12,644.38	\$14,118.06
305kW 2 Pole Motor	MHF20	\$24,814.38	\$27,566.55	MUHF20	\$26,854.58	\$29,199.89
110kW 2 Pole Motor	MHF21	\$32,348.44	\$33,464.27	MUHF21	\$33,984.78	\$35,100.61
132kW 2 Pole Motor	MHF22	\$36,970.28	\$38,012.82	MUHF22	\$39,813.70	\$41,161.36
125 X 100 - 400		Cast Iron /	Cast Iron /		Cast Iron /	Cast Iron /
SHAFT MODULE #3		Cast Iron	Stainless Steel		Cast Iron	Stainless Steel
22kW 4 Pole Motor	MJF54	\$13,466.48	\$15,632.30	MUJF54	\$15,067.40	\$17,112.81
30kW 4 Pole Motor	MJF55	\$14,229.44	\$16,535.59	MUJF55	\$15,830.35	\$17,642.74
37kW 4 Pole Motor	MJF56	\$15,403.16	\$17,638.36	MUJF56	\$16,625.19	\$18,526.65
45kW 4 Pole Motor	MJF57	\$18,003.86	\$21,489.03	MUJF57	\$19,357.69	\$23,057.97
125 X 100 - 500 SHAFT MODULE #4		Cast Iron / Cast Iron	Cast Iron / Stainless Steel		Cast Iron / Cast Iron	Cast Iron / Stainless Steel
18.5kW 6 Pole Motor	MKF23	\$26,157.56	\$31,732.19	MUKF23	\$28,012.28	\$32,426.22
22kW 6 Pole Motor	MKF24	\$26,428.29	\$32,373.86	MUKF24	\$28,378.73	\$33,130.72
30kW 6 Pole Motor	MKF25	\$29,033.87	\$33,826.23	MUKF25	\$30,928.97	\$35,929.25
37kW 6 Pole Motor	MKF26	\$30,981.33	\$36,482.67	MUKF26	\$33,005.07	\$38,068.16
55kW 4 Pole Motor	MKF58	\$32,768.74	\$37,571.57	MUKF58	\$34,729.66	\$40,575.02
75kW 4 Pole Motor	MKF59	\$34,435.00	\$38,753.20	MUKF59	\$36,518.57	\$40,965.41
90kW 4 Pole Motor	MKF60	\$35,959.16	\$40,483.79	MUKF60	\$38,003.84	\$42,733.38
110kW 4 Pole Motor	MKF61	\$41,855.39	\$48,616.14	MUKF61	\$44,233.61	\$53,372.60

STARLINE





END SUCTION ISO PUMPS STARLINE

						43SP7
		STAR-LINE MOTO			STAR-LINE MOTOR	
MODEL	Code	Price A-F	Price J-F	Code	Price A-F	Price J-F
150 X 125 - 250 SHAFT MODULE #3		Cast Iron / Cast Iron	Cast Iron / Stainless Steel		Cast Iron / Cast Iron	Cast Iron / Stainless Steel
11kW 4 Pole Motor	MGG51	\$8,783.43	\$9,704.44	MUGG51	\$9,837.73	\$10,813.90
15kW 4 Pole Motor	MGG52	\$9,475.71	\$10,311.14	MUGG52	\$10,613.66	\$11,559.88
18.5kW 4 Pole Motor	MGG53	\$10,756.46	\$11,563.56	MUGG53	\$12,047.29	\$13,008.48
22kW 4 Pole Motor	MGG54	\$10,972.79	\$12,018.22	MUGG54	\$12,291.03	\$12,627.46
150 X 125 - 315 SHAFT MODULE #3		Cast Iron / Cast Iron	Cast Iron / Stainless Steel		Cast Iron / Cast Iron	Cast Iron / Stainless Steel
15kW 4 Pole Motor	MHG52	\$10,019.98	\$11,346.71	MUHG52	\$11,499.27	\$12,932.19
18.5kW 4 Pole Motor	MHG53	\$11,807.86	\$13,085.18	MUHG53	\$13,213.48	\$14,760.18
22kW 4 Pole Motor	MHG54	\$12,191.51	\$13,776.60	MUHG54	\$13,655.41	\$15,202.41
30kW 4 Pole Motor	MHG55	\$13,179.46	\$14,706.78	MUHG55	\$14,459.65	\$15,532.92
37kW 4 Pole Motor	MHG56	\$13,466.41	\$14,489.75	MUHG56	\$14,841.89	\$15,878.39
45kW 4 Pole Motor	MHG57	\$16,834.17	\$19,450.22	MUHG57	\$18,854.80	\$21,333.09
150 X 125 - 400 SHAFT MODULE #3		Cast Iron / Cast Iron	Cast Iron / Stainless Steel		Cast Iron / Cast Iron	Cast Iron / Stainless Steel
30kW 4 Pole Motor	MJG55	\$14,984.36	\$17,265.37	MUJG55	\$16,617.70	\$18,918.16
37kW 4 Pole Motor	MJG56	\$15,531.05	\$17,512.30	MUJG56	\$16,905.12	\$18,491.48
45kW 4 Pole Motor	MJG57	\$18,263.55	\$20,353.84	MUJG57	\$19,637.61	\$22,137.76
55kW 4 Pole Motor	MJG58	\$19,957.33	\$22,313.42	MUJG58	\$21,408.12	\$24,099.95
75kW 42 Pole Motor	MJG59	\$21,861.41	\$25,947.04	MUJG59	\$23,313.63	\$27,652.19
150 X 125 - 500 SHAFT MODULE #4		Cast Iron / Cast Iron	Cast Iron / Stainless Steel		Cast Iron / Cast Iron	Cast Iron / Stainless Steel
22kW 6 Pole Motor	MKG24	\$27,750.52	\$34,376.66	MUKG24	\$29,834.10	\$36,581.38
30kW 6 Pole Motor	MKG25	\$30,750.98	\$36,105.74	MUKG25	\$32,836.05	\$38,259.62
37kW 6 Pole Motor	MKG26	\$33,583.92	\$38,772.65	MUKG26	\$35,666.00	\$40,926.53
75kW 4 Pole Motor	MKG59	\$36,146.13	\$40,787.41	MUKG59	\$38,192.30	\$42,869.49
90kW 4 Pole Motor	MKG60	\$38,723.29	\$43,412.45	MUKG60	\$40,767.98	\$45,496.02
110kW 4 Pole Motor	MKG61	\$44,015.24	\$49,556.97	MUKG61	\$46,098.81	\$51,712.32
132kW 4 Pole Motor	MKG62	\$48,774.69	\$53,661.28	MUKG62	\$50,820.87	\$55,744.86
200 X 150 - 315 SHAFT MODULE #4		Cast Iron / Cast Iron	Cast Iron / Stainless Steel		Cast Iron / Cast Iron	Cast Iron / Stainless Steel
7.5kW 6 Pole Motor	MHH20	\$16,804.67	\$18,509.82	MUHH20	\$19,788.68	\$21,493.83
11kW 6 Pole Motor	MHH21	\$16,946.77	\$18,651.91	MUHH21	\$19,930.77	\$21,635.92
15kW 6 Pole Motor	MHH22	\$17,032.02	\$18,737.17	MUHH22	\$20,016.03	\$21,721.18
22kW 4 Pole Motor	MHH54	\$17,174.12	\$18,879.27	MUHH54	\$20,158.13	\$21,863.28
30kW 4 Pole Motor	MHH55	\$17,334.17	\$19,039.32	MUHH55	\$20,318.18	\$22,023.33
37kW 4 Pole Motor	MHH56	\$18,034.09	\$19,739.23	MUHH56	\$21,018.09	\$22,723.24
45kW 4 Pole Motor	MHH57	\$19,894.29	\$21,599.44	MUHH57	\$22,878.30	\$24,583.44

						43SP7
		STAR-LINE MOTOR			STAR-LINE MOTOR	
MODEL	Code	Price A-F	Price J-F	Code	Price A-F	Price J-F
200 X 150 - 400 SHAFT MODULE #4		Cast Iron / Cast Iron	Cast Iron / Stainless Steel		Cast Iron / Cast Iron	Cast Iron / Stainless Steel
15kW 6 Pole Motor	MJH22	\$24,183.18	\$27,829.80	MUJH22	\$26,349.01	\$29,995.63
18.5kW 6 Pole Motor	MJH23	\$24,706.69	\$28,353.31	MUJH23	\$26,829.14	\$30,475.77
22kW 6 Pole Motor	MJH24	\$25,447.08	\$29,093.70	MUJH24	\$27,052.01	\$30,698.63
30kW 6 Pole Motor	MJH25	\$27,013.13	\$30,659.74	MUJH25	\$29,056.31	\$32,702.93
45kW 4 Pole Motor	MJH57	\$29,226.82	\$32,873.44	MUJH57	\$31,268.51	\$34,915.13
55kW 4 Pole Motor	MJH58	\$29,818.77	\$33,465.39	MUJH58	\$31,406.31	\$35,052.93
75kW 4 Pole Motor	MJH59	\$30,499.40	\$34,146.02	MUJH59	\$32,904.83	\$36,551.45
90kW 4 Pole Motor	MJH60	\$33,508.98	\$37,155.60	MUJH60	\$34,401.91	\$38,048.52
110kW 4 Pole Motor	MJH61	\$35,272.17	\$38,918.79	MUJH61	\$44,746.66	\$48,393.28
200 X 150 - 500 SHAFT MODULE #4		Cast Iron / Cast Iron	Cast Iron / Stainless Steel		Cast Iron / Cast Iron	Cast Iron / Stainless Steel
30kW 6 Pole Motor	MKH25	\$31,338.81	\$35,562.79	MUKH25	\$33,420.89	\$37,631.40
37kW 6 Pole Motor	MKH26	\$33,890.55	\$39,119.67	MUKH26	\$35,977.11	\$41,273.53
45kW 6 Pole Motor	MKH27	\$37,086.95	\$41,768.63	MUKH27	\$39,131.64	\$43,852.19
55kW 6 Pole Motor	MKH28	\$37,991.88	\$41,870.34	MUKH28	\$40,033.57	\$43,915.02
90kW 4 Pole Motor	MKH60	\$38,292.52	\$42,998.13	MUKH60	\$40,337.21	\$44,215.66
110kW 4 Pole Motor	MKH61	\$44,549.21	\$50,137.30	MUKH61	\$46,634.28	\$53,507.23
132kW 4 Pole Motor	MKH62	\$49,636.24	\$53,514.69	MUKH62	\$51,680.92	\$56,646.79
160kW 4 Pole Motor	MKH63	\$62,000.04	\$65,878.52	MUKH63	\$64,046.22	\$67,923.19
200kW 4 Pole Motor	MKH64	\$62,372.49	\$66,252.45	MUKH64	\$64,415.67	\$68,294.14
250 X 200 -315 SHAFT MODULE #4		Cast Iron / Cast Iron	Cast Iron / Stainless Steel		Cast Iron / Cast Iron	Cast Iron / Stainless Steel
11kW 6 Pole Motor	MHJ21	\$25,414.17	\$29,255.24	MUHJ21	\$27,618.90	\$31,516.80
15kW 6 Pole Motor	MHJ22	\$27,084.91	\$31,045.65	MUHJ22	\$29,289.64	\$33,248.88
18.5kW 6 Pole Motor	MHJ23	\$28,037.70	\$31,786.03	MUHJ23	\$30,242.43	\$33,989.27
22kW 6 Pole Motor	MHJ24	\$28,582.15	\$33,132.21	MUHJ24	\$31,877.28	\$34,370.68
37kW 6 Pole Motor	MHJ56	\$30,374.06	\$36,104.25	MUHJ56	\$32,457.63	\$35,214.28
45kW 4 Pole Motor	MHJ57	\$31,753.13	\$36,395.92	MUHJ57	\$33,838.20	\$36,597.85
55kW 4 Pole Motor	MHJ58	\$33,963.84	\$36,721.99	MUHJ58	\$36,045.92	\$38,807.06
75kW 4 Pole Motor	MHJ59	\$36,210.44	\$37,131.82	MUHJ59	\$38,256.62	\$39,379.93

STARLINE PARTS - Quick Selection Guide





END SUCTION ISO PUMPS

STARLINE PARTS - Quick Selection Guide

Model	Mechanical Seal	Casings O'Ring	Volute	Impeller Cast Iron	Backplate
#1 SHAFT					
50x32-160	XMS033k	383002041	SEA002	SEA003	SEA004
65x50-160	XMS033k	383002041	SEB002	SEB003	SEA004
80x65-160	XMS033k	383002041	SEC002	SEC003	SEA004
50x32-200	XMS033k	383002048	SFA002	SFA003	SFA004
65x40-200	XMS033k	383002048	SFB002	SFB003	SFA004
80x50-200	XMS033k	383002048	SFC002	SFC003	SFA004
T/SHALL					
#2 SHAFT					
#2 SHAF I 100x80-160	XMS043k	383002048	SED002	SED003	SED004
100x80-160	XMS043k XMS043k	383002048 383002048	SED002 SFD002	SED003 SFD003	SED004 SFD004
100x80-160 100x65-200					
	XMS043k	383002048	SFD002	SFD003	SFD004
100x80-160 100x65-200 125x80-200 125x100-200	XMS043k XMS043k	383002048 383002048	SFD002 SFE002	SFD003 SFE003	SFD004 SFF004
100x80-160 100x65-200 125x80-200	XMS043k XMS043k XMS043k	383002048 383002048 383002048	SFD002 SFE002 SFF002	SFD003 SFE003 SFF003	SFD004 SFF004 SFF004
100x80-160 100x65-200 125x80-200 125x100-200 65x40-250	XMS043k XMS043k XMS043k XMS043k	383002048 383002048 383002048 383002276	SFD002 SFE002 SFF002 SGB002	SFD003 SFE003 SFF003 SGB003	SFD004 SFF004 SFF004 SGB004
100x80-160 100x65-200 125x80-200 125x100-200 65x40-250 80x50-250	XMS043k XMS043k XMS043k XMS043k XMS043k	383002048 383002048 383002048 383002276 383002276	SFD002 SFE002 SFF002 SGB002 SGC002	SFD003 SFE003 SFF003 SGB003 SGC003	SFD004 SFF004 SFF004 SGB004 SGB004
100x80-160 100x65-200 125x80-200 125x100-200 65x40-250 80x50-250 100x65-250	XMS043k XMS043k XMS043k XMS043k XMS043k XMS043k	383002048 383002048 383002048 383002276 383002276 383002276	SFD002 SFE002 SFF002 SGB002 SGC002 SGD002	SFD003 SFE003 SFF003 SGB003 SGC003 SGD003	SFD004 SFF004 SFF004 SGB004 SGB004 SGD004

Model	Mechanical Seal	Casings O'Ring	Volute	Impeller Cast Iron	Backplate
#3 SHAFT					
125x100-250	XMS053k	383002279	SGF002	SGF003	SGF004
150x125-250	XMS053k	383002279	SGG002	SGG003	SGF004
100x65-315	XMS053k	383002279	SHD002	SHD003	SHD004
125x80-315	XMS053k	383002279	SHE002	SHE003	SHD004
125x100-315	XMS053k	383002279	SHF002	SHF003	SHD004
150x125-315	XMS053k	383002279	SHG002	SHG003	SHG004
125x80-400	XMS053k	383002283	SJE002	SJE003	SJE004
125x100-400	XMS053k	383002283	SJF002	SJF003	SJE004
150x125-400	XMS053k	383002283	SJG002	SJG003	SJE004
#4 SHAFT					
200x150-315	XMS060k	383002455	SHH002	SHH003	SHH004
250x200-315	XMS060k	383002455	SHJ002	SHJ003	SHH004
200x150-400	XMS060k	383002463	SJH002	SJH003	SJH004
125x100-500	XMS060k	383002470	SKF002	SKF003	SKF004
150x125-500	XMS060k	383002470	SKG002	SKG003	SKF004
200x150-500	XMS060k	383002470	SKH002	SKH003	SKF004

ISO SOVEREIGN





END SUCTION ISO PUMPS ISO SOVEREIGN

Benchmark Performance.

KEY FEATURES

- Superior hydraulic design for higher efficiencies and reduced operating cost.
- · High efficiency double curvature impeller vanes.
- 32 to 200mm discharge.
- · Cast Iron or Stainless Steel construction.
- · High strength Grade 431 Stainless Steel shaft.
- · AS2129 Table "E" flanges as standard with optional drillings available.
- · Back-pullout design allows removal of the pump rotating element without the removal of motor or suction and discharge lines for maintenance.
- Heavy duty sealed for life grease packed ball bearings.
- Taper mounted and keyed impeller with Nordlock impeller washer.
- · High quality European manufactured mechanical seal.
- Horizontal or vertical pump discharge mounting.
- · Wide range of options.

125 X 100 - 250







PSGF3

\$4,767.63





			43SP3
Model - Bareshaft	Code	Price A-F	Price J-F
125 X 100 - 315 (2800 RPM Max*)	PSHF3	\$5,373.02	\$6,994.76
125 X 100 - 400 (2100 RPM Max*)	PSJF3	\$6,985.69	\$9,322.25
125 X 100 - 500 (1600 RPM Max*) (See **)	PSKF4	\$12,504.37	\$17,805.73
150 X 125 - 200 (2800 RPM Max*) (See **)	PSFG2	\$0.00	\$6,655.43
150 X 125 - 250 (2600 RPM Max*)	PSGG3	\$5,439.58	\$6,707.42
150 X 125 - 315 (2300 RPM Max*)	PSHG3	\$6,039.85	\$7,565.35
150 X 125 - 400 (2000 RPM Max*)	PSJG3	\$7,487.41	\$9,463.18
150 X 125 - 500 (1600 RPM Max*) (See **)	PSKG4	\$12,568.82	\$16,782.24
200 X 150 - 250 (2400 RPM Max*)	PSGH3	\$0.00	\$9,619.17
200 X 150 - 315 (1800 RPM Max*)	PSHH4	\$8,251.13	\$9,821.95
200 X 150 - 400 (1800 RPM Max*)	PSJH4	\$10,312.10	\$12,348.94
200 X 150 - 500 (1600 RPM Max*) (See **)	PSKH4	\$12,337.79	\$14,428.76
200 X 200 - 250 (2600 RPM Max*) (See **)	PSGW4	\$0.00	\$11,076.35
250 X 200 - 315 (1800 RPM Max*) (See **)	PSHJ4	\$9,717.51	\$13,174.36
250 X 200 - 400 (1800 RPM Max*) (See **)	PSJJ4	\$0.00	\$13,730.72
250 X 200 - 500 (1600 RPM Max*) (See **)	PSKJ5	\$0.00	\$22,150.09
300 X 250 - 315 (2000 RPM Max*) (See **)	PSHK5	\$0.00	\$13,976.40
300 X 250 - 400 (1800 RPM Max*) (See **)	PSJK5	\$0.00	\$17,769.47
350 X 300 - 315 (1800 RPM Max*) (See **)	PSHL5	\$0.00	\$20,882.70
350 X 300 - 400 (1800 RPM Max*) (See **)	PSJL5	\$0.00	\$21,770.52
350 X 300 - 500 (1600 RPM Max*) (See **)	PSKL6	\$0.00	\$39,367.11
			43SP1
Belzona Backplate			POA

^{*} Refer to 43South for higher speeds.

All prices exclude GST & Freight 72 43SOUTH | 2023 Farm & Industrial Price List All prices exclude GST & Freight 43SOUTH | 2023 Farm & Industrial Price List 73

\$6,197.05

^{**} Does not totally conform with ISO 2858 dimensions. Shaft material 420SS.

A-F = Cast Iron / Cast Iron J-F = Cast Iron / Stainless Steel

ISO PRO





END SUCTION ISO PUMPS ISO PRO

Efficient, general purpose

KEY FEATURES

- Superior hydraulic design and manufacturing methods for significantly higher efficiencies and reduced maintenance.
- · High efficiency double curvature impeller vanes.
- 32 to 200mm discharge.
- · Cast Iron or Stainless Steel construction.
- · High strength Grade 431 Stainless Steel shaft.
- AS2129 Table "E" flanges as standard with optional drillings available
- Back-pullout design does not require the disconnection and removal of motor or suction and discharge lines for maintenance.
- Heavy duty oil lubricated double angular contact bearings in drive end and single row roller bearings in wet end.
- Taper mounted and keyed impeller with Nordlock impeller washer.
- · High quality European manufactured mechanical seal.
- · Horizontal or vertical pump discharge mounting.
- · Wide range of options.







			43SP2
Model - Bareshaft	Code	Price A-F	Price J-F
125 x 100 - 500 (1800 RPM Max*)	PRKF4	\$14,089.46	\$20,490.13
150 x 125 - 250 (2600 RPM Max*)	PRGG3	\$6,241.35	\$7,922.05
150 x 125 - 315 (2500 RPM Max*)	PRHG3	\$6,716.71	\$8,580.04
150 x 125 - 400 (2300 RPM Max*)	PRJG3	\$8,645.11	\$10,272.77
150 x 125 - 500 (1800 RPM Max*)	PRKG4	\$14,213.75	\$19,714.42
200 x 150 - 315 (2100 RPM Max*)	PRHH4	\$10,405.65	\$13,414.45
200 x 150 - 400 (1900 RPM Max*)	PRJH4	\$11,944.53	\$17,586.72
200 x 150 - 500 (1800 RPM Max*)	PRKH4	\$14,578.93	\$20,598.18
250 x 200 - 315 (1800 RPM Max*)	PRHJ4	\$12,408.37	\$19,435.99

	43SP1
Belzona Backplate	POA

All Group 4 Pumps are fitted with Rear Neck Rings.

* Refer to 43South for higher speeds.

A-F = Cast Iron / Cast Iron J-F = Cast Iron / Stainless Steel

ELECTRIC MOTORS

W21 MOTOR





ELECTRIC MOTORS

W22 MOTORS

TYPE

WEG Three Phase Squirrel Cage.

FRAME

Aluminium 37kW and below. External Cooling Fins, IEC 72 Standard.

ENCLOSURE

Totally Enclosed Fan Cooled.

PROTECTION

IP55.

INSULATION

Frames 63 up to 200: Class F with B temperature rise Frame 225 and above: Class H with B temperature rise.

SUPPLY

415V, 50Hz.

ACCESSORIES

Thermistor Type PTC (1 per phase) from 160 frame and above.

PAINT

WEG Paint Plan 201.

SPECIAL FEATURES

Enhanced Insulation System able to withstand $5,000V/\mu s$ and 1,500V peak at 5kHz.





TYPE

WEG Three Phase Squirrel Cage.

FRAM

Cast Iron, External Cooling Fins, IEC 72 Standard.

ENCLOSURE

Totally Enclosed Fan Cooled.

PROTECTION

IP66.

INSULATION

Class H with B temperature rise.

SUPPLY

415V, 50Hz.

ACCESSORIES

Thermistor Type PTC (1 per phase) from 160 up to 200 frame. Thermistor Type PTC (2 per phase) from 225 frame and above.

PAIN

WEG Paint Plan 202P.

SPECIAL FEATURES

Enhanced Insulation System able to withstand 5,200V/µs and 1,600V peak at 5kHz.

5,200 V/µS allu 1,000 V peak at 5km

225-355 Frames WEG designed WSeal®.

225-355 Frames Flexi-mount terminal box.

W21 MOTOR PRICING - FOOT AND FLANGE

3 X 415V T	3 X 415V THREE PHASE 2 POLE					
Frame	kW	F.L.A.	Code	Price		
802-2	1.10	6.00	XZM003	\$991.79		
90S-2	1.50	3.01	XZM004	\$1,115.45		
90L-2	2.20	4.39	XZM005	\$1,253.95		
100L-2	3.00	5.64	XZM006	\$1,671.94		
112M1-2	4.00	7.45	XZM007	\$1,951.41		
132S1-2	5.50	10.2	XZM008	\$2,530.16		
132S2-2	7.50	13.69	XZM009	\$2,841.79		
160M1-2	11.00	20.17	XZM011	\$4,629.96		
160M2-2	15.00	27.13	XZM012	\$5,047.95		
160L-2	18.50	33.7	XZM013	\$5,975.43		
180M-2	22.00	38.83	XZM014	\$7,456.92		
200L1-2	30.00	52.72	XZM015	\$9,210.46		
200L2-2	37.00	64.5	XZM016	\$9,205.52		
225M-2	45.00	76.2	XZM017	\$13,419.98		
250M1-2	55.00	91.8	XZM018	\$18,415.99		
250S/M-2	75.00	127.00	XZM019	\$19,622.94		

				43SPTR1
3 X 415V	THREE P	HASE 4 POI	LE	
Frame	kW	F.L.A	Code	Price
801-4	0.55	1.26	XZM041	\$816.18
802-4	0.75	1.61	XZM042	\$833.49
90S-4	1.10	2.37	XZM043	\$1,018.99
90L-4	1.5	3.28	XZM044	\$1,145.13
100L1-4	2.2	4.42	XZM045	\$1,404.82
100L2-4	3	5.96	XZM046	\$1,627.42
112M-4	4	7.85	XZM047	\$2,028.08
132S-4	5.5	10.34	XZM048	\$2,631.56
132M1-4	7.5	13.89	XZM049	\$3,106.43
160M-4	11.0	20.84	XZM051	\$4,387.58
160L-4	15	28.4	XZM052	\$5,008.38
180M-4	28.5	34.83	XZM053	\$6,808.92
180L-4	22	39.4	XZM054	\$7,595.42
200L-4	30	55.6	XZM055	\$9,445.42
225S-4	37	65.2	XZM056	\$11,295.43
225M-4	45	78.11	XZM057	\$13,509.01
250M1-4	55	94.0	XZM058	\$15,789.37
250M2-4	75	131.0	XZM059	\$18,193.40

W22 MOTOR PRICING - FOOT AND FLANGE

3 Y 415V THREE PHASE 2 POLE

3 X 413V THREE PHASE 2 PULE					
Frame	kW	F.L.A	Code	Price	
D100	3	5.68	XZM506-HE	\$1,909.36	
D112	4	7.49	XZM507-HE	\$2,228.42	
D132	5.5	10.1	XZM508-HE	\$2,893.73	
D132	7.5	13.8	XZM509-HE	\$3,247.41	
D160	11	20.1	XZM511-HE	\$5,003.43	
D160	15	27.1	XZM512-HE	\$5,943.28	
D160	18.5	33.3	XZM513-HE	\$7,026.57	
D180	22	38.8	XZM514-HE	\$8,775.17	
D200	30	53.3	XZM515-HE	\$10,840.36	
D200	37	65.6	XZM516-HE	\$10,461.94	
D225	45	77.6	XZM517-HE	\$15,247.73	
D250	55	93.5	XZM518-HE	\$20,926.36	
D250	75	127.0	XZM519-HE	\$22,301.50	

				433P1R2
3 X 415V	THREE PH	ASE 4 POLE		
Frame	kW	F.L.A	Code Price	
D90	1.1	2.31	XZM543-HE	\$1,162.44
D90	1.5	3.19	XZM544-HE	\$1,305.89
D100	2.2	4.49	XZM545-HE	\$1,605.15
D100	3.0	6.07	XZM546-HE	\$1,862.38
D112	4.0	8.11	XZM547-HE	\$2,319.93
D132	5.5	10.3	XZM548-HE	\$3,009.97
D132	7.5	13.9	XZM549-HE	\$3,551.62
D160	11.0	20.7	XZM551-HE	\$5,159.25
D160	15.0	28.4	XZM552-HE	\$5,893.81
D180	18.5	34.8	XZM553-HE	\$8,008.46
D180	22.0	39.4	XZM554-HE	\$8,938.40
D200	30.0	56.1	XZM555-HE	\$11,112.42
D225S	37.0	65.6	XZM556-HE	\$12,836.29
D225	45.0	79.4	XZM557-HE	\$15,356.55
D250	55.0	96.9	XZM558-HE	\$18,838.92
D250	75.0	130.0	XZM559-HE	\$20,679.04

ELECTRIC MOTORS

WEG CFW11 - Drive-in-a-Box





ELECTRIC MOTORS VARIABLE FREQUENCY DRIVE

Simplex Control Panel; complete with power protection/isolation, local/off/remote control, run and fault lamp indication, and all control wiring.

WEG CFW11 DRIVE-IN-A-BOX PRICIPATION	43SPTR3	
Model	kW	Price
TR-CFW11-3.0kW-PGCP1	3	POA
TR-CFW11-4.0kW-PGCP1	4	POA
TR-CFW11-5.5kW-PGCP1	5.5	POA
TR-CFW11-7.5kW-PGCP1	7.5	POA
TR-CFW11-11.0kW-PGCP1	11	POA
TR-CFW11-15.0kW-PGCP1	15	POA
TR-CFW11-18.5kW-PGCP1	18.5	POA
TR-CFW11-22.0kW-PGCP1	22	POA
TR-CFW11-30.0kW-PGCP1	30	POA
TR-CFW11-37.0kW-PGCP1	37	POA
TR-CFW11-45.0kW-PGCP1	45	POA



VFD's suitable for wall or motor mounting up to 18.5 kW. VFD mounting bracket or electrical connection not included.

Enclosures rate IP55.

Does not include supply of transducer, electrical connection not included

Dual Drive-in-a-Box units also available

Please contact 43South for pricing.








VARIABLE FREQUENCY DRIVE PRICING				43SP7
SINGLE PHASE INPUT				
Model	kW	Input Voltage	Output Voltage	Price
INJ-0150-S	1.5	Ø1x240v	Ø3x240v	POA
INJ-0220-S	2.2	Ø1x240v	Ø3x240v	POA

THREE PHASE INPUT					
Model	kW	Input Voltage	Output Voltage	Price	
INJ-0220-T	2.2	Ø3x415v	Ø3x415v	POA	
INJ-0400-T	4	Ø3x415v	Ø3x415v	POA	
INJ-0550-T	5.5	Ø3x415v	Ø3x415v	POA	
INJ-0750-T	7.5	Ø3x415v	Ø3x415v	POA	
INJ-1100-T	11	Ø3x415v	Ø3x415v	POA	
INJ-1500-T	15	Ø3x415v	Ø3x415v	POA	

TRANSDUCER				
Model	kW	Input Voltage	Output Voltage	Price
0-16 Bar pressure transducer			INJ-PT-16BAR	POA

Notes	



80 43SÔUTH | 2020 / 2021 Farm & Industrial Price List All prices exclude GST & Freight All prices exclude GST & Freight

RIVERSCREEN

RIVERSCREEN & MOTOR DRIVE KIT

RIVERSCREEN.

A rotating water-driven self-cleaning screen that dependably delivers good water from depths as low as 4 inches. The ideal solution for the operation depending upon river or canal water sources for pivot irrigation systems. RIVERSCREEN is built for shallow water pumping to prevent sand problems.

KEY FEATURES

- Screen drum measuring 16" x 24" up to 32" x 48"
- Sturdy aluminum frame
- Aluminum pontoons







RIVERSCREEN PRICING				
Model	Flow Rate	Code	Price	
Screen Galv River 3 inch	0 - 12 Litres/Second	RVRSCRN3	\$8,347.50	
Screen Galv River 4 inch	6 - 22 Litres/Second	RVRSCRN4	\$12,587.60	
Screen Galv River 6 inch	19 - 60 Litres/Second	RVRSCRN6	\$17,103.56	
Screen Galv River 8 inch	35 - 107 Litres/Second	RVRSCRN8	\$19,139.75	
Screen Galv River 10 inch	52 - 164 Litres/Second	RVRSCRN10	\$21,032.00	
Screen Galv River 12 inch	75 - 252 Litres/Second	RVRSCRN12	\$23,979,77	

MOTOR DRIVE KIT PRICING		
Model	Code	Price
Electric Motor Drive Kit	RVRMD460	\$3,375.00



TERMS & CONDITIONS OF TRADE

1. TERMS AND CONDITIONS OF TRADE - 43 SOUTH LIMITED (the Company)

- 1.1 These terms and conditions (Terms) together with any order for Goods and/or Services form the contract for the supply of Goods and/or Services, by the Company to the Customer (Contract).
- 1.2 These Terms apply to all orders for Goods and/or Services submitted by the Customer to the Company.
- 1.3 To the extent of any discrepancy between these Terms and any third party (including the Customer's) terms and conditions, these Terms prevail.

PRICE

- 2.1 The Price is the Company's current price for the Goods and/or Services as at the Contract Date
- or (if applicable, and subject to clauses 4.3 to 4.5, the Price quoted by the Company.

 2.2 Where no price is stated in writing or agreed to orally the Goods and/or Services shall be deemed to be sold at the current amount as such Goods and/or Services are sold by the
- 2.3 Any difference between the price of the Goods and/or Services at the Contract Date and at the date of delivery, due to circumstances beyond the Company's control, is to the Customer's account and the Price shall be adjusted accordingly.
- 2.4 Where the Customer requests the Company to estimate the quantity of the Goods to be supplied from sketches, plans, schedules, specifications or otherwise, the Customer agrees to pay for any variation between the estimate and the actual quantities supplied and the Contract shall be deemed to be adjusted accordingly.

3. PAYMENT

Company.

- 3.1 Payment is due by the 20th of the month following the date of invoice (the Due Date).
- 3.2 The Company reserves the right to require a deposit or advance payment in respect of Goods and/or Services ordered. If the Customer wishes to cancel an order, other than in accordance with the lawful exercise of a right to terminate the Contract under the Contract or at law, the Company can retain a proportion of the deposit or advance payment paid to the Company sufficient to cover the costs, expenses and losses that the Company is reasonably likely to incur as a result of the cancellation.
- 3.3 If the Customer has failed to pay an amount due and owing under the Contract by the Due Date, the Company reserves the right to charge, and the Customer will pay:
 - (a) the Company's reasonable costs (including all costs on a solicitor-client basis) incurred in, or incidental to, the enforcement or attempted enforcement of any of the Company's rights under the contract or at law; and
 - (b) a default penalty on any moneys due but unpaid under the Contract which will be calculated on a daily basis at a rate of 2.5 per cent per month (the Default Penalty). The Default Penalty is payable from the Due Date until the date the Company receives payment of the Amount Owing. The Company's right to charge the Default Penalty is without prejudice to any of the Company's rights, powers or remedies arising after the Customer's payment default.
- 3.4 The Company may allocate all amounts received by the Customer in any manner it determines including any manner required to preserve any security interest in the Goods sold under the Contract

4. QUOTES

- 4.1 A quotation by the Company is based on the current price for the Goods and/or Services (based on the Company performing the work during normal working hours) and subject to availability from the Company's usual source of supply as at the date of the quote and shall not be binding on the Company unless the Customer has accepted the Company's quote within 30 days from the date of issue (time being of the essence).
- $4.2 \quad \text{The quotation shall be exclusive of GST unless specifically stated to the contrary;} \\$
- 4.3 The Company reserves the right to alter the quotation because of circumstances beyond its control:
- 4.4 Where Goods and/or Services are required in addition to the volumes specified in the quotation the Customer agrees to pay for the additional cost of such Goods and/or Services.
- 4.5 Any requested variation to the Goods and/or Services covered by the Company's quotation must be notified in writing by the Customer. If the Company agrees, the Company's quotation and the Price will be adjusted accordingly. If a variation is agreed after the Contract is formed, the Contract and the Price will be adjusted accordingly.

CONTRACT

- 5.1 These Terms shall be read subject to the express terms and conditions contained in the Contract. The Contract is subject to the Company having the Goods in stock and subject to availability from the Company's usual source of supply.
- 5.2 If there is a conflict between the Customer's order and the Company's confirmation of order (including these Terms), the Company's confirmation of order (including these Terms) will prevail.
- 5.3 The rights, powers and remedies provided for in the Contract (including these Terms) are in addition to, and do not limit or exclude (or otherwise adversely affect), any right, power or remedy provided to the Company by law.
- 5.4 The Customer's obligation to pay amounts (other than the Price) to the Company under these Terms shall be continuing and separate obligations which will survive termination of the Contract and payment of the Price.

6. DELIVERY

- 6.1 Delivery is deemed to occur when possession of the Goods is taken by the Customer.
- 6.2 Delivery of the Goods will be made at the Customer's premises unless the Customer has instructed otherwise.

7. RISK AND OWNERSHIP

- 7.1 All risk in and for the Goods passes to the Customer on delivery by the Company. The Customer must ensure that it is adequately insured against any damage or loss which may occur to the Goods after delivery.
- 7.2 If any of the Goods are damaged or destroyed prior to property in them passing to the Customer, the Company is entitled, without prejudice to any of its other rights or remedies under the Contract (including the right to receive payment of the Price), to receive all insurance proceeds payable for the Goods. This applies whether or not the Price has become payable under the Contract. The production of the Contract (including these Terms) by the Company is sufficient evidence of the Company's right to receive the insurance proceeds without the need for any person dealing with the Company to make further enquiries.
- $7.3 \quad \hbox{Property in, ownership of and title to the Goods shall not pass to the Customer until:}$
 - (a) the Customer pays the Amount Owing in full and all other amounts owing under other Contracts; or
 - (b) (if applicable) the Customer resells the Goods pursuant to the authority granted by these Terms.
- 7.4 Until property in Goods passes to the Customer, the Customer holds the Goods as the

may, without prior notice, enter upon any land or premises where the Company believes the Goods are kept in order to inspect the Goods. The Customer must store the Goods so they can be identified separately from the Customer's own goods. The Company authorises the Customer, in the ordinary course of the Customer's business, to use the Goods or resell them for full consideration. This authority is revoked immediately if:

Company's bailee and, as agent for the Customer, the Company (and its employees and agents)

- (a) an Event of Default occurs; or
- (b) the Company notifies the Customer in writing that this authority is revoked.

8. WARRANTIES

- 8.1 If the Company manufactures the Goods, the Company warrants that
 - (a) every care will be taken to ensure that the Goods and/or Services meet the Company's standards or agreed specifications (within the limits of reasonable commercial accuracy);
 - (b) the Company will comply with all applicable laws and governmental regulations and orders; (c) the Goods supplied will be of good material and workmanship for a period of 30 days, or
- such longer period as specified in writing by the Company, from the date of delivery.

 3.2 The Company makes no other warranties, whether of merchantability, fitness for a particular
- purpose, or otherwise, and none will be implied except in accordance with clause 12.2 8.3 The warranties under clause 8.1 do not apply where:
 - (a) the Goods are repaired, modified, altered or adjusted by any person not authorised by the Company:
 - (b) the Goods are used for purposes other than that for which they were intended;
 - (c) the defect has arisen due to an accident or any wilful damage, negligence, neglect or default of the Customer or any third party;
 - (d) the defect has arisen due to the incorrect installation of the Goods or abnormal working conditions:
 - (e) the defect has arisen due to normal wear and tear on the Goods;
 - (f) the Goods have not been stored or maintained as recommended by the Company; or
 - (g) the Customer is in breach of any agreement with the Company (including non-payment for any Goods and/or Services).
- 8.4 Any claims relating to Goods manufactured by the Company or the warranties relating to those Goods must be made by the Purchaser to the Company in accordance with clause 8.6.
- 8.5 With respect to Goods not manufactured by the Company (Third Party Goods), and subject to clause 12.2, the Customer acknowledges and agrees that:
 - (a) third party warranties will apply to Third Party Goods where applicable;
 - (b) the Company provides no further warranties in relation to Third Party Goods;
 - (c) the Company's obligations under clause 8.1 do not apply to the Third Party Goods; and
 - (d) any claims relating to Third Party Goods or the warranties relating to those Third Party Goods must be made by the Purchaser to the Company in accordance with clause 8.6.
- .6 A claim under this clause must be in writing to the Company within twelve (12) months from the date of delivery of the Goods and/or Services and no claim can be made under this clause unless and until the Price is paid in full. The Customer must:
- (a) give the Company notice of any defect in the Goods within 7 days of the defect becoming apparent; and
- (b) provide the Company with a reasonable opportunity to investigate the claim.

9. RETURN OF GOODS

- 9.1 Except as provided in this clause, and subject to clause 12.2, the Customer is not entitled to return the Goods to the Company for any reason. For defective Goods which the Customer is entitled to reject.
 - (a) the Customer must notify the Company within 7 days of delivery that the Goods are defective:
 - (b) the Company must be given a reasonable opportunity to investigate the Customer's claim;
 - (c) the Company will not be liable for defective Goods in the circumstances described in clauses 8.3(a) to 8.3(g); and
 - (d) the Company will not be liable to pay the Customer any amount more than the amount (if any) the Company actually receives from the supplier of any defective Third Party Goods.
- 2 The Company may (in its discretion) accept the return of Goods for credit but the Company may charge a handling fee of 25% of the Price and the amount of any credit will be less any freight costs. Any Goods considered for return must be unused, undamaged and still in original packaging. Subject to clause 12.2, no returns will be considered for Special Goods.

10. LIABILITY

- 10.1 The Company's liability under clauses 8 and 8.6(b) will be limited in its sole discretion to:
 - (a) restoring the Goods in conformity with the written specifications supplied by the Customer;
 - (b) replacing the Goods; or
 - (c) refunding the Price of the Goods.
- 10.2 Any repairs will be done at such place as the Company specifies and the Customer is responsible for:
 - (a) cartage of the Goods or parts of the Goods as is necessary to and from the place so specified; and
 - (b) the cost or removal of defective material and fixing replacement material.
- $10.3\,\,$ Except as otherwise provided by clause 12.2, the Company will not be liable for:
 - (a) failure to deliver the Goods by a specified date;
 - (b) an event beyond the Company's control;
 - (c) failure of the Goods however so arising;
- (d) testing the Goods;
- (e) deterioration of the Goods due to exposure to the elements after delivery;
- (f) any negligence, misrepresentation or other act or omission by the Customer or its agents; or (g) any loss or damage resulting directly, or indirectly, from any of the above.
- 10.4 Notwithstanding any other provision of these terms and conditions and any other agreement between the Company and the Customer, but subject always to clause 12.2:
 - (a) any liability of the Company arising under the Contract will not exceed the value of the replaced Goods in relation to which the liability has arisen;
 - (b) the maximum aggregate liability of the Company to the Customer under these Terms and any other agreement between the Company and the Customer shall be limited to the total revenue derived by the Company from the Customer under these Terms.

11. DEFAULT

- 11.1 If an Event of Default occurs, and without prejudice to any other rights, powers or remedies the Company may have:
 - (a) the Company may suspend or terminate the supply of Goods and/or Services to the Customer and any of its other obligations under the Contract (and any other Contract), or cancel all or any part of any order with the Customer which remains unperformed;
 - (b) all Amounts Owing shall immediately become due and payable notwithstanding that the due date for payment has not arisen; and
 - (c) the Company may enforce any security interest granted to it by the Customer
- 11.2 The Company will not be liable to the Customer for any loss or damage the Customer suffers because the Company exercises any rights, powers or remedies after the occurrence of an Event of Default, including under this clause.
- 11.3 The Customer agrees that, at any time after an Event of Default has occurred or at any time if any Goods are at risk, the Company may:
- (a) take possession of any Goods; and/or
- (b) sell or dispose of any Goods in such manner and generally on such terms and conditions as the Company thinks fit, and, in each case, otherwise do anything the Customer could do in relation to the Goods. The Company and the Customer agree that section 109(1) of the PPSA is contracted out of in respect of particular Goods if and only for so long as the Company is not the secured party with priority over all other secured parties in respect of those Goods. As agent for the Customer, the Company (and its employees and agents) may, without prior notice, enter upon any land or premises where the Company believes the Goods are kept in order to take possession of and/or remove them. The Customer agrees to procure all other rights (including consents) necessary to enable, and to indemnify the Company (and its employees and agents) against any liability incurred in connection with, such entry, taking of possession and removal.

12. CONSUMER GUARANTEES ACT 1993 (CGA)

- 12.1 If the Customer is not a consumer as defined in the CGA or the Customer acquires or holds itself out as acquiring the Goods under the Contract for the purposes of a business, nothing in the CGA will apply to the supply of the Goods.
- 12.2 In the case of any Customer (to which clause 12.1 does not apply), the provisions of the Contract (including these Terms) will only apply to the extent that such provisions do not limit or exclude any provisions of the CGA and will take effect subject to the provisions of the CGA.
- 12.3 Where the Customer supplies the Goods:
 - (a) in trade to a person acquiring them for business purposes, it must be a term of the Customer's contract with the purchaser that the Consumer Guarantees Act 1993 does not apply in respect of the Goods;
 - (b) to any other person, the Customer must not give or make any undertaking, assertion or representation in relation to the Goods without the Company's prior approval in writing.
- 12.4 The Customer shall pass on any written product information supplied by the Company to the purchaser and agrees to indemnify the Company against any liability or cost incurred by the Company under the Consumer Guarantees Act 1993 as a result of any breach by the Customer of the obligations contained in these Terms.

13. PPSA

- 13.1 The Customer grants the Company a Security Interest in the present and after-acquired Goods as Security for all amounts owing by the Customer to the Company and performance of the Customer's obligations under the Contract. To the extent permitted by law, the Customer and the Company contract out of:
 - (a) section 114(1)(a) of the PPSA: and
 - (b) the Customer's rights referred to in sections 107(2)(c),(d),(h) and (i) of the PPSA.
- 13.2 The Customer waives its right to receive a copy of any verification statement in respect of any financing statement relating to any security interest granted to the Company by the Customer.13.3 The Customer agrees to indemnify the Company, upon demand, for all costs and expenses
- (including legal fees) incurred by the Company:

 (a) as a result of the occurrence of an Event of Default (including upon actual or attempted
- enforcement of any security interest granted to the Company by the Customer); and (b) in complying with any demand made under section 162 of the PPSA.
- 13.4 On the request of the Company, the Customer shall promptly do all things (including signing any delivery docket and/or invoice) and provide all information necessary to enable the Company to perfect and maintain the perfection of any security interest granted to the Company by the Customer (including by registration of a financing statement).

14. TWO OF MORE CONTRACTS

14.1 Where, at any time, there is an Amount Owing under two or more Contracts, the Company may apply a payment made by the Customer under the Contract in such manner (including in such order and to any amounts owing to the Company, including under another Contract) as the Company thinks fit (despite any direction to the contrary and whether before or after any default by the Customer). The security interest provided for by these Terms and created by the Contract also secures the Amount Owing under any other Contract, and each Contract (and these Terms) shall be construed accordingly.

15. DISPUTE RESOLUTION

- 15.1 The parties will act in good faith and make reasonable endeavours to resolve any dispute between them arising out of or in connection with these Terms or Contract (Dispute).
- 15.2 If the parties are unable to resolve a Dispute within 14 days of it being raised for discussion, either party may, by written notice to the other party, require that the Dispute be submitted for mediation by a single mediator nominated by the chairperson of Arbitrators' and Mediators' Institute of New Zealand. In the event of any such submission to mediation:
- (a) the mediator will be deemed to be not acting as an expert or an arbitrator;
- (b) the mediator will determine the procedure and timetable for the mediation; and
- (c) the cost of the mediation will be shared equally between the parties (unless otherwise agreed).
- 15.3 If there is a Dispute, each party will continue to perform its obligations under these Terms and any Contract, including to pay any undisputed amounts when due, as far as practical given the Dispute
- 15.4 Each party agrees not to start any action in relation to a Dispute until it has complied with the process described in this clause 15, unless action is necessary to preserve the party's rights.

16. USE OF INFORMATION

- 16.1 The Customer agrees that:
 - (a) the Company may collect information about the Customer from the Customer or any other person (including any credit or debt collection agencies) in the course of the Company's

- business, including credit assessment, debt collecting and direct market activities, and the Customer consents to any person providing the Company with such information;
- (b) the Company may use any information it has about the Customer relating to the Customer's credit worthiness and give that information to any other person, including any credit or debt collection agency for credit assessment and debt collection purposes;
- collection agency for credit assessment and debt collection purposes;(c) any other information collected by the Company about the Customer is accessed or collected for use in the course of its business, including direct marketing activities;

TERMS & CONDITIONS OF TRADE

- (d) it must notify the Company of any change in circumstances that may affect the accuracy of the information provided by the Customer to the Company.
- 16.2 If the Customer is an individual, i.e.: a natural person, the Customer has rights under the Privacy Act 1993 to access and request the correction of any personal information which the Company holds about the Customer.

17. GENERAL

- 17.1 Authority: Each party warrants that it has the power to enter into, execute and perform the Contract (including these Terms) and has obtained all necessary consents to enable it to do so.
- 17.2 Intellectual Property: All intellectual property owned by, or proprietary to, a party at the date of the Contract will remain owned exclusively by that party.
- 17.3 Assignment: The Customer must not transfer or assign its rights or obligations under the Contract to anyone else without the Company's prior consent in writing.
- 17.4 Amendments: These Terms may be amended by the Company from time to time by publication on the Company's website and/or by notice in writing to the Customer and such amendments will apply to all future Contracts after the date of the amendment.
- 17.5 Remedies cumulative: The rights and remedies provided in these Terms are cumulative and not exclusive of any rights or remedies provided by these Terms or law.
- 17.6 Severance: If any provision of these Terms or of any Contract is illegal, invalid or unenforceable that provision shall be read down to the extent necessary to make it legal, valid and enforceable.
- 17.7 Waiver: Any failure or delay by either party in exercising any of its rights under these Terms will not operate as a waiver of its rights and will not prevent such Party from subsequently enforcing any right or treating any breach by the other Party as a repudiation of the Contract.

18. WORDS USED IN THESE TERMS

- 18.1 Definitions: In these Terms, unless the context requires otherwise:
 - (a) Amount Owing means, at any time in respect of the Contract, the unpaid part of the Price and any other amounts which the Company is entitled to recover under the Contract (including these Terms):

(b) Contract Date means:

- for a Contract arising from an order placed by the Customer, the date the Company accepted the order; or
- (ii) for a Contract arising from a quotation from the Company, the date the Company receives written notification of acceptance of the quotation or, if the Company receives no written notification of acceptance of the quotation, the date the Company receives a form of acceptance that the Company (in its absolute discretion) treats as
- (c) Company means 43 South Limited (Company number 6232188);
- (d) Customer means the entity or individual to whom the Company supplies Goods and/or Services. For the avoidance of doubt, "Customer" does not include any third party to whom the Customer on sells or resells the Goods.
- (e) Event of Default means any of the following:
 - (i) the Customer fails to comply with the Contract or any other Contract or agreement
 - (ii) the Customer is subject to any event which is in the nature of dissolution, winding up, bankruptcy, liquidation, insolvency or receivership, or which generally precedes such an event;
- (iii) an event occurs or information becomes known to the Company, which in the Company's opinion, might materially affect the Customer's credit worthiness, the value of the Goods, or the Customer's ability or willingness to comply with its obligations under the Contract or any other Contract or agreement with the Company;
- (iv) any guarantor of the Customer's obligations under the Contract is in default under any agreement between the guarantor and the Company,"
- (f) Goods means all goods supplied by the Company to the Customer from time to time under the Contract, provided that:(i) (but solely for the purposes of the application of the PPSA) where the goods supplied
 - are inventory of the Customer, then all references to Goods shall, in respect of those goods, be read as references to inventory for so long as they are held as inventory; and (ii) references to Goods shall mean the goods described or referred to (whether by item or kind or otherwise) in the relevant delivery docket or invoice (or its equivalent, what ever called) prepared by the Company on the basis that each such delivery docket

or invoice (or its equivalent) is deemed to be assented to by the Customer and to be

included in and form part of the Contract; and

(iii) unless the context requires otherwise, Goods shall include all proceeds of such goods and any objects, products or mass which the goods subsequently become part of;

(a) GST means Goods and Services Tax:

- (h) PPSA means the Personal Property Securities Act 1999;
- (i) Price means the price of Goods and (if applicable) any incidental Goods and/or Services agreed between the Company and the Customer, subject to any variation in accordance with these Terms and, unless specifically agreed otherwise in writing, is expressed before the addition of GST and any other applicable taxes and duties; and
- (j) Services means all services and advice provided by the Company to the Customer and shall include without limitation the importing, design, manufacture and servicing of water treatment chemicals and water treatment equipment programs and systems and all charges for labour, hire charges, insurance charges, or any fee or charge associated with the supply of Goods and/or Services by the Company to the Customer.
- (k) Special Goods means Goods which are not contained in the Company's current printed price book for Goods and Services as at the Contract Date and/or Goods made to the Customer's

Please refer to our website for manufacturers' terms and conditions

ENGINEERING

APPROXIMATE WATER REQUIREMENTS

Application	Litres	Gallons
Shower	5-15 lpm @ 140 kPa	1-3 gpm @ 20 psi
Fill Bath	140	30
Flush Toilet	5–15 lpm	1-3
Lawn Sprinkler	15 lpm @ 140 kPa	3 gpm @ 20 psi
1/2" Tap	45 lpm @ 140 kPa	10 gpm @ 20 psi
Horses	45 per day	10 per day
Cattle	55 per day	12 per day
Milking Cows	135 per day	30 per day
Sheep	4-9 per day	1-2 per day
Pigs	15 per day	3 per day
100 chickens	23 per day	5 per day

The daily requirement should be able to be pumped in three hours in order to ensure adequate capacity to meet peak load demands.

VELOCITY OF WATER IN METRES PER SECOND

LPM	INSIDE DIAMETER OF PIPE (MM)					
	20	25	32	40	50	63
25	1.33	0.85	0.52	0.33	0.21	0.13
50	2.65	1.70	1.04	0.66	0.042	0.27
75	3.98	2.55	1.55	0.99	0.064	0.40
100	5.30	3.39	2.07	1.33	0.85	0.53
150	7.95	5.09	3.11	1.99	1.27	0.80
200	10.60	6.79	4.14	2.65	1.70	1.07
250	13.26	8.48	5.18	3.31	2.12	1.34
300	15.91	10.18	6.21	3.98	2.55	1.60
350	18.58	11.88	7.25	4.64	2.97	1.87
400	21.21	13.57	8.28	5.30	3.39	2.14

^{*}Recommended suction velocities in **BOLD**

UNITS OF FLOW

Litres Per Second	Litres Per Minute	Cubic Metres Per Hour	US Gallons Per Minute	Imperial Gallons Per Hour	Imperial Gallons Per Minute
1	60	3.6	15.85	702	13.2
0.017	1	0.06	0.264	13.2	0.22
0.278	16.667	1	4.4	220	3.666
0.063	3.785	0.227	1	50	0.833
0.00127	0.076	0.00454	0.02	1	0.0166
0.076	4.546	0.273	1.2	60	1















Price List effective as at 1/7/2023

43South reserves the right to change prices, product specifications and products details without notice. All product images are for reference purposes only and may not represent actual and/or current product.