
SABRE ® DUAL PROPELLANT SERIES (DPS) SYSTEM - Cone

MK-4 Technical Specifications

Height:	6.44"	16.35 cm			
Diameter:	1.5" *	3.80 cm *			
Weight:	4.4 oz. / 120 gr. / 132 ml				
Warranty:	5 years				
1-second bursts:	15				
Firing Mechanism:	Flip Top				
Propellant:	HFC 134a & Nitrogen				
Canister:	Seamless extruded aluminum – Rated 2Q				
Operating Temps:	0° F (-17° C) to 120° F (50° C)				



Updated:

1/2013

Formulation: Oil soluble Oleoresin Capsaicin combined with an ultraviolet marking dye. **The formulation is non-flammable and electronic immobilization device compatible.** Each canister is stabilized and contains an operating pressure of 100 PSI. The pharmaceutical grade propellant is non-ozone depleting, providing greater dependability and a much-improved shelf life. Nitrogen is also added to ensure better performance.

Labeling: All canisters are labeled with a protective Mylar over lamination cover which resists wear and water damage. Canisters are labeled with the shot pattern, batch number, serial number and expiration date. Individually serialized canisters permit easy identification and link to formulation batch numbers for quality assurance tracking.

Quality Control: Manufacturer maintains quality control system in accordance with the American National Standards Institute (ANSI) for the following:

Operation Test Discharge Duration Test Intermittent Discharge Test High Temperature Exposure Test
Temperature Cycle Test Operating Weight Test Gasket Dependability Test Hydrostatic Pressure Test

One Year Time Leakage Test Pressure Vessel Test

Federal Regulations: The manufacturer certifies that all units comply with the following:

29 CFR 1910 Occupational Safety And Health Standards AOAC 995.03 Oleoresin Capsicum Assay

16 CFR 1500.41 Test for skin irritant 16 CFR 1500.130 Labeling of self pressurized canisters

16 CFR 1500.45 Test method for determining flammability 16 CFR 1500.42 Test for eye irritant

of contents of self pressurized canisters 16 CFR 1500.3 Acute Inhalation Toxicity Study

	Training Level I Formula		ormula	Level II Formula		Level III Formula	
	SABRE Inert®	SABRE Defense®	SABRE 5.5®	SABRE 5.0 [®]	SABRE CS [®]	SABRE Red®	SABRE [®]
Model #	50H2O30-C			560030-C	540030-C	520030-C	
Delivery	Cone			Cone	Cone	Cone	
Range (Ft/Mtrs)	8-10/3-4			8-10/3-4	8-10/3-4	8-10/3-4	
Active Ingred	NA			5% OC	1.5% CS	10% OC	
SHU's	NA			2,000,000		2,000,000	
Scoville Content	NA			100,000		200,000	
Capsaicinoids	NA			0.67%*		1.33%*	

^{*} AOAC Official Method 995.03 Capsaicinoids in Capsicums and Their Extractives, Liquid Chromatographic Method (HPLC). Security Equipment Corporation uses AOAC Method 995.03 because it is the preferred method of the Environmental Protection Agency and the U.S. Federal Government.