

Power Biopharms
 3501 State Highway 157 #117
 Euless, TX 76040
 colt@powerbiopharms.com
 817-301-3063

Sample: 02-08-2024-45594
 Sample Received: 02/08/2024;

Power House 2.2.24
 Ingestible, Beverage



0.001%
 Total THC

0.001%
 Δ-9 THC

4.857 mg/unit
 Total Cannabinoids

ND mg/unit
 Total CBD

Cannabinoids with Density

Complete

(Testing Method: HPLC, CON-P-3000)
 Date Tested: 02/08/2024

Analyte	LOD	LOQ	Mass	Mass	Mass	
	mg/unit	mg/unit	mg/unit	mg/g	%	
Δ-8-Tetrahydrocannabinol (Δ-8 THC)	0.347	0.694	ND	ND	ND	
Δ-9-Tetrahydrocannabinol (Δ-9 THC)	0.347	0.694	4.857	0.014	0.001	
Δ-9-Tetrahydrocannabinolic Acid (THCA-A)	0.347	0.694	ND	ND	ND	
Δ-9-Tetrahydrocannabiphorol (Δ-9-THCP)	0.347	0.694	ND	ND	ND	
Δ-9-Tetrahydrocannabivarin (Δ-9-THCV)	0.347	0.694	ND	ND	ND	
Δ-9-Tetrahydrocannabivarinic Acid (Δ-9-THCVA)	0.347	0.694	ND	ND	ND	
R-Δ-10-Tetrahydrocannabinol (R-Δ-10-THC)	0.347	0.694	ND	ND	ND	
S-Δ-10-Tetrahydrocannabinol (S-Δ-10-THC)	0.347	0.694	ND	ND	ND	
9R-Hexahydrocannabinol (9R-HHC)	0.347	0.694	ND	ND	ND	
9S-Hexahydrocannabinol (9S-HHC)	0.347	0.694	ND	ND	ND	
Tetrahydrocannabinol Acetate (THCO)	0.347	0.694	ND	ND	ND	
Cannabidivarin (CBDV)	0.347	0.694	ND	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.347	0.694	ND	ND	ND	
Cannabidiol (CBD)	0.347	0.694	ND	ND	ND	
Cannabidiolic Acid (CBDA)	0.347	0.694	ND	ND	ND	
Cannabigerol (CBG)	0.347	0.694	ND	ND	ND	
Cannabigerolic Acid (CBGA)	0.347	0.694	ND	ND	ND	
Cannabinol (CBN)	0.347	0.694	ND	ND	ND	
Cannabinolic Acid (CBNA)	0.347	0.694	ND	ND	ND	
Cannabichromene (CBC)	0.347	0.694	ND	ND	ND	
Cannabichromenic Acid (CBCA)	0.347	0.694	ND	ND	ND	
Total			4.857	0.014	0.001	

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD; LOQ = Limit of Quantitation; ND = Not Detected.

Total THC Measurement of Uncertainty: ± 0.050%
 Total CBD Measurement of Uncertainty: ± 2.000%
 THCO potency analysis does not designate quantitative specificity of Δ-8-THCO and Δ-9-THCO isomers

Sample Density: 0.980 g ; Unit Size: 346.920 g Unit: 12oz Container



New Bloom Labs
 6121 Heritage Park Drive, A500
 Chattanooga, TN 37416
 (844) 837-8223
 TN DEA#: RN0563975
 ANAB Testing Laboratory (AT-2868): ISO/IEC
 17025:2017

Natalie Siracusa
 Natalie Siracusa
 Laboratory Director

Powered by
 reLIMS
 info@relims.com

Power Biopharms
 3501 State Highway 157 #117
 Euless, TX 76040
 colt@powerbiopharms.com
 817-301-3063

Sample: 02-08-2024-45594
 Sample Received:02/08/2024;

Power House 2.2.24
 Ingestible , Beverage



Heavy Metals

(Method of Analysis:ICP/MS, CON-P-7000)

Date Tested: 02/09/2024

Analyte	LOQ	Mass
	PPM	PPM
Arsenic	0.0984	<0.0984
Cadmium	0.0984	<0.0984
Lead	0.0984	<0.0984
Mercury	0.0984	<0.0984
Palladium	0.2461	<0.2461
Selenium	0.0984	<0.0984



New Bloom Labs
 6121 Heritage Park Drive, A500
 Chattanooga, TN 37416
 (844) 837-8223
 TN DEA#: RN0563975
 ANAB Testing Laboratory (AT-2868): ISO/IEC
 17025:2017

Natalie Siracusa
 Natalie Siracusa
 Laboratory Director

Powered by
 reLIMS
 info@relims.com

Power Biopharms
 3501 State Highway 157 #117
 Euless, TX 76040
 colt@powerbiopharms.com
 817-301-3063

Sample: 02-08-2024-45594

Sample Received:02/08/2024;

Power House 2.2.24
 Ingestible, Beverage



Pesticides

(Testing Method:LC/MS/MS & HPLC-UV, CON-P-5000)

Date Tested: 02/08/2024

Analyte	LOQ	Mass	Analyte	LOQ	Mass
	PPM	PPM		PPM	PPM
Acephate	0.100	<0.100	Imazalil	0.100	<0.100
Acequinocyl	0.100	<0.100	Imidacloprid	0.200	<0.200
Acetamiprid	0.100	<0.100	Kresoxim Methyl	0.100	<0.100
Aldicarb	0.100	<0.100	Malathion	0.100	<0.100
Avermectin B1A	0.100	<0.100	Metaxyl	0.100	<0.100
Avermectin B1B	0.100	<0.100	Methiocarb	0.100	<0.100
Azoxystrobin	0.100	<0.100	Methomyl	0.100	<0.100
Bifenazate	0.100	<0.100	Mevinphos	0.100	<0.100
Bifenthrin	0.100	<0.100	MGK-264	0.100	<0.100
Boscalid	0.100	<0.100	Myclobutanil	0.100	<0.100
Captan	0.700	<0.700	Naled	0.250	<0.250
Carbaryl	0.100	<0.100	Oxamyl	0.500	<0.500
Carbofuran	0.100	<0.100	Paclobutrazole	0.100	<0.100
Chlorantraniliprole	0.100	<0.100	Parathion Methyl	0.100	<0.100
Chlorfenapyr	0.100	<0.100	Pentachloronitrobenzene	0.150	<0.150
Chlormequat	0.100	<0.100	Permethrins	0.100	<0.100
Chlorpyrifos	0.100	<0.100	Phosmet	0.100	<0.100
Clofentazine	0.100	<0.100	Piperonyl Butoxide	1.000	<1.000
Coumaphos	0.100	<0.100	Prallethrin	0.100	<0.100
Cyfluthrin	0.500	<0.500	Propiconazole	0.100	<0.100
Cypermethrin	0.500	<0.500	Propoxur	0.100	<0.100
Diazinon	0.100	<0.100	Pyrethrins	0.500	<0.500
Dichlorvos (DDPV)	0.050	<0.050	Pyridaben	0.100	<0.100
Dimethoate	0.100	<0.100	Spinetoram	0.100	<0.100
Dimethomorph	0.100	<0.100	Spinosad A	0.050	<0.050
Ethoprophos	0.100	<0.100	Spinosad D	0.050	<0.050
Etofenprox	0.100	<0.100	Spiromesifen	0.100	<0.100
Etoxazole	0.100	<0.100	Spirotetramat	0.100	<0.100
Fenhexamid	0.100	<0.100	Spiroxamine	0.100	<0.100
Fenoxycarb	0.100	<0.100	Tebuconazole	0.100	<0.100
Fenpyroximate	0.100	<0.100	Thiacloprid	0.100	<0.100
Fipronil	0.100	<0.100	Thiamethoxam	0.100	<0.100
Flonicamid	0.100	<0.100	Trifloxystrobin	0.100	<0.100
Fludioxonil	0.100	<0.100	Chlordane	0.100	Not Detected
Hexythiazox	0.100	<0.100	Daminozide	0.100	Not Detected



New Bloom Labs
 6121 Heritage Park Drive, A500
 Chattanooga, TN 37416
 (844) 837-8223
 TN DEA#: RN0563975
 ANAB Testing Laboratory (AT-2868): ISO/IEC
 17025:2017

Natalie Siracusa
 Natalie Siracusa
 Laboratory Director

Powered by
 reLIMS
 info@relims.com

Power Biopharms
 3501 State Highway 157 #117
 Euless, TX 76040
 colt@powerbiopharms.com
 817-301-3063

Sample: 02-08-2024-45594
 Sample Received:02/08/2024;

Power House 2.2.24
 Ingestible, Beverage



Mycotoxins

(Testing Method:LC/MS/MS, CON-P-5000)

Date Tested: 02/08/2024

Analyte	LOQ	Mass
	PPB	PPB
Aflatoxin B1	5.000	<5.000
Aflatoxin B2	5.000	<5.000
Aflatoxin G1	5.000	<5.000
Aflatoxin G2	5.000	<5.000
Ochratoxin A	20.000	Not Detected



New Bloom Labs
 6121 Heritage Park Drive, A500
 Chattanooga, TN 37416
 (844) 837-8223
 TN DEA#: RN0563975
 ANAB Testing Laboratory (AT-2868): ISO/IEC
 17025:2017

Natalie Siracusa
 Natalie Siracusa
 Laboratory Director

Powered by
 reLIMS
 info@relims.com

Power Biopharms
 3501 State Highway 157 #117
 Euless, TX 76040
 colt@powerbiopharms.com
 817-301-3063

Sample: 02-08-2024-45594
 Sample Received: 02/08/2024;

Power House 2.2.24
 Ingestible, Beverage



Residual Solvents

(Testing Method: HS-GC/MS, CON-P-8000)
 Date Tested: 02/08/2024

Analyte	LOQ	Mass	Analyte	LOQ	Mass
	PPM	PPM		PPM	PPM
1, 2 Dichloroethane	2.000	<2.000	Ethanol	1000.000	<1000.000
1,1 Dichloroethene	2.000	<2.000	Ethyl Acetate	250.000	<250.000
1, 2 Dimethoxyethane	20.000	<20.000	Ethyl Ether	250.000	<250.000
1, 4 Dioxane	100.000	<100.000	Ethylbenzene	100.000	<100.000
1,1,1 Trichloroethane	20.000	<20.000	Ethylene Oxide	5.000	<5.000
1,1,2 Trichloroethane	20.000	<20.000	Hexane	100.000	<100.000
1,2,3,4 Tetrahydronaphthalene	20.000	<20.000	Isobutanol	1000.000	<1000.000
2 Ethoxyethanol	20.000	<20.000	Methanol	100.000	<100.000
2 Hexanone	20.000	<20.000	n-Heptane	1000.000	<1000.000
2 Propanol	500.000	<500.000	n-Pentane	100.000	<100.000
Acetone	250.000	<250.000	n-Propanol	1000.000	<1000.000
Acetonitrile	20.000	<20.000	Nitromethane	10.000	<10.000
Benzene	1.000	<1.000	o-Xylene, m-Xylene, p-Xylene	100.000	<100.000
Butane	1000.000	<1000.000	Propane	1000.000	<1000.000
Chlorobenzene	100.000	<100.000	tert-Butanol	1000.000	<1000.000
Chloroform	2.000	<2.000	Tetrahydrofuran	100.000	<100.000
cis 1,2 Dichloroethene	100.000	<100.000	Toluene	100.000	<100.000
Diacetyl	100.000	<100.000	trans 1, 2 Dichloroethene	100.000	<100.000
Dichloromethane	100.000	<100.000	Trichloroethene	20.000	<20.000



New Bloom Labs
 6121 Heritage Park Drive, A500
 Chattanooga, TN 37416
 (844) 837-8223
 TN DEA#: RN0563975
 ANAB Testing Laboratory (AT-2868): ISO/IEC
 17025:2017

Natalie Siracusa
 Natalie Siracusa
 Laboratory Director

Powered by
 reLIMS
 info@relims.com