

## NAMA PRODUCTS LLC

377 Valley Rd. #1249  
Clifton, New Jersey 07013  
hello@namacbd.com

Sample: 2103CNS0279.2421

Strain: Broad Spectrum Natural Lime

Lot #: 210323L;

Sample Received: 03/24/2021; Report Created: 03/29/2021

Harvest Process Lot:

METRC Batch: ; METRC Sample:

## Broad Spectrum Natural Lime

Ingestible, Soft Chew



### Safety

Pass Pesticides	Pass Microbials	Pass Mycotoxins
Pass Metals	Pass Foreign Matter	

ND Total THC	10.3134 mg/unit Total CBD	Pass 0.591 aw Water Activity	NR PH
-----------------	---------------------------------	------------------------------------	----------

### Terpenes

Wood		
------	--	--

### Cannabinoids

Analyte	LOD	LOQ	Mass	Mass
	%	%	mg/unit	mg/g
CBDV	0.00029	0.00030	0.0523	0.0110
THCV	0.00270	0.00350	<LOQ	<LOQ
CBD	0.00280	0.00350	10.2967	2.1660
CBG	0.00220	0.00350	0.6513	0.1370
CBDa	0.00022	0.00030	0.0190	0.0040
CBGa	0.00180	0.00030	<LOQ	<LOQ
CBN	0.00110	0.00350	0.4516	0.0950
Δ9-THC	0.00240	0.30000	ND	ND
Δ8-THC	0.00300	0.30000	<LOQ	<LOQ
CBC	0.00110	0.00350	<LOQ	<LOQ
THCa	0.00130	0.30000	<LOQ	<LOQ
CBCa	0.00290	0.00350	<LOQ	<LOQ
<b>Total</b>			<b>11.4709</b>	<b>2.4130</b>

### Complete

Analyte	LOQ	Mass	Mass
	mg/g	mg/g	%
Guaiol	0.100	0.163	0.0163
Caryophyllene Oxide	0.100	0.127	0.0127
3-Carene	0.100	<0.100	<0.0100
α-Bisabolol	0.100	<0.100	<0.0100
α-Humulene	0.100	<0.100	<0.0100
α-Pinene	0.100	<0.100	<0.0100
α-Terpinene	0.100	<0.100	<0.0100
β-Caryophyllene	0.100	<0.100	<0.0100
β-Myrcene	0.100	<0.100	<0.0100
β-Pinene	0.100	<0.100	<0.0100
Camphene	0.100	<0.100	<0.0100
cis-Nerolidol	0.100	<0.100	<0.0100
δ-Limonene	0.100	<0.100	<0.0100
Eucalyptol	0.100	<0.100	<0.0100
γ-Terpinene	0.100	<0.100	<0.0100
Linalool	0.100	<0.100	<0.0100
Ocimene	0.100	<0.100	<0.0100
p-Cymene	0.100	<0.100	<0.0100
Terpinolene	0.100	<0.100	<0.0100
trans-Nerolidol	0.100	<0.100	<0.0100
trans-Ocimene	0.100	<0.100	<0.0100
<b>Total</b>		<b>0.291</b>	<b>0.0291</b>

1 Unit = , 4.7538g  
Total THC = THCa \* 0.877 + Δ9-THC + Δ8-THC. Total CBD = CBDa \* 0.877 + CBD. LOQ = Limit of Quantitation; ND = Not Detectable, NR = Not Reported, NT = Not Tested. Cannabinoids analyzed per Canalysis SOP-06/SOP-14 on an Agilent 1220 HPLC-DAD. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.  
Notes: Unit = 1 soft chew. LOQs for 9THC, 8THC, and THCA comply with hemp/CBD regulations.

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; ND = Not Detectable, NR = Not Reported, NT = Not Tested. Terpenes analyzed per Canalysis SOP-09 on an Agilent 7890B HS-GC-FID. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.  
Notes:

2952 Meade Ave  
Las Vegas, NV  
(702) 304-7878  
http://www.canalysislab.com



Accreditation #101469

*Trevor Low*  
Trevor Low  
Lab Director

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866



## NAMA PRODUCTS LLC

377 Valley Rd. #1249  
Clifton, New Jersey 07013  
hello@namacbd.com

## Sample: 2103CNS0279.2421

Strain: Broad Spectrum Natural Lime  
Lot #: 210323L;  
Sample Received: 03/24/2021; Report Created: 03/29/2021  
Harvest Process Lot:  
METRC Batch: ; METRC Sample:

## Broad Spectrum Natural Lime

Ingestible, Soft Chew



### Pesticides

Pass

Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	
Abamectin	0.010	0.200	ND	Pass
Acequinocyl	0.010	4.000	ND	Pass
Bifenazate	0.010	0.400	ND	Pass
Bifenthrin	0.010	0.100	ND	Pass
Cyfluthrin	0.050	2.000	ND	Pass
Cypermethrin	0.010	1.000	ND	Pass
Daminozide	0.020	0.800	ND	Pass
Dimethomorph	0.010	2.000	ND	Pass
Etoxazole	0.010	0.400	ND	Pass
Fenhexamid	0.010	1.000	ND	Pass
Flonicamid	0.010	1.000	ND	Pass
Fludioxonil	0.010	0.500	ND	Pass
Imidacloprid	0.010	0.500	ND	Pass
Myclobutanil	0.010	0.400	ND	Pass
Pacllobutrazol	0.010	0.400	ND	Pass
Piperonyl Butoxide	0.010	3.000	ND	Pass
Pyrethrins	0.010	2.000	ND	Pass
Quintozene	0.050	0.800	ND	Pass
Spinetoram	0.010	1.000	ND	Pass
Spinosad	0.010	1.000	ND	Pass
Spirotetramat	0.010	1.000	ND	Pass
Thiamethoxam	0.010	0.400	ND	Pass
Trifloxystrobin	0.010	1.000	ND	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; ND = Not Detectable, NR = Not Reported, NT = Not Tested. Pesticides analyzed per Canalysis SOP-10/SOP-15 using Agilent 1260 LC-MS and/or 7000 GC-MS. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.  
Notes:

### Microbials

Pass

Analyte	Limit	Mass	Status
	CFU/g	CFU/g	
Shiga toxin-producing E. coli	ND in 1g	ND	Pass
Salmonella	ND in 1g	ND	Pass
Aerobic Bacteria	100000	ND	Pass
Bile-Tolerant Gram-Negative Bacteria	1000	ND	Pass

Counts over 20,000 are estimates for Bile-Tolerant Gram-Negative Bacteria and Total coliforms. Counts over 40,000 are estimates for Yeast & Mold. ND = Not Detectable, NR = Not Reported, NT = Not Tested. Yeast & Mold, Bile-tolerant bacteria, and Total coliform analyzed by SOP-M003 (chromogenic plates). Aspergillus, Salmonella, and E. coli analyzed by SOP-M004 and SOP-M005 (qPCR). Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.  
Notes:

### Heavy Metals

Pass

Analyte	LOQ	Limit	Mass	Status
	PPB	PPB	PPB	
Arsenic	250.000	2000.000	ND	Pass
Cadmium	250.000	820.000	ND	Pass
Lead	250.000	1200.000	ND	Pass
Mercury	25.000	400.000	ND	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; ND = Not Detectable, NR = Not Reported, NT = Not Tested. Heavy Metals analyzed per Canalysis SOP-08 on an Agilent 7800 ICP-MS.  
Notes: Heavy metals analyzed by a licensed 3rd party lab.

### Mycotoxins

Pass

Analyte	LOQ	Limit	Mass	Status
	PPB	PPB	PPB	
Aflatoxins	10.00	20.00	ND	Pass
Ochratoxin A	10.00	20.00	ND	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; ND = Not Detectable, NR = Not Reported, NT = Not Tested. Mycotoxins analyzed per Canalysis SOP-10/SOP-15 using Agilent 1260 LC-MS and/or 7000 GC-MS. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.  
Notes:

2952 Meade Ave  
Las Vegas, NV  
(702) 304-7878  
http://www.canalysislab.com



Accreditation #101469

*Trevor Low*  
Trevor Low  
Lab Director

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866

