# Safety data sheet according to 29 CFR 1910.1200

# W-706 - EPOXY KLEEN G



Date of compilation: 9/16/2019 Version: 1

# SECTION 1: IDENTIFICATION

1.1 GHS Product identifier: W-706 - EPOXY KLEEN G

#### 1.2 Recommended use of the chemical and restrictions on use:

Relevant uses: Detergent

Uses advised against: All uses not specified in this section or in section 7.3

#### 1.3 Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party:

Enco & Weco Manufacturing Corp.

Baldorioty #43

00739 Cidra - Puerto Rico - Estados Unidos

Phone.: +1-787-739-3751 - Fax: +1-787-739-2242

info@encomfg.com http://www.encopr.com

**1.4 Emergency phone number:** 1-800-424-9300

# SECTION 2: HAZARD(S) IDENTIFICATION

## 2.1 Classification of the substance or mixture:

#### 29 CFR 1910.1200:

Classification of this product has been carried out in accordance with paragraph (d) of § 1910.1200.

Eye Dam. 1: Serious eye damage, Category 1, H318

#### 2.2 Label elements:

# 29 CFR 1910.1200:

Danger



#### **Hazard statements:**

Eye Dam. 1: H318 - Causes serious eye damage

#### **Precautionary statements:**

P101: If medical advice is needed, have product container or label at hand

P102: Keep out of reach of children

P280: Wear protective gloves/protective clothing/eye protection/face protection

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310: Immediately call a poison center/doctor

P501: Dispose of contents and / or their container according to the separated collection system used in your municipality

# Substances that contribute to the classification

Silicic acid, sodium salt (1.6 < MR < 2.6); Alcohols, C11-15-secondary, ethoxylated

# Additional labeling:

Keep out of the reach of children

#### 2.3 Other hazards which do not result in classification:

Non-applicable

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances:

Non-applicable

# 3.2 Mixtures:

Chemical description: Alkaline-based mixture of inorganic substances

Components:

Date of compilation: 9/16/2019 Version: 1 Page 1/9



# Safety data sheet according to 29 CFR 1910.1200

# W-706 - EPOXY KLEEN G



Date of compilation: 9/16/2019 Version: 1

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

Remaining components are non-hazardous and/or present at amounts below reportable limits. The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200. Therefore, in accordance with Appendix D to § 1910.1200, the product contains:

	Identification Chemical name/Classification		Concentration
CAS:	7732-18-5	Water	75 - <100 <b>%</b>
CAS:	1344-09-8	Silicic acid, sodium salt (1.6 < MR < 2.6)  Eye Dam. 1: H318; Skin Irrit. 2: H315; STOT SE 3: H335 - Danger	2.5 - <10 %
CAS:	68131-40-8	Alcohols, C11-15-secondary, ethoxylated  Eye Dam. 1: H318 - Danger	2.5 - <10 %

To obtain more information on the hazards of the substances consult sections 8, 11, 12, 15 and 16.

# **SECTION 4: FIRST-AID MEASURES**

#### 4.1 Description of necessary measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

#### By inhalation:

This product is not classified as hazardous through inhalation,however, it is recommended in case of intoxication symptoms to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

#### By skin contact:

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or shower the person affected if necessary thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

#### By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, as this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

# By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

# 4.2 Most important symptoms/effects, acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

# 4.3 Indication of immediate medical attention and special treatment needed, if necessary:

Non-applicable

# **SECTION 5: FIRE-FIGHTING MEASURES**

# 5.1 Suitable (and unsuitable) extinguishing media:

Product is non-flammable under normal conditions of storage, manipulation and use. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems. IT IS NOT RECOMMENDED to use full jet water as an extinguishing agent.

# 5.2 Specific hazards arising from the chemical:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

#### 5.3 Special protective equipment and precautions for fire-fighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and individual respiratory equipment. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...)

# **Additional provisions:**

As in any fire, prevent human exposure to fire, smoke, fumes or products of combustion. Only properly trained personnel should be involved in firefighting. Evacuate nonessential personnel from the fire area. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

Date of compilation: 9/16/2019 Version: 1 Page 2/9

# Safety data sheet according to 29 CFR 1910.1200

# W-706 - EPOXY KLEEN G



Date of compilation: 9/16/2019 Version: 1

# SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

#### 6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

# 6.3 Methods and materials for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

#### 6.4 Reference to other sections:

See sections 8 and 13.

# SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current standards 29 CFR 1910 Occupational Safety and Health Standards. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, manipulation and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations to prevent ergonomic and toxicological risks

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

# 7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: 41 °F

Maximum Temp.: 86 °F

Maximum time: 6 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

# 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

- CONTINUED ON NEXT PAGE -

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace

There are no occupational exposure limits for the substances contained in the product

# 8.2 Appropriate engineering controls:

A.- Individual protection measures, such as personal protective equipment

# Safety data sheet according to 29 CFR 1910.1200

# W-706 - EPOXY KLEEN G



Date of compilation: 9/16/2019 Version: 1

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

As a preventative measure it is recommended to use basic Personal Protection Equipment. For more information on Personal Protection Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation, the information on clothing performance must be combined with professional judgment, and a clear understanding of the clothing application, to provide the best protection to the worker. All chemical protective clothing use must be based on a hazard assessment to determine the risks for exposure to chemicals and other hazards. Conduct hazard assessments in accordance with 29 CFR 1910.132.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Remarks
Mandatory hand protection	Protective gloves against minor risks	Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional /industrial users, we recommend using chemical protection gloves. Use gloves in accordance with manufacturer's use limitations and OSHA standard 1910.138 (29CFR)

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application

D.- Ocular and facial protection

Pictogram	PPE	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing. Use this PPE in accordance with manufacturer's use limitations and OSHA standard 1910.133 (29CFR)

#### E.- Bodily protection

Pictogram PPE		Remarks		
	Work clothing	Replace before any evidence of deterioration.		
	Anti-slip work shoes	Replace before any evidence of deterioration.		

# F.- Additional emergency measures

Emergency measure Standards		Emergency measure	Standards	
Emergency shower	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	Evewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011	

#### **Environmental exposure controls:**

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

# National volatile organic compound emission standards for consumer and commercial products:

V.O.C. (Supply): Non-applicable V.O.C. density at  $68 \, ^{\circ}$ F:  $150 \, \text{kg/m}^3 \, (150 \, \text{g/L})$ 

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

\*Not relevant due to the nature of the product, not providing information property of its hazards.

Date of compilation: 9/16/2019 Version: 1 Page 4/9



# Safety data sheet according to 29 CFR 1910.1200

# W-706 - EPOXY KLEEN G



Date of	compilation: 9/16/2019 Version: 1	
SEC	TION 9: PHYSICAL AND CHEMICAL PROPER	RTIES (continued)
	Appearance:	
	Physical state at 68 °F:	Liquid
	Appearance:	Viscous
	Color:	Colorless
	Odor:	Fruity
	Odour threshold:	Non-applicable *
	Volatility:	
	Boiling point at atmospheric pressure:	212 °F
	Vapour pressure at 68 °F:	2350 Pa
	Vapour pressure at 122 °F:	12381.01 Pa (12.38 kPa)
	Evaporation rate at 68 °F:	Non-applicable *
	Product description:	
	Density at 68 °F:	1051.3 kg/m³
- 40	Relative density at 68 °F:	1.051
100	Dynamic viscosity at 68 °F:	Non-applicable *
	Kinematic viscosity at 68 °F:	Non-applicable *
	Kinematic viscosity at 104 °F:	>20.5 cSt
	Concentration:	Non-applicable *
	pH:	≥10.6 - 11.4 (ASTM D3838-05)
	Vapour density at 68 °F:	Non-applicable *
	Partition coefficient n-octanol/water 68 °F:	Non-applicable *
	Solubility in water at 68 °F:	Non-applicable *
	Solubility properties:	Non-applicable *
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	Non-applicable *
	Explosive properties:	Non-applicable *
100	Oxidising properties:	Non-applicable *
-	Flammability:	
	Flash Point:	Non Flammable (>199.4 °F)
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	Non-applicable *
	Lower flammability limit:	Non-applicable *
	Upper flammability limit:	Non-applicable *
	Explosive:	
	Lower explosive limit:	Non-applicable *
	Upper explosive limit:	Non-applicable *
9.2	Other information:	
	Surface tension at 68 °F:	Non-applicable *

# SECTION 10: STABILITY AND REACTIVITY

\*Not relevant due to the nature of the product, not providing information property of its hazards.

# 10.1 Reactivity:

Refraction index:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

Non-applicable \*

Date of compilation: 9/16/2019 Version: 1 Page 5/9



# Safety data sheet according to 29 CFR 1910.1200

# W-706 - EPOXY KLEEN G



Date of compilation: 9/16/2019 Version: 1

# SECTION 10: STABILITY AND REACTIVITY (continued)

# 10.2 Chemical stability:

Chemically stable under the conditions of storage, handling and use.

#### 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

#### 10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

#### 10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others	
Precaution	Not applicable	Not applicable	Not applicable	Avoid alkalis or strong bases	

# 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

# SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

#### **Dangerous health implications:**

In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits, it may result in adverse effects on health depending on the means of exposure:

- A- Ingestion (acute effect):
  - Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for consumption. For more information see section 3.
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met, however it does contain substances classified as dangerous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
  - Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for inhalation. For more information see section 3.
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for inhalation. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
  - Contact with the skin: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for skin contact. For more information see section 3.
  - Contact with the eyes: Produces serious eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
  - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3.

    IARC: Non-applicable
  - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
  - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- E- Sensitizing effects:
  - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3.
  - Cutaneous: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

# Safety data sheet according to 29 CFR 1910.1200

# W-706 - EPOXY KLEEN G



Date of compilation: 9/16/2019 Version: 1

# SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for inhalation. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
  - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
  - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

#### Other information:

Non-applicable

# Specific toxicology information on the substances:

Not available

# SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

# 12.1 Ecotoxicity (aquatic and terrestrial, where available):

Identification		Acute toxicity		Species	Genus
Silicic acid, sodium salt (1.6 < MR < 2.6)		LC50	260 mg/L (96 h)	N/A	Fish
CAS: 1344-09-8		EC50	750 mg/L (48 h)	N/A	Crustacean
		EC50	345 mg/L (72 h)	N/A	Algae

# 12.2 Persistence and degradability:

Not available

# 12.3 Bioaccumulative potential:

Not available

# 12.4 Mobility in soil:

Not available

## 12.5 Results of PBT and vPvB assessment:

Non-applicable

#### 12.6 Other adverse effects:

Not described

# SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1 Disposal methods:

# Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations. In case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See epigraph 6.2.

# Regulations related to waste management:

Legislation related to waste management:

40 CFR Part 261- IDENTIFICATION AND LISTING OF HAZARDOUS WASTE

# **SECTION 14: TRANSPORT INFORMATION**

Date of compilation: 9/16/2019 Version: 1

# Safety data sheet according to 29 CFR 1910.1200

# W-706 - EPOXY KLEEN G



Date of compilation: 9/16/2019 Version: 1

# SECTION 14: TRANSPORT INFORMATION (continued)

This product is not regulated for transport.

# **SECTION 15: REGULATORY INFORMATION**

# 15.1 Safety, health and environmental regulations specific for the product in question:

SARA Title III - Toxic Chemical Release Inventory Reporting (Section 313): Non-applicable

California Proposition 65 (the Safe Drinking Water and Toxic Enforcement Act of 1986): Silicic acid, sodium salt (1.6 < MR < 2.6) The Toxic Substances Control Act (TSCA): Water; Silicic acid, sodium salt (1.6 < MR < 2.6); Alcohols, C11-15-secondary, ethoxylated

Massachusetts RTK - Substance List: Non-applicable

New Jersey Worker and Community Right-to-Know Act: Non-applicable

New York RTK - Substance list: Non-applicable

Pennsylvania Worker and Community Right-to-Know Law: Non-applicable

CANADA-Domestic Substances List (DSL): Water ; Silicic acid, sodium salt (1.6 < MR < 2.6) ; Alcohols, C11-15-secondary, ethoxylated

CANADA-Non-Domestic Substances List (NDSL): Non-applicable

NTP (National Toxicology Program): Non-applicable

Minnesota - Hazardous substances ERTK: Non-applicable

Rhode Island - Hazardous substances RTK: Non-applicable

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1096): Non-applicable

Hazardous substances release notification under CERCLA sections 102-103 (40 CFR Part 302): Non-applicable

#### Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as data used in a risk evaluation of the local circumstances in order to establish the necessary risk prevention measures for the manipulation, use, storage and disposal of this product.

# Other legislation:

The Toxic Substances Control Act (TSCA)

Occupational Safety and Health Standards (1910 Subpart Z - Toxic and Hazardous Substances)

# SECTION 16: OTHER INFORMATION

#### Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with Appendix d to §1910.1200 - Safety data sheets

# Texts of the legislative phrases mentioned in section 2:

H318: Causes serious eye damage

# Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

#### 29 CFR 1910.1200:

Eye Dam. 1: H318 - Causes serious eye damage

Skin Irrit. 2: H315 - Causes skin irritation

STOT SE 3: H335 - May cause respiratory irritation

#### Advice related to training:

Minimal training is recommended to prevent industrial risks for staff using this product, in order to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

# Principal bibliographical sources:

Occupational Safety & Health Administration (OSHA).

**Abbreviations and acronyms:** 

# Safety data sheet according to 29 CFR 1910.1200

# W-706 - EPOXY KLEEN G



Date of compilation: 9/16/2019 Version: 1

# SECTION 16: OTHER INFORMATION (continued)

IMDG: International maritime dangerous goods code IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5-day biochemical oxygen demand

BCF: Bioconcentration factor LD50: Lethal Dose 50 CL50: Lethal Concentration 50 EC50: Effective concentration 50

Log-POW: Octanol-water partition coefficient Koc: Partition coefficient of organic carbon



Manufacturer Disclaimer: The information contained in this safety date sheet ("SDS") is based on sources, technical knowledge and current legislation. Furthermore, is based on data believed to be accurate; thus, the company does not assume any liability for its accuracy. The information provided herein cannot be considered a guarantee of the properties of this product and the same is simply a description of the security requirements. The use, occupational methodology and/or conditions for users of this product are not within our awareness or control. It is ultimately the responsibility of the user(s) to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information of this SDS only refers to this product, which should not be used for purposes other than those specified. Finally, the manner in which this product is used and whether there is any infringement of patents is the sole responsibility of the user(s).

Date of compilation: 9/16/2019 Version: 1 Page 9/9