

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2023-24 Contaminants	Eurofins Sample:	13309737
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis	Result
Yeast and Mold Analysis by Petrifilm *	
Yeast Count	<10 CFU/g
Mold Count	<10 CFU/g
Mycotoxins in Raw Materials	
Aflatoxin B1	<0.500 ppb
Aflatoxin B2	<0.500 ppb
Aflatoxin G1	<0.500 ppb
Aflatoxin G2	<0.500 ppb
Aflatoxin M1	<0.500 ppb
Aflatoxin M2	<0.500 ppb
Deoxynivalenol	<100 ppb
T-2 Toxin	<10.0 ppb
HT-2 Toxin	<100 ppb
Fumonisin B1	<25.0 ppb
Fumonisin B2	<25.0 ppb
Ochratoxin A	<1.00 ppb
Zearalenone	<30.0 ppb
Glyphosate and AMPA	
Glyphosate	<100 ng/g
AMPA	<100 ng/g
Multi-Residue Analysis (500+ Compounds)	
Matrix Type - To Determine Limit of Quantification (LOQ)	Spices - Botanicals - and other Specialty Samples
Bifenthrin	<0.01 mg/kg
Bifenthrin	<0.010 mg/kg
Aminocarb	<0.010 mg/kg
Aminocarb	<0.01 mg/kg
Nonachlor, cis-	<0.010 mg/kg
Nonachlor, cis-	<0.01 mg/kg
Nitenpyram	non-analyzable
Methoxychlor	<0.01 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2023-24 Contaminants	Eurofins Sample:	13309737
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis	Result
Multi-Residue Analysis (500+ Compounds)	
Methoxychlor	<0.010 mg/kg
Butafenacil	<0.010 mg/kg
Butafenacil	<0.01 mg/kg
Isofenphos-methyl	<0.010 mg/kg
Isofenphos-methyl	<0.01 mg/kg
Hexazinone	<0.01 mg/kg
Hexazinone	<0.010 mg/kg
Metrafenone	<0.01 mg/kg
Metrafenone	<0.010 mg/kg
Endosulfan sulfate	<0.020 mg/kg
Endosulfan sulfate	<0.02 mg/kg
Dinitramine	<0.020 mg/kg
Dinitramine	<0.02 mg/kg
Diniconazole	<0.010 mg/kg
Diniconazole	<0.01 mg/kg
Cyanofenphos	<0.01 mg/kg
Cyanofenphos	<0.010 mg/kg
Chlorpropham (CIPC)	<0.01 mg/kg
Chlorpropham (CIPC)	<0.010 mg/kg
Isoxaflutole	<0.010 mg/kg
Isoxaflutole	<0.01 mg/kg
Famoxadone	<0.01 mg/kg
Famoxadone	<0.010 mg/kg
Oxadiazon	<0.010 mg/kg
Oxadiazon	<0.01 mg/kg
Neburon	<0.01 mg/kg
Neburon	<0.010 mg/kg
Mesosulfuron-methyl	<0.01 mg/kg
Mesosulfuron-methyl	<0.010 mg/kg
Malathion	<0.010 mg/kg
Malathion	<0.01 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2023-24 Contaminants	Eurofins Sample:	13309737
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis

Result

Multi-Residue Analysis (500+ Compounds)

Secbumeton	<0.01 mg/kg
Secbumeton	<0.010 mg/kg
Linuron	<0.01 mg/kg
Linuron	<0.010 mg/kg
Imidacloprid	non-analyzable
Hexaconazole	<0.01 mg/kg
Hexaconazole	<0.010 mg/kg
Bromuconazole (2 diastereoisomers)	<0.010 mg/kg
Bromuconazole (2 diastereoisomers)	<0.01 mg/kg
Benzoximate	<0.010 mg/kg
Benzoximate	<0.01 mg/kg
Cyromazine	non-analyzable
Cyflumetofen	<0.010 mg/kg
Cyflumetofen	<0.01 mg/kg
Spinetoram (spinosyns J and L)	<0.01 mg/kg
Spinetoram (spinosyns J and L)	<0.010 mg/kg
Quinalphos	<0.01 mg/kg
Quinalphos	<0.010 mg/kg
Tetrachloroanisole, 2,3,4,5-	<0.01 mg/kg
Tetrachloroanisole, 2,3,4,5-	<0.010 mg/kg
Methacrifos	<0.010 mg/kg
Methacrifos	<0.01 mg/kg
DMST (Dimethylaminosulfotoluidide)	<0.01 mg/kg
DMST (Dimethylaminosulfotoluidide)	<0.010 mg/kg
DDE, o,p'-	<0.01 mg/kg
DDE, o,p'-	<0.010 mg/kg
Spinosad (spinosyns A and D)	<0.010 mg/kg
Spinosad (spinosyns A and D)	<0.01 mg/kg
Thiophanate-methyl	<0.010 mg/kg
Thiophanate-methyl	<0.01 mg/kg
Griseofulvin	<0.010 mg/kg

* This analysis or component is not ISO accredited.

Printed: 27-Sep-2023 2:23 pm

Page 3 of 36

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2023-24 Contaminants	Eurofins Sample:	13309737
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis	Result
Multi-Residue Analysis (500+ Compounds)	
Griseofulvin	<0.01 mg/kg
Fluazifop-butyl	<0.01 mg/kg
Fluazifop-butyl	<0.010 mg/kg
Fensulfothion oxon	<0.01 mg/kg
Fensulfothion oxon	<0.010 mg/kg
Dichlobenil	<0.01 mg/kg
Dichlobenil	<0.010 mg/kg
DEET (Diethyltoluamide)	non-analyzable
DDT, o,p'-	<0.010 mg/kg
DDT, o,p'-	<0.01 mg/kg
DDE, p,p'-	<0.01 mg/kg
DDE, p,p'-	<0.010 mg/kg
Cycloxydim	<0.01 mg/kg
Cycloxydim	<0.010 mg/kg
Carbetamide	<0.01 mg/kg
Carbetamide	<0.010 mg/kg
Tebuthiuron	<0.010 mg/kg
Tebuthiuron	<0.01 mg/kg
Spiroxamine (2 diastereoisomers)	<0.010 mg/kg
Spiroxamine (2 diastereoisomers)	<0.01 mg/kg
Resmethrin (sum of isomers)	<0.010 mg/kg
Resmethrin (sum of isomers)	<0.01 mg/kg
Thiofanox sulfone	<0.010 mg/kg
Thiofanox sulfone	<0.01 mg/kg
Fosthiazate (sum of isomers)	<0.010 mg/kg
Fosthiazate (sum of isomers)	<0.01 mg/kg
Pirimiphos-ethyl	<0.01 mg/kg
Pirimiphos-ethyl	<0.010 mg/kg
Perthane (Ethylan)	<0.01 mg/kg
Perthane (Ethylan)	<0.010 mg/kg
Metconazole	<0.01 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2023-24 Contaminants	Eurofins Sample:	13309737
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis

Result

Multi-Residue Analysis (500+ Compounds)

Metconazole	<0.010 mg/kg
Ethidimuron (Sulfadiazole)	<0.01 mg/kg
Ethidimuron (Sulfadiazole)	<0.010 mg/kg
Enamectin benzoate	<0.01 mg/kg
Enamectin benzoate	<0.010 mg/kg
Dimethametryn	<0.010 mg/kg
Dimethametryn	<0.01 mg/kg
Chloridazon (Pyrazon)	<0.010 mg/kg
Chloridazon (Pyrazon)	<0.01 mg/kg
Prochloraz	<0.01 mg/kg
Prochloraz	<0.010 mg/kg
Triforine	non-analyzable
Imazalil	<0.01 mg/kg
Imazalil	<0.010 mg/kg
Fenthion oxon sulfoxide	<0.01 mg/kg
Fenthion oxon sulfoxide	<0.010 mg/kg
Fenazaquin	<0.01 mg/kg
Fenazaquin	<0.010 mg/kg
Phenthoate	<0.01 mg/kg
Phenthoate	<0.010 mg/kg
Simetryn	<0.010 mg/kg
Simetryn	<0.01 mg/kg
Fenamidone	<0.010 mg/kg
Fenamidone	<0.01 mg/kg
Anilofos	<0.01 mg/kg
Anilofos	<0.010 mg/kg
Nitrofen	<0.01 mg/kg
Nitrofen	<0.010 mg/kg
Etrimfos	<0.010 mg/kg
Etrimfos	<0.01 mg/kg
Dieldrin	<0.010 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2023-24 Contaminants	Eurofins Sample:	13309737
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis	Result
Multi-Residue Analysis (500+ Compounds)	
Dieldrin	<0.01 mg/kg
Pyrimethanil	<0.010 mg/kg
Pyrimethanil	<0.01 mg/kg
Pyridalyl	<0.010 mg/kg
Pyridalyl	<0.01 mg/kg
Bromacil	<0.01 mg/kg
Bromacil	<0.010 mg/kg
Oxamyl oxime	<0.01 mg/kg
Oxamyl oxime	<0.010 mg/kg
Methoxyfenozide	<0.010 mg/kg
Methoxyfenozide	<0.01 mg/kg
Methoprotryne	<0.010 mg/kg
Methoprotryne	<0.01 mg/kg
Trichlorfon (Metrifonate)	non-analyzable
Isoxadifen-ethyl	<0.010 mg/kg
Isoxadifen-ethyl	<0.01 mg/kg
Fluopicolide	<0.010 mg/kg
Fluopicolide	<0.01 mg/kg
Flumioxazin	<0.010 mg/kg
Flumioxazin	<0.01 mg/kg
Flucarbazone-sodium	<0.020 mg/kg
Flucarbazone-sodium	<0.02 mg/kg
Bromophos-ethyl	<0.01 mg/kg
Bromophos-ethyl	<0.010 mg/kg
Bixafen	<0.010 mg/kg
Bixafen	<0.01 mg/kg
Bifenazate	<0.010 mg/kg
Bifenazate	<0.01 mg/kg
Azinphos-ethyl	<0.010 mg/kg
Azinphos-ethyl	<0.01 mg/kg
Aldicarb sulfoxide	<0.010 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2023-24 Contaminants	Eurofins Sample:	13309737
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis

Result

Multi-Residue Analysis (500+ Compounds)

Aldicarb sulfoxide	<0.01 mg/kg
Ethiofencarb	<0.01 mg/kg
Ethiofencarb	<0.010 mg/kg
Diphenamid	<0.01 mg/kg
Diphenamid	<0.010 mg/kg
Silthiofam	<0.010 mg/kg
Silthiofam	<0.01 mg/kg
Pyrethrum (total)	<0.10 mg/kg
Propyzamide (Pronamide)	<0.010 mg/kg
Propyzamide (Pronamide)	<0.01 mg/kg
Trifloxystrobin	<0.01 mg/kg
Trifloxystrobin	<0.010 mg/kg
Forchlorfenuron	<0.010 mg/kg
Forchlorfenuron	<0.01 mg/kg
Fensulfothion	<0.010 mg/kg
Fensulfothion	<0.01 mg/kg
Amitraz metabolite DMF	<0.01 mg/kg
Amitraz metabolite DMF	<0.010 mg/kg
Phosalone	<0.010 mg/kg
Phosalone	<0.01 mg/kg
Pentachlorobenzonitrile	<0.01 mg/kg
Pentachlorobenzonitrile	<0.010 mg/kg
Pendimethalin	<0.010 mg/kg
Pendimethalin	<0.01 mg/kg
Parathion	<0.010 mg/kg
Parathion	<0.01 mg/kg
Diazinon	<0.010 mg/kg
Diazinon	<0.01 mg/kg
Sulprofos	<0.010 mg/kg
Sulprofos	<0.01 mg/kg
Terbufos sulfone	<0.01 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2023-24 Contaminants	Eurofins Sample:	13309737
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis

Result

Multi-Residue Analysis (500+ Compounds)

Terbufos sulfone	<0.010 mg/kg
Indoxacarb	<0.010 mg/kg
Indoxacarb	<0.01 mg/kg
Fenoxanil (sum of isomers)	<0.01 mg/kg
Fenoxanil (sum of isomers)	<0.010 mg/kg
Mexacarbate	<0.010 mg/kg
Mexacarbate	<0.01 mg/kg
Ethion	<0.010 mg/kg
Ethion	<0.01 mg/kg
Endosulfan I (alpha-isomer)	<0.02 mg/kg
Endosulfan I (alpha-isomer)	<0.020 mg/kg
Cyazofamid	<0.01 mg/kg
Cyazofamid	<0.010 mg/kg
Butocarboxim	<0.02 mg/kg
Butocarboxim	<0.020 mg/kg
Tebufenpyrad	<0.01 mg/kg
Tebufenpyrad	<0.010 mg/kg
Thiamethoxam	<0.01 mg/kg
Thiamethoxam	<0.010 mg/kg
Hydramethylnon	<0.010 mg/kg
Hydramethylnon	<0.01 mg/kg
Fluquinconazole	<0.01 mg/kg
Fluquinconazole	<0.010 mg/kg
Azoxystrobin	<0.010 mg/kg
Azoxystrobin	<0.01 mg/kg
Azinphos-methyl	<0.01 mg/kg
Azinphos-methyl	<0.010 mg/kg
Atrazine	<0.01 mg/kg
Atrazine	<0.010 mg/kg
Pirimiphos-methyl, N-desethyl-	<0.01 mg/kg
Pirimiphos-methyl, N-desethyl-	<0.010 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2023-24 Contaminants	Eurofins Sample:	13309737
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis	Result
Multi-Residue Analysis (500+ Compounds)	
Parathion-methyl	<0.01 mg/kg
Parathion-methyl	<0.010 mg/kg
Nuarimol	<0.010 mg/kg
Nuarimol	<0.01 mg/kg
DDD, o,p'-	<0.010 mg/kg
DDD, o,p'-	<0.01 mg/kg
Chlorpyrifos-methyl	<0.01 mg/kg
Chlorpyrifos-methyl	<0.010 mg/kg
Tepraloxydim (E- and Z-isomers)	<0.01 mg/kg
Tepraloxydim (E- and Z-isomers)	<0.010 mg/kg
Pyroxsulam	<0.010 mg/kg
Pyroxsulam	<0.01 mg/kg
Pyrazophos	<0.010 mg/kg
Pyrazophos	<0.01 mg/kg
Tetramethrin (sum of isomers)	<0.01 mg/kg
Tetramethrin (sum of isomers)	<0.010 mg/kg
Ivermectin	<0.050 mg/kg
Ivermectin	<0.05 mg/kg
Fipronil	<0.010 mg/kg
Fipronil	<0.01 mg/kg
Fenobucarb	<0.010 mg/kg
Fenobucarb	<0.01 mg/kg
Pentachlorothioanisole	<0.010 mg/kg
Pentachlorothioanisole	<0.01 mg/kg
Mirex	<0.01 mg/kg
Mirex	<0.010 mg/kg
Demeton-S-methyl	<0.01 mg/kg
Demeton-S-methyl	<0.010 mg/kg
Pyrifenox (E- and Z-isomers)	<0.01 mg/kg
Pyrifenox (E- and Z-isomers)	<0.010 mg/kg
Primisulfuron-methyl	<0.01 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2023-24 Contaminants	Eurofins Sample:	13309737
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis	Result
Multi-Residue Analysis (500+ Compounds)	
Primisulfuron-methyl	<0.010 mg/kg
Fenamiphos sulfoxide	<0.01 mg/kg
Fenamiphos sulfoxide	<0.010 mg/kg
Metoxuron	<0.010 mg/kg
Metoxuron	<0.01 mg/kg
Methidathion	<0.010 mg/kg
Methidathion	<0.01 mg/kg
Mepanipyrim	<0.01 mg/kg
Mepanipyrim	<0.010 mg/kg
DDT, p,p'-	<0.01 mg/kg
DDT, p,p'-	<0.010 mg/kg
Cyprodinil	<0.010 mg/kg
Cyprodinil	<0.01 mg/kg
Cyflufenamid	<0.01 mg/kg
Cyflufenamid	<0.010 mg/kg
Chlorimuron-ethyl (Classic)	<0.01 mg/kg
Chlorimuron-ethyl (Classic)	<0.010 mg/kg
Tefluthrin	<0.01 mg/kg
Tefluthrin	<0.010 mg/kg
Thifensulfuron-methyl	<0.01 mg/kg
Thifensulfuron-methyl	<0.010 mg/kg
Lactofen	<0.010 mg/kg
Lactofen	<0.01 mg/kg
Isoxaben	<0.01 mg/kg
Isoxaben	<0.010 mg/kg
Fenhexamid	<0.010 mg/kg
Fenhexamid	<0.01 mg/kg
Dichlofluanid	<0.010 mg/kg
Dichlofluanid	<0.01 mg/kg
Isoxathion	<0.010 mg/kg
Isoxathion	<0.01 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2023-24 Contaminants	Eurofins Sample:	13309737
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis	Result
Multi-Residue Analysis (500+ Compounds)	
Hydroprene, S- (sum of isomers)	<0.010 mg/kg
Hydroprene, S- (sum of isomers)	<0.01 mg/kg
Florylpicoxamid	<0.010 mg/kg
Florylpicoxamid	<0.01 mg/kg
Fenoxycarb	<0.01 mg/kg
Fenoxycarb	<0.010 mg/kg
Endrin	<0.010 mg/kg
Endrin	<0.01 mg/kg
Diflufenican	<0.01 mg/kg
Diflufenican	<0.010 mg/kg
Spiromesifen	<0.010 mg/kg
Spiromesifen	<0.01 mg/kg
Aldicarb	<0.010 mg/kg
Aldicarb	<0.01 mg/kg
Endosulfan II (beta-isomer)	<0.02 mg/kg
Endosulfan II (beta-isomer)	<0.020 mg/kg
Cyantraniliprole	<0.01 mg/kg
Cyantraniliprole	<0.010 mg/kg
Carbendazim	<0.01 mg/kg
Carbendazim	<0.010 mg/kg
Lenacil	<0.01 mg/kg
Lenacil	<0.010 mg/kg
Imazamethabenz-methyl	<0.01 mg/kg
Imazamethabenz-methyl	<0.010 mg/kg
Fipronil desulfinyl	<0.01 mg/kg
Fipronil desulfinyl	<0.010 mg/kg
Fenamiphos sulfone	<0.010 mg/kg
Fenamiphos sulfone	<0.01 mg/kg
Phosphamidon (E- and Z-isomers)	<0.010 mg/kg
Phosphamidon (E- and Z-isomers)	<0.01 mg/kg
Metosulam	<0.01 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2023-24 Contaminants	Eurofins Sample:	13309737
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis	Result
Multi-Residue Analysis (500+ Compounds)	
Metosulam	<0.010 mg/kg
Cymoxanil	<0.01 mg/kg
Cymoxanil	<0.010 mg/kg
Chlorfluazuron	<0.01 mg/kg
Chlorfluazuron	<0.010 mg/kg
Tebufenozide	<0.01 mg/kg
Tebufenozide	<0.010 mg/kg
Trichloroanisole, 2,4,6-	<0.01 mg/kg
Trichloroanisole, 2,4,6-	<0.010 mg/kg
Iprovalicarb	<0.010 mg/kg
Iprovalicarb	<0.01 mg/kg
Flumetsulam	<0.01 mg/kg
Flumetsulam	<0.010 mg/kg
Flumethrin	non-analyzable
Fenchlorphos (Ronnell)	<0.01 mg/kg
Fenchlorphos (Ronnell)	<0.010 mg/kg
Penconazole	<0.01 mg/kg
Penconazole	<0.010 mg/kg
Diuron	<0.01 mg/kg
Diuron	<0.010 mg/kg
Diethofencarb	<0.010 mg/kg
Diethofencarb	<0.01 mg/kg
Diclotophos	<0.01 mg/kg
Diclotophos	<0.010 mg/kg
Cymiazole	<0.010 mg/kg
Cymiazole	<0.01 mg/kg
Cyfluthrin	<0.01 mg/kg
Cyfluthrin	<0.010 mg/kg
Chloroxuron	<0.01 mg/kg
Chloroxuron	<0.010 mg/kg
Pymetrozine	<0.010 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2023-24 Contaminants	Eurofins Sample:	13309737
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis	Result
Multi-Residue Analysis (500+ Compounds)	
Pymetrozine	<0.01 mg/kg
Prothioconazole-desthio	<0.01 mg/kg
Prothioconazole-desthio	<0.010 mg/kg
Formetanate hydrochloride	<0.01 mg/kg
Formetanate hydrochloride	<0.010 mg/kg
Acrinathrin	<0.01 mg/kg
Acrinathrin	<0.010 mg/kg
Phorate sulfone	<0.01 mg/kg
Phorate sulfone	<0.010 mg/kg
Mephosfolan	<0.010 mg/kg
Mephosfolan	<0.01 mg/kg
Cycluron	<0.01 mg/kg
Cycluron	<0.010 mg/kg
Carboxin	<0.010 mg/kg
Carboxin	<0.01 mg/kg
Sulfentrazone	non-analyzable
Isoprothiolane	<0.01 mg/kg
Isoprothiolane	<0.010 mg/kg
Isoprocab	<0.010 mg/kg
Isoprocab	<0.01 mg/kg
Flucythrinate (sum of isomers)	<0.01 mg/kg
Flucythrinate (sum of isomers)	<0.010 mg/kg
Fenthion oxon	<0.010 mg/kg
Fenthion oxon	<0.01 mg/kg
Pyraclostrobin	<0.01 mg/kg
Pyraclostrobin	<0.010 mg/kg
Propetamphos	<0.01 mg/kg
Propetamphos	<0.010 mg/kg
Thiodicarb	<0.010 mg/kg
Thiodicarb	<0.01 mg/kg
Flufenacet	<0.01 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2023-24 Contaminants	Eurofins Sample:	13309737
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis	Result
Multi-Residue Analysis (500+ Compounds)	
Flufenacet	<0.010 mg/kg
Ametryn	<0.01 mg/kg
Ametryn	<0.010 mg/kg
Disulfoton sulfoxide	<0.010 mg/kg
Disulfoton sulfoxide	<0.01 mg/kg
Chlorobenzilate	<0.010 mg/kg
Chlorobenzilate	<0.01 mg/kg
Pyroquilon	<0.01 mg/kg
Pyroquilon	<0.010 mg/kg
Pyridate	<0.01 mg/kg
Pyridate	<0.010 mg/kg
Thiazopyr	<0.01 mg/kg
Thiazopyr	<0.010 mg/kg
Thiabendazole	<0.010 mg/kg
Thiabendazole	<0.01 mg/kg
Fluvalinate tau- (sum of isomers)	<0.01 mg/kg
Fluvalinate tau- (sum of isomers)	<0.010 mg/kg
Paraoxon	<0.01 mg/kg
Paraoxon	<0.010 mg/kg
Cycloate	<0.01 mg/kg
Cycloate	<0.010 mg/kg
Bupirimate	<0.01 mg/kg
Bupirimate	<0.010 mg/kg
Tecnazene	<0.01 mg/kg
Tecnazene	<0.010 mg/kg
Propaquizafop	<0.010 mg/kg
Propaquizafop	<0.01 mg/kg
Trietazine	<0.010 mg/kg
Trietazine	<0.01 mg/kg
Hexythiazox	<0.01 mg/kg
Hexythiazox	<0.010 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2023-24 Contaminants	Eurofins Sample:	13309737
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis

Result

Multi-Residue Analysis (500+ Compounds)

Fenthion oxon sulfone	<0.010 mg/kg
Fenthion oxon sulfone	<0.01 mg/kg
Fenbutatin oxide	<0.01 mg/kg
Fenbutatin oxide	<0.010 mg/kg
Abamectin	<0.050 mg/kg
Abamectin	<0.05 mg/kg
Oxamyl	<0.010 mg/kg
Oxamyl	<0.01 mg/kg
Norflurazon-desmethyl	<0.010 mg/kg
Norflurazon-desmethyl	<0.01 mg/kg
Metribuzin	<0.01 mg/kg
Metribuzin	<0.010 mg/kg
Metalaxyl	<0.010 mg/kg
Metalaxyl	<0.01 mg/kg
Ethaboxam	<0.010 mg/kg
Ethaboxam	<0.01 mg/kg
Simeconazole	<0.02 mg/kg
Simeconazole	<0.020 mg/kg
Thidiazuron	<0.010 mg/kg
Thidiazuron	<0.01 mg/kg
Isofenphos	<0.01 mg/kg
Isofenphos	<0.010 mg/kg
Foramsulfuron	<0.010 mg/kg
Foramsulfuron	<0.01 mg/kg
Metaflumizone	<0.010 mg/kg
Metaflumizone	<0.01 mg/kg
Tebupirimfos	<0.010 mg/kg
Tebupirimfos	<0.01 mg/kg
Propham	<0.010 mg/kg
Propham	<0.01 mg/kg
Terbufos	<0.010 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2023-24 Contaminants	Eurofins Sample:	13309737
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis	Result
Multi-Residue Analysis (500+ Compounds)	
Terbufos	<0.01 mg/kg
Penoxsulam	<0.01 mg/kg
Penoxsulam	<0.010 mg/kg
Ethiprole	<0.01 mg/kg
Ethiprole	<0.010 mg/kg
Ethalfuralin	<0.010 mg/kg
Ethalfuralin	<0.01 mg/kg
Teflubenzuron	<0.01 mg/kg
Teflubenzuron	<0.010 mg/kg
Quizalofop-ethyl	<0.01 mg/kg
Quizalofop-ethyl	<0.010 mg/kg
Proquinazid	<0.01 mg/kg
Proquinazid	<0.010 mg/kg
Bromopropylate	<0.01 mg/kg
Bromopropylate	<0.010 mg/kg
Omethoate	<0.010 mg/kg
Omethoate	<0.01 mg/kg
Methabenzthiazuron	<0.01 mg/kg
Methabenzthiazuron	<0.010 mg/kg
Chlorotoluron (Chlortoluron)	<0.01 mg/kg
Chlorotoluron (Chlortoluron)	<0.010 mg/kg
Cadusafos	<0.01 mg/kg
Cadusafos	<0.010 mg/kg
Propamocarb	<0.01 mg/kg
Propamocarb	<0.010 mg/kg
Procymidone	<0.01 mg/kg
Procymidone	<0.010 mg/kg
Terbufos sulfoxide	<0.01 mg/kg
Terbufos sulfoxide	<0.010 mg/kg
HCH, delta- (delta-BHC)	<0.010 mg/kg
HCH, delta- (delta-BHC)	<0.01 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2023-24 Contaminants	Eurofins Sample:	13309737
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis

Result

Multi-Residue Analysis (500+ Compounds)

Fluxapyroxad	<0.01 mg/kg
Fluxapyroxad	<0.010 mg/kg
Fluometuron	<0.01 mg/kg
Fluometuron	<0.010 mg/kg
Novaluron	<0.01 mg/kg
Novaluron	<0.010 mg/kg
Naled (Dibrom)	<0.010 mg/kg
Naled (Dibrom)	<0.01 mg/kg
Flonicamid	non-analyzable
Bensulide	<0.010 mg/kg
Bensulide	<0.01 mg/kg
Nonachlor, trans-	<0.01 mg/kg
Nonachlor, trans-	<0.010 mg/kg
Ethiofencarb sulfone	<0.01 mg/kg
Ethiofencarb sulfone	<0.010 mg/kg
Dacthal (Chlorthal-dimethyl, DCPA)	<0.01 mg/kg
Dacthal (Chlorthal-dimethyl, DCPA)	<0.010 mg/kg
Chlordane, trans-	<0.01 mg/kg
Chlordane, trans-	<0.010 mg/kg
S421	<0.010 mg/kg
S421	<0.01 mg/kg
Quinoxifen	<0.010 mg/kg
Quinoxifen	<0.01 mg/kg
Profenofos	<0.010 mg/kg
Profenofos	<0.01 mg/kg
Tolclofos-methyl	<0.010 mg/kg
Tolclofos-methyl	<0.01 mg/kg
Heptachlor endo-epoxide	<0.02 mg/kg
Heptachlor endo-epoxide	<0.020 mg/kg
Flufenoxuron	<0.010 mg/kg
Flufenoxuron	<0.01 mg/kg

* This analysis or component is not ISO accredited.

Printed: 27-Sep-2023 2:23 pm

Page 17 of 36

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2023-24 Contaminants	Eurofins Sample:	13309737
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis

Result

Multi-Residue Analysis (500+ Compounds)

Fentin	non-analyzable
Fenitrothion	<0.01 mg/kg
Fenitrothion	<0.010 mg/kg
Doramectin	<0.05 mg/kg
Doramectin	<0.050 mg/kg
Trimethacarb	<0.01 mg/kg
Trimethacarb	<0.010 mg/kg
Fenarimol	<0.01 mg/kg
Fenarimol	<0.010 mg/kg
Acibenzolar-S-methyl	<0.010 mg/kg
Acibenzolar-S-methyl	<0.01 mg/kg
Methiocarb sulfoxide	non-analyzable
Methiocarb sulfone	non-analyzable
Siduron	<0.010 mg/kg
Siduron	<0.01 mg/kg
Pyridaphenthion	<0.01 mg/kg
Pyridaphenthion	<0.010 mg/kg
Pyraflufen-ethyl	<0.010 mg/kg
Pyraflufen-ethyl	<0.01 mg/kg
Iprodione metabolite	<0.010 mg/kg
Iprodione metabolite	<0.01 mg/kg
Imazethapyr	<0.010 mg/kg
Imazethapyr	<0.01 mg/kg
Fenamiphos	<0.010 mg/kg
Fenamiphos	<0.01 mg/kg
Paraoxon-methyl	<0.010 mg/kg
Paraoxon-methyl	<0.01 mg/kg
Oxycarboxin	non-analyzable
Chlorbromuron	<0.010 mg/kg
Chlorbromuron	<0.01 mg/kg
Rimsulfuron	<0.010 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2023-24 Contaminants	Eurofins Sample:	13309737
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis	Result
Multi-Residue Analysis (500+ Compounds)	
Rimsulfuron	<0.01 mg/kg
Trifloxysulfuron	<0.010 mg/kg
Trifloxysulfuron	<0.01 mg/kg
Fluoxastrobin	<0.010 mg/kg
Fluoxastrobin	<0.01 mg/kg
Methomyl	<0.01 mg/kg
Methomyl	<0.010 mg/kg
Eprinomectin	<0.02 mg/kg
Eprinomectin	<0.020 mg/kg
EPN	<0.01 mg/kg
EPN	<0.010 mg/kg
Dioxacarb	<0.01 mg/kg
Dioxacarb	<0.010 mg/kg
Triasulfuron	<0.010 mg/kg
Triasulfuron	<0.01 mg/kg
Paclobutrazol	<0.010 mg/kg
Paclobutrazol	<0.01 mg/kg
Dicofol	<0.010 mg/kg
Dicofol	<0.01 mg/kg
Cypermethrin	<0.010 mg/kg
Cypermethrin	<0.01 mg/kg
Pyridaben	<0.01 mg/kg
Pyridaben	<0.010 mg/kg
Prometryn	<0.01 mg/kg
Prometryn	<0.010 mg/kg
Triflumizole	<0.01 mg/kg
Triflumizole	<0.010 mg/kg
Thiacloprid	<0.01 mg/kg
Thiacloprid	<0.010 mg/kg
Thiabendazole-5-hydroxy-	<0.010 mg/kg
Thiabendazole-5-hydroxy-	<0.01 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2023-24 Contaminants	Eurofins Sample:	13309737
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis

Result

Multi-Residue Analysis (500+ Compounds)

Isoproturon	<0.01 mg/kg
Isoproturon	<0.010 mg/kg
Fuberidazole	<0.010 mg/kg
Fuberidazole	<0.01 mg/kg
Flazasulfuron	<0.010 mg/kg
Flazasulfuron	<0.01 mg/kg
Fenpyroximate	<0.01 mg/kg
Fenpyroximate	<0.010 mg/kg
Metobromuron	<0.010 mg/kg
Metobromuron	<0.01 mg/kg
Dipropetryn	<0.010 mg/kg
Dipropetryn	<0.01 mg/kg
Cyproconazole (2 diastereoisomers)	<0.010 mg/kg
Cyproconazole (2 diastereoisomers)	<0.01 mg/kg
Quizalofop	non-analyzable
Fluopyram	<0.010 mg/kg
Fluopyram	<0.01 mg/kg
Acephate	<0.010 mg/kg
Acephate	<0.01 mg/kg
Etoxazole	<0.010 mg/kg
Etoxazole	<0.01 mg/kg
Dinotefuran	non-analyzable
Difenoconazole (cis- and trans-)	<0.010 mg/kg
Difenoconazole (cis- and trans-)	<0.01 mg/kg
Propoxur	<0.010 mg/kg
Propoxur	<0.01 mg/kg
Fenpropidin	<0.010 mg/kg
Fenpropidin	<0.01 mg/kg
Benzyladenine	<0.01 mg/kg
Benzyladenine	<0.010 mg/kg
Azaconazole	<0.01 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2023-24 Contaminants	Eurofins Sample:	13309737
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis

Result

Multi-Residue Analysis (500+ Compounds)

Azaconazole	<0.010 mg/kg
Piperophos	<0.010 mg/kg
Piperophos	<0.01 mg/kg
Oxadixyl	<0.010 mg/kg
Oxadixyl	<0.01 mg/kg
Norflurazon	<0.010 mg/kg
Norflurazon	<0.01 mg/kg
Malaoxon	<0.010 mg/kg
Malaoxon	<0.01 mg/kg
Diclobutrazol	<0.010 mg/kg
Diclobutrazol	<0.01 mg/kg
Sethoxydim (E- and Z-isomers)	<0.01 mg/kg
Sethoxydim (E- and Z-isomers)	<0.010 mg/kg
Schradan (Octamethylpyrophosphoramidate)	<0.010 mg/kg
Schradan (Octamethylpyrophosphoramidate)	<0.01 mg/kg
Prodiamine	<0.010 mg/kg
Prodiamine	<0.01 mg/kg
Vamidotion	<0.01 mg/kg
Vamidotion	<0.010 mg/kg
Trifluralin	<0.01 mg/kg
Trifluralin	<0.010 mg/kg
Tetrachlorvinphos	<0.010 mg/kg
Tetrachlorvinphos	<0.01 mg/kg
Terbutryn	<0.010 mg/kg
Terbutryn	<0.01 mg/kg
Fenthion sulfone	<0.01 mg/kg
Fenthion sulfone	<0.010 mg/kg
Bifenox	<0.01 mg/kg
Bifenox	<0.010 mg/kg
Pentachloroaniline	<0.01 mg/kg
Pentachloroaniline	<0.010 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2023-24 Contaminants	Eurofins Sample:	13309737
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis	Result
Multi-Residue Analysis (500+ Compounds)	
Oxydemeton-methyl	<0.01 mg/kg
Oxydemeton-methyl	<0.010 mg/kg
Monocrotophos	non-analyzable
Carbophenothion	<0.010 mg/kg
Carbophenothion	<0.01 mg/kg
Captan (as THPI)	<0.010 mg/kg
Captan (as THPI)	<0.01 mg/kg
Prometon	<0.01 mg/kg
Prometon	<0.010 mg/kg
Pretilachlor	<0.01 mg/kg
Pretilachlor	<0.010 mg/kg
Prallethrin	<0.01 mg/kg
Prallethrin	<0.010 mg/kg
Tricyclazole	<0.010 mg/kg
Tricyclazole	<0.01 mg/kg
Lindane (gamma-HCH, gamma-BHC)	<0.010 mg/kg
Lindane (gamma-HCH, gamma-BHC)	<0.01 mg/kg
Kresoxim-methyl	<0.010 mg/kg
Kresoxim-methyl	<0.01 mg/kg
Fenvalerate/Esfenvalerate (sum of isomers)	<0.02 mg/kg
Fenvalerate/Esfenvalerate (sum of isomers)	<0.020 mg/kg
Boscalid	<0.010 mg/kg
Boscalid	<0.01 mg/kg
Mandipropamid	<0.01 mg/kg
Mandipropamid	<0.010 mg/kg
Demeton-S-methyl sulfone	<0.01 mg/kg
Demeton-S-methyl sulfone	<0.010 mg/kg
Quinoclamine	non-analyzable
Pyriproxyfen	<0.010 mg/kg
Pyriproxyfen	<0.01 mg/kg
Propargite	<0.010 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2023-24 Contaminants	Eurofins Sample:	13309737
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis	Result
Multi-Residue Analysis (500+ Compounds)	
Propargite	<0.01 mg/kg
Vinclozolin	<0.010 mg/kg
Vinclozolin	<0.01 mg/kg
Triticonazole	<0.010 mg/kg
Triticonazole	<0.01 mg/kg
Naphthol, 1-	<0.02 mg/kg
Naphthol, 1-	<0.020 mg/kg
Dimetilan	<0.010 mg/kg
Dimetilan	<0.01 mg/kg
Cloquintocet-mexyl	<0.01 mg/kg
Cloquintocet-mexyl	<0.010 mg/kg
Chlorfenapyr	<0.02 mg/kg
Chlorfenapyr	<0.020 mg/kg
Fipronil sulfone	<0.01 mg/kg
Fipronil sulfone	<0.010 mg/kg
Fenchlorphos oxon	<0.010 mg/kg
Fenchlorphos oxon	<0.01 mg/kg
Acetochlor	<0.010 mg/kg
Acetochlor	<0.01 mg/kg
Phosmet oxon	<0.01 mg/kg
Phosmet oxon	<0.010 mg/kg
Molinate	<0.010 mg/kg
Molinate	<0.01 mg/kg
Mesotrione	<0.010 mg/kg
Mesotrione	<0.01 mg/kg
Dichlorvos	<0.01 mg/kg
Dichlorvos	<0.010 mg/kg
Dichlofenthion	<0.010 mg/kg
Dichlofenthion	<0.01 mg/kg
Chlorpyrifos	<0.010 mg/kg
Chlorpyrifos	<0.01 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2023-24 Contaminants	Eurofins Sample:	13309737
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis	Result
Multi-Residue Analysis (500+ Compounds)	
Spirotetramat	<0.010 mg/kg
Spirotetramat	<0.01 mg/kg
Benoxacor	<0.010 mg/kg
Benoxacor	<0.01 mg/kg
Phenylphenol, 2- (OPP)	<0.050 mg/kg
Phenylphenol, 2- (OPP)	<0.05 mg/kg
Oxychlorane	<0.02 mg/kg
Oxychlorane	<0.020 mg/kg
Monolinuron	<0.01 mg/kg
Monolinuron	<0.010 mg/kg
Diclocymet (2 diastereoisomers)	<0.01 mg/kg
Diclocymet (2 diastereoisomers)	<0.010 mg/kg
Chlorsulfuron	<0.01 mg/kg
Chlorsulfuron	<0.010 mg/kg
Carbofuran	<0.010 mg/kg
Carbofuran	<0.01 mg/kg
Iprodione	<0.010 mg/kg
Iprodione	<0.01 mg/kg
Hexaflumuron	<0.01 mg/kg
Hexaflumuron	<0.010 mg/kg
Fentrazamide	<0.01 mg/kg
Fentrazamide	<0.010 mg/kg
Fenthion	<0.01 mg/kg
Fenthion	<0.010 mg/kg
Amitraz metabolite DMPF	non-analyzable
Aclonifen	<0.010 mg/kg
Aclonifen	<0.01 mg/kg
Picolinafen	<0.01 mg/kg
Picolinafen	<0.010 mg/kg
Ofurace	<0.010 mg/kg
Ofurace	<0.01 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2023-24 Contaminants	Eurofins Sample:	13309737
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis	Result
Multi-Residue Analysis (500+ Compounds)	
Mefenflurazone	<0.01 mg/kg
Mefenflurazone	<0.010 mg/kg
Diphenylamine	<0.010 mg/kg
Diphenylamine	<0.01 mg/kg
Butocarboxim sulfoxide	<0.01 mg/kg
Butocarboxim sulfoxide	<0.010 mg/kg
Temephos	<0.010 mg/kg
Temephos	<0.01 mg/kg
Pyracarbolid	<0.01 mg/kg
Pyracarbolid	<0.010 mg/kg
Thiobencarb (Benthiocarb)	<0.010 mg/kg
Thiobencarb (Benthiocarb)	<0.01 mg/kg
Terbumeton	<0.010 mg/kg
Terbumeton	<0.01 mg/kg
Terbacil	<0.010 mg/kg
Terbacil	<0.01 mg/kg
Halofenozide	<0.01 mg/kg
Halofenozide	<0.010 mg/kg
Furalaxyl	<0.01 mg/kg
Furalaxyl	<0.010 mg/kg
Bendiocarb	<0.010 mg/kg
Bendiocarb	<0.01 mg/kg
Beflubutamid	<0.01 mg/kg
Beflubutamid	<0.010 mg/kg
Pencycuron	<0.01 mg/kg
Pencycuron	<0.010 mg/kg
Mevinphos (E- and Z-isomers)	<0.01 mg/kg
Mevinphos (E- and Z-isomers)	<0.010 mg/kg
Mecarbam	<0.010 mg/kg
Mecarbam	<0.01 mg/kg
Dodine	<0.010 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2023-24 Contaminants	Eurofins Sample:	13309737
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis	Result
Multi-Residue Analysis (500+ Compounds)	
Dodine	<0.01 mg/kg
Dimethenamid	<0.010 mg/kg
Dimethenamid	<0.01 mg/kg
Cyhalothrin, lambda-	<0.01 mg/kg
Cyhalothrin, lambda-	<0.010 mg/kg
Clothianidin	non-analyzable
Clethodim (E- and Z-isomers)	<0.01 mg/kg
Clethodim (E- and Z-isomers)	<0.010 mg/kg
HCH, beta- (beta-BHC)	<0.01 mg/kg
HCH, beta- (beta-BHC)	<0.010 mg/kg
Azamethiphos	<0.01 mg/kg
Azamethiphos	<0.010 mg/kg
Pentachlorobenzene	<0.01 mg/kg
Pentachlorobenzene	<0.010 mg/kg
Deltamethrin	<0.010 mg/kg
Deltamethrin	<0.01 mg/kg
Halosulfuron-methyl	<0.010 mg/kg
Halosulfuron-methyl	<0.01 mg/kg
Benalaxyl	<0.010 mg/kg
Benalaxyl	<0.01 mg/kg
Acetamiprid	<0.01 mg/kg
Acetamiprid	<0.010 mg/kg
Picoxystrobin	<0.010 mg/kg
Picoxystrobin	<0.01 mg/kg
Phosmet	<0.010 mg/kg
Phosmet	<0.01 mg/kg
Dodemorph (cis- and trans-)	<0.010 mg/kg
Dodemorph (cis- and trans-)	<0.01 mg/kg
Dicloran (DCNA)	<0.01 mg/kg
Dicloran (DCNA)	<0.010 mg/kg
Rotenone	<0.010 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2023-24 Contaminants	Eurofins Sample:	13309737
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis

Result

Multi-Residue Analysis (500+ Compounds)

Rotenone	<0.01 mg/kg
Lufenuron	<0.010 mg/kg
Lufenuron	<0.01 mg/kg
Formothion	<0.01 mg/kg
Formothion	<0.010 mg/kg
Napropamide	<0.01 mg/kg
Napropamide	<0.010 mg/kg
Myclobutanil	<0.010 mg/kg
Myclobutanil	<0.01 mg/kg
Ethofumesate	<0.01 mg/kg
Ethofumesate	<0.010 mg/kg
Ethiofencarb sulfoxide	<0.01 mg/kg
Ethiofencarb sulfoxide	<0.010 mg/kg
Epoxiconazole	<0.01 mg/kg
Epoxiconazole	<0.010 mg/kg
Desmedipham	<0.010 mg/kg
Desmedipham	<0.01 mg/kg
Clomazone	<0.010 mg/kg
Clomazone	<0.01 mg/kg
Tetrachloroaniline, 2,3,5,6-	<0.010 mg/kg
Tetrachloroaniline, 2,3,5,6-	<0.01 mg/kg
Heptachlor exo-epoxide	<0.010 mg/kg
Heptachlor exo-epoxide	<0.01 mg/kg
Pirimicarb-desmethyl	<0.010 mg/kg
Pirimicarb-desmethyl	<0.01 mg/kg
Metsulfuron-methyl	<0.010 mg/kg
Metsulfuron-methyl	<0.01 mg/kg
Methiocarb	<0.01 mg/kg
Methiocarb	<0.010 mg/kg
Etofenprox	<0.010 mg/kg
Etofenprox	<0.01 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2023-24 Contaminants	Eurofins Sample:	13309737
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis	Result
Multi-Residue Analysis (500+ Compounds)	
Dimethomorph (E- and Z-isomers)	<0.010 mg/kg
Dimethomorph (E- and Z-isomers)	<0.01 mg/kg
Cyanazine	<0.01 mg/kg
Cyanazine	<0.010 mg/kg
Prothiofos	<0.01 mg/kg
Prothiofos	<0.010 mg/kg
Iprodione isomer	<0.02 mg/kg
Iprodione isomer	<0.020 mg/kg
Fensulfothion oxon sulfone	<0.01 mg/kg
Fensulfothion oxon sulfone	<0.010 mg/kg
Bispyribac	<0.010 mg/kg
Bispyribac	<0.01 mg/kg
Clodinafop-propargyl	<0.01 mg/kg
Clodinafop-propargyl	<0.010 mg/kg
Fenbuconazole	<0.010 mg/kg
Fenbuconazole	<0.01 mg/kg
Disulfoton sulfone	<0.010 mg/kg
Disulfoton sulfone	<0.01 mg/kg
Triflumuron	<0.01 mg/kg
Triflumuron	<0.010 mg/kg
Ipconazole	<0.010 mg/kg
Ipconazole	<0.01 mg/kg
Fenuron	<0.01 mg/kg
Fenuron	<0.010 mg/kg
Nitralin	<0.01 mg/kg
Nitralin	<0.010 mg/kg
Moxidectin	<0.05 mg/kg
Moxidectin	<0.050 mg/kg
Chlordane, cis-	<0.01 mg/kg
Chlordane, cis-	<0.010 mg/kg
Tetradifon	<0.01 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2023-24 Contaminants	Eurofins Sample:	13309737
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis	Result
Multi-Residue Analysis (500+ Compounds)	
Tetradifon	<0.010 mg/kg
Tetraconazole	<0.01 mg/kg
Tetraconazole	<0.010 mg/kg
Hexachlorobenzene (HCB)	<0.010 mg/kg
Hexachlorobenzene (HCB)	<0.01 mg/kg
Heptachlor	<0.010 mg/kg
Heptachlor	<0.01 mg/kg
Flubendiamide	<0.050 mg/kg
Flubendiamide	<0.05 mg/kg
Benfluralin	<0.010 mg/kg
Benfluralin	<0.01 mg/kg
Demeton-S	<0.01 mg/kg
Demeton-S	<0.010 mg/kg
Chlordimeform	<0.010 mg/kg
Chlordimeform	<0.01 mg/kg
Carbofuran-3-hydroxy-	<0.010 mg/kg
Carbofuran-3-hydroxy-	<0.01 mg/kg
Triazophos	<0.010 mg/kg
Triazophos	<0.01 mg/kg
Triadimenol	<0.01 mg/kg
Triadimenol	<0.010 mg/kg
Isocarbamid	<0.01 mg/kg
Isocarbamid	<0.010 mg/kg
Fludioxonil	<0.01 mg/kg
Fludioxonil	<0.010 mg/kg
Allethrin	<0.01 mg/kg
Allethrin	<0.010 mg/kg
Aldrin	<0.01 mg/kg
Aldrin	<0.010 mg/kg
Phoxim	<0.010 mg/kg
Phoxim	<0.01 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2023-24 Contaminants	Eurofins Sample:	13309737
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis	Result
Multi-Residue Analysis (500+ Compounds)	
Phenmedipham	<0.01 mg/kg
Phenmedipham	<0.010 mg/kg
Disulfoton	<0.01 mg/kg
Disulfoton	<0.010 mg/kg
Dimethoate	<0.01 mg/kg
Dimethoate	<0.010 mg/kg
Demeton-O	<0.010 mg/kg
Demeton-O	<0.01 mg/kg
DDD, p,p'-	<0.010 mg/kg
DDD, p,p'-	<0.01 mg/kg
Spiromesifen enol	<0.010 mg/kg
Spiromesifen enol	<0.01 mg/kg
Tolfenpyrad	<0.010 mg/kg
Tolfenpyrad	<0.01 mg/kg
Bitertanol	<0.010 mg/kg
Bitertanol	<0.01 mg/kg
Pirimiphos-methyl	<0.010 mg/kg
Pirimiphos-methyl	<0.01 mg/kg
Ethoprophos (Ethoprop)	<0.010 mg/kg
Ethoprophos (Ethoprop)	<0.01 mg/kg
Butachlor	<0.010 mg/kg
Butachlor	<0.01 mg/kg
Buprofezin	<0.010 mg/kg
Buprofezin	<0.01 mg/kg
Tebuconazole	<0.010 mg/kg
Tebuconazole	<0.01 mg/kg
Quintozene	<0.010 mg/kg
Quintozene	<0.01 mg/kg
Propanil	<0.010 mg/kg
Propanil	<0.01 mg/kg
Thiofanox	<0.050 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2023-24 Contaminants	Eurofins Sample:	13309737
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis	Result
Multi-Residue Analysis (500+ Compounds)	
Thiofanox	<0.05 mg/kg
Haloxyfop-methyl	<0.01 mg/kg
Haloxyfop-methyl	<0.010 mg/kg
Phorate sulfoxide	<0.01 mg/kg
Phorate sulfoxide	<0.010 mg/kg
Methamidophos	non-analyzable
Dimoxystrobin	<0.01 mg/kg
Dimoxystrobin	<0.010 mg/kg
Diflubenzuron	<0.01 mg/kg
Diflubenzuron	<0.010 mg/kg
Furathiocarb	<0.01 mg/kg
Furathiocarb	<0.010 mg/kg
Fenthion sulfoxide	<0.010 mg/kg
Fenthion sulfoxide	<0.01 mg/kg
Fenpropathrin	<0.01 mg/kg
Fenpropathrin	<0.010 mg/kg
Metamitron	non-analyzable
Chlorfenvinphos (E- and Z-isomers)	<0.01 mg/kg
Chlorfenvinphos (E- and Z-isomers)	<0.010 mg/kg
Propiconazole (sum of isomers)	<0.010 mg/kg
Propiconazole (sum of isomers)	<0.01 mg/kg
Zoxamide	<0.01 mg/kg
Zoxamide	<0.010 mg/kg
Thionazin (Zinophos)	<0.01 mg/kg
Thionazin (Zinophos)	<0.010 mg/kg
HCH, alpha- (alpha-BHC)	<0.010 mg/kg
HCH, alpha- (alpha-BHC)	<0.01 mg/kg
Flutriafol	<0.010 mg/kg
Flutriafol	<0.01 mg/kg
Fensulfothion sulfone	<0.010 mg/kg
Fensulfothion sulfone	<0.01 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2023-24 Contaminants	Eurofins Sample:	13309737
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis	Result
Multi-Residue Analysis (500+ Compounds)	
Piperonyl butoxide	<0.010 mg/kg
Piperonyl butoxide	<0.01 mg/kg
Phorate	<0.010 mg/kg
Phorate	<0.01 mg/kg
Pentachloroanisole	<0.01 mg/kg
Pentachloroanisole	<0.010 mg/kg
Nicosulfuron	<0.010 mg/kg
Nicosulfuron	<0.01 mg/kg
Chlorantraniliprole	<0.01 mg/kg
Chlorantraniliprole	<0.010 mg/kg
Quinmerac	<0.010 mg/kg
Quinmerac	<0.01 mg/kg
Thiofanox sulfoxide	<0.01 mg/kg
Thiofanox sulfoxide	<0.010 mg/kg
Flutolanil	<0.01 mg/kg
Flutolanil	<0.010 mg/kg
Flusilazole	<0.010 mg/kg
Flusilazole	<0.01 mg/kg
Fenpropimorph	<0.010 mg/kg
Fenpropimorph	<0.01 mg/kg
Carbaryl	<0.01 mg/kg
Carbaryl	<0.010 mg/kg
Profluralin	<0.01 mg/kg
Profluralin	<0.010 mg/kg
Tribenuron-methyl	<0.01 mg/kg
Tribenuron-methyl	<0.010 mg/kg
Fonofos	<0.010 mg/kg
Fonofos	<0.01 mg/kg
Metolcarb	non-analyzable
Metolachlor	<0.01 mg/kg
Metolachlor	<0.010 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2023-24 Contaminants	Eurofins Sample:	13309737
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis

Result

Multi-Residue Analysis (500+ Compounds)

Carfentrazone-ethyl	<0.01 mg/kg
Carfentrazone-ethyl	<0.010 mg/kg
Promecarb	<0.01 mg/kg
Promecarb	<0.010 mg/kg
Terbutylazine	<0.010 mg/kg
Terbutylazine	<0.01 mg/kg
Isocarbophos	<0.01 mg/kg
Isocarbophos	<0.010 mg/kg
Amidosulfuron	<0.010 mg/kg
Amidosulfuron	<0.01 mg/kg
Oxasulfuron	<0.01 mg/kg
Oxasulfuron	<0.010 mg/kg
Metazachlor	<0.01 mg/kg
Metazachlor	<0.010 mg/kg
Dialifos (Dialifor)	<0.01 mg/kg
Dialifos (Dialifor)	<0.010 mg/kg
Coumaphos	<0.010 mg/kg
Coumaphos	<0.01 mg/kg
Simazine	<0.01 mg/kg
Simazine	<0.010 mg/kg
Tolyfluanid	<0.01 mg/kg
Tolyfluanid	<0.010 mg/kg
Alachlor	<0.010 mg/kg
Alachlor	<0.01 mg/kg
Pirimicarb	<0.010 mg/kg
Pirimicarb	<0.01 mg/kg
Oxyfluorfen	<0.010 mg/kg
Oxyfluorfen	<0.01 mg/kg
MGK 264 (sum of isomers)	<0.010 mg/kg
MGK 264 (sum of isomers)	<0.01 mg/kg
Clofentezine	<0.010 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2023-24 Contaminants	Eurofins Sample:	13309737
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis	Result
Multi-Residue Analysis (500+ Compounds)	
Clofentezine	<0.01 mg/kg
Butoxycarboxim	<0.01 mg/kg
Butoxycarboxim	<0.010 mg/kg
Sulfallate	<0.010 mg/kg
Sulfallate	<0.01 mg/kg
Prosulfocarb	<0.010 mg/kg
Prosulfocarb	<0.01 mg/kg
Uniconazole	<0.01 mg/kg
Uniconazole	<0.010 mg/kg
Fluridone	<0.01 mg/kg
Fluridone	<0.010 mg/kg
Bromophos-methyl	<0.01 mg/kg
Bromophos-methyl	<0.010 mg/kg
Permethrin (sum of isomers)	<0.010 mg/kg
Permethrin (sum of isomers)	<0.01 mg/kg
Mepanipyrim-2-hydroxypropyl	<0.01 mg/kg
Mepanipyrim-2-hydroxypropyl	<0.010 mg/kg
Ethirimol	<0.01 mg/kg
Ethirimol	<0.010 mg/kg
Dimethachlor	<0.010 mg/kg
Dimethachlor	<0.01 mg/kg
Butylate	<0.010 mg/kg
Butylate	<0.01 mg/kg
Spirodiclofen	<0.010 mg/kg
Spirodiclofen	<0.01 mg/kg
Triadimefon	<0.01 mg/kg
Triadimefon	<0.010 mg/kg
Tralkoxydim	<0.010 mg/kg
Tralkoxydim	<0.01 mg/kg
Aldicarb sulfone (Aldoxycarb)	<0.01 mg/kg
Diazinon oxon	<0.01 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	FLOW 2023-24 Contaminants	Eurofins Sample:	13309737
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis	Result
Multi-Residue Analysis (500+ Compounds)	
Tribufos (DEF)	<0.01 mg/kg
Pyroxasulfone	<0.01 mg/kg
Fluazaindolizine	non-analyzable
Gluten Allergen *	
Gluten Allergen (Product)	<5.0 ppm

Method References	Testing Location
-------------------	------------------

Gluten Allergen (GLUTENRIDA)	Eurofins Microbiology Laboratories 55 Hamblin Ave. East Battle Creek, MI 49017 USA
-------------------------------------	----------------------------------------------------------------------------------------------

AOAC 2012.01 (19th Ed)

Glyphosate and AMPA (GLY_AMPAS)	Food Integrity Innovation-Madison 6304 Ronald Reagan Ave Madison, WI 53704 USA
----------------------------------------	------------------------------------------------------------------------------------------

Internally developed method.

Multi-Residue Analysis (500+ Compounds) (PS05_S)	Food Integrity Innovation-Madison 6304 Ronald Reagan Ave Madison, WI 53704 USA
---------------------------------------------------------	------------------------------------------------------------------------------------------

Official Methods of Analysis, AOAC Official Method 2007.01, Pesticide Residues in Foods by Acetonitrile Extraction and Partitioning with Magnesium Sulfate, AOAC INTERNATIONAL (modified).

CEN Standard Method EN 15662: Food of plant origin - Determination of pesticide residues using GC-MS and/or LC-MS/MS following acetonitrile extraction/partitioning and clean-up by dispersive SPE - QuEChERS method.

List of the tested pesticides and their limits of quantification (LOQs) are available upon request.

Mycotoxins in Raw Materials (MYCO_REG_S)	Food Integrity Innovation-Madison 6304 Ronald Reagan Ave Madison, WI 53704 USA
-------------------------------------------------	------------------------------------------------------------------------------------------

Varga, E., Glauner, T., Koppen, R., Mayer, K., Sulyok, M., Schumacher, R., Krska, R. and Berthiller, F., "Stable isotope dilution assay for the accurate determination of mycotoxins in maize by UHPLC-MS/MS," Analytical and BioAnalytical Chemistry, 402:2675-2686 (2012).

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Method References

Yeast and Mold Analysis by Petrifilm (YMPET)

AOAC 997.02

Testing Location

EML New Berlin

2345 S 170th St New Berlin, WI 53151 USA

Testing Location(s)

Food Integrity Innovation-Madison

Eurofins Food Chemistry Testing Madison, Inc.
6304 Ronald Reagan Ave
Madison WI 53704
800-675-8375

Released on Behalf of Eurofins by

Edward Ladwig - President Eurofins Food
Chemistry Testing Madison



2918.01

These results apply only to the items tested. This certificate of analysis shall not be reproduced, except in its entirety, without the written approval of Eurofins. Measurement uncertainty for individual analyses can be obtained upon request.