

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	EASE 2023-24 Contaminants	Eurofins Sample:	13309929
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis	Result
Yeast and Mold Analysis by Petrifilm *	
Yeast Count	<10 CFU/g
Mold Count	<10 CFU/g
Elements by ICP Mass Spectrometry	
Lead	<5.00 ppb
Mercury	<5.00 ppb
Cadmium	6.97 ppb
Arsenic	<10.0 ppb
Mycotoxins in Raw Materials	
Aflatoxin B1	<0.500 ppb
Aflatoxin B2	<0.500 ppb
Aflatoxin G1	<0.500 ppb
Aflatoxin G2	<0.500 ppb
Aflatoxin M1	<0.500 ppb
Aflatoxin M2	<0.500 ppb
Deoxynivalenol	<100 ppb
T-2 Toxin	<10.0 ppb
HT-2 Toxin	<100 ppb
Fumonisin B1	<25.0 ppb
Fumonisin B2	<25.0 ppb
Ochratoxin A	<1.00 ppb
Zearalenone	<30.0 ppb
Glyphosate and AMPA	
Glyphosate	<100 ng/g
AMPA	<100 ng/g
Multi-Residue Analysis (500+ Compounds)	
Matrix Type - To Determine Limit of Quantification (LOQ)	Spices - Botanicals - and other Specialty Samples
Famoxadone	<0.01 mg/kg
Famoxadone	<0.010 mg/kg
Fenamidone	<0.01 mg/kg
Fenamidone	<0.010 mg/kg
Fenazaquin	<0.010 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	EASE 2023-24 Contaminants	Eurofins Sample:	13309929
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis

Result

Multi-Residue Analysis (500+ Compounds)

Fenazaquin	<0.01 mg/kg
Fensulfothion oxon	<0.01 mg/kg
Fensulfothion oxon	<0.010 mg/kg
Fenthion oxon sulfoxide	<0.01 mg/kg
Fenthion oxon sulfoxide	<0.010 mg/kg
Fluazifop-butyl	<0.01 mg/kg
Fluazifop-butyl	<0.010 mg/kg
Fosthiazate (sum of isomers)	<0.010 mg/kg
Fosthiazate (sum of isomers)	<0.01 mg/kg
Griseofulvin	<0.01 mg/kg
Griseofulvin	<0.010 mg/kg
Hexaconazole	<0.010 mg/kg
Hexaconazole	<0.01 mg/kg
Hexazinone	<0.01 mg/kg
Hexazinone	<0.010 mg/kg
Imazalil	<0.010 mg/kg
Imazalil	<0.01 mg/kg
Imidacloprid	non-analyzable
Isofenphos-methyl	<0.01 mg/kg
Isofenphos-methyl	<0.010 mg/kg
Isoxaflutole	<0.010 mg/kg
Isoxaflutole	<0.01 mg/kg
Linuron	<0.01 mg/kg
Linuron	<0.010 mg/kg
Tetrachloroanisole, 2,3,4,5-	<0.01 mg/kg
Tetrachloroanisole, 2,3,4,5-	<0.010 mg/kg
Thiofanox sulfone	<0.01 mg/kg
Thiofanox sulfone	<0.010 mg/kg
Thiophanate-methyl	<0.01 mg/kg
Thiophanate-methyl	<0.010 mg/kg
Triforine	non-analyzable
Prochloraz	<0.01 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	EASE 2023-24 Contaminants	Eurofins Sample:	13309929
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis

Result

Multi-Residue Analysis (500+ Compounds)

Prochloraz	<0.010 mg/kg
Quinalphos	<0.010 mg/kg
Quinalphos	<0.01 mg/kg
Resmethrin (sum of isomers)	<0.01 mg/kg
Resmethrin (sum of isomers)	<0.010 mg/kg
Secbumeton	<0.01 mg/kg
Secbumeton	<0.010 mg/kg
Simetryn	<0.010 mg/kg
Simetryn	<0.01 mg/kg
Spinetoram (spinosyns J and L)	<0.010 mg/kg
Spinetoram (spinosyns J and L)	<0.01 mg/kg
Spinosad (spinosyns A and D)	<0.010 mg/kg
Spinosad (spinosyns A and D)	<0.01 mg/kg
Spiroxamine (2 diastereoisomers)	<0.01 mg/kg
Spiroxamine (2 diastereoisomers)	<0.010 mg/kg
Tebuthiuron	<0.01 mg/kg
Tebuthiuron	<0.010 mg/kg
Butafenacil	<0.010 mg/kg
Butafenacil	<0.01 mg/kg
Carbetamide	<0.01 mg/kg
Carbetamide	<0.010 mg/kg
Chloridazon (Pyrazon)	<0.010 mg/kg
Chloridazon (Pyrazon)	<0.01 mg/kg
Chlorpropham (CIPC)	<0.01 mg/kg
Chlorpropham (CIPC)	<0.010 mg/kg
Cyanofenphos	<0.01 mg/kg
Cyanofenphos	<0.010 mg/kg
Cycloxydim	<0.010 mg/kg
Cycloxydim	<0.01 mg/kg
Cyflumetofen	<0.01 mg/kg
Cyflumetofen	<0.010 mg/kg
Cyromazine	non-analyzable

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	EASE 2023-24 Contaminants	Eurofins Sample:	13309929
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis

Result

Multi-Residue Analysis (500+ Compounds)

DDE, o,p'-	<0.010 mg/kg
DDE, o,p'-	<0.01 mg/kg
DDE, p,p'-	<0.010 mg/kg
DDE, p,p'-	<0.01 mg/kg
DDT, o,p'-	<0.01 mg/kg
DDT, o,p'-	<0.010 mg/kg
DEET (Diethyltoluamide)	non-analyzable
DMST (Dimethylaminosulfotoluidide)	<0.01 mg/kg
DMST (Dimethylaminosulfotoluidide)	<0.010 mg/kg
Dichlobenil	<0.010 mg/kg
Dichlobenil	<0.01 mg/kg
Dimethametryn	<0.010 mg/kg
Dimethametryn	<0.01 mg/kg
Diniconazole	<0.01 mg/kg
Diniconazole	<0.010 mg/kg
Dinitramine	<0.02 mg/kg
Dinitramine	<0.020 mg/kg
Emamectin benzoate	<0.010 mg/kg
Emamectin benzoate	<0.01 mg/kg
Endosulfan sulfate	<0.02 mg/kg
Endosulfan sulfate	<0.020 mg/kg
Ethidimuron (Sulfadiazole)	<0.010 mg/kg
Ethidimuron (Sulfadiazole)	<0.01 mg/kg
Malathion	<0.01 mg/kg
Malathion	<0.010 mg/kg
Mesosulfuron-methyl	<0.010 mg/kg
Mesosulfuron-methyl	<0.01 mg/kg
Metconazole	<0.010 mg/kg
Metconazole	<0.01 mg/kg
Methacrifos	<0.01 mg/kg
Methacrifos	<0.010 mg/kg
Methoxychlor	<0.01 mg/kg

* This analysis or component is not ISO accredited.

Printed: 25-Sep-2023 10:48 am

Page 4 of 35

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	EASE 2023-24 Contaminants	Eurofins Sample:	13309929
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis

Result

Multi-Residue Analysis (500+ Compounds)

Methoxychlor	<0.010 mg/kg
Metrafenone	<0.010 mg/kg
Metrafenone	<0.01 mg/kg
Neburon	<0.01 mg/kg
Neburon	<0.010 mg/kg
Nitenpyram	non-analyzable
Nonachlor, cis-	<0.01 mg/kg
Nonachlor, cis-	<0.010 mg/kg
Oxadiazon	<0.01 mg/kg
Oxadiazon	<0.010 mg/kg
Perthane (Ethylan)	<0.010 mg/kg
Perthane (Ethylan)	<0.01 mg/kg
Phenthoate	<0.01 mg/kg
Phenthoate	<0.010 mg/kg
Pirimiphos-ethyl	<0.010 mg/kg
Pirimiphos-ethyl	<0.01 mg/kg
Aminocarb	<0.010 mg/kg
Aminocarb	<0.01 mg/kg
Benzoximate	<0.01 mg/kg
Benzoximate	<0.010 mg/kg
Bifenthrin	<0.010 mg/kg
Bifenthrin	<0.01 mg/kg
Bromuconazole (2 diastereoisomers)	<0.010 mg/kg
Bromuconazole (2 diastereoisomers)	<0.01 mg/kg
Fenamiphos sulfoxide	<0.01 mg/kg
Fenamiphos sulfoxide	<0.010 mg/kg
Fenhexamid	<0.01 mg/kg
Fenhexamid	<0.010 mg/kg
Fenobucarb	<0.01 mg/kg
Fenobucarb	<0.010 mg/kg
Fenoxanil (sum of isomers)	<0.010 mg/kg
Fenoxanil (sum of isomers)	<0.01 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	EASE 2023-24 Contaminants	Eurofins Sample:	13309929
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis

Result

Multi-Residue Analysis (500+ Compounds)

Fensulfothion	<0.010 mg/kg
Fensulfothion	<0.01 mg/kg
Fipronil	<0.01 mg/kg
Fipronil	<0.010 mg/kg
Flucarbazone-sodium	<0.02 mg/kg
Flucarbazone-sodium	<0.020 mg/kg
Flumioxazin	<0.010 mg/kg
Flumioxazin	<0.01 mg/kg
Fluopicolide	<0.01 mg/kg
Fluopicolide	<0.010 mg/kg
Fluquinconazole	<0.01 mg/kg
Fluquinconazole	<0.010 mg/kg
Forchlorfenuron	<0.010 mg/kg
Forchlorfenuron	<0.01 mg/kg
Hydramethylnon	<0.01 mg/kg
Hydramethylnon	<0.010 mg/kg
Indoxacarb	<0.010 mg/kg
Indoxacarb	<0.01 mg/kg
Isoxaben	<0.01 mg/kg
Isoxaben	<0.010 mg/kg
Isoxadifen-ethyl	<0.010 mg/kg
Isoxadifen-ethyl	<0.01 mg/kg
Ivermectin	<0.05 mg/kg
Ivermectin	<0.050 mg/kg
Lactofen	<0.010 mg/kg
Lactofen	<0.01 mg/kg
Terbufos sulfone	<0.01 mg/kg
Terbufos sulfone	<0.010 mg/kg
Tetramethrin (sum of isomers)	<0.01 mg/kg
Tetramethrin (sum of isomers)	<0.010 mg/kg
Thiamethoxam	<0.010 mg/kg
Thiamethoxam	<0.01 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	EASE 2023-24 Contaminants	Eurofins Sample:	13309929
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis

Result

Multi-Residue Analysis (500+ Compounds)

Thifensulfuron-methyl	<0.01 mg/kg
Thifensulfuron-methyl	<0.010 mg/kg
Trichlorfon (Metrifonate)	<0.01 mg/kg
Trichlorfon (Metrifonate)	<0.010 mg/kg
Trifloxystrobin	<0.010 mg/kg
Trifloxystrobin	<0.01 mg/kg
Primisulfuron-methyl	<0.010 mg/kg
Primisulfuron-methyl	<0.01 mg/kg
Propyzamide (Pronamide)	<0.010 mg/kg
Propyzamide (Pronamide)	<0.01 mg/kg
Pyrazophos	<0.01 mg/kg
Pyrazophos	<0.010 mg/kg
Pyrethrum (total)	<0.10 mg/kg
Pyridalyl	<0.010 mg/kg
Pyridalyl	<0.01 mg/kg
Pyrifenox (E- and Z-isomers)	<0.010 mg/kg
Pyrifenox (E- and Z-isomers)	<0.01 mg/kg
Pyrimethanil	<0.010 mg/kg
Pyrimethanil	<0.01 mg/kg
Pyroxsulam	<0.010 mg/kg
Pyroxsulam	<0.01 mg/kg
Silthiofam	<0.01 mg/kg
Silthiofam	<0.010 mg/kg
Sulprofos	<0.010 mg/kg
Sulprofos	<0.01 mg/kg
Tebufenpyrad	<0.01 mg/kg
Tebufenpyrad	<0.010 mg/kg
Tefluthrin	<0.010 mg/kg
Tefluthrin	<0.01 mg/kg
Tepraloxydim (E- and Z-isomers)	<0.010 mg/kg
Tepraloxydim (E- and Z-isomers)	<0.01 mg/kg
Butocarboxim	<0.020 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	EASE 2023-24 Contaminants	Eurofins Sample:	13309929
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis

Result

Multi-Residue Analysis (500+ Compounds)

Butocarboxim	<0.02 mg/kg
Chlorimuron-ethyl (Classic)	<0.010 mg/kg
Chlorimuron-ethyl (Classic)	<0.01 mg/kg
Chlorpyrifos-methyl	<0.010 mg/kg
Chlorpyrifos-methyl	<0.01 mg/kg
Cyazofamid	<0.01 mg/kg
Cyazofamid	<0.010 mg/kg
Cyflufenamid	<0.01 mg/kg
Cyflufenamid	<0.010 mg/kg
Cyprodinil	<0.01 mg/kg
Cyprodinil	<0.010 mg/kg
DDD, o,p'-	<0.010 mg/kg
DDD, o,p'-	<0.01 mg/kg
DDT, p,p'-	<0.010 mg/kg
DDT, p,p'-	<0.01 mg/kg
Demeton-S-methyl	<0.01 mg/kg
Demeton-S-methyl	<0.010 mg/kg
Diazinon	<0.01 mg/kg
Diazinon	<0.010 mg/kg
Dieldrin	<0.01 mg/kg
Dieldrin	<0.010 mg/kg
Diphenamid	<0.01 mg/kg
Diphenamid	<0.010 mg/kg
Endosulfan I (alpha-isomer)	<0.02 mg/kg
Endosulfan I (alpha-isomer)	<0.020 mg/kg
Ethiofencarb	<0.01 mg/kg
Ethiofencarb	<0.010 mg/kg
Ethion	<0.010 mg/kg
Ethion	<0.01 mg/kg
Etrimfos	<0.010 mg/kg
Etrimfos	<0.01 mg/kg
Mepanipyrim	<0.01 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	EASE 2023-24 Contaminants	Eurofins Sample:	13309929
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis

Result

Multi-Residue Analysis (500+ Compounds)

Mepanipyrim	<0.010 mg/kg
Methidathion	<0.01 mg/kg
Methidathion	<0.010 mg/kg
Methoprotryne	<0.01 mg/kg
Methoprotryne	<0.010 mg/kg
Methoxyfenozide	<0.010 mg/kg
Methoxyfenozide	<0.01 mg/kg
Metoxuron	<0.010 mg/kg
Metoxuron	<0.01 mg/kg
Mexacarbate	<0.010 mg/kg
Mexacarbate	<0.01 mg/kg
Mirex	<0.01 mg/kg
Mirex	<0.010 mg/kg
Nitrofen	<0.01 mg/kg
Nitrofen	<0.010 mg/kg
Nuarimol	<0.010 mg/kg
Nuarimol	<0.01 mg/kg
Oxamyl oxime	<0.01 mg/kg
Oxamyl oxime	<0.010 mg/kg
Parathion	<0.01 mg/kg
Parathion	<0.010 mg/kg
Parathion-methyl	<0.010 mg/kg
Parathion-methyl	<0.01 mg/kg
Pendimethalin	<0.010 mg/kg
Pendimethalin	<0.01 mg/kg
Pentachlorobenzonitrile	<0.010 mg/kg
Pentachlorobenzonitrile	<0.01 mg/kg
Pentachlorothioanisole	<0.010 mg/kg
Pentachlorothioanisole	<0.01 mg/kg
Phosalone	<0.01 mg/kg
Phosalone	<0.010 mg/kg
Pirimiphos-methyl, N-desethyl-	<0.01 mg/kg

* This analysis or component is not ISO accredited.

Printed: 25-Sep-2023 10:48 am

Page 9 of 35

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	EASE 2023-24 Contaminants	Eurofins Sample:	13309929
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis

Result

Multi-Residue Analysis (500+ Compounds)

Pirimiphos-methyl, N-desethyl-	<0.010 mg/kg
Aldicarb sulfoxide	<0.010 mg/kg
Aldicarb sulfoxide	<0.01 mg/kg
Amitraz metabolite DMF	<0.010 mg/kg
Amitraz metabolite DMF	<0.01 mg/kg
Anilofos	<0.01 mg/kg
Anilofos	<0.010 mg/kg
Atrazine	<0.010 mg/kg
Atrazine	<0.01 mg/kg
Azinphos-ethyl	<0.01 mg/kg
Azinphos-ethyl	<0.010 mg/kg
Azinphos-methyl	<0.010 mg/kg
Azinphos-methyl	<0.01 mg/kg
Azoxystrobin	<0.010 mg/kg
Azoxystrobin	<0.01 mg/kg
Bifenazate	<0.01 mg/kg
Bifenazate	<0.010 mg/kg
Bixafen	<0.010 mg/kg
Bixafen	<0.01 mg/kg
Bromacil	<0.01 mg/kg
Bromacil	<0.010 mg/kg
Bromophos-ethyl	<0.01 mg/kg
Bromophos-ethyl	<0.010 mg/kg
Fenamiphos sulfone	<0.010 mg/kg
Fenamiphos sulfone	<0.01 mg/kg
Fenchlorphos (Ronnell)	<0.010 mg/kg
Fenchlorphos (Ronnell)	<0.01 mg/kg
Fenoxycarb	<0.01 mg/kg
Fenoxycarb	<0.010 mg/kg
Fenthion oxon	<0.010 mg/kg
Fenthion oxon	<0.01 mg/kg
Fipronil desulfinyl	<0.01 mg/kg

* This analysis or component is not ISO accredited.

Printed: 25-Sep-2023 10:48 am

Page 10 of 35

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	EASE 2023-24 Contaminants	Eurofins Sample:	13309929
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis

Result

Multi-Residue Analysis (500+ Compounds)

Fipronil desulfinyl	<0.010 mg/kg
Florylpicoxamid	<0.010 mg/kg
Florylpicoxamid	<0.01 mg/kg
Flucythrinate (sum of isomers)	<0.01 mg/kg
Flucythrinate (sum of isomers)	<0.010 mg/kg
Flufenacet	<0.01 mg/kg
Flufenacet	<0.010 mg/kg
Flumethrin	non-analyzable
Flumetsulam	<0.010 mg/kg
Flumetsulam	<0.01 mg/kg
Fluvalinate tau- (sum of isomers)	<0.01 mg/kg
Fluvalinate tau- (sum of isomers)	<0.010 mg/kg
Formetanate hydrochloride	<0.01 mg/kg
Formetanate hydrochloride	<0.010 mg/kg
Hydroprene, S- (sum of isomers)	<0.01 mg/kg
Hydroprene, S- (sum of isomers)	<0.010 mg/kg
Imazamethabenz-methyl	<0.01 mg/kg
Imazamethabenz-methyl	<0.010 mg/kg
Iprovalicarb	<0.01 mg/kg
Iprovalicarb	<0.010 mg/kg
Isoprocarb	<0.010 mg/kg
Isoprocarb	<0.01 mg/kg
Isoprothiolane	<0.01 mg/kg
Isoprothiolane	<0.010 mg/kg
Isoxathion	<0.010 mg/kg
Isoxathion	<0.01 mg/kg
Lenacil	<0.01 mg/kg
Lenacil	<0.010 mg/kg
Thiabendazole	<0.010 mg/kg
Thiabendazole	<0.01 mg/kg
Thiazopyr	<0.010 mg/kg
Thiazopyr	<0.01 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	EASE 2023-24 Contaminants	Eurofins Sample:	13309929
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis

Result

Multi-Residue Analysis (500+ Compounds)

Thiodicarb	<0.01 mg/kg
Thiodicarb	<0.010 mg/kg
Trichloroanisole, 2,4,6-	<0.01 mg/kg
Trichloroanisole, 2,4,6-	<0.010 mg/kg
Propetamphos	<0.010 mg/kg
Propetamphos	<0.01 mg/kg
Prothioconazole-desthio	<0.01 mg/kg
Prothioconazole-desthio	<0.010 mg/kg
Pymetrozine	non-analyzable
Pyraclostrobin	<0.01 mg/kg
Pyraclostrobin	<0.010 mg/kg
Pyridate	<0.01 mg/kg
Pyridate	<0.010 mg/kg
Pyroquilon	<0.01 mg/kg
Pyroquilon	<0.010 mg/kg
Spiromesifen	<0.010 mg/kg
Spiromesifen	<0.01 mg/kg
Sulfentrazone	non-analyzable
Tebufenozide	<0.01 mg/kg
Tebufenozide	<0.010 mg/kg
Carbendazim	<0.01 mg/kg
Carbendazim	<0.010 mg/kg
Carboxin	<0.010 mg/kg
Carboxin	<0.01 mg/kg
Chlorfluazuron	<0.010 mg/kg
Chlorfluazuron	<0.01 mg/kg
Chlorobenzilate	<0.01 mg/kg
Chlorobenzilate	<0.010 mg/kg
Chloroxuron	<0.010 mg/kg
Chloroxuron	<0.01 mg/kg
Cyantraniliprole	<0.010 mg/kg
Cyantraniliprole	<0.01 mg/kg

* This analysis or component is not ISO accredited.

Printed: 25-Sep-2023 10:48 am

Page 12 of 35

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	EASE 2023-24 Contaminants	Eurofins Sample:	13309929
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis

Result

Multi-Residue Analysis (500+ Compounds)

Cycluron	<0.010 mg/kg
Cycluron	<0.01 mg/kg
Cyfluthrin	<0.010 mg/kg
Cyfluthrin	<0.01 mg/kg
Cymiazole	<0.01 mg/kg
Cymiazole	<0.010 mg/kg
Cymoxanil	non-analyzable
Dichlofluanid	<0.01 mg/kg
Dichlofluanid	<0.010 mg/kg
Dicrotophos	<0.01 mg/kg
Dicrotophos	<0.010 mg/kg
Diethofencarb	<0.010 mg/kg
Diethofencarb	<0.01 mg/kg
Diflufenican	<0.010 mg/kg
Diflufenican	<0.01 mg/kg
Disulfoton sulfoxide	<0.01 mg/kg
Disulfoton sulfoxide	<0.010 mg/kg
Diuron	<0.010 mg/kg
Diuron	<0.01 mg/kg
Endosulfan II (beta-isomer)	<0.02 mg/kg
Endosulfan II (beta-isomer)	<0.020 mg/kg
Endrin	<0.010 mg/kg
Endrin	<0.01 mg/kg
Mephosfolan	<0.01 mg/kg
Mephosfolan	<0.010 mg/kg
Metosulam	<0.01 mg/kg
Metosulam	<0.010 mg/kg
Penconazole	<0.01 mg/kg
Penconazole	<0.010 mg/kg
Phorate sulfone	<0.01 mg/kg
Phorate sulfone	<0.010 mg/kg
Phosphamidon (E- and Z-isomers)	<0.01 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	EASE 2023-24 Contaminants	Eurofins Sample:	13309929
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis

Result

Multi-Residue Analysis (500+ Compounds)

Phosphamidon (E- and Z-isomers)	<0.010 mg/kg
Acrinathrin	<0.010 mg/kg
Acrinathrin	<0.01 mg/kg
Aldicarb	<0.01 mg/kg
Aldicarb	<0.010 mg/kg
Ametryn	<0.010 mg/kg
Ametryn	<0.01 mg/kg
Fenarimol	<0.01 mg/kg
Fenarimol	<0.010 mg/kg
Fenbutatin oxide	<0.010 mg/kg
Fenbutatin oxide	<0.01 mg/kg
Fenitrothion	<0.01 mg/kg
Fenitrothion	<0.010 mg/kg
Fenthion oxon sulfone	<0.01 mg/kg
Fenthion oxon sulfone	<0.010 mg/kg
Fentin	non-analyzable
Flonicamid	non-analyzable
Flufenoxuron	<0.010 mg/kg
Flufenoxuron	<0.01 mg/kg
Fluometuron	<0.01 mg/kg
Fluometuron	<0.010 mg/kg
Fluxapyroxad	<0.01 mg/kg
Fluxapyroxad	<0.010 mg/kg
Foramsulfuron	<0.010 mg/kg
Foramsulfuron	<0.01 mg/kg
HCH, delta- (delta-BHC)	<0.01 mg/kg
HCH, delta- (delta-BHC)	<0.010 mg/kg
Heptachlor endo-epoxide	<0.02 mg/kg
Heptachlor endo-epoxide	<0.020 mg/kg
Hexythiazox	<0.010 mg/kg
Hexythiazox	<0.01 mg/kg
Isofenphos	<0.010 mg/kg

* This analysis or component is not ISO accredited.

Printed: 25-Sep-2023 10:48 am

Page 14 of 35

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	EASE 2023-24 Contaminants	Eurofins Sample:	13309929
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis

Result

Multi-Residue Analysis (500+ Compounds)

Isofenphos	<0.01 mg/kg
Terbufos	<0.010 mg/kg
Terbufos	<0.01 mg/kg
Terbufos sulfoxide	<0.010 mg/kg
Terbufos sulfoxide	<0.01 mg/kg
Thidiazuron	<0.01 mg/kg
Thidiazuron	<0.010 mg/kg
Tolclofos-methyl	<0.010 mg/kg
Tolclofos-methyl	<0.01 mg/kg
Trietazine	<0.010 mg/kg
Trietazine	<0.01 mg/kg
Trimethacarb	<0.010 mg/kg
Trimethacarb	<0.01 mg/kg
Procymidone	<0.010 mg/kg
Procymidone	<0.01 mg/kg
Profenofos	<0.01 mg/kg
Profenofos	<0.010 mg/kg
Propamocarb	<0.01 mg/kg
Propamocarb	<0.010 mg/kg
Propaquizafop	<0.01 mg/kg
Propaquizafop	<0.010 mg/kg
Propham	<0.010 mg/kg
Propham	<0.01 mg/kg
Proquinazid	<0.010 mg/kg
Proquinazid	<0.01 mg/kg
Quinoxifen	<0.010 mg/kg
Quinoxifen	<0.01 mg/kg
Quizalofop-ethyl	<0.010 mg/kg
Quizalofop-ethyl	<0.01 mg/kg
S421	<0.010 mg/kg
S421	<0.01 mg/kg
Simeconazole	<0.02 mg/kg

* This analysis or component is not ISO accredited.

Printed: 25-Sep-2023 10:48 am

Page 15 of 35

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	EASE 2023-24 Contaminants	Eurofins Sample:	13309929
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis

Result

Multi-Residue Analysis (500+ Compounds)

Simeconazole	<0.020 mg/kg
Tebupirimfos	<0.010 mg/kg
Tebupirimfos	<0.01 mg/kg
Tecnazene	<0.010 mg/kg
Tecnazene	<0.01 mg/kg
Teflubenzuron	<0.01 mg/kg
Teflubenzuron	<0.010 mg/kg
Bupirimate	<0.01 mg/kg
Bupirimate	<0.010 mg/kg
Cadusafos	<0.010 mg/kg
Cadusafos	<0.01 mg/kg
Chlordane, trans-	<0.01 mg/kg
Chlordane, trans-	<0.010 mg/kg
Chlorotoluron (Chlortoluron)	<0.010 mg/kg
Chlorotoluron (Chlortoluron)	<0.01 mg/kg
Cycloate	<0.010 mg/kg
Cycloate	<0.01 mg/kg
Dacthal (Chlorthal-dimethyl, DCPA)	<0.010 mg/kg
Dacthal (Chlorthal-dimethyl, DCPA)	<0.01 mg/kg
Doramectin	<0.05 mg/kg
Doramectin	<0.050 mg/kg
Ethaboxam	<0.01 mg/kg
Ethaboxam	<0.010 mg/kg
Ethalfuralin	<0.01 mg/kg
Ethalfuralin	<0.010 mg/kg
Ethiofencarb sulfone	<0.010 mg/kg
Ethiofencarb sulfone	<0.01 mg/kg
Ethiprole	<0.01 mg/kg
Ethiprole	<0.010 mg/kg
Metaflumizone	<0.01 mg/kg
Metaflumizone	<0.010 mg/kg
Metalaxyl	<0.010 mg/kg

* This analysis or component is not ISO accredited.

Printed: 25-Sep-2023 10:48 am

Page 16 of 35

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	EASE 2023-24 Contaminants	Eurofins Sample:	13309929
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis

Result

Multi-Residue Analysis (500+ Compounds)

Metalaxyl	<0.01 mg/kg
Methabenzthiazuron	<0.010 mg/kg
Methabenzthiazuron	<0.01 mg/kg
Metribuzin	<0.01 mg/kg
Metribuzin	<0.010 mg/kg
Naled (Dibrom)	<0.01 mg/kg
Naled (Dibrom)	<0.010 mg/kg
Nonachlor, trans-	<0.010 mg/kg
Nonachlor, trans-	<0.01 mg/kg
Norflurazon-desmethyl	<0.010 mg/kg
Norflurazon-desmethyl	<0.01 mg/kg
Novaluron	<0.010 mg/kg
Novaluron	<0.01 mg/kg
Omethoate	<0.010 mg/kg
Omethoate	<0.01 mg/kg
Oxamyl	<0.010 mg/kg
Oxamyl	<0.01 mg/kg
Paraoxon	<0.010 mg/kg
Paraoxon	<0.01 mg/kg
Penoxsulam	<0.010 mg/kg
Penoxsulam	<0.01 mg/kg
Abamectin	<0.05 mg/kg
Abamectin	<0.050 mg/kg
Bensulide	<0.010 mg/kg
Bensulide	<0.01 mg/kg
Bromopropylate	<0.010 mg/kg
Bromopropylate	<0.01 mg/kg
Fenamiphos	<0.01 mg/kg
Fenamiphos	<0.010 mg/kg
Fenpropidin	<0.010 mg/kg
Fenpropidin	<0.01 mg/kg
Fenpyroximate	<0.01 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	EASE 2023-24 Contaminants	Eurofins Sample:	13309929
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis

Result

Multi-Residue Analysis (500+ Compounds)

Fenpyroximate	<0.010 mg/kg
Fenthion sulfone	<0.010 mg/kg
Fenthion sulfone	<0.01 mg/kg
Fenvalerate/Esfenvalerate (sum of isomers)	<0.020 mg/kg
Fenvalerate/Esfenvalerate (sum of isomers)	<0.02 mg/kg
Flazasulfuron	<0.010 mg/kg
Flazasulfuron	<0.01 mg/kg
Fluopyram	<0.01 mg/kg
Fluopyram	<0.010 mg/kg
Fluoxastrobin	<0.010 mg/kg
Fluoxastrobin	<0.01 mg/kg
Fuberidazole	<0.01 mg/kg
Fuberidazole	<0.010 mg/kg
Imazethapyr	<0.010 mg/kg
Imazethapyr	<0.01 mg/kg
Iprodione metabolite	<0.01 mg/kg
Iprodione metabolite	<0.010 mg/kg
Isoproturon	<0.010 mg/kg
Isoproturon	<0.01 mg/kg
Kresoxim-methyl	<0.010 mg/kg
Kresoxim-methyl	<0.01 mg/kg
Lindane (gamma-HCH, gamma-BHC)	<0.01 mg/kg
Lindane (gamma-HCH, gamma-BHC)	<0.010 mg/kg
Terbutryn	<0.01 mg/kg
Terbutryn	<0.010 mg/kg
Tetrachlorvinphos	<0.010 mg/kg
Tetrachlorvinphos	<0.01 mg/kg
Thiabendazole-5-hydroxy-	<0.010 mg/kg
Thiabendazole-5-hydroxy-	<0.01 mg/kg
Thiacloprid	<0.010 mg/kg
Thiacloprid	<0.01 mg/kg
Triasulfuron	<0.01 mg/kg

* This analysis or component is not ISO accredited.

Printed: 25-Sep-2023 10:48 am

Page 18 of 35

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	EASE 2023-24 Contaminants	Eurofins Sample:	13309929
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis

Result

Multi-Residue Analysis (500+ Compounds)

Triasulfuron	<0.010 mg/kg
Tricyclazole	<0.01 mg/kg
Tricyclazole	<0.010 mg/kg
Trifloxysulfuron	<0.01 mg/kg
Trifloxysulfuron	<0.010 mg/kg
Triflumizole	<0.010 mg/kg
Triflumizole	<0.01 mg/kg
Trifluralin	<0.010 mg/kg
Trifluralin	<0.01 mg/kg
Vamidothion	<0.010 mg/kg
Vamidothion	<0.01 mg/kg
Prallethrin	<0.010 mg/kg
Prallethrin	<0.01 mg/kg
Pretilachlor	<0.01 mg/kg
Pretilachlor	<0.010 mg/kg
Prodiamine	<0.01 mg/kg
Prodiamine	<0.010 mg/kg
Prometon	<0.010 mg/kg
Prometon	<0.01 mg/kg
Prometryn	<0.010 mg/kg
Prometryn	<0.01 mg/kg
Propoxur	<0.01 mg/kg
Propoxur	<0.010 mg/kg
Pyraflufen-ethyl	<0.010 mg/kg
Pyraflufen-ethyl	<0.01 mg/kg
Pyridaben	<0.010 mg/kg
Pyridaben	<0.01 mg/kg
Pyridaphenthion	<0.01 mg/kg
Pyridaphenthion	<0.010 mg/kg
Quizalofop	non-analyzable
Rimsulfuron	<0.010 mg/kg
Rimsulfuron	<0.01 mg/kg

* This analysis or component is not ISO accredited.

Printed: 25-Sep-2023 10:48 am

Page 19 of 35

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	EASE 2023-24 Contaminants	Eurofins Sample:	13309929
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis

Result

Multi-Residue Analysis (500+ Compounds)

Schradan (Octamethylpyrophosphoramidate)	<0.010 mg/kg
Schradan (Octamethylpyrophosphoramidate)	<0.01 mg/kg
Sethoxydim (E- and Z-isomers)	<0.01 mg/kg
Sethoxydim (E- and Z-isomers)	<0.010 mg/kg
Siduron	<0.010 mg/kg
Siduron	<0.01 mg/kg
Captan (as THPI)	<0.01 mg/kg
Captan (as THPI)	<0.010 mg/kg
Carbophenothion	<0.010 mg/kg
Carbophenothion	<0.01 mg/kg
Chlorbromuron	<0.010 mg/kg
Chlorbromuron	<0.01 mg/kg
Cypermethrin	<0.01 mg/kg
Cypermethrin	<0.010 mg/kg
Cyproconazole (2 diastereoisomers)	<0.010 mg/kg
Cyproconazole (2 diastereoisomers)	<0.01 mg/kg
Diclobutrazol	<0.01 mg/kg
Diclobutrazol	<0.010 mg/kg
Dicofol	<0.01 mg/kg
Dicofol	<0.010 mg/kg
Difenoconazole (cis- and trans-)	<0.01 mg/kg
Difenoconazole (cis- and trans-)	<0.010 mg/kg
Dinotefuran	non-analyzable
Dioxacarb	<0.010 mg/kg
Dioxacarb	<0.01 mg/kg
Dipropetryn	<0.010 mg/kg
Dipropetryn	<0.01 mg/kg
EPN	<0.01 mg/kg
EPN	<0.010 mg/kg
Eprinomectin	<0.02 mg/kg
Eprinomectin	<0.020 mg/kg
Etoxazole	<0.01 mg/kg

* This analysis or component is not ISO accredited.

Printed: 25-Sep-2023 10:48 am

Page 20 of 35

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	EASE 2023-24 Contaminants	Eurofins Sample:	13309929
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis

Result

Multi-Residue Analysis (500+ Compounds)

Etozazole	<0.010 mg/kg
Malaoxon	<0.010 mg/kg
Malaoxon	<0.01 mg/kg
Methiocarb sulfone	<0.010 mg/kg
Methiocarb sulfone	<0.01 mg/kg
Methiocarb sulfoxide	non-analyzable
Methomyl	<0.010 mg/kg
Methomyl	<0.01 mg/kg
Metobromuron	<0.01 mg/kg
Metobromuron	<0.010 mg/kg
Monocrotophos	non-analyzable
Norflurazon	<0.010 mg/kg
Norflurazon	<0.01 mg/kg
Oxadixyl	<0.01 mg/kg
Oxadixyl	<0.010 mg/kg
Oxycarboxin	non-analyzable
Oxydemeton-methyl	<0.010 mg/kg
Oxydemeton-methyl	<0.01 mg/kg
Paclobutrazol	<0.010 mg/kg
Paclobutrazol	<0.01 mg/kg
Paraoxon-methyl	<0.01 mg/kg
Paraoxon-methyl	<0.010 mg/kg
Pentachloroaniline	<0.010 mg/kg
Pentachloroaniline	<0.01 mg/kg
Piperophos	<0.010 mg/kg
Piperophos	<0.01 mg/kg
Acephate	<0.01 mg/kg
Acephate	<0.010 mg/kg
Acibenzolar-S-methyl	<0.010 mg/kg
Acibenzolar-S-methyl	<0.01 mg/kg
Azaconazole	<0.010 mg/kg
Azaconazole	<0.01 mg/kg

* This analysis or component is not ISO accredited.

Printed: 25-Sep-2023 10:48 am

Page 21 of 35

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	EASE 2023-24 Contaminants	Eurofins Sample:	13309929
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis

Result

Multi-Residue Analysis (500+ Compounds)

Benzyladenine	<0.01 mg/kg
Benzyladenine	<0.010 mg/kg
Bifenox	<0.010 mg/kg
Bifenox	<0.01 mg/kg
Fenchlorphos oxon	<0.01 mg/kg
Fenchlorphos oxon	<0.010 mg/kg
Fenthion	<0.010 mg/kg
Fenthion	<0.01 mg/kg
Fentrazamide	<0.01 mg/kg
Fentrazamide	<0.010 mg/kg
Fipronil sulfone	<0.01 mg/kg
Fipronil sulfone	<0.010 mg/kg
Formothion	<0.01 mg/kg
Formothion	<0.010 mg/kg
Furalaxyl	<0.01 mg/kg
Furalaxyl	<0.010 mg/kg
HCH, beta- (beta-BHC)	<0.01 mg/kg
HCH, beta- (beta-BHC)	<0.010 mg/kg
Halofenozide	<0.010 mg/kg
Halofenozide	<0.01 mg/kg
Halosulfuron-methyl	<0.010 mg/kg
Halosulfuron-methyl	<0.01 mg/kg
Hexaflumuron	<0.01 mg/kg
Hexaflumuron	<0.010 mg/kg
Iprodione	<0.010 mg/kg
Iprodione	<0.01 mg/kg
Lufenuron	<0.010 mg/kg
Lufenuron	<0.01 mg/kg
Terbacil	<0.01 mg/kg
Terbacil	<0.010 mg/kg
Terbumeton	<0.01 mg/kg
Terbumeton	<0.010 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	EASE 2023-24 Contaminants	Eurofins Sample:	13309929
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis

Result

Multi-Residue Analysis (500+ Compounds)

Thiobencarb (Benthiocarb)	<0.01 mg/kg
Thiobencarb (Benthiocarb)	<0.010 mg/kg
Triticonazole	<0.01 mg/kg
Triticonazole	<0.010 mg/kg
Vinclozolin	<0.01 mg/kg
Vinclozolin	<0.010 mg/kg
Propargite	<0.01 mg/kg
Propargite	<0.010 mg/kg
Pyracarbolid	<0.01 mg/kg
Pyracarbolid	<0.010 mg/kg
Pyriproxyfen	<0.01 mg/kg
Pyriproxyfen	<0.010 mg/kg
Quinoclamine	non-analyzable
Rotenone	<0.010 mg/kg
Rotenone	<0.01 mg/kg
Spirotetramat	<0.010 mg/kg
Spirotetramat	<0.01 mg/kg
Temephos	<0.010 mg/kg
Temephos	<0.01 mg/kg
Butocarboxim sulfoxide	<0.010 mg/kg
Butocarboxim sulfoxide	<0.01 mg/kg
Carbofuran	<0.01 mg/kg
Carbofuran	<0.010 mg/kg
Chlorfenapyr	<0.020 mg/kg
Chlorfenapyr	<0.02 mg/kg
Chlorpyrifos	<0.01 mg/kg
Chlorpyrifos	<0.010 mg/kg
Chlorsulfuron	<0.01 mg/kg
Chlorsulfuron	<0.010 mg/kg
Clethodim (E- and Z-isomers)	<0.010 mg/kg
Clethodim (E- and Z-isomers)	<0.01 mg/kg
Cloquintocet-mexyl	<0.01 mg/kg

* This analysis or component is not ISO accredited.

Printed: 25-Sep-2023 10:48 am

Page 23 of 35

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	EASE 2023-24 Contaminants	Eurofins Sample:	13309929
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis

Result

Multi-Residue Analysis (500+ Compounds)

Cloquintocet-mexyl	<0.010 mg/kg
Clothianidin	non-analyzable
Cyhalothrin, lambda-	<0.010 mg/kg
Cyhalothrin, lambda-	<0.01 mg/kg
Deltamethrin	<0.01 mg/kg
Deltamethrin	<0.010 mg/kg
Demeton-S-methyl sulfone	<0.010 mg/kg
Demeton-S-methyl sulfone	<0.01 mg/kg
Dichlofenthion	<0.010 mg/kg
Dichlofenthion	<0.01 mg/kg
Dichlorvos	<0.01 mg/kg
Dichlorvos	<0.010 mg/kg
Diclocymet (2 diastereoisomers)	<0.010 mg/kg
Diclocymet (2 diastereoisomers)	<0.01 mg/kg
Dicloran (DCNA)	<0.01 mg/kg
Dicloran (DCNA)	<0.010 mg/kg
Dimethenamid	<0.01 mg/kg
Dimethenamid	<0.010 mg/kg
Dimetilan	<0.01 mg/kg
Dimetilan	<0.010 mg/kg
Diphenylamine	<0.01 mg/kg
Diphenylamine	<0.010 mg/kg
Dodemorph (cis- and trans-)	<0.01 mg/kg
Dodemorph (cis- and trans-)	<0.010 mg/kg
Dodine	<0.01 mg/kg
Dodine	<0.010 mg/kg
Mandipropamid	<0.01 mg/kg
Mandipropamid	<0.010 mg/kg
Mecarbam	<0.010 mg/kg
Mecarbam	<0.01 mg/kg
Mefentrifluconazole	<0.01 mg/kg
Mefentrifluconazole	<0.010 mg/kg

* This analysis or component is not ISO accredited.

Printed: 25-Sep-2023 10:48 am

Page 24 of 35

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	EASE 2023-24 Contaminants	Eurofins Sample:	13309929
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis

Result

Multi-Residue Analysis (500+ Compounds)

Mesotrione	<0.010 mg/kg
Mesotrione	<0.01 mg/kg
Mevinphos (E- and Z-isomers)	<0.01 mg/kg
Mevinphos (E- and Z-isomers)	<0.010 mg/kg
Molinate	<0.01 mg/kg
Molinate	<0.010 mg/kg
Monolinuron	<0.01 mg/kg
Monolinuron	<0.010 mg/kg
Naphthol, 1-	<0.02 mg/kg
Naphthol, 1-	<0.020 mg/kg
Ofurace	<0.01 mg/kg
Ofurace	<0.010 mg/kg
Oxychlorane	<0.02 mg/kg
Oxychlorane	<0.020 mg/kg
Pencycuron	<0.010 mg/kg
Pencycuron	<0.01 mg/kg
Pentachlorobenzene	<0.01 mg/kg
Pentachlorobenzene	<0.010 mg/kg
Phenylphenol, 2- (OPP)	<0.050 mg/kg
Phenylphenol, 2- (OPP)	<0.05 mg/kg
Phosmet	<0.010 mg/kg
Phosmet	<0.01 mg/kg
Phosmet oxon	<0.01 mg/kg
Phosmet oxon	<0.010 mg/kg
Picolinafen	<0.010 mg/kg
Picolinafen	<0.01 mg/kg
Picoxystrobin	<0.010 mg/kg
Picoxystrobin	<0.01 mg/kg
Acetamiprid	<0.01 mg/kg
Acetamiprid	<0.010 mg/kg
Acetochlor	<0.01 mg/kg
Acetochlor	<0.010 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	EASE 2023-24 Contaminants	Eurofins Sample:	13309929
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis

Result

Multi-Residue Analysis (500+ Compounds)

Aclonifen	<0.01 mg/kg
Aclonifen	<0.010 mg/kg
Amitraz metabolite DMPF	non-analyzable
Azamethiphos	<0.010 mg/kg
Azamethiphos	<0.01 mg/kg
Beflubutamid	<0.010 mg/kg
Beflubutamid	<0.01 mg/kg
Benalaxyl	<0.01 mg/kg
Benalaxyl	<0.010 mg/kg
Bendiocarb	<0.010 mg/kg
Bendiocarb	<0.01 mg/kg
Benoxacor	<0.01 mg/kg
Benoxacor	<0.010 mg/kg
Boscalid	<0.01 mg/kg
Boscalid	<0.010 mg/kg
Fenbuconazole	<0.01 mg/kg
Fenbuconazole	<0.010 mg/kg
Fensulfothion oxon sulfone	<0.01 mg/kg
Fensulfothion oxon sulfone	<0.010 mg/kg
Fenuron	<0.01 mg/kg
Fenuron	<0.010 mg/kg
Flubendiamide	<0.05 mg/kg
Flubendiamide	<0.050 mg/kg
Fludioxonil	<0.01 mg/kg
Fludioxonil	<0.010 mg/kg
Haloxypop-methyl	<0.01 mg/kg
Haloxypop-methyl	<0.010 mg/kg
Heptachlor	<0.01 mg/kg
Heptachlor	<0.010 mg/kg
Heptachlor exo-epoxide	<0.010 mg/kg
Heptachlor exo-epoxide	<0.01 mg/kg
Hexachlorobenzene (HCB)	<0.01 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	EASE 2023-24 Contaminants	Eurofins Sample:	13309929
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis

Result

Multi-Residue Analysis (500+ Compounds)

Hexachlorobenzene (HCB)	<0.010 mg/kg
Ipconazole	<0.010 mg/kg
Ipconazole	<0.01 mg/kg
Iprodione isomer	<0.020 mg/kg
Iprodione isomer	<0.02 mg/kg
Isocarbamid	<0.010 mg/kg
Isocarbamid	<0.01 mg/kg
Tetrachloroaniline, 2,3,5,6-	<0.01 mg/kg
Tetrachloroaniline, 2,3,5,6-	<0.010 mg/kg
Tetraconazole	<0.01 mg/kg
Tetraconazole	<0.010 mg/kg
Tetradifon	<0.01 mg/kg
Tetradifon	<0.010 mg/kg
Thiofanox	<0.05 mg/kg
Thiofanox	<0.050 mg/kg
Tolfenpyrad	<0.010 mg/kg
Tolfenpyrad	<0.01 mg/kg
Triadimenol	<0.01 mg/kg
Triadimenol	<0.010 mg/kg
Triazophos	<0.010 mg/kg
Triazophos	<0.01 mg/kg
Triflumuron	<0.010 mg/kg
Triflumuron	<0.01 mg/kg
Propanil	<0.01 mg/kg
Propanil	<0.010 mg/kg
Prothiofos	<0.010 mg/kg
Prothiofos	<0.01 mg/kg
Quintozene	<0.01 mg/kg
Quintozene	<0.010 mg/kg
Spiromesifen enol	<0.010 mg/kg
Spiromesifen enol	<0.01 mg/kg
Tebuconazole	<0.010 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	EASE 2023-24 Contaminants	Eurofins Sample:	13309929
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis

Result

Multi-Residue Analysis (500+ Compounds)

Tebuconazole	<0.01 mg/kg
Buprofezin	<0.01 mg/kg
Buprofezin	<0.010 mg/kg
Butachlor	<0.010 mg/kg
Butachlor	<0.01 mg/kg
Carbofuran-3-hydroxy-	<0.01 mg/kg
Carbofuran-3-hydroxy-	<0.010 mg/kg
Chlordane, cis-	<0.01 mg/kg
Chlordane, cis-	<0.010 mg/kg
Chlordimeform	<0.01 mg/kg
Chlordimeform	<0.010 mg/kg
Clodinafop-propargyl	<0.010 mg/kg
Clodinafop-propargyl	<0.01 mg/kg
Clomazone	<0.010 mg/kg
Clomazone	<0.01 mg/kg
Cyanazine	<0.01 mg/kg
Cyanazine	<0.010 mg/kg
DDD, p,p'-	<0.01 mg/kg
DDD, p,p'-	<0.010 mg/kg
Demeton-O	<0.01 mg/kg
Demeton-O	<0.010 mg/kg
Demeton-S	<0.01 mg/kg
Demeton-S	<0.010 mg/kg
Desmedipham	<0.01 mg/kg
Desmedipham	<0.010 mg/kg
Dimethoate	<0.01 mg/kg
Dimethoate	<0.010 mg/kg
Dimethomorph (E- and Z-isomers)	<0.010 mg/kg
Dimethomorph (E- and Z-isomers)	<0.01 mg/kg
Disulfoton	<0.010 mg/kg
Disulfoton	<0.01 mg/kg
Disulfoton sulfone	<0.010 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	EASE 2023-24 Contaminants	Eurofins Sample:	13309929
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis

Result

Multi-Residue Analysis (500+ Compounds)

Disulfoton sulfone	<0.01 mg/kg
Epoxiconazole	<0.01 mg/kg
Epoxiconazole	<0.010 mg/kg
Ethiofencarb sulfoxide	<0.010 mg/kg
Ethiofencarb sulfoxide	<0.01 mg/kg
Ethofumesate	<0.010 mg/kg
Ethofumesate	<0.01 mg/kg
Ethoprophos (Ethoprop)	<0.01 mg/kg
Ethoprophos (Ethoprop)	<0.010 mg/kg
Etofenprox	<0.010 mg/kg
Etofenprox	<0.01 mg/kg
Methiocarb	<0.01 mg/kg
Methiocarb	<0.010 mg/kg
Metsulfuron-methyl	<0.01 mg/kg
Metsulfuron-methyl	<0.010 mg/kg
Moxidectin	<0.050 mg/kg
Moxidectin	<0.05 mg/kg
Myclobutanil	<0.010 mg/kg
Myclobutanil	<0.01 mg/kg
Napropamide	<0.01 mg/kg
Napropamide	<0.010 mg/kg
Nitralin	<0.010 mg/kg
Nitralin	<0.01 mg/kg
Phenmedipham	<0.010 mg/kg
Phenmedipham	<0.01 mg/kg
Phoxim	<0.01 mg/kg
Phoxim	<0.010 mg/kg
Pirimicarb-desmethyl	<0.010 mg/kg
Pirimicarb-desmethyl	<0.01 mg/kg
Pirimiphos-methyl	<0.010 mg/kg
Pirimiphos-methyl	<0.01 mg/kg
Aldrin	<0.010 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	EASE 2023-24 Contaminants	Eurofins Sample:	13309929
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis

Result

Multi-Residue Analysis (500+ Compounds)

Aldrin	<0.01 mg/kg
Allethrin	<0.010 mg/kg
Allethrin	<0.01 mg/kg
Benfluralin	<0.010 mg/kg
Benfluralin	<0.01 mg/kg
Bispyribac	<0.01 mg/kg
Bispyribac	<0.010 mg/kg
Bitertanol	<0.01 mg/kg
Bitertanol	<0.010 mg/kg
Fenpropathrin	<0.010 mg/kg
Fenpropathrin	<0.01 mg/kg
Fenpropimorph	<0.010 mg/kg
Fenpropimorph	<0.01 mg/kg
Fensulfothion sulfone	<0.01 mg/kg
Fensulfothion sulfone	<0.010 mg/kg
Fenthion sulfoxide	<0.010 mg/kg
Fenthion sulfoxide	<0.01 mg/kg
Fluridone	<0.01 mg/kg
Fluridone	<0.010 mg/kg
Flusilazole	<0.01 mg/kg
Flusilazole	<0.010 mg/kg
Flutolanil	<0.01 mg/kg
Flutolanil	<0.010 mg/kg
Flutriafol	<0.01 mg/kg
Flutriafol	<0.010 mg/kg
Fonofos	<0.010 mg/kg
Fonofos	<0.01 mg/kg
Furathiocarb	<0.010 mg/kg
Furathiocarb	<0.01 mg/kg
HCH, alpha- (alpha-BHC)	<0.01 mg/kg
HCH, alpha- (alpha-BHC)	<0.010 mg/kg
Isocarbophos	<0.010 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	EASE 2023-24 Contaminants	Eurofins Sample:	13309929
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis

Result

Multi-Residue Analysis (500+ Compounds)

Isocarbophos	<0.01 mg/kg
Terbutylazine	<0.010 mg/kg
Terbutylazine	<0.01 mg/kg
Thiofanox sulfoxide	<0.010 mg/kg
Thiofanox sulfoxide	<0.01 mg/kg
Thionazin (Zinophos)	<0.010 mg/kg
Thionazin (Zinophos)	<0.01 mg/kg
Tolyfluanid	<0.010 mg/kg
Tolyfluanid	<0.01 mg/kg
Tralkoxydim	<0.01 mg/kg
Tralkoxydim	<0.010 mg/kg
Triadimefon	<0.010 mg/kg
Triadimefon	<0.01 mg/kg
Tribenuron-methyl	<0.010 mg/kg
Tribenuron-methyl	<0.01 mg/kg
Uniconazole	<0.010 mg/kg
Uniconazole	<0.01 mg/kg
Zoxamide	<0.01 mg/kg
Zoxamide	<0.010 mg/kg
Profluralin	<0.01 mg/kg
Profluralin	<0.010 mg/kg
Promecarb	<0.010 mg/kg
Promecarb	<0.01 mg/kg
Propiconazole (sum of isomers)	<0.010 mg/kg
Propiconazole (sum of isomers)	<0.01 mg/kg
Prosulfocarb	<0.01 mg/kg
Prosulfocarb	<0.010 mg/kg
Quinmerac	<0.01 mg/kg
Quinmerac	<0.010 mg/kg
Simazine	<0.01 mg/kg
Simazine	<0.010 mg/kg
Spirodiclofen	<0.010 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	EASE 2023-24 Contaminants	Eurofins Sample:	13309929
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis

Result

Multi-Residue Analysis (500+ Compounds)

Spirodiclofen	<0.01 mg/kg
Sulfallate	<0.010 mg/kg
Sulfallate	<0.01 mg/kg
Butoxycarboxim	<0.010 mg/kg
Butoxycarboxim	<0.01 mg/kg
Butylate	<0.010 mg/kg
Butylate	<0.01 mg/kg
Carbaryl	<0.010 mg/kg
Carbaryl	<0.01 mg/kg
Carfentrazone-ethyl	<0.01 mg/kg
Carfentrazone-ethyl	<0.010 mg/kg
Chlorantraniliprole	<0.010 mg/kg
Chlorantraniliprole	<0.01 mg/kg
Chlorfenvinphos (E- and Z-isomers)	<0.010 mg/kg
Chlorfenvinphos (E- and Z-isomers)	<0.01 mg/kg
Clofentezine	<0.01 mg/kg
Clofentezine	<0.010 mg/kg
Coumaphos	<0.01 mg/kg
Coumaphos	<0.010 mg/kg
Dialifos (Dialifor)	<0.01 mg/kg
Dialifos (Dialifor)	<0.010 mg/kg
Diflubenzuron	<0.01 mg/kg
Diflubenzuron	<0.010 mg/kg
Dimethachlor	<0.010 mg/kg
Dimethachlor	<0.01 mg/kg
Dimoxystrobin	<0.01 mg/kg
Dimoxystrobin	<0.010 mg/kg
Ethirimol	<0.010 mg/kg
Ethirimol	<0.01 mg/kg
MGK 264 (sum of isomers)	<0.010 mg/kg
MGK 264 (sum of isomers)	<0.01 mg/kg
Mepanipyrim-2-hydroxypropyl	<0.010 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	EASE 2023-24 Contaminants	Eurofins Sample:	13309929
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis

Result

Multi-Residue Analysis (500+ Compounds)

Mepanipyrim-2-hydroxypropyl	<0.01 mg/kg
Metamitron	non-analyzable
Metazachlor	<0.01 mg/kg
Metazachlor	<0.010 mg/kg
Methamidophos	non-analyzable
Metolachlor	<0.010 mg/kg
Metolachlor	<0.01 mg/kg
Metolcarb	non-analyzable
Nicosulfuron	<0.01 mg/kg
Nicosulfuron	<0.010 mg/kg
Oxasulfuron	<0.01 mg/kg
Oxasulfuron	<0.010 mg/kg
Oxyfluorfen	<0.010 mg/kg
Oxyfluorfen	<0.01 mg/kg
Pentachloroanisole	<0.01 mg/kg
Pentachloroanisole	<0.010 mg/kg
Permethrin (sum of isomers)	<0.010 mg/kg
Permethrin (sum of isomers)	<0.01 mg/kg
Phorate	<0.010 mg/kg
Phorate	<0.01 mg/kg
Phorate sulfoxide	<0.01 mg/kg
Phorate sulfoxide	<0.010 mg/kg
Piperonyl butoxide	<0.01 mg/kg
Piperonyl butoxide	<0.010 mg/kg
Pirimicarb	<0.01 mg/kg
Pirimicarb	<0.010 mg/kg
Alachlor	<0.01 mg/kg
Alachlor	<0.010 mg/kg
Amidosulfuron	<0.01 mg/kg
Amidosulfuron	<0.010 mg/kg
Bromophos-methyl	<0.01 mg/kg
Bromophos-methyl	<0.010 mg/kg

* This analysis or component is not ISO accredited.

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Sample Name:	EASE 2023-24 Contaminants	Eurofins Sample:	13309929
Project ID	PURITY_COF-20230912-0007	Receipt Date	13-Sep-2023
PO Number	ALTW	Receipt Condition	Ambient temperature
Sample Serving Size	15 g	Login Date	12-Sep-2023
Description	Contaminants	Date Started	13-Sep-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E056401

Analysis

Result

Multi-Residue Analysis (500+ Compounds)

Aldicarb sulfone (Aldoxycarb)	<0.01 mg/kg
Diazinon oxon	<0.01 mg/kg
Tribufos (DEF)	<0.01 mg/kg
Pyoxasulfone	<0.01 mg/kg
Fluazaindolizine	non-analyzable
Gluten Allergen *	
Gluten Allergen (Product)	<5.0 ppm

Method References

Testing Location

Elements by ICP Mass Spectrometry (ICP_MS_S)

Food Integrity Innovation-Madison

6304 Ronald Reagan Ave Madison, WI 53704 USA

Official Methods of Analysis, Methods 2011.19 and 993.14, and 2015.01, AOAC INTERNATIONAL, (Modified).

Gluten Allergen (GLUTENRIDA)

Eurofins Microbiology Laboratories

55 Hamblin Ave. East Battle Creek, MI 49017 USA

AOAC 2012.01 (19th Ed)

Glyphosate and AMPA (GLY_AMPAS)

Food Integrity Innovation-Madison

6304 Ronald Reagan Ave Madison, WI 53704 USA

Internally developed method.

Multi-Residue Analysis (500+ Compounds) (PS05_S)

Food Integrity Innovation-Madison

6304 Ronald Reagan Ave Madison, WI 53704 USA

Official Methods of Analysis, AOAC Official Method 2007.01, Pesticide Residues in Foods by Acetonitrile Extraction and Partitioning with Magnesium Sulfate, AOAC INTERNATIONAL (modified).

CEN Standard Method EN 15662: Food of plant origin - Determination of pesticide residues using GC-MS and/or LC-MS/MS following acetonitrile extraction/partitioning and clean-up by dispersive SPE - QuEChERS method.

List of the tested pesticides and their limits of quantification (LOQs) are available upon request.

* This analysis or component is not ISO accredited.

Printed: 25-Sep-2023 10:48 am

Page 34 of 35

Certificate of Analysis

Purity Coffee

1010 E. North Street, Suite B3
Greenville South Carolina 29601 United States

Method References	Testing Location
-------------------	------------------

Mycotoxins in Raw Materials (MYCO_REG_S)
Food Integrity Innovation-Madison

6304 Ronald Reagan Ave Madison, WI 53704 USA

Varga, E., Glauner, T., Koppen, R., Mayer, K., Sulyok, M., Schumacher, R., Krska, R. and Berthiller, F., "Stable isotope dilution assay for the accurate determination of mycotoxins in maize by UHPLC-MS/MS," Analytical and BioAnalytical Chemistry, 402:2675-2686 (2012).

Yeast and Mold Analysis by Petrifilm (YMPET)
EML New Berlin

2345 S 170th St New Berlin, WI 53151 USA

AOAC 997.02

Testing Location(s)	Released on Behalf of Eurofins by
---------------------	-----------------------------------

Food Integrity Innovation-Madison
**Edward Ladwig - President Eurofins Food
Chemistry Testing Madison**

Eurofins Food Chemistry Testing Madison, Inc.
6304 Ronald Reagan Ave
Madison WI 53704
800-675-8375



2918.01

These results apply only to the items tested. This certificate of analysis shall not be reproduced, except in its entirety, without the written approval of Eurofins. Measurement uncertainty for individual analyses can be obtained upon request.