






BLACKMIRROR_{nano}

**TIMEMORE BLACK MIRROR_{nano}
COFFEE WEIGHING PANEL**


User Manual

Parts & Functions

- A** Base × 1
- B** Standby / Tare Button
- C** Power Button |  / Power off completely | 
- D** TYPE-C Charging Port
- E** Timer Button
- F** Flow Rate Button
- G** Silicone Pad × 1
- H** TYPE-C Cable × 1



Button Introduction :



Display Introduction :

- 1** Timer/ Flow rate: To record time (Max. 59min 59s)
To show flow rate (Max. 99.9g/s)
- 2** Battery indicator: Indicates the current power
(please charge in time when power is low)
- 3** Sound indicator: Indicates the sound prompt is on
- 4** Auto timing mode indicator: indicates Auto timing mode is currently on
- 5** Weight: Max. 2kg

PS: The operation label shows each function and description of each button. It can be removed after you are familiar with the operations.

How to use

The following reference uses examples and actual operation will vary according to your workflow.

01




Put a brewer on the scale and saturate the paper filter. Turn it on and quick press to tare.

02



Add ground coffee to reach the desired weight.

03



Tare again and quick press the timer button. Now start to brew. The timer can help you control the timing of the bloom and pour. Quick press the flow rate button to check the flow rate without pausing the timer.

04



Total brewing time

Total weight of water

When brewing finishes, quick press the timer button to pause timing and the weighing panel will display your brewing data.

Pour-over Timing Mode

Must be in Regular Mode to turn on
The cycle Sequence will be Regular Mode, Pour-over timing Mode and Espresso Mode.



Quick press the timer button 3 times until an audible beep and the Auto Timing Mode indicator lights up.



After the countdown is over, the weight value will auto-tare and you can start brewing. Timing starts as soon as the weight begins to change (the record is valid when more than 40s is recorded)



Place a brewer on the panel and add ground coffee. Then quick press the timer and wait for a 3-second countdown.



If the brewer is removed, the timer will stop and the brewing time will flash. At this time, if you put the brewer back and quick press the timer button, it will continue weighing and timing. Then you can quick press the timer button again to end recording. Long press the timer to enter standby mode.

Espresso Timer Mode

Must be in Pour-over timing Mode to turn on
The cycle Sequence will be Regular Mode, Pour-over timing Mode and Espresso Mode.



Quick press the timer button 3 times to start Espresso Mode. The timer zone will display ESP.



When you put a cup on the scale, it will tare automatically. When the scale detects coffee droplets landing in the cup, timing will start automatically.



The Auto-brewing mode indicator A will flash slowly for 1 second.



When brewing is over and the cup is removed, timing and weighing both stop automatically and the recorded values will flash. The values will then automatically clear and return to the initial state of displaying ESP and 0.0.

Specification

01. Product Name: TIMEMORE BLACK MIRROR nano Coffee Weighing Panel
02. Measure range: 0.2g-2000g
03. Storage temperature: -10℃ to 55℃
04. Use temperature: Surface -10℃ to 60℃ With Silicone pad : -20℃ to 100℃
05. Button: Capacitive touch (no need to press hard)
06. Assistive indicator: Built-in buzzer
07. Battery: Built-in 900mAh Lithium rechargeable battery
Standard Voltage: 3.7V Voltage range: 3.4V - 4.25V
08. Charging way: Chargeable Lithium battery 5V DC/1A with TYPE-C cable
A charger is not included.
Charger info: 220V AC/110V AC Output:5V/1A
For fast charge, please use DC 5V/ 2A charger.

Note

1. DO NOT use a quick charger. DO use a 5V/1A charger.
2. Place the scale on a horizontal and smooth surface.
3. Do not attempt to weigh while charging.
4. This device is powered by a lithium battery. DO NOT wait until the scale battery dies to charge it, instead, charge it in time after you use it.
5. When timing is off, the scale will shut down automatically after 3 minutes.
6. Only the scale surface is waterproof. DO NOT get liquid in the gap between the shell and charging port.
7. Uninstalling internal equipment will void the warranty.
8. This device is 1 year limited warranty. Dismantling or man-made damage is not included.
9. This scale is an accessory for coffee brewing only and is not legal for trade.

These notes must be followed or the device may break and/or give inaccurate data and will not be covered by warranty.



BLACK MIRROR nano



品名：泰摩黑镜nano咖啡称重平台

品号：TES010

内容物：测量平台、硅胶隔热垫、充电线、说明书(含保修卡)、合格证

委托商：上海泰摩咖啡器具有限公司 质保期限：1年

网址：www.timemore.com 电话：400-684-0200

Product name: TIMEMORE BLACK MIRROR nano Coffee Weighing Panel

Item's number: TES010

Include: Weighing Panel, TYPE-C Charge Cable, Silicone Pad, User manual (Warranty Card)

Company: Shanghai TIMEMORE Coffee Equipment CO., LTD.

Warranty: 1 year limited warranty

Web: www.timemore.com

Contact: info@timemore.com



@TIMEMORECOFFEE



2021©Shanghai TIMEMORE Coffee Equipment CO.,LTD.All rights reserved.
Designed by TIMEMORE in China, Made in China