



www.mafra.com

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.04.2022 Version number 1 Revision: 22.04.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: EXTERIOR QUICK DETAILER
- -1.2 Relevant identified uses of the substance or mixture and uses advised against
- Life cycle stages

C Consumer use

PW Widespread use by professional workers

- Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- Product category PC35 Washing and cleaning products (including solvent based products)
- Application of the substance / the mixture Exterior vehicle cleaner
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

MA-FRA S.p.A. a Socio Unico

Via Aquileia, 44/46

20021 Baranzate (MI) ITALIA

Tel.+39 023569981

www.mafra.com

mafra@mafra.it

- Informing department: info@mafra.it
- -1.4 Emergency telephone number: In case of accident call the emergency number 112

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

The product is not classified as hazardous according to the CLP Regulation.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008 Void
- Hazard pictograms Void
- Signal word Void
- Hazard statements Void
- Precautionary statements

P102 Keep out of reach of children.

- 2.3 Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures
- Description: Mixture of substances

- Dangerous components:		
CAS: 67-63-0 EINECS: 200-661-7 Reg.nr.: 01-2119457558-25	propan-2-ol	5-10%
CAS: 107-98-2 EINECS: 203-539-1 Reg.nr.: 01-2119457435-35	1-methoxypropan-2-ol Flam. Liq. 3, H226; STOT SE 3, H336	3-<5%

(Contd. on page 2)

Printing date 22.04.2022 Version number 1 Revision: 22.04.2022

Trade name: EXTERIOR QUICK DETAILER

(Contd. of page 1)

- Regulation (EC) No 648/2004

non-ionic surfactants, perfumes

<5%

- Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information No special measures required.
- After inhalation Supply fresh air; consult doctor in case of symptoms.
- After skin contact The product is not skin irritating.
- After eye contact Rinse opened eye for several minutes under running water.
- After swallowing In case of persistent symptoms consult doctor.
- -4.2 Most important symptoms and effects, both acute and delayed

Sickness

No further relevant information available.

- 4.3 Indication of any immediate medical attention and special treatment needed

If swallowed, gastric irrigation

Medical supervision for at least 48 hours

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

Use fire fighting measures that suit the environment.

- 5.2 Special hazards arising from the substance or mixture

Can be released in case of fire

Carbon monoxide (CO)

- 5.3 Advice for firefighters
- Protective equipment: Do not inhale explosion gases or combustion gases.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures

Not required.

Protective gloves. (EN 374)

- For non-emergency personnel

Ensure adequate ventilation

Keep away from ignition sources

Wear protective clothing.

- For emergency responders

Not required.

Nitrile rubber, NBR

- 6.2 Environmental precautions:

Dilute with much water.

Do not allow to enter drainage system, surface or ground water.

- 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Dispose of contaminated material as waste according to item 13.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

- 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

Printing date 22.04.2022 Version number 1 Revision: 22.04.2022

Trade name: EXTERIOR QUICK DETAILER

See Section 13 for information on disposal.

(Contd. of page 2)

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling

No special measures required.

Take off immediately all contaminated clothing

Wash hands during breaks and at the end of the work.

Do not eat, drink or smoke while working.

- Information about protection against explosions and fires: Protect from heat.
- 7.2 Conditions for safe storage, including any incompatibilities
- -Storage
- Requirements to be met by storerooms and containers: Store only in the original container.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- Class according to regulation on inflammable liquids: Void
- -7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters

- Components with limit values that require monitoring at the workplace:

67-63-0 propan-2-ol

WEL Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m³, 400 ppm

107-98-2 1-methoxypropan-2-ol

WEL Short-term value: 560 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm

Sk

- DNELs

67-63-0 propan-2-ol

Oral	Systemic Long-term Effects	26 mg/Kg bw/day (Consumers)
Dermal	Systemic long-term effects	888 mg/Kg bw/day (Industrial Workers)
		319 mg/Kg bw/day (Consumers)
I 1 1 4	I1 1 4	55 /3 (C)

Inhalative Local long-term effects | 55 mg/m³ (Consumers) | Systemic long-term effects | 89 mg/m³ (Consumers)

107-98-2 1-methoxypropan-2-ol

Oral	Systemic Long-term Effects	3.3 mg/Kg bw/day (Consumers)
Dermal	Systemic long-term effects	50.6 mg/Kg bw/day (Industrial Workers)
Inhalative	Local short-term effects	18.1 mg/Kg bw/day (Consumers) 553.5 mg/m³ (Industrial Workers)
		369 mg/m³ (Industrial Workers)
		43.9 mg/m³ (Consumers)
		369 mg/m³ (Industrial Workers)

- PNECs

67-63-0 propan-2-ol

PNEC STP	2,251 mg/L (STP)
Soil	28 mg/Kg (Soil)
Soft Water	140 9 mg/L (Water)

(Contd. on page 4)

(Contd. of page 3)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.04.2022 Version number 1 Revision: 22.04.2022

Trade name: EXTERIOR QUICK DETAILER

140.9 mg/L (Water) Sea water Sediment (soft water) 552 mg/Kg (Soil) Sediment (sea water) 552 mg/Kg (Soil) Occasional Emission | 140.9 mg/L (Water)

107-98-2 1-methoxypropan-2-ol

PNEC STP 100 mg/L (STP) Soil 4.59 mg/Kg (Soil) 10 mg/L (Water) Soft Water 1 mg/L (Water) Sea water Sediment (soft water) 52.3 mg/Kg (Soil) Sediment (sea water) 5.2 mg/Kg (Soil)

- Additional information: The lists that were valid during the compilation were used as basis.
- 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures

The usual precautionary measures should be adhered to general rules for handling chemicals.

- Breathing equipment: Not required.
- Hand protection Not required.
- Material of gloves

Not required.

Nitrile rubber, NBR

- Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 30 minutes (Permeation according to EN 16523-1:2015: Level 2).

Eye/face protection



Safety glasses recommended during refilling.

- Environmental exposure controls Disposal must be made according to official regulations.

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- General Information

- Physical state Fluid - Colour: Colourless - Odour: Pleasant - Odour threshold: Not determined. - Melting point/freezing point: Not determined

- Boiling point or initial boiling point and boiling range

Not applicable.

82 °C (67-63-0 propan-2-ol)

- Flammability

- Lower and upper explosion limit

-Lower: 2 Vol % - Upper: 12 Vol % - Flash point: 60 °C

- Self-inflammability: Product is not selfigniting.

- Decomposition temperature: Not determined.

-pH at 20 °C 7.5

- Viscosity:

- Kinematic viscosity Not determined. - dynamic: Not determined.

(Contd. on page 5)

Printing date 22.04.2022 Version number 1 Revision: 22.04.2022

Trade name: EXTERIOR QUICK DETAILER

(Contd. of page 4)

- Solubility	
- Water:	Fully miscible
- Partition coefficient n-octanol/water (log value)	Not determined.
- Vapour pressure at 20 °C:	42 hPa

- Density and/or relative density

- Density at 20 °C 1 g/cm³
- Relative density Not dete

Relative density
 Vapour density
 Not determined.
 Not determined.

- 9.2 Other information

- Appearance:

- Form: Liquid

-Important information on protection of health and environment, and on safety.

- Explosive properties: Product is not explosive.

- Change in condition

- Evaporation rate Not determined.

- Information with regard to physical hazard classes

- Explosives	Void
- Flammable gases	Void
- Aerosols	Void
- Oxidising gases	Void
- Gases under pressure	Void
- Flammable liquids	Void
- Flammable solids	Void
- Self-reactive substances and mixtures	Void
- Pyrophoric liquids	Void
- Pyrophoric solids	Void
- Self-heating substances and mixtures	Void
- Substances and mixtures, which emit flammable g	gases in
contact with water	Void
- Oxidising liquids	Void
- Oxidising solids	Void
- Organic peroxides	Void
- Corrosive to metals	Void
- Desensitised explosives	Void

SECTION 10: Stability and reactivity

- 10.1 Reactivity Stable under normal conditions
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- -11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity
- LD/LC50 values that are relevant for classification:

67-63-0 propan-2-ol

Oral LD50 5,840 mg/Kg (Rat)

(Contd. on page 6)

Version number 1 Printing date 22.04.2022 Revision: 22.04.2022

Trade name: EXTERIOR QUICK DETAILER

		(Contd. of page 5)	
Dermal	LD50	mg/Kg (Rat)	
107-98-2	2 1-me	thoxypropan-2-ol	
Oral	LD50	4,016 mg/Kg (Rat)	
Dermal	LD50	>2,000 mg/Kg (Rat)	
		13,500 mg/Kg (Rabbit)	
63148-6	63148-62-9 Poly (dimethylsiloxane)		
Oral	LD50	2,000 mg/Kg (Rat)	
Dermal	LD50	>2,000 mg/Kg (Rabbit)	
		>2,000 mg/Kg (Rat)	
- 11.2 Inf	ormati	on on other hazards	
- Endocri	- Endocrine disrupting properties		
None of	the ing	redients is listed.	
v			

SECTION 12: Ecological information

- -12.1 Toxicity
- Aquatic toxicity: 67-63-0 propan-2-ol LC50 (4 h) 24.6 mg/L (Rat) LC50 (96h) > 100 mg/L (Fish)EC50 (48h) >100 mg/L (Daphnia) EC50 (72h) > 100 mg/L (Algae)107-98-2 1-methoxypropan-2-ol LC50 (4 h) 6 mg/L (Rat) LC50 (96h) >100 mg/L (Algae) 4,600 mg/L (Fish) EC50 (48h) 23,300 mg/L (Daphnia) EC50 (96h) > 1,000 mg/L (Algae)20,800 mg/L (Fish) 63148-62-9 Poly (dimethylsiloxane)

EC50 (48h) > 200 mg/L (Daphnia)

- 12.2 Persistence and degradability The contained surfactants are easily biodegradable
- -12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT**: Not applicable.
- vPvB: Not applicable.
- 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- Additional ecological information:
- General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Printing date 22.04.2022 Version number 1 Revision: 22.04.2022

Trade name: EXTERIOR QUICK DETAILER

(Contd. of page 6)

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport informati	jon
- 14.1 UN number or ID number - ADR, IMDG, IATA	Void
- 14.2 UN proper shipping name - ADR, IMDG, IATA	Void
- 14.3 Transport hazard class(es)	
- ADR, IMDG, IATA - Class	Void
- 14.4 Packing group - ADR, IMDG, IATA	Void
- 14.5 Environmental hazards:	Not applicable.
- 14.6 Special precautions for user	Not applicable.
- 14.7 Maritime transport in bulk according instruments	g to IMO Not applicable.

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- National regulations
- Classification according to VbF: Void
- Technical instructions (air):

Class	Share in %
NK	11.0

- Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- -15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

- Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

- Department issuing data specification sheet: Ma-Fra Laboratories
- Contact: lab@mafra.it
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

(Contd. on page 8)

Printing date 22.04.2022 Version number 1 Revision: 22.04.2022

Trade name: EXTERIOR QUICK DETAILER

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VbF: Verordnung über brennbare Flüssigkeiten, Österreich (Ordinance on the storage of combustible liquids, Austria)

DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

- * Data compared to the previous version altered.

(Contd. of page 7)