





www.mafra.com

Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.06.2022 Version number 2 (replaces version 1) Revision: 20.06.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: IRON SNIPER
- **UFI**: 9NE0-E0CG-V00C-U0M1
- -1.2 Relevant identified uses of the substance or mixture and uses advised against
- Life cycle stages PW Widespread use by professional workers
- Sector of Use SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- Product category PC35 Washing and cleaning products (including solvent based products)
- Application of the substance / the mixture Exterior vehicle cleaner
- -1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

MA-FRA S.p.A. a Socio Unico

Via Aquileia, 44/46

20021 Baranzate (MI) ITALIA

Tel.+39 023569981

www.mafra.com

mafra@mafra.it

- Informing department: info@mafra.it
- -1.4 Emergency telephone number: In case of accident call the emergency number 112

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



Acute Tox. 4 H302 Harmful if swallowed.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- Hazard pictograms



GHS07

- -Signal word Warning
- Hazard-determining components of labelling:

ammonium mercaptoacetate

- Hazard statements

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

- Precautionary statements

P102 Keep out of reach of children.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

(Contd. on page 2)

(Contd. of page 1)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.06.2022 Version number 2 (replaces version 1) Revision: 20.06.2022

Trade name: IRON SNIPER

P280 Wear protective gloves / eye protection / face protection.

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.

- 2.3 Other hazards

P301+P312

- Results of PBT and vPvB assessment
- **PBT**: Not applicable. - **vPvB**: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures

- Description: Mixture of substances

| - Dangerous components: | | | | | |
|--|--|--------|--|--|--|
| CAS: 5421-46-5 EINECS: 226-540-9 Reg.nr.: 01-2119531489-31 | ammonium mercaptoacetate 🔷 Acute Tox. 2, H300; 💠 Met. Corr.1, H290; 🕠 Skin Sens. 1, H317 | 10-20% | | | |
| CAS: 9004-82-4 | Sodium Laureth Sulphate \textcircled{P} Eye Dam. 1, H318; \textcircled{O} Skin Irrit. 2, H315; Aquatic Chronic 3, H412 Specific concentration limits: Eye Dam. 1; H318: $C \ge 10 \%$ Eye Irrit. 2; H319: $5 \% \le C < 10 \%$ | 1-<3% | | | |
| CAS: 68515-73-1 NLP: 500-220-1 Reg.nr.: 01-2119488530-36 | Alkyl polyglucosyde C8-C10 ♦ Eye Dam. 1, H318 | 1-<3% | | | |

- Regulation (EC) No 648/2004

anionic surfactants, non-ionic surfactants, perfumes (AMYL CINNAMAL, Alpha Hexyl Cinnamaldehyde, <5% CITRONELLOL)

-Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident

- After inhalation Supply fresh air; consult doctor in case of symptoms.
- After skin contact

If skin irritation continues, consult a doctor.

Instantly wash with water and soap and rinse thoroughly.

- After eye contact Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.
- After swallowing

Rinse out mouth and then drink plenty of water.

Call a doctor immediately.

-4.2 Most important symptoms and effects, both acute and delayed

Headache

Allergic reactions

- 4.3 Indication of any immediate medical attention and special treatment needed

If swallowed, gastric irrigation

Medical supervision for at least 48 hours

GB

Printing date 20.06.2022 Version number 2 (replaces version 1) Revision: 20.06.2022

Trade name: IRON SNIPER

(Contd. of page 2)

SECTION 5: Firefighting measures

- 5.1 Extinguishing media

- Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

Use fire fighting measures that suit the environment.

- 5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NOx)

Can be released in case of fire

Carbon monoxide (CO)

- 5.3 Advice for firefighters

- Protective equipment:

Do not inhale explosion gases or combustion gases.

Protection means for respiratory tract

- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Protective gloves. (EN 374)

Particular danger of slipping on leaked/spilled product.

- For non-emergency personnel

Ensure adequate ventilation

Keep away from ignition sources

Wear protective clothing.

- For emergency responders

Butyl rubber, BR

Recommended thickness of the material: $\geq 0.1 \text{ mm}$

Nitrile rubber, NBR

- 6.2 Environmental precautions:

Inform respective authorities in case product reaches water or sewage system.

Dilute with much water.

Do not allow to enter drainage system, surface or ground water.

- 6.3 Methods and material for containment and cleaning up:

Dilute with much water.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the material collected according to regulations.

- 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Keep away from heat and direct sunlight.

Use only in well ventilated areas.

Avoid splashes or spray in enclosed areas.

Take off immediately all contaminated clothing

Wash hands during breaks and at the end of the work.

Do not eat, drink or smoke while working.

- Information about protection against explosions and fires: Protect from heat.

(Contd. on page 4)

Printing date 20.06.2022 Version number 2 (replaces version 1) Revision: 20.06.2022

Trade name: IRON SNIPER

(Contd. of page 3)

- -7.2 Conditions for safe storage, including any incompatibilities
- Storage
- Requirements to be met by storerooms and containers: Store only in the original container.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- Class according to regulation on inflammable liquids: Void
- -7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

-8.1 Control parameters

- Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

| DNELs | | | | |
|---------------------------------------|-------------|--------------------|--|--|
| 5421-46-5 ammonium mercaptoacetate | | | | |
| Dermal | Systemic le | ong-term effects | 2.06 mg/Kg bw/day (Industrial Workers) | |
| 9004-82-4 Sodium Laureth Sulphate | | | | |
| Oral | Systemic L | ong-term Effects | 15 mg/Kg bw/day (Consumers) | |
| Dermal | Systemic le | ong-term effects | 2,750 mg/Kg bw/day (Industrial Workers) | |
| | | | 1,650 mg/Kg bw/day (Consumers) | |
| Inhalative | Systemic le | ong-term effects | 175 mg/m³ (Industrial Workers) | |
| | | | 52 mg/m³ (Consumers) | |
| 68515-73- | 1 Alkyl pol | yglucosyde C8-C. | 10 | |
| Oral | Systemic L | ong-term Effects | 35.7 mg/Kg bw/day (Consumers) | |
| Dermal | Systemic le | ong-term effects | 595,000 mg/Kg bw/day (Industrial Workers) | |
| | | | 357,000 mg/Kg bw/day (Consumers) | |
| Inhalative | Systemic le | ong-term effects | 420 mg/m³ (Industrial Workers) | |
| | | | 124 mg/m³ (Consumers) | |
| PNECs | | | | |
| 5421-46-5 | ammoniun | n mercaptoacetat | de la companya de la | |
| Soft Water 0.038 mg/L (Wat | | 0.038 mg/L (Wat | ter) | |
| Sea water 0.0038 mg/L (Wa | | 0.0038 mg/L (Wo | ater) | |
| 9004-82-4 | Sodium La | aureth Sulphate | | |
| PNEC STP 10, | | 10,000 mg/L (STP) | | |
| Soil | | 7.5 mg/Kg (Soil) | | |
| Soft Water 0.24 mg | | 0.24 mg/L (Wate | 24 mg/L (Water) | |
| Sea water 0.024 mg/L (Wa | | 0.024 mg/L (Wat | ter) | |
| Sediment (soft water) 0.917 mg/Kg (So | | 0.917 mg/Kg (So | oil) | |
| Sediment (sea water) 0.092 mg/Kg (So | | 0.092 mg/Kg (So | oil) | |
| 68515-73- | 1 Alkyl pol | yglucosyde C8-C | 10 | |
| PNEC STP 560 mg/L (STP) | | 560 mg/L (STP) | | |
| Soil 0.654 | | 0.654 mg/Kg (Soil) | | |
| Soft Water 0.176 mg/L (Wa | | 0.176 mg/L (Wat | ter) | |
| Sea water 0.0176 mg/L (W | | 0.0176 mg/L (Wo | ater) | |
| Sediment (soft water) 1.516 mg/Kg (s | | 1.516 mg/Kg (So | oil) | |
| Sediment (sea water) 0.152 mg/Kg (S | | 0.152 mg/Kg (So | oil) | |

- Additional information: The lists that were valid during the compilation were used as basis.

(Contd. on page 5)

Printing date 20.06.2022 Version number 2 (replaces version 1) Revision: 20.06.2022

Trade name: IRON SNIPER

(Contd. of page 4)

- 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures

Keep away from foodstuffs, beverages and food.

Take off immediately all contaminated clothing

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

- Breathing equipment: Not necessary if room is well-ventilated.
- Hand protection



Protective gloves. (EN 374)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

Butyl rubber, BR

Recommended thickness of the material: ≥ 0.1 mm

Nitrile rubber, NBR

- Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 15 minutes (Permeation according to EN 16523-1:2015: Level 1).

- Eye/face protection



Tightly sealed safety glasses.

- Environmental exposure controls Disposal must be made according to official regulations.

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- General Information

- Physical state Fluid - Colour: Red

- Odour:
- Odour threshold:
- Melting point/freezing point:
- Boiling point or initial boiling point and boiling range
- Flammability

Characteristic
Not determined
>100 °C
Not applicable.

- Lower and upper explosion limit

- Lower: Not determined.
- Upper: Not determined.
- Flash point: Not applicable

- Self-inflammability: Product is not selfigniting.

- Decomposition temperature: Not determined.

-pH at 20 °C 5

- Viscosity:

- Kinematic viscosity Not determined. - dynamic: Not determined.

- Solubility

- Water: Fully miscible
 - Partition coefficient n-octanol/water (log value) Not determined.
 - Vapour pressure: Not determined.

(Contd. on page 6)

Printing date 20.06.2022 Version number 2 (replaces version 1) Revision: 20.06.2022

Trade name: IRON SNIPER

| | (0) | Contd. of page |
|--|---------------------------|----------------|
| - Density and/or relative density | | |
| - Density at 20 °C | $1.06 \mathrm{g/cm^3}$ | |
| - Relative density | Not determined. | |
| - Vapour density | Not determined. | |
| - 9.2 Other information | | |
| - Appearance: | | |
| - Form: | Liquid | |
| -Important information on protection of he | ealth and | |
| environment, and on safety. | | |
| - Explosive properties: | Product is not explosive. | |
| - Change in condition | | |
| - Evaporation rate | Not determined. | |
| - Information with regard to physical hazard class | sses | |
| - Explosives | Void | |
| - Flammable gases | Void | |
| - Aerosols | Void | |
| - Oxidising gases | Void | |
| - Gases under pressure | Void | |
| - Flammable liquids | Void | |
| - Flammable solids | Void | |
| - Self-reactive substances and mixtures | Void | |
| - Pyrophoric liquids | Void | |
| - Pyrophoric solids | Void | |
| - Self-heating substances and mixtures | Void | |
| - Substances and mixtures, which emit flammabl | le gases in | |
| contact with water | Void | |
| - Oxidising liquids | Void | |
| - Oxidising solids | Void | |
| - Organic peroxides | Void | |
| - Corrosive to metals | Void | |
| - Desensitised explosives | Void | |

SECTION 10: Stability and reactivity

- 10.1 Reactivity Stable under normal conditions
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- -10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- -11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Harmful if swallowed.
- LD/LC50 values that are relevant for classification:

5421-46-5 ammonium mercaptoacetate

Oral LD50 50-200 mg/Kg (Rat)
Dermal LD50 >2,000 mg/Kg (Rat)

9004-82-4 Sodium Laureth Sulphate

Oral | LD50 | >2,000 mg/Kg (Rat)

(Contd. on page 7)

Printing date 20.06.2022 *Version number 2 (replaces version 1)* Revision: 20.06.2022

Trade name: IRON SNIPER

68515-73-1 Alkyl polyglucosyde C8-C10

(Contd. of page 6)

Oral |LD50| > 2,000 mg/Kg (Rat)Dermal | LD50 | >2,000 mg/Kg (Rat)

- Serious eye damage/irritation Causes serious eye irritation.
- Respiratory or skin sensitisation May cause an allergic skin reaction.
- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- -12.1 Toxicity
- Aquatic toxicity:

5421-46-5 ammonium mercaptoacetate

LC50 (96h) > 100 mg/L (Fish)

EC50 (48h) 38 mg/L (Daphnia)

EC50 (72h) 13 mg/L (Algae)

9004-82-4 Sodium Laureth Sulphate

LC50 (96h) > 1 mg/L (Fish)

EC50 (48h) 7.2 mg/L (Daphnia)

EC50 (72h) 7.5 mg/L (Algae)

68515-73-1 Alkyl polyglucosyde C8-C10

LC50 (96h) 126 mg/L (Fish)

EC50 (48h) >100 mg/L (Daphnia)

EC50 (72h) 27.22 mg/L (Algae)

- 12.2 Persistence and degradability The contained surfactants are easily biodegradable
- -12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- Additional ecological information:
- General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

SECTION 13: Disposal considerations

- -13.1 Waste treatment methods
- Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

Printing date 20.06.2022 Version number 2 (replaces version 1) Revision: 20.06.2022

Trade name: IRON SNIPER

(Contd. of page 7)

- Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

| SECTION 14: Transport information | ion |
|---|-----------------------------|
| - 14.1 UN number or ID number - ADR, IMDG, IATA | Void |
| - 14.2 UN proper shipping name - ADR, IMDG, IATA | Void |
| - 14.3 Transport hazard class(es) | |
| - ADR, IMDG, IATA | |
| - Class | Void |
| - 14.4 Packing group | |
| - ADR, IMDG, IATA | Void |
| - 14.5 Environmental hazards: | Not applicable. |
| - 14.6 Special precautions for user | Not applicable. |
| - 14.7 Maritime transport in bulk according instruments | g to IMO Not applicable. |

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- National regulations
- Classification according to VbF: Void
- Technical instructions (air):

| Class | Share in % |
|-------|------------|
| I | 16.2 |

- Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- -15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

- Relevant phrases

H290 May be corrosive to metals.

H300 Fatal if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

- Department issuing data specification sheet: Ma-Fra Laboratories
- Contact: lab@mafra.it
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 9)

Printing date 20.06.2022 Version number 2 (replaces version 1) Revision: 20.06.2022

Trade name: IRON SNIPER

VbF: Verordnung über brennbare Flüssigkeiten, Österreich (Ordinance on the storage of combustible liquids, Austria)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Met. Corr.1: Corrosive to metals – Category 1

Acute Tox. 2: Acute toxicity - Category 2 Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

- * Data compared to the previous version altered.

(Contd. of page 8)