



The Niva Labs
13171 Telfair Ave
Sylmar, CA 91342

(213) 225-6486
thenivalabs.com/
Lic# C8-0000024-LIC

Broad Spectrum Distillate Pod V2

Overall Status: Pass

Sample ID: 2008NIVA0198.0493
Strain: Broad Spectrum
Matrix: Concentrates & Extracts
Type: Distillate
Sample Size: ; Batch Size:

Produced:
Collected:
Received: 08/17/2020
Completed: 08/25/2020
Batch#:

Client
Fenix Wellbeing International, Inc.
Lic. #
912 E 12th St
Los Angeles, CA 90021



| | | | |
|--|--|---|---|
| Not Tested Foreign Matter <small>SOPTS.4.001</small> | Pass Heavy Metals <small>SOPTS.4.500 ICP-MS</small> | Not Tested Moisture <small>SOPTS.4.001</small> | Pass Pesticides <small>SOPTS.4.301 GC-MS/MS SOPTS.4.300 LC-MS/MS</small> |
| Not Tested Microbials <small>SOPTS.4.600 PathogenDx</small> | Pass Solvents <small>SOPTS.4.400 GC-MS</small> | Not Tested NT Water Activity <small>SOPTS.4.003</small> | Not Tested Mycotoxins <small>SOPTS.4.300 LC-MS/MS</small> |

Cannabinoids (SOPTS.4.100 HPLC Analysis)

| | | | |
|------------------------------|---|--|-----------------------|
| ND ND Total THC | 41.45% 414.53 mg/g Total CBD | 60.61% 606.06 mg/g Total Cannabinoids | NT Moisture |
|------------------------------|---|--|-----------------------|

| Analyte | LOD mg/g | LOQ mg/g | Mass mg/g | Mass % |
|------------------|-------------|-------------|---------------|---------------|
| CBD | 0.2400 | 0.8000 | 414.53 | 41.45 |
| CBC | 0.2400 | 0.8000 | 80.83 | 8.08 |
| CBG | 0.2400 | 0.8000 | 49.95 | 5.00 |
| CBN | 0.2400 | 0.8000 | 49.38 | 4.94 |
| CBDV | 0.2400 | 0.8000 | 11.37 | 1.14 |
| CBDa | 0.2400 | 0.8000 | ND | ND |
| CBGa | 0.2400 | 0.8000 | ND | ND |
| THCa | 0.2400 | 0.8000 | ND | ND |
| THCV | 0.2400 | 0.8000 | ND | ND |
| Δ8-THC | 0.2400 | 0.8000 | ND | ND |
| Δ9-THC | 0.2400 | 0.8000 | ND | ND |
| Total THC | | | ND | ND |
| Total CBD | | | 414.53 | 41.453 |
| Total | | | 606.06 | 60.606 |

Density: g per 1 mL

Cannabinoids Date Tested: 08/19/2020

Total THC = (THCa x 0.877) + Δ9-THC; Total CBD = (CBDa x 0.877) + CBD; LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Cured plant material reported as moisture-corrected % dry weight, other sample types reported "as is." Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 1260 HPLC.



Kris Marsh
Kris Marsh
Lab Director
08/25/2020

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs
13171 Telfair Ave
Sylmar, CA 91342

(213) 225-6486
thenivalabs.com/
Lic# C8-0000024-LIC

Broad Spectrum Distillate Pod V2

Overall Status: Pass

| | | |
|--|------------------------------|--|
| Sample ID: 2008NIVA0198.0493 | Produced: | Client: |
| Strain: Broad Spectrum | Collected: | Fenix Wellbeing International, Inc. |
| Matrix: Concentrates & Extracts | Received: 08/17/2020 | Lic. # |
| Type: Distillate | Completed: 08/25/2020 | 912 E 12th St |
| Sample Size: ; Batch Size: | Batch#: | Los Angeles, CA 90021 |

Heavy Metals

| Analyte | LOD | LOQ | Limit | Mass | Status |
|---------|-------|-------|-------|------|--------|
| | µg/g | µg/g | µg/g | µg/g | |
| Arsenic | 0.009 | 0.090 | 0.200 | ND | Pass |
| Cadmium | 0.009 | 0.090 | 0.200 | ND | Pass |
| Lead | 0.009 | 0.090 | 0.500 | <LOQ | Pass |
| Mercury | 0.005 | 0.020 | 0.100 | ND | Pass |



Date Tested: 08/21/2020
 LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;
 Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 7900 ICP-MS



Kris Marsh

 Kris Marsh
 Lab Director
 08/25/2020

Confident Cannabis
 All Rights Reserved
 support@confidentcannabis.com
 (866) 506-5866
 www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs
13171 Telfair Ave
Sylmar, CA 91342

(213) 225-6486
thenivalabs.com/
Lic# C8-0000024-LIC

QA Testing

3 of 4

Broad Spectrum Distillate Pod V2

Overall Status: Pass

Sample ID: 2008NIVA0198.0493

Produced:

Client

Strain: Broad Spectrum

Collected:

Fenix Wellbeing International, Inc.

Matrix: Concentrates & Extracts

Received: 08/17/2020

Lic. #

Type: Distillate

Completed: 08/25/2020

912 E 12th St

Sample Size: ; Batch Size:

Batch#:

Los Angeles, CA 90021

Pesticides

Pass

| Analyte | LOD | LOQ | Limit | Mass | Status | Analyte | LOD | LOQ | Limit | Mass | Status |
|---------------------|-------|-------|-------|------|--------|-------------------------|-------|-------|-------|------|--------|
| | µg/g | µg/g | µg/g | µg/g | | | µg/g | µg/g | µg/g | µg/g | |
| Abamectin | 0.040 | 0.050 | 0.10 | ND | Pass | Fludioxonil | 0.040 | 0.050 | 0.10 | ND | Pass |
| Acephate | 0.050 | 0.100 | 0.10 | ND | Pass | Hexythiazox | 0.010 | 0.020 | 0.10 | ND | Pass |
| Acequinocyl | 0.040 | 0.050 | 0.10 | ND | Pass | Imazalil | 0.040 | 0.050 | 0.04 | ND | Pass |
| Acetamiprid | 0.010 | 0.020 | 0.10 | ND | Pass | Imidacloprid | 0.010 | 0.020 | 5.00 | ND | Pass |
| Aldicarb | 0.010 | 0.020 | 0.01 | ND | Pass | Kresoxim Methyl | 0.020 | 0.050 | 0.10 | ND | Pass |
| Azoxystrobin | 0.010 | 0.020 | 0.10 | ND | Pass | Malathion | 0.010 | 0.020 | 0.50 | ND | Pass |
| Bifenazate | 0.010 | 0.020 | 0.10 | ND | Pass | Metalaxyl | 0.010 | 0.020 | 2.00 | ND | Pass |
| Bifenthrin | 0.010 | 0.020 | 3.00 | 0.04 | Pass | Methiocarb | 0.010 | 0.020 | 0.01 | ND | Pass |
| Boscalid | 0.040 | 0.050 | 0.10 | ND | Pass | Methomyl | 0.010 | 0.020 | 1.00 | ND | Pass |
| Captan | 0.100 | 0.100 | 0.70 | ND | Pass | Mevinphos | 0.018 | 0.045 | 0.02 | ND | Pass |
| Carbaryl | 0.020 | 0.050 | 0.50 | ND | Pass | Myclobutanil | 0.040 | 0.050 | 0.10 | ND | Pass |
| Carbofuran | 0.010 | 0.020 | 0.01 | ND | Pass | Naled | 0.040 | 0.050 | 0.10 | ND | Pass |
| Chlorantraniliprole | 0.040 | 0.050 | 10.00 | ND | Pass | Oxamyl | 0.010 | 0.020 | 0.50 | ND | Pass |
| Chlordane | 0.030 | 0.050 | 0.03 | ND | Pass | Pacllobutrazol | 0.040 | 0.050 | 0.04 | ND | Pass |
| Chlorfenapyr | 0.030 | 0.050 | 0.03 | ND | Pass | Parathion Methyl | 0.030 | 0.050 | 0.03 | ND | Pass |
| Chlorpyrifos | 0.020 | 0.050 | 0.02 | ND | Pass | Pentachloronitrobenzene | 0.030 | 0.050 | 0.10 | ND | Pass |
| Clofentezine | 0.010 | 0.020 | 0.10 | ND | Pass | Permethrin | 0.020 | 0.050 | 0.50 | ND | Pass |
| Coumaphos | 0.050 | 0.100 | 0.05 | ND | Pass | Phosmet | 0.010 | 0.020 | 0.10 | ND | Pass |
| Cyfluthrin | 0.050 | 0.100 | 2.00 | ND | Pass | Piperonyl Butoxide | 0.010 | 0.020 | 3.00 | ND | Pass |
| Cypermethrin | 0.050 | 0.100 | 1.00 | ND | Pass | Prallethrin | 0.040 | 0.050 | 0.10 | ND | Pass |
| Daminozide | 0.040 | 0.050 | 0.04 | ND | Pass | Propiconazole | 0.040 | 0.050 | 0.10 | ND | Pass |
| Diazinon | 0.010 | 0.020 | 0.10 | ND | Pass | Propoxur | 0.010 | 0.020 | 0.01 | ND | Pass |
| Dichlorvos | 0.050 | 0.100 | 0.05 | ND | Pass | Pyrethrins | 0.042 | 0.084 | 0.50 | 0.12 | Pass |
| Dimethoate | 0.010 | 0.020 | 0.01 | ND | Pass | Pyridaben | 0.030 | 0.050 | 0.10 | ND | Pass |
| Dimethomorph | 0.020 | 0.050 | 2.00 | ND | Pass | Spinetoram | 0.041 | 0.061 | 0.10 | ND | Pass |
| Ethoprophos | 0.010 | 0.020 | 0.01 | ND | Pass | Spinosad | 0.019 | 0.048 | 0.10 | ND | Pass |
| Etofenprox | 0.010 | 0.020 | 0.01 | ND | Pass | Spiromesifen | 0.010 | 0.020 | 0.10 | ND | Pass |
| Etoxazole | 0.010 | 0.020 | 0.10 | ND | Pass | Spirotetramat | 0.020 | 0.050 | 0.10 | ND | Pass |
| Fenhexamid | 0.040 | 0.050 | 0.10 | ND | Pass | Spiroxamine | 0.010 | 0.020 | 0.01 | ND | Pass |
| Fenoxycarb | 0.010 | 0.020 | 0.01 | ND | Pass | Tebuconazole | 0.050 | 0.100 | 0.10 | ND | Pass |
| Fenpyroximate | 0.010 | 0.020 | 0.10 | ND | Pass | Thiacloprid | 0.010 | 0.020 | 0.01 | ND | Pass |
| Fipronil | 0.040 | 0.050 | 0.04 | ND | Pass | Thiamethoxam | 0.010 | 0.020 | 5.00 | ND | Pass |
| Fonicamid | 0.010 | 0.020 | 0.10 | ND | Pass | Trifloxystrobin | 0.010 | 0.020 | 0.10 | ND | Pass |

Date Tested: 08/20/2020

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 6470A LC-MS; Agilent 7010B GC-MS



Kris Marsh
Kris Marsh
Lab Director
08/25/2020

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs
13171 Telfair Ave
Sylmar, CA 91342

(213) 225-6486
thenivalabs.com/
Lic# C8-0000024-LIC

Broad Spectrum Distillate Pod V2

Overall Status: Pass

| | | |
|---------------------------------|-----------------------|--|
| Sample ID: 2008NIVA0198.0493 | Produced: | Client |
| Strain: Broad Spectrum | Collected: | Fenix Wellbeing International, Inc. |
| Matrix: Concentrates & Extracts | Received: 08/17/2020 | Lic. # |
| Type: Distillate | Completed: 08/25/2020 | 912 E 12th St |
| Sample Size: ; Batch Size: | Batch#: | Los Angeles, CA 90021 |

Residual Solvents

| Analyte | LOD | LOQ | Limit | Mass | Status |
|--------------------|------|------|----------|------|--------|
| | µg/g | µg/g | µg/g | µg/g | |
| 1,2-Dichloroethane | 0.25 | 0.50 | 1.000 | ND | Pass |
| Acetone | 5.0 | 10 | 5000.000 | ND | Pass |
| Acetonitrile | 5.0 | 10 | 410.000 | ND | Pass |
| Benzene | 0.25 | 0.50 | 1.000 | ND | Pass |
| Butane | 5.0 | 10 | 5000.000 | ND | Pass |
| Chloroform | 0.25 | 0.50 | 1.000 | ND | Pass |
| Ethanol | 5.0 | 10 | 5000.000 | ND | Pass |
| Ethyl-Acetate | 5.0 | 10 | 5000.000 | ND | Pass |
| Ethyl-Ether | 5.0 | 10 | 5000.000 | ND | Pass |
| Ethylene Oxide | 0.50 | 1.0 | 1.000 | ND | Pass |
| Heptane | 5.0 | 10 | 5000.000 | ND | Pass |
| Isopropanol | 5.0 | 10 | 5000.000 | ND | Pass |
| Methanol | 5.0 | 10 | 3000.000 | ND | Pass |
| Methylene Chloride | 0.25 | 0.50 | 1.000 | ND | Pass |
| n-Hexane | 5.0 | 10 | 290.000 | ND | Pass |
| Pentane | 5.0 | 10 | 5000.000 | ND | Pass |
| Propane | 5.0 | 10 | 5000.000 | ND | Pass |
| Toluene | 5.0 | 10 | 890.000 | ND | Pass |
| Trichloroethene | 0.25 | 0.50 | 1.000 | ND | Pass |
| Xylenes | 5.0 | 10 | 2170.000 | ND | Pass |

Date Tested: 08/25/2020 LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;
Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 5977B GC-MS-FID



Kris Marsh
Lab Director
08/25/2020

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty