PRL400F

Resistive Load Bank




Resistive load bank is a type of detection and maintenance equipment for power supply, for example generator set, UPS and transmission facility. It can be used for loading ability test of a new genset as well as daily inspection of a backup genset.

Model	PRL400F
Tested voltage	AC380~415V 3P
Tested frequency	50Hz
Load type	Resistive
Rated power	400kW
Power factor	1.0
Connection type	Star (3P&4 wires)
Load precision	±3%
Phases imbalance	≤3%
Duty	Continuous
Cooling system	Forced air cooling
Control method	Manual
Insulation class	F
Ingress protection	IP23 (Control cabinet: IP5
Structure type	Stationary
Power supply	380~415VAC 3P&4W



Working Principle



Design Standards

- ISO 8528
- GJB 1488-1992
- GJB 235A-1997
- YD/T 502-2007
- GB/T 1029-2005
- GB/T 3797-2005

Test Items

- Continuous running
- Sudden load change
- Wind protection
- Starting capability
- High tem. capability
- Rainproof capability
- Safety functions

Protection Functions

- Resistor high temperature
- Air supply volume by fan
- Fan malfunction
- Over voltage
- Under voltage

PRL400F



Refractory, bilayer guard

Waterproof quick plug

AC contactors control

PLC control (optional) Econtrol instrument

Weight

800kg

Toggle switch

RV series

TBD TBD

Resistive Load Bank


Resistors System

Control System

Rated power	400kW	Power cable	R١
Withstand voltage	AC2000V/5S	Electric control cable	Re
Resistance precision	±10%	Plug	Wa
Insulated resistance	DC500V 100MΩ/Resistor	Tem. alarm set	ТΒ
Working voltage	0~415VAC	Air supply alarm set	ΤB
Overload capability	2000kW/s	Loading resistors	AC
Working temp.	-15°C~65°C	Loading manually	То
Highest temp.	300°C(Surface of resistor)	Loading automatically	PL
Ingress protection	IP00	Auto data acquisition	Ec
Temp. coefficient	≤±400ppm/°C	Dimension & Weight	
Resistor material	Alloy		、


Cooling System

Fan type	Axial
Fan number	1
Fan power	3kW
Working voltage	0~415VAC
Configures motor	AC motor
Working tem.	-15℃~65℃




Dimension (LxWxH)

1800x1400x1600mm



Overall Drawing




PRL400F

Resistive Load Bank



Control Panel





Data is subject to change without prior notice as new products are always developed. Please contact PowerLink or local agent with any doubts or for more information