### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 10/21/2019 Revision date: 6/2/2020



### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture
Product name : CKay One

UFI : 7X0U-D3Y2-K003-X32R

Product code

Type of product : Perfumes, fragrances
Product group : Finished Good

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Industrial use,Professional use Industrial/Professional use spec : For professional use only

Industrial

Use of the substance/mixture : Perfumes, fragrances Function or use category : Odour agents

#### 1.2.2. Uses advised against

No additional information available

# 1.3. Details of the supplier of the safety data sheet

#### Kandara Oils Ltd

Unit 11, Agecroft Enterprise Park, Shearer Way, Manchester, M27 8WA +447786556114 kandaraoils@gmail.com - www.kandaraoils.co.uk

#### 1.4. Emergency telephone number

Emergency number : +44 77865 56114

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2

Serious eye damage/eye irritation, Category 2

Skin sensitisation, Category 1

Hazardous to the aquatic environment — Acute Hazard, Category 1

Hazardous to the aquatic environment — Chronic Hazard, Category 1

Full text of H statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Causes skin irritation. Causes serious eye irritation. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

# 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07 GHS09

Signal word (CLP) : Warning

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazardous ingredients : Bergamot oil; beta-Caryophyllene; Citronellol Pure; Coumarin crystals; Geranyl formate;

Helional; Iso E Super; Linalool; Linalyl acetate; d-Limonene; Tangerine oil

Hazard statements (CLP) : H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P264 - Wash hands, forearms and face thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

#### 2.3. Other hazards

No additional information available

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl benzoate	(CAS-No.) 120-51-4 (EC-No.) 204-402-9 (EC Index-No.) 607-085-00-9 (REACH-no) 01-2119976371-33	6.015 – 12.03	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Linalyl acetate	(CAS-No.) 115-95-7 (EC-No.) 204-116-4 (REACH-no) 01-2119454789-19	4.69 – 9.38	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Iso E Super	(CAS-No.) 54464-57-2 (EC-No.) 259-174-3 (REACH-no) 01-2119489989-04	4.34 – 8.68	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Linalool	(CAS-No.) 78-70-6 (EC-No.) 201-134-4 (EC Index-No.) 603-235-00-2 (REACH-no) 01-2119474016-42	4.1678 – 8.3356	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Tonalid (Fixolide) crystals	(CAS-No.) 21145-77-7 (EC-No.) 244-240-6	3.045 – 6.09	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Dimyrcetol	(CAS-No.) 25279-09-8 (EC-No.) 246-788-1	3.01 – 6.02	Skin Irrit. 2, H315 Eye Irrit. 2, H319
Hexamethylindanopyran	(CAS-No.) 1222-05-5 (EC-No.) 214-946-9 (EC Index-No.) 603-212-00-7 (REACH-no) 01-2119488227-29	2.835 – 5.67	Aquatic Acute 1, H400 Aquatic Chronic 1, H410

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Bergamot oil	(CAS-No.) 8007-75-8 (EC-No.) 289-612-9;616-915-9	2.205 – 4.41	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Eye Irrit. 2, H319
beta-lonone	(CAS-No.) 14901-07-6 (EC-No.) 238-969-9	2.065 – 4.13	Aquatic Chronic 2, H411
Helional	(CAS-No.) 1205-17-0 (EC-No.) 214-881-6 (REACH-no) 01-2120740119-58	1.75 – 3.5	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Tangerine oil	(CAS-No.) 8016-85-1 (EC-No.) 297-672-2	1.085 – 2.17	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
cis-3-Hexenyl salicylate	(CAS-No.) 65405-77-8 (EC-No.) 265-745-8	0.91 – 1.82	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol	(CAS-No.) 63500-71-0 (EC-No.) 405-040-6 (EC Index-No.) 603-101-00-3	0.5425 – 1.808261	Eye Irrit. 2, H319
Phenylethyl alcohol	(CAS-No.) 60-12-8 (EC-No.) 200-456-2	0.77 – 1.54	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319
Ambrettolide	(CAS-No.) 28645-51-4 (EC-No.) 249-120-7	0.49 – 0.98	Aquatic Chronic 1, H410 (M=10) Aquatic Acute 1, H400 (M=10)
Citronellol Pure	(CAS-No.) 106-22-9 (EC-No.) 203-375-0 (REACH-no) 01-2119453995-23	0.315 – 0.63	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Geranyl formate	(CAS-No.) 105-86-2 (EC-No.) 203-339-4	0.21 – 0.42	Aquatic Acute 1, H400 Aquatic Chronic 2, H411 Skin Sens. 1B, H317
d-Limonene	(CAS-No.) 5989-27-5 (EC-No.) 227-813-5 (EC Index-No.) 601-029-00-7 (REACH-no) 01-2119493353-35	0.07 – 0.28	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Coumarin crystals	(CAS-No.) 91-64-5 (EC-No.) 202-086-7 (REACH-no) 01-2119943756-26	0.105 – 0.21	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411
beta-Caryophyllene  Full text of H-statements: see section 16	(CAS-No.) 87-44-5 (EC-No.) 201-746-1	0.0728 – 0.1456	Asp. Tox. 1, H304 Aquatic Chronic 4, H413 Skin Sens. 1B, H317

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

First-aid measures after inhalation First-aid measures after skin contact

- : Remove person to fresh air and keep comfortable for breathing.
- : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

#### **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear

personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should

not be allowed out of the workplace.

6/2/2020 EN (English) 4/14

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

# 7.3. Specific end use(s)

No additional information available

# SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

d-Limonene (5989-27-5)		
inland - Occupational Exposure Limits		
HTP-arvo (8h) (mg/m³)	140 mg/m³	
HTP-arvo (8h) (ppm)	25 ppm	
HTP-arvo (15 min)	280 mg/m³	
HTP-arvo (15 min) (ppm)	50 ppm	
Germany - Occupational Exposure Limits (TRGS 90	00)	
Occupational exposure limit value (mg/m³)	28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Occupational exposure limit value (ppm)	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	Skin notation, Skin sensitization	
Slovenia - Occupational Exposure Limits		
OEL TWA (mg/m³)	28 mg/m³	
OEL TWA (ppm)	5 ppm	
OEL STEL (mg/m³)	112 mg/m³	
OEL STEL (ppm)	20 ppm	
OEL chemical category (SI)	Potential for cutaneous absorption	
Spain - Occupational Exposure Limits		
VLA-ED (mg/m³)	168 mg/m³	
VLA-ED (ppm)	30 ppm	
OEL chemical category (ES)	Sensitizer, skin - potential for cutaneous absorption	
Norway - Occupational Exposure Limits		
Grenseverdier (AN) (mg/m³)	140 mg/m³	
Grenseverdier (AN) (ppm)	25 ppm	
Grenseverdier (Korttidsverdi) (mg/m3)	175 mg/m³ (value calculated)	
Grenseverdier (Korttidsverdi) (ppm)	37.5 ppm (value calculated)	
OEL chemical category (NO)	Sensitizing substance	
Switzerland - Occupational Exposure Limits		
MAK (mg/m³)	40 mg/m³	
MAK (ppm)	7 ppm	
t-		

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

d-Limonene (5989-27-5)	
KZGW (mg/m³)	80 mg/m <sup>3</sup>
KZGW (ppm)	14 ppm
OEL chemical category (CH)	Sensitizer

# 8.2. Exposure controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:	
Protective gloves	

Eye protection:	
Safety glasses	

Skin and body protection:
Wear suitable protective clothing

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### Personal protective equipment symbol(s):



#### **Environmental exposure controls:**

Avoid release to the environment.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : light yellow. amber.
Odour
Odour threshold : Characteristic.
Odour threshold : No data available
PH : No data available
Relative evaporation rate (butylacetate=1) : No data available
Melting point : Not applicable

Melting point: Not applicableFreezing point: No data availableBoiling point: No data available

Flash point : 83 °C (closed cup) ASTM D7094

Auto-ignition temperature : No data available Decomposition temperature : No data available Flammability (solid, gas) : Not applicable Vapour pressure : No data available Relative vapour density at 20 °C : No data available

Relative density : ≈ 1.02

Solubility : No data available
Partition coefficient n-octanol/water (Log Pow) : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

#### 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

## 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

#### **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Benzyl benzoate (120-51-4)	
LD50 oral rat	500 mg/kg
LD50 oral	1500 mg/kg bodyweight
LD50 dermal rabbit	4000 mg/kg
LD50 dermal	4000 mg/kg bodyweight

Bergamot oil (8007-75-8)	
LD50 oral rat	11520 mg/kg

beta-lonone (14901-07-6)	
LD50 oral rat	4590 mg/kg

cis-3-Hexenyl salicylate (65405-77-8)	
LD50 oral rat	5 g/kg

CKay One
Safety Data Sheet
according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Citronellol Pure (106-22-9)	
LD50 oral rat	3450 mg/kg
LD50 oral	3450 mg/kg bodyweight
LD50 dermal rabbit	2650 mg/kg
LD50 dermal	2650 mg/kg bodyweight

Coumarin crystals (91-64-5)	
LD50 oral rat	> 5000 mg/kg
LD50 oral	500 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg

Dimyrcetol (25279-09-8)	
LD50 oral	2500 mg/kg bodyweight
·	

Hexamethylindanopyran (1222-05-5)	
LD50 oral rat	> 3250 mg/kg
LD50 dermal rabbit	> 3250 mg/kg

Geranyl formate (105-86-2)	
LD50 oral rat	> 6 g/kg

Linalool (78-70-6)	
LD50 oral	2790 mg/kg bodyweight

Linalyl acetate (115-95-7)	
LD50 oral rat	14550 mg/kg
LD50 dermal rabbit	> 5000 mg/kg

Phenylethyl alcohol (60-12-8)	
LD50 oral rat	1609 mg/kg
LD50 oral	1610 mg/kg bodyweight
LD50 dermal rabbit	2535 mg/kg
LD50 dermal	2500 mg/kg bodyweight
LC50 inhalation rat (mg/l)	> 4.63 mg/l/4h

Tonalid (Fixolide) crystals (21145-77-7)	
LD50 oral rat	570 mg/kg
LD50 oral	1000 mg/kg bodyweight
LD50 dermal rabbit	> 5 g/kg

d-Limonene (5989-27-5)	
LD50 oral rat	4400 mg/kg
LD50 dermal rabbit	> 5 g/kg

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Causes serious eye irritation. Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Coumarin	crystals	(91-64-5)
----------	----------	-----------

IARC group 3 - Not classifiable

#### d-Limonene (5989-27-5)

3 - Not classifiable IARC group

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term

: Very toxic to aquatic life.

Hazardous to the aquatic environment, long-term

(chronic)

: Very toxic to aquatic life with long lasting effects.

Benzyl benzoate (120-51-4)	
LC50 fish 1	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
NOEC (chronic) 0.168 mg/l	

Hexamethylindanopyran (1222-05-5)	
LC50 fish 1 0.452 mg/l Wolf, 1996d-27682	
LC50 other aquatic organisms 1	> 0.14 mg/l REACH DOSSIER Pimephales promelas
EC50 Daphnia 2	260 μg/l REACH Dossier
EC50 other aquatic organisms 1	0.131 mg/l REACH Dossier

Linalool (78-70-6)	
EC50 96h algae (1)	88.3 mg/l (Species: Desmodesmus subspicatus)

Linalyl acetate (115-95-7)	
LC50 fish 1	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through])

Phenylethyl alcohol (60-12-8)	
EC50 Daphnia 1	287.17 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h algae (1)	490 mg/l (Species: Desmodesmus subspicatus)

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

d-Limonene (5989-27-5)	
LC50 fish 1	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 fish 2	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)

#### 12.2. Persistence and degradability

Benzyl benzoate (120-51-4)	
Persistence and degradability	May cause long-term adverse effects in the environment.

#### 12.3. Bioaccumulative potential

enzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	4
Bioaccumulative potential	Not established.

Phenylethyl alcohol (60-12-8)	
Partition coefficient n-octanol/water (Log Pow)	1.38 (at 25 °C)

# 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

#### **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

# 14.1. UN number

 UN-No. (ADR)
 : UN 3082

 UN-No. (IMDG)
 : UN 3082

 UN-No. (IATA)
 : UN 3082

 UN-No. (ADN)
 : UN 3082

 UN-No. (RID)
 : Not regulated

# 14.2. UN proper shipping name

Proper Shipping Name (ADR) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s.

Proper Shipping Name (ADN) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Proper Shipping Name (RID) : Not regulated

Transport document description (ADR) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Tonalid

(fixolide)), 9, III, (-)

Transport document description (IMDG) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Tonalid

(fixolide)), 9, III, MARINE POLLUTANT

6/2/2020 EN (English) 10/14

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Transport document description (IATA)

: UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Tonalid (fixolide)), 9, III

: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Tonalid (fixolide)), 9, III

#### 14.3. Transport hazard class(es)

#### **ADR**

Transport hazard class(es) (ADR) : 9
Danger labels (ADR) : 9



#### **IMDG**

Transport hazard class(es) (IMDG) : 9
Danger labels (IMDG) : 9



#### IATA

Transport hazard class(es) (IATA) : 9
Danger labels (IATA) : 9



#### ADN

Transport hazard class(es) (ADN) : 9
Danger labels (ADN) : 9



#### RID

Transport hazard class(es) (RID) : Not regulated

#### 14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III

Packing group (RID) : Not regulated

### 14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes

Other information : No supplementary information available

#### 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

6/2/2020 EN (English) 11/14

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

: P001, IBC03, LP01, R001 Packing instructions (ADR)

Special packing provisions (ADR) : PP1 Mixed packing provisions (ADR) : MP19 Portable tank and bulk container instructions (ADR) T4 : : TP1, TP29

Portable tank and bulk container special provisions

(ADR)

Tank code (ADR) : LGBV Vehicle for tank carriage : AT Transport category (ADR) : 3 Special provisions for carriage - Packages (ADR) : V12 : CV13 Special provisions for carriage - Loading, unloading

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates

90 3082

: A

Tunnel restriction code (ADR) EAC code •3Z

Transport by sea

: 274, 335, 969 Special provisions (IMDG)

Limited quantities (IMDG) : 5 L : E1 Excepted quantities (IMDG)

Packing instructions (IMDG) : LP01, P001 Special packing provisions (IMDG) : PP1 IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) T4 Tank special provisions (IMDG) TP2, TP29 EmS-No. (Fire) F-A : S-F

EmS-No. (Spillage) Stowage category (IMDG)

Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y964 PCA limited quantity max net quantity (IATA) : 30kgG PCA packing instructions (IATA) : 964 PCA max net quantity (IATA) : 450L CAO packing instructions (IATA) : 964 CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L Excepted quantities (ADN) : E1 Carriage permitted (ADN) : T : PP Equipment required (ADN) Number of blue cones/lights (ADN) : 0

Rail transport Not regulated

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

The following res	ne following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:	
Reference code	Applicable on	
3(a)	Bergamot oil ; d-Limonene ; Tangerine oil	
3(b)	CKay One; Benzyl benzoate; Bergamot oil; beta-Caryophyllene; Citronellol Pure; Dimyrcetol; Geranyl formate; Helional; Iso E Super; Linalool; Linalyl acetate; d-Limonene; Phenylethyl alcohol; Tangerine oil; 2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol	
3(c)	CKay One; Ambrettolide; Benzyl benzoate; Bergamot oil; beta-lonone; beta-Caryophyllene; cis-3- Hexenyl salicylate; Hexamethylindanopyran; Geranyl formate; Helional; Iso E Super; d-Limonene; Tangerine oil	
40.	Bergamot oil ; d-Limonene ; Tangerine oil	

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

#### Germany

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

Store unit

SZW-lijst van kankerverwekkende stoffen : Bergamot oil,cis-3-Hexenyl salicylate,Tangerine oil are listed

SZW-lijst van mutagene stoffen : Bergamot oil,cis-3-Hexenyl salicylate are listed

NIET-limitatieve lijst van voor de voortplanting : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting : None of the components are listed

giftige stoffen – Vruchtbaarheid
NIET-limitatieve lijst van voor de voortplanting : None of the components are listed

giftige stoffen – Ontwikkeling

giftige stoffen - Borstvoeding

Denmark
Class for fire hazard : Class III-1

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines

for the storage of flammable liquids must be followed

50 liter

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# **SECTION 16: Other information**

Full text of H- and EUH-statements:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 4	Hazardous to the aquatic environment — Chronic Hazard, Category 4
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
	I .

# SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.