### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 10/30/2019 Revision date: Supersedes: Version:



### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Movie Night - Toffee Popcorn
UFI :HUJK-V3VE-100V-63D2

Product code

Type of product : Perfumes, Fragrances

Product group : Finished Good

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### 1.2.1. Relevant identified uses

Main use category : Industrial use,Professional use Industrial/Professional use spec : For professional use only

Industria

Use of the substance/mixture : Perfumes, Fragrances Function or use category : Odour agents

### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

Kandara Oils Ltd

Unit 11, Agecroft Enterprise Park, Shearer Way, Manchester, M27 8WA +447786556114 kandaraoils@gmail.com - www.kandaraoils.co.uk

### 1.4. Emergency telephone number

Emergency number : +44 77865 56114

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral) Category H302

4

Skin sensitization, Category H317

1

Hazardous to the aquatic H412

environment - Chronic

Hazard Category 3

Full text of H statements : see section 16

### Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Harmful to aquatic life with long lasting effects. May cause an allergic skin reaction.

### 2.2. Label elements

### Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



A/ - ---- i-- --

Signal word (CLP) : Warning

Hazardous ingredients : Coumarin crystals

Hazard statements (CLP)

: H302 - Harmful if swallowed

H317 - May cause an allergic skin reaction

10/30/2019 EN (English US) 1/9

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



H412 - Harmful to aquatic life with long lasting effects

Precautionary statements (CLP) : P264 - Wash hands thoroughly after handling

P270 - Do not eat, drink or smoke when using this product.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

### 2.3. Other hazards

No additional information available

### **SECTION 3: Composition/Information on ingredients**

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Dipropylene glycol monomethyl ether substance with a Community workplace exposure limit	(CAS-No.) 34590-94-8 (EC-No.) 252-104-2	33.1 - 53.1	Not classified
Veltol plus crystals	(CAS-No.) 4940-11-8 (EC-No.) 225-582-5	4.875 - 9.75	Acute Tox. 4 (Oral), H302
Anisic aldehyde	(CAS-No.) 123-11-5 (EC-No.) 204-602-6 (REACH-no) 01-2119977101-43	2.525 - 5.05	Aquatic Chronic 3, H412
Coumarin crystals	(CAS-No.) 91-64-5 (EC-No.) 202-086-7 (REACH-no) 01-2119943756-26	2.525 - 5.05	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Benzyl benzoate	(CAS-No.) 120-51-4 (EC-No.) 204-402-9 (EC Index-No.) 607-085-00-9 (REACH-no) 01-2119976371-33	1.61 - 3.22	Acute Tox. 4 (Oral), H302 Aquatic Chronic 2, H411
Amyl salicylate	(CAS-No.) 2050-08-0 (EC-No.) 218-080-2	0.25 - 0.5	Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Allergen report available upon request. Full text of H-phrases: see section 16

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

First-aid measures general : Call a poison center/doctor/physician if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs:

Get medical advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Rinse mouth. Call a poison center/doctor/physician if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : May cause an allergic skin reaction.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of : Toxic fumes may be released.

fire

### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

10/30/2019 EN (English US) 2/9

### Safety Data Sheet





### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapors/spray.

### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Avoid contact

with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product. Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

### 7.3. Specific end use(s)

No additional information available


### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

Benzyl benzoate (120-51-4)			
USA - NIOSH	NIOSH REL (TWA) (mg/m³)	<=	
Dipropylene glycol monomethyl ether (34590-94-8)			
EU	IOELV TWA (mg/m³)	308 mg/m³	
EU	IOELV TWA (ppm)	50 ppm	
EU	Notes	Possibility of significant uptake through the skin	
Austria	MAK (mg/m³)	307 mg/m³ (mixed isomers)	
Austria	MAK (ppm)	50 ppm (mixed isomers)	
Austria	MAK Short time value (mg/m³)	614 mg/m³ (isomers mixtures)	
Austria	MAK Short time value (ppm)	100 ppm (isomers mixtures)	
Belgium	Limit value (mg/m³)	308 mg/m³	
Belgium	Limit value (ppm)	50 ppm	
Bulgaria	OEL TWA (mg/m³)	308 mg/m³	
Bulgaria	OEL TWA (ppm)	50 ppm	
Croatia	GVI (granična vrijednost izloženosti) (mg/m³)	308 mg/m³	
Croatia	GVI (granična vrijednost izloženosti) (ppm)	50 ppm	
Cyprus	OEL TWA (mg/m³)	308 mg/m³	
Cyprus	OEL TWA (ppm)	50 ppm	
Czech Republic	Exposure limits (PEL) (mg/m³)	270 mg/m³	
Denmark	Limit (long-term) (mg/m³)	309 mg/m³	
Denmark	Limit (long-term) (ppm)	50 ppm	
Estonia	OEL TWA (mg/m³)	308 mg/m³	

10/30/2019 EN (English US) 3/9

# Movie Night - Toffee Popcorn Safety Data Sheet





Dipropylene glycol monomethyl ether (34590-94-8)		
Estonia	OEL TWA (ppm)	50 ppm
Finland	HTP-arvo (8h) (mg/m³)	310 mg/m³
Finland	HTP-arvo (8h) (ppm)	50 ppm
France	VME (mg/m³)	308 mg/m³ (restrictive limit)
France	VME (ppm)	50 ppm (restrictive limit)
Germany	TRGS 900 Occupational exposure limit value (mg/m³)	310 mg/m³ (isomer mixture)
Germany	TRGS 900 Occupational exposure limit value (ppm)	50 ppm (isomer mixture)
Gibraltar	Eight hours mg/m3	308 mg/m³
Gibraltar	Eight hours ppm	50 ppm
Greece Greece	OEL TWA (mg/m³) OEL TWA (ppm)	600 mg/m³ 100 ppm
Greece	OEL STEL (mg/m³)	900 mg/m³
Greece	OEL STEL (ppm)	150 ppm
Hungary	Exposure Limit Value	308 mg/m³
Ireland	OEL (8 hours ref) (mg/m³)	308 mg/m³
Ireland	OEL (8 hours ref) (ppm)	50 ppm
Ireland	OEL (15 min ref) (mg/m3)	924 mg/m³ (calculated)
	, , , , ,	, ,
Ireland	OEL (15 min ref) (ppm)	150 ppm (calculated)
Italy	OEL TWA (mg/m³)	308 mg/m³
Italy	OEL TWA (ppm)	50 ppm
Latvia	OEL TWA (mg/m³)	308 mg/m³
Latvia	OEL TWA (ppm)	50 ppm
Lithuania	IPRV (mg/m³)	308 mg/m³
Lithuania	IPRV (ppm)	50 ppm
Lithuania	TPRV (mg/m³)	450 mg/m³
Lithuania	TPRV (ppm)	75 ppm
		• • • • • • • • • • • • • • • • • • • •
Luxembourg	OEL TWA (mg/m³)	308 mg/m³
Luxembourg	OEL TWA (ppm)	50 ppm
Malta	OEL TWA (mg/m³)	308 mg/m³
Malta Netherlands	OEL TWA (ppm)  Grenswaarde TGG 8H (mg/m³)	50 ppm 300 mg/m <sup>3</sup>
Poland	NDS (mg/m³)	240 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-
		methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol and 2-(2-Methoxy-1-methylethoxy)propan-1-ol)
Poland	NDSCh (mg/m³)	480 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-1-ol)
Portugal	OEL TWA (mg/m³)	308 mg/m³ (indicative limit value)
Portugal	OEL TWA (ppm)	50 ppm (indicative limit value)
Portugal	OEL STEL (ppm)	150 ppm
Romania	OEL TWA (mg/m³)	308 mg/m³
Romania	OEL TWA (ppm)	50 ppm
Slovakia	NPHV (priemerná) (mg/m³)	308 mg/m³
Slovakia	NPHV (priemerná) (ppm)	50 ppm
Slovenia	OEL TWA (mg/m³)	308 mg/m³
Slovenia	OEL TWA (ppm)	50 ppm
Slovenia	OEL STEL (mg/m³)	308 mg/m³
Slovenia	OEL STEL (ppm)	50 ppm
Spain	VLA-ED (mg/m³)	308 mg/m³ (indicative limit value)
Spain	VLA-ED (ppm)	50 ppm (indicative limit value)
Sweden	nivågränsvärde (NVG) (mg/m³)	300 mg/m³
10/30/2019	EN (English US)	1/0

EN (English US) 10/30/2019 4/9

### Safety Data Sheet



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Dipropylene glycol monomethyl ether (34590-94-8)		
Sweden	nivågränsvärde (NVG) (ppm)	50 ppm
Sweden	kortidsvärde (KTV) (mg/m³)	450 mg/m³
Sweden	kortidsvärde (KTV) (ppm)	75 ppm
United Kingdom	WEL TWA (mg/m³)	308 mg/m³
United Kingdom	WEL TWA (ppm)	50 ppm
United Kingdom	WEL STEL (mg/m³)	924 mg/m³ (calculated)
United Kingdom	WEL STEL (ppm)	150 ppm (calculated)
Norway	TWA (AN) (mg/m³)	300 mg/m³
Norway	TWA (AN) (ppm)	50 ppm
Norway	TWA (Korttidsverdi) (mg/m3)	375 mg/m³ (value calculated)
Norway	TWA (Korttidsverdi) (ppm)	75 ppm (value calculated)
Switzerland	MAK (mg/m³)	300 mg/m³ (aerosol, vapour)
Switzerland	MAK (ppm)	50 ppm (aerosol, vapour)
Switzerland	KZGW (mg/m³)	300 mg/m³ (aerosol, vapour)
Switzerland	KZGW (ppm)	50 ppm (aerosol, vapour)
Australia	TWA (mg/m³)	308 mg/m³
Australia	TWA (ppm)	50 ppm
Canada (Quebec)	VECD (mg/m³)	909 mg/m³
Canada (Quebec)	VECD (ppm)	150 ppm
Canada (Quebec)	VEMP (mg/m³)	606 mg/m³
Canada (Quebec)	VEMP (ppm)	100 ppm
USA - ACGIH	ACGIH TWA (ppm)	100 ppm
USA - ACGIH	ACGIH STEL (ppm)	150 ppm
USA - IDLH	US IDLH (ppm)	600 ppm
USA - NIOSH	NIOSH REL (TWA) (mg/m³)	600 mg/m³
USA - NIOSH	NIOSH REL (TWA) (ppm)	100 ppm
USA - NIOSH	NIOSH REL (STEL) (mg/m³)	900 mg/m³
USA - NIOSH	NIOSH REL (STEL) (ppm)	150 ppm
USA - OSHA	OSHA PEL (TWA) (mg/m³)	600 mg/m³
USA - OSHA	OSHA PEL (TWA) (ppm)	100 ppm

### 8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Hand protection : Protective gloves
Eye protection : Safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment

Environmental exposure controls : Avoid release to the environment.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : light yellow. amber.
Odor : characteristic.
Odor threshold : No data available
pH : No data available
Relative evaporation rate (butyl acetate=1) : No data available
Melting point : Not applicable
Freezing point : No data available
Boiling point : No data available

Flash point : > 93 °C (closed cup) ASTM D7094

10/30/2019 EN (English US) 5/9

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : Not applicable
Vapor pressure : No data available
Relative vapor density at 20 °C : No data available

Relative density : ≈ 1.1

Solubility : No data available
Log Pow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidizing properties : No data available
Explosion limits : No data available

### 9.2. Other information

No additional information available

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### **SECTION 11: Toxicological information**

4	1.1	. Information	on toxicolo	nical offects
		. IIIIOIIIIauoii	UII LUXICUIU	gicai ellecis

Acute toxicity : Harmful if swallowed.

ATE CLP (oral) 1528.625 mg/kg body weight

Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified
STOT-repeated exposure : Not classified
Aspiration hazard : Not classified

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

10/30/2019 EN (English US) 6/9

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

### **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

### 14.1. UN number

UN-No. (ADR) : Not applicable
UN-No. (IMDG) : Not applicable
UN-No. (IATA) : Not applicable
UN-No. (ADN) : Not applicable
UN-No. (RID) : Not applicable

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Proper Shipping Name (ADN) : Not applicable
Proper Shipping Name (RID) : Not applicable

### 14.3. Transport hazard class(es)

### **ADR**

Transport hazard class(es) (ADR) : Not applicable

### IMDG

Transport hazard class(es) (IMDG) : Not applicable

### IATA

Transport hazard class(es) (IATA) : Not applicable

### ADN

Transport hazard class(es) (ADN) : Not applicable

### RID

Transport hazard class(es) (RID) : Not applicable

### 14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

### 14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

### 14.6. Special precautions for user

### - Overland transport

Not applicable

### - Transport by sea

Not applicable

10/30/2019 EN (English US) 7/9

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



### - Air transport

Not applicable

### - Inland waterway transport

Not applicable

### - Rail transport

Not applicable

#### Transport in bulk according to Annex II of Marpol and the IBC Code 14.7.

Not applicable

### **SECTION 15: Regulatory information**

#### Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1.

#### **EU-Regulations** 15.1.1.

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	Movie Night - Toffee Popcorn ; Benzyl benzoate
3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	Movie Night - Toffee Popcorn ; Amyl salicylate ; Anisic aldehyde ; Benzyl benzoate

Contains no REACH candidate substance

Contains no REACH Annex XIV substances.

#### 15.1.2. **National regulations**

### Germany

: Water hazard class (WGK) 2, significant hazardous to water (Classification according to AwSV, Reference to AwSV

Annex 1)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

### Netherlands

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Borstvoeding

NIET-limitatieve lijst van voor de voortplanting giftige stoffen - Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting giftige stoffen - Ontwikkeling

: None of the components are listed

### **Denmark**

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with the product

### **Chemical safety assessment**

No chemical safety assessment has been carried out

### **SECTION 16: Other information**

### Full text of H- and EUH-phrases:

Tall tox of IT and Lot phiacoc.	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhalation) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aguatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2

10/30/2019 EN (English US) 8/9

## Safety Data Sheet



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Skin Sens. 1	Skin sensitization, Category 1
H301	Toxic if swallowed
H302	Harmful if swallowed
H311	Toxic in contact with skin
H317	May cause an allergic skin reaction
H331	Toxic if inhaled
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

### FCF SDS EU CLP.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

10/30/2019 EN (English US) 9/9