Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 10/16/2019 Revision date: 8/7/2020 Supersedes: 10/16/2019 Version: 1.0



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Product name UFI	: Mixture : Oak Moss & Amber : 48DP-X2U5-K00E-JK4M
Product code	: 40DP-X205-K00E-JK4M
Type of product Product group	Perfumes, FragrancesFinished Good

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	: Industrial use, Professional use
Industrial/Professional use spec	: For professional use only
	Industrial
Use of the substance/mixture	: Perfumes, Fragrances
Function or use category	: Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Kandara Oils Ltd Unit 11, Agecroft Enterprise Park, Shearer Way, Manchester, M27 8WA +447786556114 kandaraoils@gmail.com - www.kandaraoils.co.uk

1.4. Emergency telephone number

Emergency number

: +44 77865 56114

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Acute toxicity (oral) Category 4	H302
Serious eye damage/eye irritation, Category 2	H319
Skin sensitization, Category 1	H317
Hazardous to the aquatic environment - Chronic Hazard Category 2	H411
Full text of H statements : see section 16	

Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) :



Signal word (CLP)

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazardous ingredients	: Geraniol; Nerol; Citral; Iso E Super; Coumarin crystals; Cashmeran; Hexyl cinnamic aldehyde; 2-Hydroxybenzoic acid, benzyl ester; Damascone alpha- (E)-1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)-2-buten-1-one (24720-09-0); Eucalyptol; d-Limonene; Linalyl acetate; Majantol; Benzyl benzoate
Hazard statements (CLP)	 H302 - Harmful if swallowed. H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	 P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. P302+P352 - IF ON SKIN: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl benzoate	(CAS-No.) 120-51-4 (EC-No.) 204-402-9 (EC Index-No.) 607-085-00-9 (REACH-no) 01-2119976371-33	29.65 – 49.65	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Verdox	(CAS-No.) 88-41-5 (EC-No.) 201-828-7 (REACH-no) 01-2119970713-33	6.5 – 13	Aquatic Chronic 2, H411
Hexyl cinnamic aldehyde	(CAS-No.) 101-86-0 (EC-No.) 202-983-3 (REACH-no) 01-2119533092-50	4 – 7	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Patchone crystals	(CAS-No.) 98-52-2 (EC-No.) 202-676-4	2.5 – 5	Eye Irrit. 2, H319
Terpinyl acetate	(CAS-No.) 80-26-2 (EC-No.) 201-265-7	2.375 – 4.75	Aquatic Chronic 2, H411
Iso E Super	(CAS-No.) 54464-57-2 (EC-No.) 259-174-3 (REACH-no) 01-2119489989-04	2.25 – 4.5	Skin Sens. 1, H317 Aquatic Chronic 2, H411
2-Methyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2- buten-1-ol	(CAS-No.) 28219-60-5 (EC-No.) 248-907-2	1.2 – 2.4	Eye Irrit. 2, H319 Aquatic Chronic 2, H411
2-Hydroxybenzoic acid, benzyl ester	(CAS-No.) 118-58-1 (EC-No.) 204-262-9 (REACH-no) 01-2119969442-31	0.6 – 1.2	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Linalyl acetate	(CAS-No.) 115-95-7 (EC-No.) 204-116-4 (REACH-no) 01-2119454789-19	0.5 – 1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Sandela	(CAS-No.) 66068-84-6 (EC-No.) 266-100-3	0.5 – 1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 2, H411
Majantol	(CAS-No.) 103694-68-4 (EC-No.) 403-140-4 (EC Index-No.) 603-138-00-5	0.5 – 1	Skin Sens. 1, H317 Aquatic Chronic 3, H412
Nerol	(CAS-No.) 106-25-2 (EC-No.) 203-378-7	0.45 – 0.9	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Geraniol	(CAS-No.) 106-24-1 (EC-No.) 203-377-1 (REACH-no) 01-2119552430-49	0.55 – 0.6	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
Coumarin crystals	(CAS-No.) 91-64-5 (EC-No.) 202-086-7 (REACH-no) 01-2119943756-26	0.3 – 0.6	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411
d-Limonene	(CAS-No.) 5989-27-5 (EC-No.) 227-813-5 (EC Index-No.) 601-029-00-7 (REACH-no) 01-2119493353-35	0.075 – 0.15	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Citral	(CAS-No.) 5392-40-5 (EC-No.) 226-394-6 (EC Index-No.) 605-019-00-3 (REACH-no) 01-2119462829-23	0.05 – 0.1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Cashmeran	(CAS-No.) 33704-61-9 (EC-No.) 251-649-3 (REACH-no) 01-2119977131-40	0.05 – 0.1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 STOT RE 2, H373 Aquatic Chronic 2, H411
Damascone alpha- (E)-1-(2,6,6-Trimethyl-2- cyclohexen-1-yl)-2-buten-1-one (24720-09-0)	(CAS-No.) 24720-09-0 (EC-No.) 246-430-4	0.05 – 0.1	Acute Tox. 4 (Oral), H302 Skin Sens. 1B, H317
Eucalyptol	(CAS-No.) 470-82-6 (EC-No.) 207-431-5 (REACH-no) 01-2119967772-24	0.05 – 0.1	Flam. Liq. 3, H226 Skin Sens. 1, H317

Full text of H-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a poison center/doctor/physician if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

First-aid measures after skin contact	: Wash with plenty of soap and water. If skin irritation or rash occurs: Get immediate medical advice/attention. Get medical advice/attention. Specific treatment (see Wash skin with plenty of water, Call a physician immediately on this label). Wash contaminated clothing before reuse. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a POISON CENTER or doctor/physician if you feel unwell. Do NOT induce vomiting. Obtain emergency medical attention. Rinse mouth. Call a poison center/doctor/physician if you feel unwell.
4.2. Most important symptoms and effects, both acute and delayed	

Symptoms/effects Symptoms/effects after inhalation	 Not expected to present a significant hazard under anticipated conditions of normal use. May cause an allergic skin reaction.
Symptoms/effects after skin contact Symptoms/effects after ingestion	May cause an allergic skin reaction.Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	Sand. Water spray. Dry powder. Foam. Carbon dioxide.Do not use a heavy water stream.	
5.2. Special hazards arising from the substance or mixture		
Hazardous decomposition products in case of fire	: Toxic fumes may be released.	
5.3. Advice for firefighters		
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.	
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equip	ment and emergency procedures	
6.1.1. For non-emergency personnel		
Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".	
Emergency procedures	: Ventilate area.	
6.2. Environmental precautions		

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

o.s. methods and material for containment and cleaning up	
For containment Methods for cleaning up	 Collect spillage. Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.2 Methode and material for containment and cleaning u

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Other information

: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storag	e
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	 Ensure good ventilation of the work station. Wear personal protective equipment. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, incl	uding any incompatibilities
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store in a well-ventilated place. Keep cool.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.
Storage temperature	: 25 °C
Storage area	: Store in a well-ventilated place. Store away from heat.
Special rules on packaging	: Store in a closed container.
Packaging materials	: Do not store in corrodable metal.

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Citral (5392-40-5)		
Belgium - Occupational Exposure Limits		
Limit value (mg/m³)	32 mg/m³ (vapor and aerosol)	
Limit value (ppm)	5 ppm (vapor and aerosol)	
OEL chemical category (BE)	Skin	
Ireland - Occupational Exposure Limits		
OEL (8 hours ref) (ppm)	5 ppm	
OEL (15 min ref) (ppm)	15 ppm (calculated)	
Poland - Occupational Exposure Limits		
NDS (mg/m³)	27 mg/m ³	
NDSCh (mg/m³)	54 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA (ppm)	5 ppm	
OEL chemical category (PT)	Sensitizer, skin - potential for cutaneous exposure	
Spain - Occupational Exposure Limits		
VLA-ED (ppm)	5 ppm (inhalable fraction and vapor)	
OEL chemical category (ES)	Sensitizer, skin - potential for cutaneous absorption	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

USA - ACGIH - Occupational Exposure Limits	
ACGIH TWA (ppm)	5 ppm (inhalable fraction and vapor)
ACGIH chemical category	dermal sensitizer, Skin - potential significant contribution to overall exposure by the cutaneous route, Not Classifiable as a Human Carcinogen

d-Limonene (5989-27-5)		
Finland - Occupational Exposure Limits		
HTP-arvo (8h) (mg/m³)	140 mg/m³	
HTP-arvo (8h) (ppm)	25 ppm	
HTP-arvo (15 min)	280 mg/m³	
HTP-arvo (15 min) (ppm)	50 ppm	
Germany - Occupational Exposure Limits (TRGS 90	0)	
Occupational exposure limit value (mg/m³)	28 mg/m $^{\rm 3}$ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Occupational exposure limit value (ppm)	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	skin notation, Skin sensitization	
Slovenia - Occupational Exposure Limits		
OEL TWA (mg/m³)	28 mg/m³	
OEL TWA (ppm)	5 ppm	
OEL STEL (mg/m³)	112 mg/m³	
OEL STEL (ppm)	20 ppm	
OEL chemical category (SI)	Potential for cutaneous absorption	
Spain - Occupational Exposure Limits		
VLA-ED (mg/m³)	168 mg/m³	
VLA-ED (ppm)	30 ppm	
OEL chemical category (ES)	Sensitizer, skin - potential for cutaneous absorption	
Norway - Occupational Exposure Limits		
TWA (AN) (mg/m³)	140 mg/m³	
TWA (AN) (ppm)	25 ppm	
TWA (Korttidsverdi) (mg/m3)	175 mg/m³ (value calculated)	
TWA (Korttidsverdi) (ppm)	37.5 ppm (value calculated)	
OEL chemical category (NO)	Sensitizing substance	
Switzerland - Occupational Exposure Limits		
MAK (mg/m³)	40 mg/m ³	
MAK (ppm)	7 ppm	
KZGW (mg/m³)	80 mg/m ³	
KZGW (ppm)	14 ppm	
OEL chemical category (CH)	Sensitizer	
8.2 Exposure controls		

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

Chemical goggles or safety glasses. Safety glasses

Skin and body protection:
Wear suitable protective clothing
Respiratory protection:

Wear appropriate mask

Personal protective equipment symbol(s):



Environmental exposure controls: Avoid release to the environment.

Other information: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Color	: light yellow. amber.
Odor	: amber. wood.
Odor threshold	: No data available
рН	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 93.33 °C (closed cup) ASTM D7094
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: ≈ 1.04
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosion limits	: No data available

9.2. Other information

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	:	Harmful if swallowed.
Acute toxicity (dermal)	:	Not classified
Acute toxicity (inhalation)	:	Not classified

Oak Moss & Amber #EU30112F	
ATE CLP (oral)	949.668 mg/kg body weight

Nerol (106-25-2)	
LD50 oral rat	4500 mg/kg
LD50 oral	4500 mg/kg body weight
LD50 dermal rabbit	> 5 g/kg

Citral (5392-40-5)	
LD50 oral rat 4960 mg/kg	
LD50 dermal rabbit	2250 mg/kg
LD50 dermal	2250 mg/kg body weight

Geraniol (106-24-1)	
LD50 oral rat	3600 mg/kg
LD50 oral	3600 mg/kg body weight
LD50 dermal rabbit	> 5 g/kg

Patchone crystals (98-52-2)	
LD50 oral rat	4200 mg/kg
LD50 oral	4200 mg/kg body weight

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

LD50 dermal rabbit	> 5 g/kg
Terpinyl acetate (80-26-2)	
LD50 oral rat	5075 mg/kg
	·
Verdox (88-41-5)	
LD50 oral rat	4600 mg/kg
LD50 oral	4600 mg/kg body weight

Coumarin crystals (91-64-5)	
LD50 oral rat	> 5000 mg/kg
LD50 oral	500 mg/kg body weight
LD50 dermal rat	> 2000 mg/kg

Cashmeran (33704-61-9)	
LD50 oral	2900 mg/kg body weight

Hexyl cinnamic aldehyde (101-86-0)	
LD50 oral rat	3100 mg/kg
LD50 oral	3100 mg/kg body weight
LD50 dermal rabbit	> 3000 mg/kg
LC50 inhalation rat (mg/l)	> 5 mg/l/4h

2-Hydroxybenzoic acid, benzyl ester (118-58-1)	
LD50 oral rat	2227 mg/kg
LD50 oral	2200 mg/kg body weight
LD50 dermal rabbit	> 5000 mg/kg

Benzyl benzoate (120-51-4)	
LD50 oral rat	500 mg/kg
LD50 oral	1500 mg/kg body weight
LD50 dermal rabbit	4000 mg/kg
LD50 dermal	4000 mg/kg body weight

Majantol (103694-68-4)	
LD50 oral	3440 mg/kg body weight

Eucalyptol (470-82-6)	
LD50 oral rat	2480 mg/kg
LD50 oral	2480 mg/kg body weight

d-Limonene (5989-27-5)	
LD50 oral rat	4400 mg/kg
LD50 dermal rabbit	> 5 g/kg

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Linalyl acetate (115-95-7)		
LD50 oral rat		14550 mg/kg
LD50 dermal rabbit		> 5000 mg/kg
Damascone alpha- (E)-1-(2,6,6-Trimethyl-2	2-cy	clohexen-1-yl)-2-buten-1-one (24720-09-0) (24720-09-0)
LD50 oral		1670 mg/kg body weight
LD50 dermal		2900 mg/kg body weight
Skin corrosion/irritation		Not classified
Serious eye damage/irritation	-	Causes serious eye irritation.
Respiratory or skin sensitization		May cause an allergic skin reaction.
Germ cell mutagenicity		Not classified
Carcinogenicity	:	Not classified
Coumarin crystals (91-64-5)		
IARC group		3 - Not classifiable
d-Limonene (5989-27-5)		
IARC group		3 - Not classifiable
Reproductive toxicity	:	Not classified
STOT-single exposure	:	Not classified
STOT-repeated exposure	:	Not classified
Aspiration hazard	:	Not classified
Potential Adverse human health effects and symptoms	:	Harmful if swallowed. Based on available data, the classification criteria are not met.

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general Hazardous to the aquatic environment, short-term (acute)	: Toxic to aquatic life with long lasting effects. : Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.
Nerol (106-25-2)	
LC50 fish 1	20.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
Citral (5392-40-5)	
EC50 Daphnia 1	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h algae 1	16 mg/l (Species: Desmodesmus subspicatus)
EC50 96h algae (1)	19 mg/l (Species: Desmodesmus subspicatus)
Geraniol (106-24-1)	

LC50 fish 1

22 mg/l (Exposure time: 96 h - Species: Danio rerio [static])

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EC50 72h algae 1 29 mg/l (Species: Desm Terpinyl acetate (80-26-2)	48 h - Species: Daphnia magna) odesmus subspicatus) e: 96 h - Species: Pimephales promelas [flow-through]) e: 96 h - Species: Danio rerio [semi-static])	
EC50 72h algae 1 29 mg/l (Species: Desm Terpinyl acetate (80-26-2)	odesmus subspicatus) e: 96 h - Species: Pimephales promelas [flow-through])	
Terpinyl acetate (80-26-2) LC50 fish 1 > 11 mg/l (Exposure time) Cashmeran (33704-61-9)	e: 96 h - Species: Pimephales promelas [flow-through])	
LC50 fish 1 > 11 mg/l (Exposure tim Cashmeran (33704-61-9)		
Cashmeran (33704-61-9)		
	e: 96 h - Species: Danio rerio [semi-static])	
LC50 fish 1 10.3 mg/l (Exposure tim	e: 96 h - Species: Danio rerio [semi-static])	
2-Hydroxybenzoic acid, benzyl ester (118-58-1)		
LC50 fish 1 1.03 mg/l (Exposure tim	e: 96 h - Species: Danio rerio [semi-static])	
Benzyl benzoate (120-51-4)		
LC50 fish 1 2.32 mg/l (Exposure tim	e: 96 h - Species: Danio rerio [semi-static])	
NOEC (chronic) 0.168 mg/l		
Eucalyptol (470-82-6)		
LC50 fish 1 95.4 (95.4 – 109) mg/l (through])	Exposure time: 96 h - Species: Pimephales promelas [flow-	
d-Limonene (5989-27-5)		
LC50 fish 1 0.619 – 0.796 mg/l (Exp	osure time: 96 h - Species: Pimephales promelas [flow-through])	
LC50 fish 2 35 mg/l (Exposure time:	96 h - Species: Oncorhynchus mykiss)	
Linalyl acetate (115-95-7)		
LC50 fish 1 11 mg/l (Exposure time:	96 h - Species: Cyprinus carpio [flow-through])	
12.2. Persistence and degradability		
Oak Moss & Amber #EU30112F		
Persistence and degradability Not established.		
Benzyl benzoate (120-51-4)		
Persistence and degradability May cause long-term ac	verse effects in the environment.	
12.3. Bioaccumulative potential		
Oak Moss & Amber #EU30112F		
Bioaccumulative potential Not established.		
Citral (5392-40-5)		
Partition coefficient n-octanol/water (Log Pow) 2.76 (at 25 °C)		
Patchone crystals (98-52-2)		
Partition coefficient n-octanol/water (Log Pow) 3.23		

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Benzyl benzoate (120-51-4)		
Partition coefficient n-octanol/water (Log Pow) 4		
Bioaccumulative potential	Not established.	
12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assessment		
No additional information available		
12.6. Other adverse effects		
Additional information :	Avoid release to the environment.	

SECTION 13: Disposal considerations	5
13.1. Waste treatment methods	
Waste treatment methods Product/Packaging disposal recommendations	 Dispose of contents/container in accordance with licensed collector's sorting instructions. Dispose of contents/container in accordance with local/national laws and regulations. Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number	
UN-No. (ADR) UN-No. (IMDG) UN-No. (IATA) UN-No. (ADN) UN-No. (RID)	 : UN 3082
14.2. UN proper shipping name	
Proper Shipping Name (ADR) Proper Shipping Name (IMDG) Proper Shipping Name (IATA) Proper Shipping Name (ADN) Proper Shipping Name (RID) Transport document description (ADR) Transport document description (IMDG) Transport document description (IATA) Transport document description (ADN) Transport document description (RID)	 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (d- Limonene), 9, III, (E) UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (d- Limonene), 9, III, MARINE POLLUTANT UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (d- Limonene), 9, III, MARINE POLLUTANT UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III
14.3. Transport hazard class(es)	
ADR Transport hazard class(es) (ADR) Hazard labels (ADR)	: 9 : 9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

: 9 : 9

: 9

: 9

: 9



IMDG

ΙΑΤΑ

Transport hazard class(es) (IMDG) Hazard labels (IMDG)

Transport hazard class(es) (IATA)

Hazard labels (IATA)





ADN Transport hazard class(es) (ADN) Hazard labels (ADN)

RID

Transport hazard class(es) (RID) Hazard labels (RID)



14.4. Packing group	
Packing group (ADR) Packing group (IMDG) Packing group (IATA) Packing group (ADN) Packing group (RID)	: III : III : III : III : III
14.5. Environmental hazards	
Dangerous for the environment Marine pollutant Other information	: Yes : Yes : No supplementary information available
14.6. Special precautions for user	
Overland transport Classification code (ADR) Special provision (ADR)	: M6 : 274, 335, 601, 375

: 51

: E1

: PP1

: MP19

Limited quantities (ADR)

Excepted quantities (ADR)

Packing instructions (ADR) Special packing provisions (ADR)

Mixed packing provisions (ADR)

: P001, IBC03, LP01, R001

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Portable tank and bulk container instructions (ADR) Portable tank and bulk container special provisions	:	T4 TP1, TP29
(ADR)		
Tank code (ADR)		LGBV
Vehicle for tank carriage Transport category (ADR)		AT 3
Special provisions for carriage - Packages (ADR)	-	S V12
Special provisions for carriage - Loading, unloading		CV13
and handling (ADR)	•	
Hazard identification number (Kemler No.)	:	90
Orange plates	:	00
		90
		3082
		3082
Tunnel restriction code (ADR)	:	E
EAC	:	•3Z
Transport by sea		
Special provision (IMDG)	:	274, 335, 969
Limited quantities (IMDG)		5 L
Excepted quantities (IMDG)		E1
Packing instructions (IMDG)		P001, LP01
Packing provisions (IMDG)		PP1
IBC packing instructions (IMDG)		IBC03 T4
Tank instructions (IMDG) Tank special provisions (IMDG)		TP2, TP29
EmS-No. (Fire)		F-A
EmS-No. (Spillage)		S-F
Stowage category (IMDG)		A
Air transport		
PCA Excepted quantities (IATA)	:	E1
PCA Limited quantities (IATA)	:	Y964
PCA limited quantity max net quantity (IATA)	:	30kgG
PCA packing instructions (IATA)	:	964
PCA max net quantity (IATA)	:	450L
CAO packing instructions (IATA)	:	964
CAO max net quantity (IATA)		450L
Special provision (IATA)		A97, A158, A197
ERG code (IATA)	:	9L
Inland waterway transport		
Classification code (ADN)	-	M6 274, 335, 375, 601
Special provision (ADN) Limited quantities (ADN)	:	
Excepted quantities (ADN)		E1
Carriage permitted (ADN)		T
Equipment required (ADN)	:	PP
Number of blue cones/lights (ADN)	:	0
Rail transport		
Classification code (RID)	:	M6
Special provision (RID)	:	274, 335, 375, 601
Limited quantities (RID)		5L
Excepted quantities (RID)		E1
Packing instructions (RID)		P001, IBC03, LP01, R001
Special packing provisions (RID)		PP1
Mixed packing provisions (RID)		MP19
Portable tank and bulk container instructions (RID)		T4
Portable tank and bulk container special provisions (RID)	:	TP1, TP29
Tank codes for RID tanks (RID)		LGBV
Transport category (RID)	:	3
Special provisions for carriage – Packages (RID)	:	W12
Special provisions for carriage - Loading, unloading		CW13, CW31
and handling (RID)		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Colis express (express parcels) (RID)	:	CE8
Hazard identification number (RID)	:	90

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following res	trictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:
Reference code	Applicable
3(a)	Eucalyptol ; d-Limonene
3(b)	Oak Moss & Amber ; Geraniol ; Nerol ; Citral ; Iso E Super ; Cashmeran ; 2-Methyl-4-(2,2,3-trimethyl-3- cyclopenten-1-yl)-2-buten-1-ol ; Hexyl cinnamic aldehyde ; 2-Hydroxybenzoic acid, benzyl ester ; Damascone alpha- (E)-1- (2,6,6-Trimethyl-2-cyclohexen-1-yl)-2-buten-1-one (24720-09-0) ; Eucalyptol ; d-Limonene ; Linalyl acetate ; Sandela ; Majantol ; Benzyl benzoate
3(c)	Oak Moss & Amber ; Iso E Super ; Terpinyl acetate ; Verdox ; Cashmeran ; 2-Methyl-4-(2,2,3-trimethyl-3- cyclopenten-1-yl)-2-buten-1-ol ; Hexyl cinnamic aldehyde ; 2-Hydroxybenzoic acid, benzyl ester ; d-Limonene ; Sandela ; Majantol ; Benzyl benzoate
40.	Eucalyptol ; d-Limonene

Contains no REACH candidate substance

Contains no REACH Annex XIV substances.

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance(s) subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

Germany

Employment restrictions	 Observe restrictions according Act on the Protection of Working Mothers (MuSchG) Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG)
Water hazard class (WGK)	: WGK 2, significant hazardous to water (Classification according to AwSV, Annex 1)
Hazardous Incident Ordinance (12. BImSchV)	: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
Netherlands	
SZW-lijst van kankerverwekkende stoffen	: Sandela is listed
SZW-lijst van mutagene stoffen	: Sandela is listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	: None of the components are listed
Denmark	
Classification remarks	: Emergency management guidelines for the storage of flammable liquids must be followed
Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product
	Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information Other information : None.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of H- and EUH-phrase	35:
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhalation) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Asp. Tox. 1	Aspiration hazard Category 1
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids Category 3
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization, Category 1
Skin Sens. 1B	Skin sensitization, Category 1B
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H226	Flammable liquid and vapor.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
Н373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.