# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Issue date: 12/11/2020



# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form · Mixture Product name Slumber Land

UFI WRQ5-R2M8-H00V-U2TS

Product code

Type of product Perfumes, Fragrances Product group : Finished Good

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

: Industrial use, Professional use Main use category Use of the substance/mixture : Perfumes, Fragrances Function or use category : Odour agents

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Kandara Oils Ltd

Unit 11, Agecroft Enterprise Park, Shearer Way, Manchester, M27 8WA +447786556114 kandaraoils@gmail.com - www.kandaraoils.co.uk

#### 1.4. Emergency telephone number

Emergency number : +44 77865 56114

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral) Category 4 H302 Skin sensitization, Category 1 H317 Hazardous to the aquatic environment - Acute Hazard Category 1 H400 Hazardous to the aquatic environment - Chronic Hazard Category 2 H411

Full text of H statements : see section 16

#### Adverse physicochemical, human health and environmental effects

Harmful if swallowed. May cause an allergic skin reaction. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

#### 2.2. Label elements

#### Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07

GHS09

Signal word (CLP)

Contains : Benzyl benzoate; Lavandin oil; acetyl cedrene; Linalyl acetate; Coumarin crystals;

Eucalyptus oil; Nerol

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazard statements (CLP) : H302 - Harmful if swallowed.

H317 - May cause an allergic skin reaction.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P264 - Wash hands, forearms and face thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

#### 2.3. Other hazards

No additional information available

# **SECTION 3: Composition/Information on ingredients**

# 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl benzoate	(CAS-No.) 120-51-4 (EC-No.) 204-402-9 (EC Index-No.) 607-085-00-9 (REACH-no) 01-2119976371-33	30.125 – 60.25	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
HEXAMETHYLINDANOPYRAN	(CAS-No.) 1222-05-5 (EC-No.) 214-946-9 (EC Index-No.) 603-212-00-7 (REACH-no) 01-2119488227-29	4.65 – 9.3	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Lavandin oil	(CAS-No.) 8022-15-9 (EC-No.) 617-009-6	1.95 – 3.9	Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
acetyl cedrene	(CAS-No.) 32388-55-9 (EC-No.) 251-020-3 (REACH-no) 01-2119969651-28	1.725 – 3.45	Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
ACETYL HEXAMETHYL TETRALIN	(CAS-No.) 21145-77-7 (EC-No.) 244-240-6	1.15 – 2.3	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol	(CAS-No.) 63500-71-0 (EC-No.) 405-040-6 (EC Index-No.) 603-101-00-3 (REACH-no) 01-000015458-64	0.575 – 1.91659	Eye Irrit. 2, H319
Vanillin	(CAS-No.) 121-33-5 (EC-No.) 204-465-2 (REACH-no) 01-2119516040-60	0.575 – 1.15	Eye Irrit. 2, H319
2-Methyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2- buten-1-ol	(CAS-No.) 28219-60-5 (EC-No.) 248-907-2	0.575 – 1.15	Eye Irrit. 2, H319 Aquatic Chronic 2, H411
Linalyl acetate	(CAS-No.) 115-95-7 (EC-No.) 204-116-4 (REACH-no) 01-2119454789-19	0.375 – 0.75	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Cedarwood oil, Texas	(CAS-No.) 68990-83-0 (EC-No.) 294-461-7;614-888-8	0.3 – 0.6	Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Coumarin crystals	(CAS-No.) 91-64-5 (EC-No.) 202-086-7 (REACH-no) 01-2119943756-26	0.3 – 0.6	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Eucalyptus oil	(CAS-No.) 8000-48-4 (EC-No.) 283-406-2;286-249-8;616- 775-9 (REACH-no) 01-2119978250-37	0.3 – 0.6	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Nerol	(CAS-No.) 106-25-2 (EC-No.) 203-378-7	0.075 – 0.15	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317

Full text of H-phrases: see section 16

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Call a poison center/doctor/physician if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash

occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Rinse mouth. Call a poison center/doctor/physician if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : May cause an allergic skin reaction.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

# 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapors/spray.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid

breathing dust/fume/gas/mist/vapors/spray. Wear personal protective equipment.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

#### 7.3. Specific end use(s)

No additional information available

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### Hand protection:

Protective gloves

#### Eye protection:

Safety glasses

#### Skin and body protection:

Wear suitable protective clothing

# Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### Personal protective equipment symbol(s):



#### **Environmental exposure controls:**

Avoid release to the environment.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid

: No data available Color Odor : No data available : No data available Odor threshold No data available рΗ Relative evaporation rate (butyl acetate=1) No data available Not applicable Melting point Freezing point : No data available Boiling point : No data available

Flash point : > 93 °C

Auto-ignition temperature : No data available Decomposition temperature : No data available : Not applicable Flammability (solid, gas) Vapor pressure : No data available Relative vapor density at 20 °C No data available Relative density No data available Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available Explosive properties : No data available Oxidizing properties : No data available **Explosion limits** : No data available

#### 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

# 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

No additional information available

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

TI 0	I	#EU24457F

ATE CLP (oral) 766.078 mg/kg body weight

Benzyl benzoate (120-51-4)	
LD50 oral	500 mg/kg
LD50 oral	1500 mg/kg body weight
LD50 dermal	4000 mg/kg
I D50 dermal	4000 ma/ka body weight

HEXAMETHYLINDANOPYRAN (1222-05-5)	
LD50 oral	> 3250 mg/kg
LD50 dermal	> 3250 mg/kg

Lavandin oil (8022-15-9)	
LD50 oral	> 5 g/kg

acetyl cedrene (32388-55-9)	
LD50 oral	4500 mg/kg body weight

ACETYL HEXAMETHYL TETRALIN (21145-77-7)	
LD50 oral	570 mg/kg
LD50 oral	1000 mg/kg body weight
LD50 dermal	> 5 g/kg

Vanillin (121-33-5)	
LD50 dermal	> 5010 mg/kg

Linalyl acetate (115-95-7)	
LD50 oral	14550 mg/kg
LD50 dermal	> 5000 mg/kg

Coumarin crystals (91-64-5)	
LD50 oral	> 5000 mg/kg
LD50 oral	500 mg/kg body weight
LD50 dermal	> 2000 mg/kg

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Eucalyptus oil (8000-48-4)	
LD50 oral	2480 mg/kg

Nerol (106-25-2)	
LD50 oral	4500 mg/kg
LD50 oral	4500 mg/kg body weight
LD50 dermal	> 5 g/kg

Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Coumarin cı	ystals (91-64-5)
-------------	------------------

IARC group 3 - Not classifiable

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - general : Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Very toxic to aquatic life.

(acuto)

Hazardous to the aquatic environment, long-term :

(chronic)

: Toxic to aquatic life with long lasting effects.

Benzyl benzoate (120-51-4)	
LC50 fish 1	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
NOEC (chronic)	0.168 mg/l

HEXAMETHYLINDANOPYRAN (1222-05-5)	
LC50 fish 1	0.452 mg/l Wolf, 1996d-27682
LC50 other aquatic organisms 1	> 0.14 mg/l REACH DOSSIER Pimephales promelas
EC50 Daphnia 2	260 μg/l REACH Dossier
EC50 other aquatic organisms 1	0.131 mg/l REACH Dossier

Vanillin (121-33-5)	
LC50 fish 1	53 – 61.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 fish 2	88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
NOEC (acute)	10000 mg/kg (Exposure time: 42 Days - Species: Eisenia foetida [soil dry weight])

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Linalyl acetate (115-95-7)	
LC50 fish 1	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through])

Nerol (106-25-2)	
LC50 fish 1	20.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])

#### 12.2. Persistence and degradability

Benzyl benzoate (120-51-4)		
	Persistence and degradability	May cause long-term adverse effects in the environment.

Cedarwood oil, Texas (68990-83-0)	
Persistence and degradability	Not established.

Eucalyptus oil (8000-48-4)	
Persistence and degradability	Not established.

# 12.3. Bioaccumulative potential

Benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	4
Bioaccumulative potential	Not established.

Vanillin (121-33-5)		
	Partition coefficient n-octanol/water (Log Pow)	1.23 (at 22 °C)

Cedarwood oil, Texas (68990-83-0)	
Bioaccumulative potential	Not established.

Eucalyptus oil (8000-48-4)	
Bioaccumulative potential	Not established.

# 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

# 12.6. Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

# **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

12/11/2020 EN (English US) 8/13

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 14.1. UN number

 UN-No. (ADR)
 : UN 3082

 UN-No. (IMDG)
 : UN 3082

 UN-No. (IATA)
 : UN 3082

 UN-No. (ADN)
 : Not regulated

 UN-No. (RID)
 : Not regulated

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s.

Proper Shipping Name (ADN) : Not regulated Proper Shipping Name (RID) : Not regulated

Transport document description (ADR) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Hexamethylindanopyran), 9, III, (-)

Transport document description (IMDG) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Hexamethylindanopyran), 9, III, MARINE POLLUTANT

Transport document description (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Hexamethylindanopyran), 9,

Ш

# 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR) : 9
Hazard labels (ADR) : 9




#### **IMDG**

Transport hazard class(es) (IMDG) : 9
Hazard labels (IMDG) : 9



# IATA

Transport hazard class(es) (IATA) : 9
Hazard labels (IATA) : 9



#### ADN

Transport hazard class(es) (ADN) : Not regulated

RID

Transport hazard class(es) (RID) : Not regulated

#### 14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III

Packing group (ADN) : Not regulated Packing group (RID) : Not regulated

12/11/2020 EN (English US) 9/13

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes

Other information : No supplementary information available

# 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR) : M6

Special provision (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3082

Tunnel restriction code (ADR) : EAC : •3Z

Transport by sea

Special provision (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : LP01, P001 : PP1 Packing provisions (IMDG) IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : T4 Tank special provisions (IMDG) : TP1, TP29 EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-F Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provision (IATA) : A97, A158, A197

ERG code (IATA) : 9L

#### Inland waterway transport

Not regulated

Rail transport

Not regulated

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:		
Reference code	Applicable	
3(a)	Eucalyptus oil	
3(b)	Slumber Land; Benzyl benzoate; Lavandin oil; acetyl cedrene; 2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol; 2-Methyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol; Linalyl acetate; Cedarwood oil, Texas; Eucalyptus oil; Nerol	
3(c)	Slumber Land; Benzyl benzoate; HEXAMETHYLINDANOPYRAN; Lavandin oil; acetyl cedrene; 2-Methyl-4- (2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol; Cedarwood oil, Texas; Eucalyptus oil	
40.	Eucalyptus oil	

Contains no REACH candidate substance

Contains no REACH Annex XIV substances.

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance(s) subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

#### Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG)

Observe restrictions according Act on the Protection of Young People in Employment

: WGK 2, significant hazardous to water (Classification according to AwSV, Annex 1)

(JArbSchG)

Water hazard class (WGK)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

lazardous incident Ordinance (12. bimochy)

Netherlands

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen – Borstvoeding

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen – Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Ontwikkeling

: Cedarwood oil, Texas ,Eucalyptus oil are listed

Eucalyptus oil is listed

: None of the components are listed

: None of the components are listed

: None of the components are listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### **SECTION 16: Other information**

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BLV	Biological limit value
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
EC-No.	European Community number
EN	European Standard
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative
WGK	Water Hazard Class

Full text of H- and EUH-phrases:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhalation) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Asp. Tox. 1	Aspiration hazard Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids Category 3
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization, Category 1
Skin Sens. 1B	Skin sensitization, Category 1B
H226	Flammable liquid and vapor.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.