# SMARTPAWBurpurr Pet Camera Eyepet3

# Installation Guide



Partnered APP - Tuyasmart APP / Smartlife Available in Playstore / Appstore

Once installed, you can register an account with the respective app.

### Account Registration and Login

#### 1. Register:

\*If you don't have an App account yet, you can register an account or log in via SMS verification code. Please read the current page and the next page for the description of registration process. Click "Create New Account", enter Privacy Policy page on the Tuya smart, click to Agree and enter to the registration page for Mobile number or E-mail address.



#### 2. Log in with existing account:

\*If you have already registered an account, you can skip the creating new account, click "Log in with existing account", enter log in page.

(1) The system automatically select the current Country/Region, or you can manually select the Country/Region.

(2) Enter your registered mobile number or e-mail address, enter your password to log in the system.

### Connecting the Camera to your mobile device

#### **IMPORTANT:**

(1) This camera supports either 2.4GHZ / 5GHZ

(2) For stable network connection, please make sure the camera and the mobile device are close to the router.

### Connecting by scanning the QR code

#### Step 1:

Connect the mobile device to your Wi-Fi, then log into Tuya. Click "Add Device" (figure 1) on the Home of the App, select "Security & Sensor", then "Smart camera" (figure 2), click "next step".

我的家 >	0 🕀	K Add Manually Auto Scan	Cancel QR Code $\rightleftharpoons$
All Devices	Home ,	Large Home A Small Home A	Reset the device first. Power the device on and make sure the indicator is flashing quickly or a prompt tone is heard
-		Kitchen Ap pliances Security & Base Station NVR DVR	
No device	s	Exercise & Access Control	Perform net pairing as prompted. >
Add Devic		Gateway Control Energy	Make sure the indicator is flashing quickly or a prompt tone is heard
Home Smart Figure 1	Ø Me	Entertain ment figure 2	figure 3

#### Step 2 :

Enter Wi-Fi account and password, click "Next" (figure 4). Hold the mobile phone screen in front of the camera, the distance between the two should be 15 to 20cm, try not to shake the mobile phone during the scanning (figure 5).

Cancel	Cancel
Select 2.4 GHz Wi-Fi Network and enter password.	
If your Wi-Fi is 5GHz, please set it to be 2.4GHz. Common router setting method	
<ul> <li>♥</li> <li>♥</li></ul>	Please scan the QR code from 15 to 20 cm away
🛜 sectec 🔤	
≙	No Prompts
Next	I Heard a Prompt
figure 4	figure 5

#### Step 3:

When you hear "Connect Router", click "I Heard a Prompt", and wait for connecting (figure 6). Device added successfully (figure 7), you can choose the device name and room scene.





### **Functions Introduction**

Click the picture of the camera in the main interface of Tuya smart to enter the LIVE interface.

- A. Setting Menu
- B. Sound Switch
- C. Picture quality switch
- D. Full screen

### More functions

←	Settings	
8	Security Camera Room:Sected	>
Device I	nformation	>
Tap-to-R	un and Automation	>
Third Part	y Supported	
amazon ech	o Google Home	
Basic Sett	ings	
Private N	Mode	
Basic Fu	inction Settings	>
IR Night	Vision	Auto >
Advanced	Settings	

>
>
>
>
>

Remove Device

## Unique functions introduction

### \* One-Key calling



#### \* Move tracking



#### \* Private Mode (Only for special models)



÷	Settings		
	Security Camera Room:Sectec	>	
Device Information			
Tap-to-Run and Automation			
Third Party Supported			
amazon ec	tho GoogleHome		
Basic Set	ttings		
Private	Mode		
Basic Function Settings >			
IR Night Vision Auto			



#### \* Status Indicator (Only for special models)

Indicator light function: \*LED lighting - network not good \*LED blinking - NO network / waiting for config

	← Settings	← Basic Function Settings
	Room:Sectee	Status Indicator
LED Indicator	Device Information >	Flip Screen
	Tap-to-Run and Automation	Time Watermark
	Third Party Supported	Talk Made One-Way Communication
	amagen ectro	Tak Mode One-way communication 2
	Basic Settings	
018	Private Mode	
	Basic Function Settings	
	IR Night Vision Auto >	
	Advanced Settings	

#### \* Non-slip silicone & Wall mount

Non-slip silicone can keep the camera stable on table, camera can be installed on the wall and ceiling.



### Normal function :

- 1. Pan & Tilt Control
- 3. HD night vision
- 5. Optional Cloud Service
- 2. Video Playback
- 4. Two way audio
- 6. The microSD card (Max support 128GB)