ARCH WOOD Porcelain



an Architectural Ceramics brand

























COLORS



Sbiancato



Paglia



Miele



Corda



Fumo




COLORS



Sbiancato



Miele




Fumo



Sbiancato Cage Box



Miele Cage Box



Fumo Cage Box



AVAILABLE SIZES -	LABLE SIZES - FIELD		W-CAGE	CAGE BOX	20MM PAVER
	8x70	8x48	24x48	8x16	16x48
Corda		R9, R10, R11			
Fumo		R9, R10, R11	N	N	N
Miele	R10	R9, R10, R11	N	N	N
Paglia		R9, R10, R11			
Sbiancato	R10	R9, R10, R11	N	N	

N= Natural, R9= Soft R9, R10= Natural R10, R11= Technica R11

Lead times & product availability subject to change. Please contact an Architessa rep for lead times, samples, and availability.

DESCRIPTION

ARCH WOOD combines natural elegance and technical excellence available with three surface finishes specially designed to ensure optimal performance for every intended application. ARCHWOOD is the perfect solution for a continuous, harmonious design that imbues all the rooms with the unmistakable charm of wood.

INSTALLATION & MAINTENANCE

ARCH WOOD may be installed using standard ceramic tile installation methods and materials, as recommended by the Tile Council of North America (TCNA). An Architessa sales representative will advise you on general installation questions.

TECHNICAL INFORMATION

TYPE: COLOR BODY PORCELAIN

ORIGIN: ITALY EDGE: RECTIFIED

THICKNESS: 9.5MM, 10.5MM (8x70), 20MM (16x48)

LOOK: WOOD

SHADE VARIATION: 3 - MODERATE SURFACE ABRASION: N/A TRAFFIC RATING: HEAVY

COMMERCIAL

DCOF: ≥0.50 WET (NATURAL R10), ≥0.65 WET (20MM,

TECHNICA R11), ≥0.42 WET (SOFT R9)

BREAKING STRENGTH: 400LBS (10MM) 2500LBS (20MM)

WATER ABSORPTION: ≤0.5% STAIN RESISTANCE: YES FROST RESISTANCE: YES

ENVIRONMENT: GREENGAURD GOLD

CONTACT INFORMATION:

www.architessa.com 1.800.287.1742

For general sales inquiries: sales@architessa.com

For commercial & hospitality sample requests: samples@architessa.com

Headquarters: 1803 Research Blvd. Suite 402 Rockville, MD 20850