

BALTIC

Porcelain

 ARCHITESSA

an Architectural Ceramics brand





BALTIC Grey 18x36 / Grey 36x36



BALTIC Dark 24x48 / Grey 24x48



BALTIC Sand 18x36



BALTIC Grey 4x4

COLORS



Sand



Grey



Dark

AVAILABLE SIZES

	FIELD					PAVER	MOSAIC		TRIM	
	24x48	36x36	18x36	24x24	12x24	20x40 20MM	1x1	4x4	3x24 Bullnose	2x36 Bullnose
Sand	N	N	N	N	N*	R11	N	N	N	N
Grey	N	N	N	N	N*	R11	N	N	N	N
Dark	N	N	N	N	N*	R11	N	N	N	N

N= Natural, R11= Tecnica | *Stocked Sizes

Lead times & product availability subject to change. Please contact an Architessa rep for lead times, samples, and availability.

DESCRIPTION

The iconic slate stones of northern European lands inspire our handsome BALTIC tile collection. Achieve subtle and continuous aesthetics for classic interiors with the BALTIC porcelain floor and wall tile collection.

INSTALLATION & MAINTENANCE

BALTIC may be installed using standard porcelain installation methods and materials, as recommended by the Tile Council of North America (TCNA). An Architessa sales representative will advise you on general installation questions.

TECHNICAL INFORMATION

TYPE: COLOR BODY PORCELAIN

ORIGIN: ITALY

EDGE: RECTIFIED

THICKNESS: 9.5MM, 20MM (19 11/16"x 39 3/8")

LOOK: SLATE

SHADE VARIATION: 3 - MODERATE

SURFACE ABRASION: N/A

TRAFFIC RATING: HEAVY COMMERCIAL

DCOF: ≥ 0.65 (20MM, TECHNICA)

BREAKING STRENGTH: 400 LBS 9.5MM, 2500 LBS 20MM

WATER ABSORPTION: $\leq 0.5\%$

STAIN RESISTANCE: YES

FROST RESISTANCE: YES

ENVIRONMENT: 12% PRE-CONSUMER RECYCLED CONTENT

20% 20MM, GREENGUARD GOLD CERTIFIED, EPD

CONTACT INFORMATION:

www.architessa.com

1.800.287.1742

For general sales inquiries: sales@architessa.com

For commercial & hospitality sample requests: samples@architessa.com

Headquarters: 1803 Research Blvd. Suite 402 Rockville, MD 20850