

BESTOW

Porcelain

 ARCHITESSA





BESTOW Cream Saori 12x12, 12x24, 24x48



BESTOW Cream Saori 12x24, White Arku 12x24, Cream Telares 12x24




BESTOW Indigo Saori 24x48, Cool Grey Arku 24x48, Indigo Telares 24x48



BESTOW Indigo Telares, Saori 12x12, Kunano 12x12

ARKU



White



Warm Grey




Cool Grey




Charcoal


TELARES




Cream



Light Grey



Indigo



Charcoal


SAORI




Cream - 12x12




Cream - 12x24




Light Grey - 12x12




Light Grey - 12x24




Indigo - 12x12



Indigo - 12x24




Charcoal - 12x12




Charcoal - 12x24


SAORI




Cream - 24x24




Cream - 24x48




Light Grey - 24x24




Light Grey - 24x48



Indigo - 24x24



Indigo - 24x48








Charcoal - 24x24



Charcoal - 24x48

KUNANO



Kuano Deco

note: 6 faces

Kunano deco tiles are packaged in a random manner, we cannot guarantee which faces are in each package.

AVAILABLE SIZES

	FIELD			
	24x48	24x24	12x24	12x12
Arku Charcoal	M		M	
Arku Cool Grey	M		M	
Arku Warm Grey	M		M	
Arku White	M		M	
Kuano				M
Saori Charcoal	M	M	M	M
Saori Cream	M	M	M	M
Saori Indigo	M	M	M	M
Saori Light Grey	M	M	M	M
Telares Charcoal	M		M	
Telares Cream	M		M	
Telares Indigo	M		M	
Telares Light Grey	M		M	

M= Matte

Lead times & product availability subject to change. Please contact an Architessa rep for lead times, samples, and availability.

DESCRIPTION

Homespun artist's weaving, braiding, and macrame knotting inspire the tile's color, texture, and pattern. For millennia, the art of weaving has been passed down generationally, culturally, and communally to offer heightened expressions of history and heritage. Time, tradition, and talent has - and continues to - create artistry using hair, thread, tapestry and whatever else is available to create delicate and durable art.

INSTALLATION & MAINTENANCE

BESTOW may be installed using standard porcelain installation methods and materials, as recommended by the Tile Council of North America (TCNA). An Architessa sales representative will advise you on general installation questions.

TECHNICAL INFORMATION

TYPE: COLOR BODY PORCELAIN
 ORIGIN: USA
 EDGE: RECTIFIED
 THICKNESS: 8MM
 LOOK: FABRIC
 SHADE VARIATION: V2 - SLIGHT VARIATION
 SURFACE ABRASION: N/A
 TRAFFIC RATING: RESIDENTIAL, COMMERCIAL

DCOF: ≥ 0.42 WET
 BREAKING STRENGTH: ≥ 200 LBF
 WATER ABSORPTION: $\leq 0.5\%$
 STAIN RESISTANCE: YES
 FROST RESISTANCE: YES
 ENVIRONMENT: POST CONSUMER RECYCLE CONTENT 3%, PRE-CONSUMER RECYCLE CONTENT 45%

CONTACT INFORMATION:

www.architessa.com

1.800.287.1742

For general sales inquiries: sales@architessa.com

For commercial & hospitality sample requests: samples@architessa.com

Headquarters: 1803 Research Blvd. Suite 402 Rockville, MD 20850

