

DORIC

Porcelain, Ceramic & Cement



ARCHITESSA





DORIC Carven Clay 8x8, White 12x24



DORIC Carven Clay 8x48



DORIC White 2x10



DORIC Clay 12x24



DORIC Carven White 8x8, Coal 8x48



DORIC Ash, Coal 12x24, 2x2



DORIC Coal 2x10, 12x24

COLORS - PORCELAIN



White

24x48, 8x48, 12x24



White

2x2 Mosaic



Ash

24x48, 8x48, 12x24




Ash

2x2 Mosaic



Clay

24x48, 8x48, 12x24




Clay

2x2 Mosaic



Coal


24x48, 8x48, 12x24



Coal

2x2 Mosaic

COLORS - CERAMIC



White

2x10



Ash

2x10



Clay


2x10



Coal

2x10

COLORS - CEMENT



Carven White

8x8




Carven Ash

8x8



Carven Clay

8x8



Carven Coal

8x8

AVAILABLE SIZES

	FIELD			WALL	DECO	MOSAIC	TRIM
	24x48	8x48	12x24	2x10	8x8	2x2	3x12 BN
Ash	N	N	N*	N*	N	N*	N
Clay	N	N	N	N	N	N	N
Coal	N	N	N*	N*	N	N*	N
White	N	N	N*	N*	N	N*	N

N= Natural | *Stock Sizes

Lead times & product availability subject to change. Please contact an Architessa rep for lead times, samples, and availability.

DESCRIPTION

DORIC is a collection of ashy cement-look porcelain tile inspired by architecture on the island of Crete. Serene colors and tonal richness welcome you. A myriad of sizes and shapes delight the eyes with distinctive patterns and capture the look of artisan cement. The 8x8 3D deco tile is perfect for adding depth and playful texture to a wall and is reminiscent of ancient Greek artwork, worthy of admiration by man or minotaur. Inspired by a legacy of craftsmanship and timeless innovation, the DORIC can turn any space into a true classic.

INSTALLATION & MAINTENANCE

DORIC may be installed using standard ceramic tile installation methods and materials, as recommended by the Tile Council of North America (TCNA). An Architessa sales representative will advise you on general installation questions.

The manufacturer of this tile recommends a 1/8" grout joint for rectified tiles, and a 3/16" grout joint for pressed tiles.

TECHNICAL INFORMATION

TYPE: COLOR BODY PORCELAIN (12x24, 24x48), GLAZED PORCELAIN (8x48), CERAMIC (2x10), CEMENT (8x8)

ORIGIN: USA (24x48, 12x24, 2x2, BN), BRAZIL (8x48, 8x8, 2x10)

EDGE: PRESSED (8x8), RECTIFIED (24x48, 8x48, 12x24)

THICKNESS: 7MM (2x10), 8MM (24x48, 12x24, 2x2),

9MM (8x48), 20MM (8x8)

LOOK: CONCRETE

SHADE VARIATION: V3 - MODERATE VARIATION (24x48, 12x24, 8x8), V4 - SUBSTANTIAL VARIATION (8x48, 2x10)

SURFACE ABRASION: I (8x8), II (2x10),

III (8x24 AND FIELD TILE)

TRAFFIC RATING: COMMERCIAL, RESIDENTIAL

DCOF: <0.42 (8x48), ≥0.42 (24x48, 12x24, 2x10), N/A (8x8)

BREAKING STRENGTH: ≥125 LBF (8x8),

≥250 LBF (2x10), ≥275 LBF (24x48, 12x24)

WATER ABSORPTION: ≤0.5% (24x48, 12x24, 8x48),

≤3% (2x10), ≤20% (8x8)

STAIN RESISTANCE: YES, CLASS A, CLASS E (8x8)

FROST RESISTANCE: YES - EXCLUDES 2x10 AND 8x8

ENVIRONMENT: EPD

CONTACT INFORMATION:

www.architessa.com

1.800.287.1742

For general sales inquiries: sales@architessa.com

For commercial & hospitality sample requests: samples@architessa.com

Headquarters: 1803 Research Blvd. Suite 402 Rockville, MD 20850

