

ELEVATED 6MM

Installation Brochure



ARCHITESSA



Tele di Marmo

Statuario Michelangelo 6

Tele di Marmo Onyx

Onyx Black 8

Onyx Blue 10

Onyx Green 12

Onyx Ivory 14

Tele di Marmo Reloaded

Quarzo Kandinsky 16

Calacatta Gold Canova 18

Tele di Marmo Revolution

Thassos 20

Tele di Marmo Selection

Arabescato Corchia 22

Nero Marquinia 24

White Paradise 26

Cornerstone

Slate White 28

Slate Grey 30

Slabs USA


Bernini White 32

Graphite 33


Statuarietto 34

Statuario Select 35


COLORS INDEX



**STATUARIO
MICHELANGELO**
PAG. 6




**ONYX
BLACK**
PAG. 8



**ONYX
BLUE**
PAG. 10



**ONYX
GREEN**
PAG. 12




**ONYX
IVORY**
PAG. 14


COLORS INDEX




**WHITE
PARADISE**
PAG. 26




**SLATE
WHITE**
PAG. 28




**SLATE
GREY**
PAG. 30




**BERNINI
WHITE**
PAG. 32




GRAPHITE
PAG. 33



**QUARZO
KANDINSKY**
PAG. 16




**CALACATTA
GOLD**
PAG. 18



THASSOS
PAG. 20



**ARABESCATO
CORCHIA**
PAG. 22



**NERO
MARQUINIA**
PAG. 24



STATUARIETTO
PAG. 34



**STATUARIO
SELECT**
PAG. 35

SLABS 6,5 mm (1/4")

47 1/4" x 109 7/16"

TELE DI MARMO

Statuario Michelangelo



STATUARIO MICHELANGELO
6,5MM (1/4") Rectified
EJP8 47 1/4" x 109 7/16" x 1/4" Polished




STATUARIO MICHELANGELO BOOKMATCH

12MM (1/2") Not Rectified
EFKG 63 3/4" x 127 9/16" x 1/2" BOOKMATCH A Polished
EFKH 63 3/4" x 127 9/16" x 1/2" BOOKMATCH B Polished

TELE DI MARMO

Statuario Michelangelo



23 5/8" x 47 1/4" x 3/8"
ED3R 645MOY Statuario Michelangelo
Polished Rett.
ED47 985MOR Statuario Michelangelo
Nat. Rett.



11 13/16" x 23 5/8" x 3/8"
EEPX 295MOY Statuario Michelangelo
Polished Rett.
ED3M 635MOR Statuario Michelangelo
Nat. Rett.




2 15/16" x 11 13/16" x 3/8"
EDMG Statuario Michelangelo
Nat. Rett.

9,5 mm (3/8")

decors

Natural

Mosaico 5x5*
11 13/16" x 11 13/16" x 3/8"
Chip 1 7/8" x 1 7/8"



EDRK Z305MOR
Statuario Michelangelo
Natural

lappato

Intrecci*
11 11/16" x 11 11/16" x 3/8"



EEHQ T305MOY
Statuario Michelangelo
Polished

* Su rete in fibra - On fibre mesh backing

trims





SKIRTING
2 3/4" x 23 5/8" x 3/8"
Pos. Box. 16 - MLx Box 9,00

EDNP 875MOY Statuario Michelangelo
Polished Rett.
EDNN 875MOR Statuario Michelangelo
Nat. Rett.


SLABS 6,5 mm (1/4")
47 1/4" x 109 7/16"

TELE DI MARMO ONYX

Onyx Black



ONYX BLACK
6,5MM (1/4") Rectified
EKPF 47 1/4" x 109 7/16" x 1/4" Polished




ONYX BLACK BOOKMATCH
12MM (1/2") Not Rectified
EK6V 63 3/4" x 127 9/16" x 1/2" BOOKMATCH A Polished
EK6W 63 3/4" x 127 9/16" x 1/2" BOOKMATCH B Polished

TELE DI MARMO ONYX

Onyx Black

9,5 mm (3/8")





23 5/8" x 47 1/4" x 3/8"
EKTM Onyx Black
Polished Rett.
EKTS Onyx Black
Silktech Rett.



SLABS 6,5 mm (1/4")
47 1/4" x 109 7/16"

TELE DI MARMO ONYX

Onyx Blue



ONYX BLUE
6,5MM (1/4") Rectified
EKPK 47 1/4" x 109 7/16" x 1/4" Polished

TELE DI MARMO ONYX

Onyx Blue

9,5 mm (3/8")





23 5/8" x 47 1/4" x 3/8"
EKTR Onyx Blue
Polished Rett.
EKTD Onyx Blue
Silktech Rett.



SLABS 6,5 mm (1/4")
47 1/4" x 109 7/16"

TELE DI MARMO ONYX


Onyx Green



ONYX GREEN
6,5MM (1/4") Rectified
EKPJ 47 1/4" x 109 7/16" x 1/4" Polished

TELE DI MARMO ONYX

Onyx Green



9,5 mm (3/8")


23 5/8" x 47 1/4" x 3/8"
EKTQ Onyx Green
Polished Rett.
EKTC Onyx Green
Silktech Rett.



SLABS 6,5 mm (1/4")
47 1/4" x 109 7/16"

TELE DI MARMO ONYX


Onyx Ivory



ONYX IVORY
6,5MM (1/4") Rectified
EKPH 47 1/4" x 109 7/16" x 1/4" Polished

TELE DI MARMO ONYX

Onyx Ivory



23 5/8" x 47 1/4" x 3/8"
EKTP Onyx Ivory
Polished Rett.
EKTA Onyx Ivory
Silktech Rett.




SLABS 6,5 mm (1/4")
47 1/4" x 109 7/16"

TELE DI MARMO RELOADED

Quarzo Kandinsky



QUARZO KANDINSKY
6,5MM (1/4") Rectified
EJP4 47 1/4" x 109 7/16" x 1/4" Polished




QUARZO BOOKMATCH
12MM (1/2") Not Rectified
EFJ1 63 3/4" x 127 9/16" x 1/2" BOOKMATCH A Polished
EOZM 63 3/4" x 127 9/16" x 1/2" BOOKMATCH B Polished

9,5 mm (3/8")

TELE DI MARMO RELOADED

Quarzo Kandinsky



23 5/8" x 47 1/4" x 3/8"
EOE5 Quarzo Kandinsky Polished Rett.
EOEQ Quarzo Kandinsky Nat. Rett.



11 13/16" x 23 5/8" x 3/8"
EOEC Quarzo Kandinsky Polished Rett.
EOEW Quarzo Kandinsky Nat. Rett.




2 15/16" x 11 13/16" x 3/8"
EOF2 Quarzo Kandinsky Nat. Rett.

decors

Natural

Mosaico 5x5*
11 13/16" x 11 13/16" x 3/8"
Chip 1 7/8" x 1 7/8"



EOQ5
Quarzo Kandinsky Natural

lappato

Intrecci*
11 11/16" x 11 11/16" x 3/8"



EOR3
Quarzo Kandinsky Polished

* Su rete in fibra - On fibre mesh backing

trims



SKIRTING
2 3/4" x 23 5/8" x 3/8"
Pos. Box. 16 - MLx Box 9,00

EORH Quarzo Kandinsky Polished Rett.
EOR9 Quarzo Kandinsky Nat. Rett.

SLABS 6,5 mm (1/4")
47 1/4" x 109 7/16"

TELE DI MARMO RELOADED
Calacatta Gold Canova




CALACATTA GOLD
6,5MM (1/4") Rectified
EJPK 47 1/4" x 109 7/16" x 1/4" Polished



CALACATTA GOLD BOOKMATCH
12MM (1/2") Not Rectified
E079 63 3/4" x 127 9/16" x 1/2" BOOKMATCH A Polished
E07A 63 3/4" x 127 9/16" x 1/2" BOOKMATCH B Polished

9,5 mm (3/8")

TELE DI MARMO RELOADED
Calacatta Gold Canova



23 5/8" x 47 1/4" x 3/8"
EOE6 Calacatta Gold Canova Polished Rett.
EOER Calacatta Gold Canova Nat. Rett.



11 13/16" x 23 5/8" x 3/8"
EOED Calacatta Gold Canova Polished Rett.
EOEX Calacatta Gold Canova Nat. Rett.



2 15/16" x 11 13/16" x 3/8"
EOF3 Calacatta Gold Canova Nat. Rett.

decors

Natural

Mosaico 5x5*
11 13/16" x 11 13/16" x 3/8"
Chip 1 7/8" x 1 7/8"



EOQ6
Calacatta Gold Canova Natural

lappato

Intrecci*
11 11/16" x 11 11/16" x 3/8"



EOR4
Calacatta Gold Canova Polished

* Su rete in fibra - On fibre mesh backing

trims







SKIRTING
2 3/4" x 23 5/8" x 3/8"
Pos. Box. 16 - MLx Box 9,00

EORJ Calacatta Gold Canova Polished Rett.
EORA Calacatta Gold Canova Nat. Rett.

SLABS 6,5 mm (1/4")
47 1/4" x 109 7/16"

TELE DI MARMO REVOLUTION

Thassos





THASSOS
6,5MM (1/4") Rectified
EHA2 47 1/4" x 109 7/16" x 1/4" Polished



SLABS 6,5 mm (1/4")
47^{1/4}" x 109^{7/16}"

TELE DI MARMO SELECTION

Arabescato Corchia



ARABESCATO CORCHIA
6,5MM (1/4") Rectified
EJW1 47^{1/4}"x109^{7/16}"x1/4" Polished




ARABESCATO CORCHIA BOOKMATCH
12MM (1/2") Not Rectified
EJ1Y 63^{3/4}"x127^{9/16}"x1/2" BOOKMATCH A Polished
EJ6S 63^{3/4}"x127^{9/16}"x1/2" BOOKMATCH B Polished

9,5 mm (3/8")

TELE DI MARMO SELECTION

Arabescato Corchia



23^{5/8}"x47^{1/4}"x3/8"
EJW5 Arabescato Corchia Polished Rett.
EJVR 985MOR Arabescato Corchia Nat. Rett.




11^{13/16}"x23^{5/8}"x3/8"
EJWE Arabescato Corchia Polished Rett.
EJVV Arabescato Corchia Nat. Rett.

decors

Natural

Mosaico 5x5*
11^{13/16}"x11^{13/16}"x3/8"
Chip 1^{7/8}"x1^{7/8}"



AK4K Arabescato Corchia Natural

lappato

Intrecci*
11^{11/16}"x11^{11/16}"x3/8"



EK55 Arabescato Corchia Polished

* Su rete in fibra - On fibre mesh backing

trims



SKIRTING
2^{3/4}"x23^{5/8}"x3/8"
Pos. Box. 16 - MLx Box 9,00
EK5E Arabescato Corchia Polished Rett.
EK59 Arabescato Corchia Nat. Rett.

SLABS 6,5 mm (1/4")
47^{1/4}" x 109^{7/16}"

TELE DI MARMO SELECTION

Nero Marquinia



NERO MARQUINIA
6,5MM (1/4") Rectified
EJW2 47^{1/4}"x109^{7/16}"x1^{1/4}" Polished




NERO MARQUINIA BOOKMATCH

12MM (1/2") Not Rectified
EFZW 63^{3/4}"x127^{9/16}"x1^{1/2}" BOOKMATCH A Polished
EH14 63^{3/4}"x127^{9/16}"x1^{1/2}" BOOKMATCH B Polished

TELE DI MARMO SELECTION

Nero Marquinia

9,5 mm (3/8")



23^{5/8}"x47^{1/4}"x3^{3/8}"
EJW6 Nero Marquinia Polished Rett.
EJVS 985MOR Nero Marquinia Nat. Rett.




11^{13/16}"x23^{5/8}"x3^{3/8}"
EJWF Nero Marquinia Polished Rett.
EJVW Nero Marquinia Nat. Rett.

decors

Natural

Mosaico 5x5*
11^{13/16}"x11^{13/16}"x3^{3/8}"
Chip 1^{1/8}"x1^{1/8}"



EK4L Nero Marquinia Natural

lappato

Intrecci*
11^{11/16}"x11^{11/16}"x3^{3/8}"



EK56 Nero Marquinia Polished

* Su rete in fibra - On fibre mesh backing

trims



SKIRTING
2^{3/4}"x23^{5/8}"x3^{3/8}"
Pos. Box. 16 - MLx Box 9,00
EK5F Nero Marquinia Polished Rett.
EK5A Nero Marquinia Nat. Rett.

SLABS 6,5 mm (1/4")

47 1/4" x 109 7/16"

TELE DI MARMO SELECTION

White Paradise



WHITE PARADISE
6,5MM (1/4") Rectified
EJWO 47 1/4" x 109 7/16" x 1/4" Polished




WHITE PARADISE BOOKMATCH

12MM (1/2") Not Rectified
EJ72 63 3/4" x 127 9/16" x 1/2" BOOKMATCH A Polished
EJ73 63 3/4" x 127 9/16" x 1/2" BOOKMATCH B Polished

TELE DI MARMO SELECTION

White Paradise

9,5 mm (3/8")



23 5/8" x 47 1/4" x 3/8"
EJW4 White Paradise Polished Rett.
EJVQ 985MOR White Paradise Nat. Rett.



11 13/16" x 23 5/8" x 3/8"
EJWD White Paradise Polished Rett.
EJVVU White Paradise Nat. Rett.

decors

Natural

Mosaico 5x5*
11 13/16" x 11 13/16" x 3/8"
Chip 1 7/8" x 1 7/8"



AK4J White Paradise Natural

lappato

Intrecci*
11 11/16" x 11 11/16" x 3/8"



EK54 White Paradise Polished

* Su rete in fibra - On fibre mesh backing

trims




SKIRTING
2 3/4" x 23 5/8" x 3/8"
Pos. Box. 16 - MLx Box 9,00
EK5D White Paradise Polished Rett.
EK58 White Paradise Nat. Rett.

SLABS 6,5 mm (1/4")

47 1/4" x 109 7/16"

CORNERSTONE


Slate White



SLATE WHITE
6,5MM (1/4") Rectified
EJ20 47 1/4" x 109 7/16" x 1/4" Natural

CORNERSTONE

Slate White



17 1/16" x 35 7/16" x 3/8"
EJ5M Slate White Natural Rett.



11 13/16" x 23 5/8" x 3/8"
EJ5R Slate White Natural Rett.



3 15/16" x 11 13/16" x 3/8"
EJLH Slate White Natural Rett.

9,5 mm (3/8")

decors

Mosaico*
11 13/16" x 11 13/16" x 3/8"
Chip 1 1/8" x 1 1/8"



EJ5V
Slate White Natural

* On fibre mesh backing

trims





SKIRTING
2 3/4" x 23 5/8" x 3/8"
Pos. Box. 14 - MLx Box 8,40
EJ5Z Slate White Natural

SLABS 6,5 mm (1/4")

47 1/4" x 109 7/16"

CORNERSTONE


Slate Grey



SLATE GREY
6,5MM (1/4") Rectified
EJ21 47 1/4" x 109 7/16" x 1/4" Natural

CORNERSTONE

Slate Grey



17 1/16" x 35 7/16" x 3/8"
E2QG 944F8R Slate Grey Natural Rett.



11 13/16" x 23 5/8" x 3/8"
E2Q5 634F8R Slate Grey Natural Rett.




3 15/16" x 11 13/16" x 3/8"
ECXY Slate Grey Natural Rett.

9,5 mm (3/8")

decors

Mosaico*
11 13/16" x 11 13/16" x 3/8"
Chip 1 1/8" x 1 1/8"



E2SS I304F8R
Slate Grey Natural

* On fibre mesh backing

trims



SKIRTING
2 3/4" x 23 5/8" x 3/8"
Pos. Box. 14 - MLx Box 8,40
E2TL 874F8R
Slate Grey Natural

SLABS 6,5 mm (1/4")

47 1/4" x 109 7/16"

ERGON SLABS

Bernini White



BERNINI WHITE
6,5MM (1/4") Rectified
EHYN 120x278 - 47 1/4" x 109 7/16" x 1/4" Natural

SLABS 6,5 mm (1/4")

47 1/4" x 109 7/16"

ERGON SLABS

Graphite



GRAPHITE
6,5MM (1/4") Rectified
EHYQ 120x278 - 47 1/4" x 109 7/16" x 1/4" Natural
EHZ9 120x278 - 47 1/4" x 109 7/16" x 1/4" Polished

SLABS 6,5 mm (1/4")
47^{1/4}" x 109^{7/16}"

ERGON SLABS

Statuarietto



STATUARIETTO
6,5MM (1/4") Rectified
EHZE 120x278 - 47^{1/4}"x109^{7/16}"x1/4" Polished

ERGON SLABS

Statuario Select

SLABS 6,5 mm (1/4")
47^{1/4}" x 109^{7/16}"



STATUARIO SELECT
6,5MM (1/4") Rectified
EHYP 120x278 - 47^{1/4}"x109^{7/16}"x1/4" Natural
EHZ6 120x278 - 47^{1/4}"x109^{7/16}"x1/4" Polished

6,5 mm (1/4") SLABS

ANSI A.137.3 Gauged Porcelain Tile and Gauged Porcelain Tile Panels/Slabs ISO 13006 EN 14411



**TELE DI MARMO | TELE DI MARMO RELOADED | TELE DI MARMO REVOLUTION
CORNERSTONE | STATUARIO SELECT | STATUARIETTO | GRAPHITE**

TECHNICAL FEATURES

CARATTERISTICHE TECNICHE / CARACTERISTIQUES TECHNIQUES
TECHNISCHE EIGENSCHAFTEN / CARACTERISTICAS TECNICAS

TECHNICAL FEATURES Caratteristiche Tecniche Caracteristiques Techniques Technische Eigenschaften Características Técnicas	TESTING METHOD Metodo di prova Méthode d'essai Prüfmethode Método de prueba	VALUES - Valori - Valeurs - Werte - Valores	
		6,5 mm (1/4")	
		Natural	Polished
LENGTH AND WIDTH (A) Lunghezza e Larghezza - Longueur et largeur - Länge und Breite - Longitud y anchura	UNI EN ISO 10545/2	± 2% (Max 5mm)	± 2% (Max 5mm)
LENGTH AND WIDTH (B) Lunghezza e Larghezza - Longueur et largeur - Länge und Breite - Longitud y anchura	UNI EN ISO 10545/2	± 0,6% / ± 2,0 mm	± 0,6% / ± 2,0 mm
THICKNESS Spessore - Epaisseur - Stärke - Espesor	UNI EN ISO 10545/2	± 0,5% / ± 0,5 mm	± 0,5% / ± 0,5 mm
EDGE STRAIGHTNESS Rettilineità degli spigoli - Rectitude des arêtes Geradlinigkeit der Kanten - Rectitud de los cantos	UNI EN ISO 10545/2	± 0,5% / ± 1,5 mm	± 0,5% / ± 1,5 mm
ORTHOGONALITY - Ortogonalità Orthogonalité - Rechtwinkligkeit - Ortogonalidad	UNI EN ISO 10545/2	± 0,5% / ± 2,0 mm	± 0,5% / ± 2,0 mm
FLATNESS Planarità - Planéité - Ebenfächigkeit - Planaridad	UNI EN ISO 10545/2	± 0,5% / ± 2,0 mm	± 0,5% / ± 2,0 mm
APPEARANCE Aspetto - Aspekt - Aspect - Aspecto	UNI EN ISO 10545/2	> 95%	> 95%
WATER ABSORPTION (Average value expressed in %) Assorbimento d'acqua (Valore medio in %) Absorption d'eau (Valeur moyenne en %) Wasseraufnahme (Durchschnittswert in %) Absorción de agua (Valor medio en %)	UNI EN ISO 10545/3 ASTM C373	Conforme Compliant	Conforme Compliant
MODULUS OF RUPTURE Modulo di rottura - Resistance a la flexion Biegefestigkeit - Resistencia a la flexion	UNI EN ISO 10545/4	≥ 35 N/mm ²	≥ 35 N/mm ²
BREAKING STRENGTH Forza di rottura - Résistance à la rupture Bruchlast - Resistencia a la rotura	UNI EN ISO 10545/4 ASTM C648	≥ 700 N 250 Lbs	≥ 700 N 250 Lbs
IMPACT RESISTANCE Resistenza all'urto - Résistance aux chocs Schlagfestigkeit - Resistencia al impacto	UNI EN ISO 10545/5	-	-
RESISTANCE TO SURFACE ABRASION Resistenza all'abrasione superficiale Résistance à l'abrasion superficielle Abriebfestigkeit Resistencia a la abrasión superficial	UNI EN ISO 10545/7	Dark colors: 2-3 Medium colors: 4 Light colors: 5	Dark colors: 2-3 Medium colors: 4 Light colors: 5
LINEAR THERMAL EXPANSION Coefficiente di dilatazione termica lineare Linear thermal expansion coefficient Coefficient linéaire de dilatation thermique Linearer Wärmeausdehnungskoeffizient Coeficiente de dilatación térmica lineal	UNI EN ISO 10545/8	≤ 9x10 ⁻⁶ °C ⁻¹	≤ 9x10 ⁻⁶ °C ⁻¹
THERMAL SHOCK RESISTANCE Resistenza agli sbalzi termici - Résistance aux écarts de température - Temperaturwechselbeständigkeit Resistencia al choque térmico	UNI EN ISO 10545/9	Conforme	Conforme
HAIR-CRACKING RESISTANCE Resistenza al cavillo - Résistance aux craquelures Haarissbeständigkeit - Resistencia al cuarteo	UNI EN ISO 10545/11	Conforme	Conforme
FROST RESISTANCE Resistenza al gelo - Résistance au gel Frostbeständigkeit - Resistencia a las heladas	UNI EN ISO 10545/12 ASTM C1026	Conforme Unaffected	Conforme Unaffected
CHEMICAL RESISTANCE to high and low acid and basic concentrations Resistenza Chimica ad alte e basse concentrazioni di acidi e basi Résistance chimique aux hautes et basses concentrations d'acides et de bases Chemikalienfestigkeit bei hohen und niedrigen Konzentrationen von Säuren und Basen Resistencia química con concentraciones altas y bajas de ácidos y bases	UNI EN ISO 10545/13 ASTM C-650	A - LA - LB - HA - HB Unaffected	A - LA - LB - HA - HB Unaffected
STAIN RESISTANCE Resistenza alle macchie - Résistance aux taches Fleckenbeständigkeit - Resistencia a las manchas	UNI EN ISO 10545/14 CTI 81-7D	5 No Evident Variation	5 No Evident Variation
COLOUR RESISTANCE TO LIGHT EXPOSURE Resistenza dei colori alla luce - Résistance des couleurs à la lumière - Lichtechtheit der Farben - Resistencia de los colores a la exposición de la luz	DIN 51094	Conforme	Conforme
RELEASE OF DANGEROUS SUBSTANCES (POMBO - CADMIO) Rilascio di sostanze pericolose (Piombo/Cadmio) Dégageant de substances dangereuses (Piombo/Cadmio) Freisetzung gefährlicher Stoffe (Piombo/Cadmio) Emisión de substancias peligrosas (Piombo/Cadmio)	UNI EN ISO 10545/15 (mg/l)	-	-

TECHNICAL FEATURES Caratteristiche Tecniche Caracteristiques Techniques Technische Eigenschaften Características Técnicas	TESTING METHOD Metodo di prova Méthode d'essai Prüfmethode Método de prueba	VALUES - Valori - Valeurs - Werte - Valores	
		6,5 mm (1/4")	
		Natural	Polished
SLIP RESISTANCE Coefficiente di attrito Coefficient de glissement Rutschfestigkeit Barfußbereich Coeficiente de atrito medio	DIN EN 16165 Annex B DIN EN 16165 Annex A ANSI A326.3:2017 DCOF B.C.R.A. D.M. N. 236 14/6/89 AS 4586-2013 Anexo A BS 7976-2: 2002 BSEN13036-4:2011 Pendulum testers UNE 41901:2017 EX DB SUA (actual)	R9 Na ≥ 0,42 > 0,40 Na Na Na	- - - - - - -
CALCULATION OF APPARENT DENSITY Determinazione della massa volumetrica apparente Détermination de la masse volumique apparente - Bestimmung der Rohdichte - Determinación de la masa volumétrica aparente	UNI EN ISO 14617/1 (Kg/m ³)	-	-
CALCULATION OF WATER ABSORPTION Determinazione dell'assorbimento d'acqua Détermination de l'absorption d'eau - Bestimmung der Wasseraufnahme - Determinación de la absorción de agua	UNI EN ISO 14617/1 (%)	-	-
BENDING STRENGTH Resistenza alla flessione - Résistance à la flexion Biegefestigkeit - Resistencia a la flexión	UNI EN ISO 14617/2 (MPa)	-	-
DEEP ABRASION Abrasion profonda - Abrasion profonde Tiefenverschleiß - Abrasión profunda	UNI EN ISO 14617/4 (mm)	-	-
CALCULATION OF FREEZE Determinazione della resistenza a gelo-disgelo Détermination de la résistance au gel/dégel Bestimmung der Frost-Tauwechsel-Beständigkeit Determinación de la resistencia a las heladas	UNI EN ISO 14617/5	-	-
CALCULATION OF THERMAL SHOCK RESISTANCE Determinazione della resistenza allo shock termico Détermination de la résistance aux chocs thermiques Bestimmung der Temperaturwechselbeständigkeit Determinación de la resistencia a los cambios bruscos de temperatura	UNI EN ISO 14617/6	-	-
IMPACT RESISTANCE Resistenza all'urto - Résistance aux chocs Schlagfestigkeit - Resistencia al impacto	UNI EN ISO 14617/9	-	-
VOLATILE ORGANIC COMPOUND EMISSION TEST Prova di emissioni di composti organici volatili Essai d'émissions de composés organiques volatils Messung der Emission von flüchtigen organischen Verbindungen Prueba de emisiones de compuestos orgánicos volátiles	ISO 16000/9	-	-
RESISTANCE TO COLD LIQUIDS Resistenza ai liquidi freddi Résistance aux liquides froids - Beständigkeit gegen kalte Flüssigkeiten Resistencia a los líquidos fríos	EN 12720:2013	-	-
RESISTANCE TO DAMP HEAT Resistenza al calore umido Résistance à la chaleur humide Beständigkeit gegen feuchte Hitze Resistencia al calor húmedo	EN 12721:2013	-	-
RESISTANCE TO DRY HEAT Resistenza al calore secco Résistance à la chaleur sèche Beständigkeit gegen trockene Hitze Resistencia al calor seco	EN 12722:2013	-	-
DIRT RETENTION Tendenza a ritenere lo sporco Tendance à retenir la saleté Neigung zur Schmutzbindung Tendencia a retener la suciedad	EN 9300:2015	-	-
SCRATCH RESISTANCE Resistenza alla graffiatura - Résistance aux rayures Kratzfestigkeit - Resistencia a los arañazos	EN 15186:2012 met. B	-	-
RESISTANCE TO FUNGI Resistenza ai funghi - Résistance aux champignons Beständigkeit gegen Schimmel - Resistencia a los hongos	ASTM G 21	-	-

9,5 mm (3/8") TILES

Dry - Pressed Ceramic Tiles ISO 13006 Annex G - UNI EN 14411 Annex G - Bla GL



TELE DI MARMO | TELE DI MARMO RELOADED CORNERSTONE

TECHNICAL FEATURES

CARATTERISTICHE TECNICHE / CARACTERISTIQUES TECHNIQUES
TECHNISCHE EIGENSCHAFTEN / CARACTERISTICAS TECNICAS

TECHNICAL FEATURES		STANDARD	VALUE	
	WATER ABSORPTION (AVERAGE VALUE EXPRESSED IN %)	UNI EN ISO 10545/3 ASTM C373	CONFORME COMPLIANT	
	MODULUS OF RUPTURE	SPESSORE	9,5 mm	
	BREAKING STRENGTH	UNI EN ISO 10545/4 ASTM C648	≥ 45 N/mm ² ≥ 2000 N 400 Lbs	
	FROST RESISTANCE	UNI EN ISO 10545/12 ASTM C1026	CONFORME UNAFFECTED	
	CHEMICAL RESISTANCE TO HIGH AND LOW ACID AND BASIC CONCENTRATIONS	UNI EN ISO 10545/13 ASTM C-650	A - LA - HA UNAFFECTED	
	STAIN RESISTANCE	UNI EN ISO 10545/14 CTI 81-7D	5 NO EVIDENT VARIATION	
	SLIP RESISTANCE		NATURAL	POLISHED
		DIN EN 16165 Annex B	R9 TELE DI MARMO R10 CORNERSTONE	-
		DIN EN 16165 Annex A	A TELE DI MARMO B (A+B) CORNERSTONE	-
		ANSI A326.3:2017 DCOF	WET ≥ 0,50	-
		B.C.R.A. D.M. N. 236 14/6/89	> 0,40	-
		AS 4586-2013 Anexo A	P2 CORNERSTONE	-
		BS 7976-2: 2002 BSEN13036-4:2011 Pendulum testers	>36 Low Slip Potential CORNERSTONE	-
UNE 41901:2017 EX DB SUA (actual)	2 CORNERSTONE			

6,5 mm (1/4") SLABS

ANSI A.137.3 Gauged Porcelain Tile and Gauged Porcelain Tile Panels/Slabs ISO 13006 EN 14411

PACKAGING

Item	Thickness mm	Size cm	No. of Slabs	Sqm per Pack	Weight of Packaging Kg	Weight of Packaging + Slabs Kg
47^{1/4}"x109^{7/16}" Crate	6,5	140x291x41h	18	60,05	147	1047,72
47^{1/4}"x109^{7/16}" A-Frame	6,5	75x290x160h	40	133,44	180	2181,60
63^{3/4}"x127^{9/16}" A-Frame	6,5	75x330x200h	40	204,80	220	3292
63^{3/4}"x127^{9/16}" Metal A-Frame	6,5	75x339x186h	40	204,80	124	3196

9,5 mm (3/8") TILES

Dry - Pressed Ceramic Tiles ISO 13006 Annex G - UNI EN 14411 Annex G - Bla GL

TELE DI MARMO | TELE DI MARMO ONLY | TELE DI MARMO RELOADED | TELE DI MARMO SELECTION PACKAGING

Size inches	Thickness mm	Pieces x Sqm	Pieces x Box	Sqm x Box	Weight x Box Kg	Boxes x Pal.	Sqm x Pal.	Weight x Pal. Kg
23 ^{5/8} "x47 ^{1/4} " Nat. - Polished	9,5	1,39	2	1,440	31,68	36	51,84	1140
11 ^{13/16} "x23 ^{5/8} " Nat. - Polished	9,5	5,56	6	1,080	23,76	48	51,84	1140
2 ^{15/16} "x11 ^{13/16} " Natural	9,5	44,44	36	0,810	18,38	56	45,36	1029
11 ^{13/16} "x11 ^{13/16} " Mosaico 5X5 Natural	9,5	11,11	5	0,450	8,73	60	27,00	524
11 ^{13/16} "x11 ^{13/16} " Intrecci Polished	9,5	11,11	5	0,450	8,73	60	27,00	524

CORNERSTONE PACKAGING

Size inches	Thickness mm	Pieces x Sqm	Pieces x Box	Sqm x Box	Weight x Box Kg	Boxes x Pal.	Sqm x Pal.	Weight x Pal. Kg
17 ^{11/16} "x35 ^{7/16} " Natural	9,5	2,47	3	1,215	26,73	32	38,88	855
11 ^{13/16} "x23 ^{5/8} " Natural	9,5	5,56	6	1,080	23,76	48	51,84	1140
3 ^{15/16} "x11 ^{13/16} " Natural	9,5	33,33	25	0,750	16,50	72	54,00	1188
11 ^{13/16} "x11 ^{13/16} " Mosaico	9,5	11,11	5	0,450	8,73	60	27,00	524

Colours and optical features of the materials illustrated in this catalogue are to be regarded as mere indications.

Product sizes indicated are nominal and like weights and colours undergo the typical variations of the ceramic process.

Emil America reserves the right to change the technical and optical features of the materials illustrated at any time and without notice. These features are not legally binding.

CONTACT INFORMATION:

www.architessa.com

1.800.287.1742

For general sales inquiries: sales@architessa.com

For commercial & hospitality sample requests: samples@architessa.com

Headquarters: 1803 Research Blvd. Suite 402 Rockville, MD 20850