

ESSENCE REFINED

Porcelain



ARCHITESSA






ESSENCE Refined Montauk Black 24x48

COLORS




Montauk White

(panel of 9)




Montauk Grey

(panel of 9)



Montauk Dark

(panel of 9)



Montauk Black

(panel of 9)

MOSAICS



Montauk White 2x2




Montauk White Hex




Montauk White Chevron



Montauk Grey 2x2




Montauk Grey Hex



Montauk Grey Chevron




Montauk Dark 2x2




Montauk Dark Hex



Montauk Dark Chevron



Montauk Black 2x2



Montauk Black Hex



Montauk Black Chevron

AVAILABLE SIZES

	FIELD			MOSAIC			TRIM
	24x48	12x24	3x12	3" Hex	2x2	3D Chevron	3x24 BN
White	M	M, Gr	M	M	M	M	M
Grey	M	M	M	M	M	M	M
Dark	M	M	M	M	M		M
Black	M	M, Gr	M	M	M	M	M

M= Matte, Gr= Grip

Lead times & product availability subject to change. Please contact an Architessa rep for lead times, samples, and availability. Ask your sales rep for coordinating 20MM pavers.

DESCRIPTION

ESSENCE REFINED color body porcelain tile explores the depth and diversity of slate through a monochromatic palette that transitions from the richest darks to pure whites. Inspired by the natural hues found in the Northeastern U.S., three colors in the collection mirror the subtle and varied shades of the region's landscape. A distinctive white is introduced to offer a unique architectural element, enriching the collection with a stark, contrasting design choice. ESSENCE REFINED captures the natural world's elegance, making each space a testament to the beauty and resilience of slate.

INSTALLATION & MAINTENANCE

ESSENCE VIBRANT may be installed using standard porcelain tile installation methods and materials, as recommended by the Tile Council of North America (TCNA). An Architessa sales representative will advise you on general installation questions.

TECHNICAL INFORMATION

TYPE: COLOR BODY PORCELAIN
ORIGIN: USA
EDGE: RECTIFIED
THICKNESS: 9MM
LOOK: MONOCHROMATIC, SLATE
SHADE VARIATION: V2 - SLIGHT VARIATION
SURFACE ABRASION: N/A
TRAFFIC RATING: COMMERCIAL, RESIDENTIAL

DCOF: ≥ 0.42
BREAKING STRENGTH: ≥ 250 LBS
WATER ABSORPTION: $\leq 0.5\%$
STAIN RESISTANCE: YES
FROST RESISTANCE: YES
ENVIRONMENT: MINIMUM 10% PRE-CONSUMER RECYCLED CONTENT, DECLARE, EPD, GREEN SQUARED CERTIFIED, HPD, LBC RED LIST FREE, SDS

CONTACT INFORMATION:

www.architessa.com

1.800.287.1742

For general sales inquiries: sales@architessa.com

For commercial & hospitality sample requests: samples@architessa.com

Headquarters: 1803 Research Blvd. Suite 402 Rockville, MD 20850

