


# GROOVE

Ceramic

 ARCHITESSA




Cobalt




Groove 18" x 48" Cobalt Spike (G)

---

Snow



Groove 18" x 48" Snow (M)




Groove 18" x 48" Snow Spike (M)




Product shown on cover: Groove 18" x 48" White Rose (G)  
Product shown: Groove 18" x 48" Cobalt Spike (G)

White



Groove 18" x 48" White (G)  
CR2735-1848G0



Groove 18" x 48" White Rose (G)  
CR2736-1848G0



Silver



Groove 18" x 48" Rose Silver (G)  
CR2737-1848G0

## PROFILE

18" x 48"

## SIZE

17.57" x 46.97" = 5.731 sqft

## APPLICATIONS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA
Yes	No	Yes	No	Yes	Yes
POOL	BACKSPLASH	FIREPLACE SURROUND			
No	Yes	Yes			

## TECHNICAL DATA

FEATURES	STANDARD TEST	SPECIFICATION
Bending Resistance	ISO 10545-4	R $\geq$ 20 N/mm <sup>2</sup>
Bond Strength	EN 1348	$\geq$ 0.5 N/mm <sup>2</sup> (Class C1 - EN 12004)
Breaking Strength	ISO 10545-4	S $\geq$ 600 N
Coefficient of Linear Thermal Expansion	ISO 10545-8	$\leq$ 7 10 <sup>-6</sup> / °C
Mohs Hardness		MOHS 4
Moisture Expansion	ISO 10545-10	$\leq$ 0.2mm/m
Reaction to Fire		A1
Regularity of Length & Width	ISO 10545-2	Compliant
Regularity of Rectangularity	ISO 10545-2	Compliant
Regularity of Straightness of Sides	ISO 10545-2	Compliant
Regularity of Surface Flatness	ISO 10545-2	Compliant
Regularity of Thickness	ISO 10545-2	Compliant
Resistance to High Concentrations of Acids and Alkalis	ISO 10545-13	HB
Resistance to Household Chemicals	ISO 10545-13	A
Resistance to Low Concentrations of Acids and Alkalis	ISO 10545-13	LA
Resistance to Swimming Pool Salts	ISO 10545-13	A
Stain Resistance	ISO 10545-14	5
Thermal Shock Resistance	ISO 10545-9	Resistant
Water Absorption	ISO 10545-3	>10%
Water Absorption	ASTM C373-18	>7%

Due to the inherent characteristics of ceramic, there may be variations in color, movement and texture from lot to lot. For detailed installation guidelines, visit [akdo.com](http://akdo.com).

## CONTACT INFORMATION:

[www.architessa.com](http://www.architessa.com)

1.800.287.1742

For general sales inquiries: [sales@architessa.com](mailto:sales@architessa.com)

For commercial & hospitality sample requests: [samples@architessa.com](mailto:samples@architessa.com)

Headquarters: 1803 Research Blvd. Suite 402 Rockville, MD 20850