



2023



ARCHITESSA

LANDMARK
CONTRACT


Quality and aesthetic for every need

Today, thanks to **Landmark Contract**, choosing quality has never been so easy. In fact, all Landmark Contract products, made of the best glazed porcelain, have been designed, in residential and light commercial applications, not only for those who love good-looking products but also products which last over time. With Landmark Contract, you can be sure of purchasing high quality products for a reasonable value. With Landmark Contract you don't have to compromise look for quality. Landmark Contract offers you the best mix: aesthetic and quality over price.

Why choose **Landmark Contract** porcelain tiles

Glazed Porcelain is among the most refined and avant-garde ceramic products around today, and is widely used in both residential and light commercial applications. Glazed Porcelain is made from the finest raw materials, which are pressed and fired at high temperatures to create a unique product known for its aesthetics and technical performance. In fact, unlike traditional ceramic tiles, Glazed porcelain does not have a heterogeneous structure: therefore, it is harder, more compact and completely unabsorbent, and therefore is resistant to frost, shocks, chemicals and it is easy to clean. A unique material, for those who want quality without compromise.

The best looking products have never been so accessible.

PISA Collection		p. 02
DOLOMITES Collection		p. 06
TUSCANY Collection		p. 08
OXFORD Collection		p. 12
MALIBÙ Collection		p. 16
SEQUOIA Collection		p. 20
ASPEN Collection		p. 22
MIAMI Collection		p. 24
NEW YORK Collection		p. 28
CHICAGO Collection		p. 32
PORTLAND Collection		p. 36
BARCELONA Collection		p. 38
WASHINGTON Collection		p. 42

FEATURES & BENEFITS	p. 44
--------------------------------	-------

TRIM TILE & PERFORMANCE DATA	p. 46
---	-------

CLEANING INFORMATION	p. 48
-----------------------------	-------

PISA

GLAZED PORCELAIN TILE

NEW
2023

NEW
2023


SIZE 12"x24"

MATT FINISH



WHITE

 v2  10%
RECYCLED MATERIAL



Available sizes



12"x24"
± 0.31" / 8 mm

2"x2"



12"x12"
± 0.31"

Trim tile



BULLNOSE
3"x24"
± 0.31"

SILVER

 v2  10%
RECYCLED MATERIAL



Available sizes



12"x24"
± 0.31" / 8 mm

2"x2"



12"x12"
± 0.31"

Trim tile



BULLNOSE
3"x24"
± 0.31"

PISA

GLAZED PORCELAIN TILE



SIZE 12"x24"

MATT FINISH

BEIGE



Available sizes

Trim tile



12"x24"
± 0.31" / 8 mm



2"x2"
12"x12"
± 0.31"



BULLNOSE
3"x24"
± 0.31"



DOLOMITES

GLAZED PORCELAIN TILE

SIZE 12"x24"


MATT FINISH



WHITE



Available sizes



12"x24"
± 0.31" / 8 mm

2"x2"
12"x12"
± 0.31"

Trim tile



BULLNOSE
3"x24"
± 0.31"

TUSCANY

GLAZED PORCELAIN TILE



SIZES 24"x48" / 12"x24"

MATT FINISH

WHITE



Available sizes



Trim tile



TUSCANY 24" x 48" - Rectified Monocaliber

GLAZED PORCELAIN TILE

MATT FINISH

Tuscany **White**



OXFORD

GLAZED PORCELAIN TILE

SIZE 8"x40"

MATT FINISH



HONEY



Available size



8"x40"

± 0.31" / 8 mm

OXFORD

GLAZED PORCELAIN TILE

SIZE 8" x 40"

MATT FINISH

CHESTNUT



Available size



8" x 40"
± 0.31" / 8 mm



MALIBÙ

GLAZED PORCELAIN TILE

SIZE 8"x40"

MATT FINISH



WHITE



Available size



8"x40"
± 0.31" / 8 mm

MALIBÙ

GLAZED PORCELAIN TILE

SIZE 8"x40"

MATT FINISH

GREY



Available size

8"x40"
± 0.31" / 8 mm



SEQUOIA

GLAZED PORCELAIN TILE

SIZE 8" x 40"

MATT FINISH

BLONDE



Available size



8" x 40"
± 0.31" / 8 mm

BROWN



Available size



8" x 40"
± 0.31" / 8 mm



ASPEN

GLAZED PORCELAIN TILE

SIZE 8"x40"

MATT FINISH

OAK



Available size



8"x40"
± 0.31" / 8 mm

WALNUT



Available size



8"x40"
± 0.31" / 8 mm



MIAMI

GLAZED PORCELAIN TILE

SIZE 12"x24"

MATT FINISH



GREY



Available sizes



Trim tile




TITANIUM



Available sizes



Trim tile




MIAMI

GLAZED PORCELAIN TILE

SIZE 12"x24"

MATT FINISH

WHITE



Available sizes



12"x24"
± 0.31" / 8 mm

2"x2"



12"x12"
± 0.31"

Trim tile



BULLNOSE
3"x24"
± 0.31"




NEW YORK

GLAZED PORCELAIN TILE

CONCRETE



Available sizes



2" x 2"



12" x 12"
≈ 0.31"

Trim tile



BULLNOSE
3" x 24"
≈ 0.31"


SIZES 24" x 48" / 12" x 24"

MATT FINISH

WHITE



Available sizes



2" x 2"



12" x 12"
≈ 0.31"

Trim tile



BULLNOSE
3" x 24"
≈ 0.31"



NEW YORK 24" x 48" - Rectified Monocaliber

GLAZED PORCELAIN TILE

MATT FINISH

New York **Concrete** | New York **White**



CHICAGO

GLAZED PORCELAIN TILE

SIZE 12"x24"


MATT FINISH




IRON



Available sizes



Trim tile




SILVER



Available sizes



Trim tile



CHICAGO

GLAZED PORCELAIN TILE


SIZE 12"x24"

MATT FINISH

STEEL



Available sizes



12"x24"
± 0.31" / 8 mm

2"x2"
12"x12"
± 0.31"

Trim tile



BULLNOSE
3"x24"
± 0.31"



PORTLAND

GLAZED PORCELAIN TILE


SIZE 12"x24"

MATT FINISH

ASH



Available sizes




Trim tile



GREY



Available sizes



Trim tile



BARCELONA

GLAZED PORCELAIN TILE

SIZE 12"x24"


MATT FINISH




GOLD



Available sizes



Trim tile



TAUPE



Available sizes



Trim tile



BARCELONA

GLAZED PORCELAIN TILE

SIZE 12"x24"

MATT FINISH

WHITE



Available sizes



12"x24"
± 0.31" / 8 mm



12"x12"
± 0.31"

Trim tile



BULLNOSE
3"x24"
± 0.31"



WASHINGTON

GLAZED PORCELAIN TILE


SIZE 12"x24"

MATT FINISH

WHITE



Available sizes




Trim tile



PLATINUM



Available sizes



Trim tile



FEATURES & BENEFITS

GLAZED PORCELAIN TILE

SUSTAINABILITY



RECYCLABLE

Tiles can be recycled inside the production process when not fired yet, or once they have finished their life-cycle can be used as compact base material on the contrary many plastic base material such as vinyl cannot.

SUSTAINABILITY



ECO-FRIENDLY AND SAFE

SUSTAINABILITY



ENERGY EFFICIENT

Tile's inherent thermal mass reduces peak heating and cooling, which helps moderate temperature swings in your home.

HEALTH



NATURAL INGREDIENTS

Tile is made of clays and other naturally-occurring minerals and does not contain chemicals with potential adverse health effects (pvc, voc, formaldehyde, plastic etc...)

SAFETY/DURABILITY



SCRATCH AND DENT RESISTANT

Tile is strong, hard and resistant to most type of scratches. Tile also, being an extremely dense material, doesn't fear any denting damage, like many others flooring materials do.

SAFETY/DURABILITY



FADE AND UV RESISTANT

SUSTAINABILITY



FLOOR HEAT FRIENDLY

SUSTAINABILITY



VERY LONG SERVICE LIFE

Tile when properly installed and maintained can last for decades.

SUSTAINABILITY



COST SAVING OVER TIME

Thanks to its long service life and easy maintenance, porcelain tile is very cost effective over time when compared to flooring products that need to be replaced more frequently.

SAFETY/DURABILITY



RESISTANT TO ACID

SAFETY/DURABILITY



WATER PROOF

Tile is very compact and impervious therefore doesn't absorb. With tile you'll never have to worry about water.

SAFETY/DURABILITY



FIRE PROOF

Tile doesn't burn, melt or give off toxic fumes when exposed to fire.

HEALTH



PREVENT BACTERIA GROWTH

Tile is completely inhospitable to bacteria. That means no mold or mildew, and a healthier home for you.

HEALTH



ZERO ALLERGENS

Tile is both hard and impervious therefore inhospitable to dust mites, bacteria, fungi, mold and other irritants.

HEALTH



ZERO SMOKE DEVELOPMENT

Tile never gives off toxic fumes, even when exposed to fire.

SAFETY/DURABILITY



DOESN'T BEND

Tile is hard and compact.

SAFETY/DURABILITY



PET FRIENDLY

Tile is both dog and cat scratch proof.

SAFETY/DURABILITY



RESISTANT TO FROST

Tile is snow and ice proof.

HEALTH



ZERO FORMALDEHYDE

Formaldehyde is known to lead to an increased incidence of asthma. Tile has zero formaldehyde.

HEALTH



ZERO PVC ZERO VOC

Tile is completely PVC and VOC (volatile organic compound) free that means a healthier home for you.

HEALTH



PLASTIC FREE

Tiles are free from any PBM (Plastic Base Material) materials used in vinyl and LVT. Phthalate free.

EASY CARE



STAIN RESISTANCE

EASY CARE



EASY TO KEEP CLEAN

VERSATILITY





FLOOR AND WALL

Tile is ideal for both floor and wall application indoor and outdoor.

TRIM TILE

MATT FINISH

	BULLNOSE  3"x24"		BULLNOSE  3"x24"
ASPEN OAK	-	MIAMI TITANIUM	●
ASPEN WALNUT	-	MIAMI WHITE	●
BARCELONA GOLD	●	NEW YORK CONCRETE	●
BARCELONA TAUPE	●	NEW YORK WHITE	●
BARCELONA WHITE	●	PISA NAVONA	●
CHICAGO IRON	●	PISA GREY	●
CHICAGO SILVER	●	PISA WHITE	●
CHICAGO STEEL	●	PORTLAND ASH	●
DOLOMITES WHITE	●	PORTLAND GREY	●
MALIBÙ GREY	-	WASHINGTON WHITE	●
MALIBÙ WHITE	-	WASHINGTON PLATINUM	●









COLOR SHADING

The colors of tiles printed in this catalog may differ from actual tiles. Tile colors reproductions in this catalog are representative only. Slight tone and shade variations are inherent in porcelain tiles. Before selecting a color, we recommend that you contact your local representative, who will provide you with a sample piece of the requested tile.

This porcelain tile product is manufactured with a V2/V3 shade variation. Remember that the amount of color as well as the texture of each piece may vary from tile to tile. Inspect the product immediately upon delivery and select tiles from many boxes during installation to minimize and blend any possible color difference.



TILE PERFORMANCE DATA

PHYSICAL PROPERTIES	TEST ASTM	NORTH AMERICAN STANDARD A137.1*	RESULTS
 Water absorption *	C373	≤ 0.5%	COMPLY WITH ANSI A137.1
 DCOF Average dynamic coefficient of friction **	ANSI A.326.3	As reported	IW - Interior, Wet
 Resistance to freeze/thaw cycling *	C1026	As reported	RESISTANT
 Warpage (edge)	C485	Warpage ± 0.4% or ± 0.05 in	COMPLY WITH ANSI A137.1
 Warpage (diagonal)	C485	Warpage ± 0.4% or ± 0.07 in	COMPLY WITH ANSI A137.1
 Wedging	C502	± 0.25% or ± 0.03 in	COMPLY WITH ANSI A137.1
 Chemical resistance	C650	As reported	UNAFFECTED
 Thickness	C499	Range: 0.04 in	COMPLY WITH ANSI A137.1

* Average values referred to our production and related to the matt finish of the product.

** As far as values relating to the matt finish of the product and to tests carried out by certified external laboratories whose results are available upon request at Headoffice, we are willing to check the lot you are interested in purchasing.

- Be sure to use pavers belonging to the same caliber.
- Test results are available on request.
- The information provided can be subject to change. Please refer to <http://contract.landmarkceramics.com> for the latest, most accurate and up-to-date information.



CLEANING INFORMATION

FIRST FLOOR DEEP CLEANING AFTER INSTALLATION

After Grouting the Joints (pic. 1) It is important to remove the excess grout with a sponge and clear water (pic. 2). After 12/48 hours, the grout in the joints will have "set up" /hardened significantly. There will be a noticeable residual "haze". Typically, a diluted acid cleaner specifically for removing "Grout Haze", combined with a soft scrubbing pad will remove the majority if not all the "Haze". Change your acid/water solution frequently for best results. It is also recommended to keep a bucket of clean water to remove the acid/water solution. It is recommended to keep and use clean dry towels to help remove as much residual water and keep the floor as dry as possible. Please refer to the cleaning chemical company's suggested methods and dilution rates. (pic. 3). For areas with excess grout or grout that becomes adhered to the face of the tile, further cleaning with an Acid/ Water Solution may be necessary. Please refer to the Cleaning Chemical Company's instructions as not all acids or chemicals are the same.

The excess grout residue (pic. 4-5) must be removed so that it does not dry and stick on the surface. It is necessary to change the cleaning water frequently and rinse well. The use of a floor-washing machine combined with the use of a diluted acid detergent helps reach the spaces between adjacent tiles and clean them properly. If such a cleaning procedure is not carried out, or if such cleaning is carried out too late, the grout residue creates an absorbent film, which holds dirt, making the surface difficult to clean: in this case, Landmark Ceramics will not be liable for any damage caused to the surface.

ORDINARY CLEANING

Ordinary maintenance must be carried out using specialized detergents to remove stains but these detergents must not leave a wax, film or membrane residue. Rinsing well with plenty of clean water is a fundamental part of the cleaning procedure, therefore we advise against the use of products which state that they "do not need rinsing".

OTHER RECOMMENDATIONS

Bright colored products, in particular white and extra-white tiles, are very delicate and, although for all intent and purpose are hygienically clean, However, they can get dirty more easily than darker tiles. It is therefore necessary to remember that these particular products require careful regular maintenance. Sealers are unnecessary, especially in the case of our **Landmark Contract** Product line. Sealing will change the D.C.O.F. (Dynamic Coefficient of Friction) resulting in a surface that will become more slippery. Also because Porcelain has such a low absorption the sealer will unlikely stick and most likely the sealer will flake off over time.



PIC 1. Fill joint with grout.

PIC 2. Remove excess grout with clean water.

PIC 3. Add specific acid cleaning agent for porcelain tile to clean water.

PIC 4. First floor deep cleaning after 12/48 h from installation.

PIC 5. Removal of excess grout residues with hard brush.

TYPE OF STAIN	SOLUTION	DETERGENTS	MANUFACTURER
INORGANIC STAINS			
Cement Carbon Calcium Efflorescence Chalk Metallic residues Rust Cement-based grout Colored grout Wall paint	Acid	DETERGENT WITH AN ACID BASIS *	
		DETERDEK or similar	UNITED STATES > Fila Chemicals USA, Corp.10800 N.W. 21st Street #170 Miami, FL 33172 USA Tel. +1-305-513-0708 email filausa@filasolutions.com
		KERANET (liquid) or similar	MAPEI Americas Headquarters 1144 E. Newport Center Drive Deerfield Beach, Florida 33442
ORGANIC STAINS			
Coca Cola Ice Cream Coffee Wine Beer Animal fats Vegetable fats Mustard Mayonnaise Ketchup Jam Linseed oil Lipstick Wax	Alkaline and neutral	LIMITED FOAM TYPE PRODUCT **	
		PS87 or similar	UNITED STATES > Fila Chemicals USA, Corp.10800 N.W. 21st Street #170 Miami, FL 33172 USA Tel. +1-305-513-0708 email filausa@filasolutions.com
		FILACLEANER or similar	UNITED STATES > Fila Chemicals USA, Corp.10800 N.W. 21st Street #170 Miami, FL 33172 USA Tel. +1-305-513-0708 email filausa@filasolutions.com
		Ammonium	Universal
RESIDUAL RINGS of organic nature	Saline solution	Sodium hypochloride (bleach for white laundry)	Universal
Silicone oils Machine Oil Resins and glazes Coal and natural rubber Encres et feutres		FILASOLV or similar	UNITED STATES > Fila Chemicals USA, Corp.10800 N.W. 21st Street #170 Miami, FL 33172 USA Tel. +1-305-513-0708 email filausa@filasolutions.com
		Aceton	Universal
		NITRO - THINNER	Universal
		TURPENTINE	Universal
		TRICHLORETHYLENE	Universal
		CIF AMMONIACAL	Universal
		HAND CLEANSER	Universal
Tire		Ice+scraper	
Silicone and chewin-gum		Ice+scraper	

N.B. When using the above products, the instructions on the package should be followed.

* **Detergent with an acid base:** a detergent with an acid basis, specifically recommended after bath floor or wall installation, for the decalcification cleaning and the regular maintenance.

** **Limited foam type product:** a limited foam type product degreasing and general cleaning, suitable for all types of stains but especially for remove of vegetable and animals fats.



ARCHITESSA

an Architectural Ceramics brand

CONTACT INFORMATION:

www.architessa.com

1.800.287.1742

For general sales inquiries: sales@architessa.com

For commercial & hospitality sample requests: samples@architessa.com