

LIBRETTO

Porcelain

 ARCHITESSA





LIBRETTO Adagio White 24x48, 48x110



LIBRETTO Crescendo Blue 48x48, 3x12 Hexagon Mosaic, 48x110 Bookmatch



LIBRETTO Aria Gold 48x48


COLORS



Adagio White



Forte White



Capriccio Grey



Crescendo Blue



Aria Gold



Symphony Red


BOOKMATCH SLABS



Forte White
Slab A



Slab B



Capriccio Grey
Slab A



Slab B



Crescendo Blue
Slab A



Slab B




Aria Gold
Slab A



Slab B



Symphony Red
Slab A



Slab B

AVAILABLE SIZES	SLAB			FIELD				MOSAIC	
	48x110 Bookmatch A	48x110 Bookmatch B	48x110	48x48	24x48	12x24	3x12	2x2	2" Hex
Adagio White			M, P	M, P	M, P	M, P	P	M, P	M, P
Aria Gold	M	M	M, P	M, P	M, P	M, P	P	M, P	M, P
Capriccio Grey	M	M	M, P	M, P	M, P	M, P	P	M, P	M, P
Crescendo Blue	M	M	M, P	M, P	M, P	M, P	P	M, P	M, P
Forte White	M	M	M, P	M, P	M, P	M, P	P	M, P	M, P
Symphony Red	M	M	M, P	M, P	M, P	M, P	P	M, P	M, P

M= Matte, P= Polished

Lead times & product availability subject to change. Please contact an Architessa rep for lead times, samples, and availability.

DESCRIPTION

LIBRETTO composes a symphony of striking colors and evasive veining onto durable porcelain tile. Designed to enhance environments with the essence of the noblest marble, this collection inspires elegant and sophisticated atmospheres. Comprised of 6 exquisite marble looks, LIBRETTO also features large format tile sizes: 48" x48" and 48" x110," with the latter offering a stunning bookmatch slab option. Large format tiles and porcelain slabs are excellent at creating seamless, modern rooms.

INSTALLATION & MAINTENANCE

LIBRETTO may be installed using standard porcelain tile installation methods and materials, as recommended by the Tile Council of North America (TCNA). An Architessa sales representative will advise you on general installation questions.

TECHNICAL INFORMATION

TYPE: COLOR BODY PORCELAIN
 ORIGIN: USA
 EDGE: RECTIFIED
 THICKNESS: 8MM, 6MM (48x110)
 LOOK: MARBLE
 SHADE VARIATION: V2 - SLIGHT VARIATION
 SURFACE ABRASION: N/A
 TRAFFIC RATING: COMMERCIAL, RESIDENTIAL

DCOF: ≥ 0.42
 BREAKING STRENGTH: 8MM ≥ 300 LBF, 10MM ≥ 400 LBF
 WATER ABSORPTION: $\leq 0.4\%$
 STAIN RESISTANCE: YES
 FROST RESISTANCE: YES
 ENVIRONMENT: 3% POST-CONSUMER RECYCLED CONTENT, UP TO 45% PRE-CONSUMER RECYCLED CONTENT, GREEN SQUARED, GREENGUARD GOLD CERTIFIED, EPD, HPD

CONTACT INFORMATION:

www.architessa.com

1.800.287.1742

For general sales inquiries: sales@architessa.com

For commercial & hospitality sample requests: samples@architessa.com

Headquarters: 1803 Research Blvd. Suite 402 Rockville, MD 20850

