

# RIVERBEND

Porcelain

 ARCHITESSA







RIVERBEND Alabaster 48x48





RIVERBEND Pewter 48x48, Slate 2x2





RIVERBEND Alabaster 48x110



## COLORS

---




Alabaster



Pewter



Millstone



Slate

## CARVED DECO

---



Alabaster Carved Deco Slab



Pewter Carved Deco Slab



Millstone Carved Deco Slab



Slate Carved Deco Slab



## WAVED DECO

---



Alabaster Waved Deco Slab



Pewter Waved Deco Slab



Millstone Waved Deco Slab



Slate Waved Deco Slab

## AVAILABLE SIZES

	SLAB	SLAB DECO		PAVER	
	48x110 6mm	48x110 Carved 6mm	48x110 Waved 6mm	24x48 2cm	24x24 2cm
Alabaster	M	M	M	M	M
Millstone	M	M	M	M	M
Pewter	M	M	M	M	M
Slate	M	M	M	M	M

	FIELD			MOSAIC			TRIM
	48x48 8mm	24x48 8mm	12x24 8mm	2x2 Dot 8mm	1x4 Brick 8mm	8.7x12 Tetris 8mm	3x12 BN 8mm
Alabaster	M	M	M	M	M	M	M
Millstone	M	M	M	M	M	M	M
Pewter	M	M	M	M	M	M	M
Slate	M	M	M	M	M	M	M

M= Matte

Lead times & product availability subject to change. Please contact an Architessa rep for lead times, samples, and availability.



## DESCRIPTION

RIVERBEND is a collection of stone-look porcelain tile that embodies the essence of biophilic design, an approach that nurtures the connection between humans and the natural world. With its emulation of natural stone, RIVERBEND adds a touch of nature to your design, fostering a sense of tranquility and well-being. This collection stands out with its large format tiles and porcelain slabs/panels, offering a grand and expansive feel that captures the majestic essence of natural landscapes. The tiles' size and design make them ideal for creating a statement in residential and commercial environments, enhancing spaces with their natural elegance.

## INSTALLATION & MAINTENANCE

RIVERBEND may be installed using standard ceramic tile installation methods and materials, as recommended by the Tile Council of North America (TCNA). An Architessa sales representative will advise you on general installation questions.

## TECHNICAL INFORMATION

TYPE: COLOR BODY PORCELAIN

ORIGIN: USA

EDGE: RECTIFIED

THICKNESS: 8MM, 6MM (48x110),  
20MM (24x48, 24x24 PAVERS)

LOOK: MARBLE

SHADE VARIATION: V3 - MODERATE VARIATION

SURFACE ABRASION: N/A

TRAFFIC RATING: COMMERCIAL, RESIDENTIAL

DCOF:  $\geq 0.42$ ,  $> 0.55$  (2CM OUTDOOR PAVERS)

BREAKING STRENGTH:  $\geq 300$  LBF,  $\geq 2500$  LBF (2CM)

WATER ABSORPTION:  $\leq 0.4\%$

STAIN RESISTANCE: YES

FROST RESISTANCE: YES

ENVIRONMENT: 3% POST-CONSUMER RECYCLED  
CONTENT, UP TO 45% PRE-CONSUMER RECYCLED

CONTENT, GREEN SQUARED CERTIFIED, GREENGUARD

## CONTACT INFORMATION:

[www.architessa.com](http://www.architessa.com)

1.800.287.1742

For general sales inquiries: [sales@architessa.com](mailto:sales@architessa.com)

For commercial & hospitality sample requests: [samples@architessa.com](mailto:samples@architessa.com)

Headquarters: 1803 Research Blvd. Suite 402 Rockville, MD 20850

