

STONE WALK

Porcelain



ARCHITESSA

an Architectural Ceramics brand



3 TEXTURE 7 SIZES 5 COLORS MIX AND MATCH

A rich assortment of finishes, sizes and colors, to ensure the right design solution is always available for every type of setting, both indoor and outdoor.



120x240
47¹/₄" x 94¹/₂"

± 6,5mm

120x120
47¹/₄" x 47¹/₄"

± 6,5mm

60x120
23⁵/₈" x 47¹/₄"

60x60
23⁵/₈" x 23⁵/₈"

30x60
11¹³/₁₆" x 23⁵/₈"



90x90
35⁷/₁₆" x 35⁷/₁₆"

45x90
17¹¹/₁₆" x 35⁷/₁₆"





80x80
31¹/₂" x 31¹/₂"

20MM



FINE GRAIN



ROUGH GRAIN



CAGE




TAUPE

SAND

WHITE

GREY

DARK




GREY

Grey Rough Grain Nat. Rett. 120x120 [47^{1/4} x 47^{1/4}]
Grey Fine Grain Nat. Rett. 120x240 [47^{1/4} x 94^{1/2}]
Cage Grey Nat. Rett. 120x240 [47^{1/4} x 94^{1/2}]



Grey Fine Grain Nat. Rett. 120x240 [47^{1/4} x 94^{1/2}]
Grey Rough Grain Nat. Rett. 120x120 [47^{1/4} x 47^{1/4}]
Dark Rough Grain Nat. Rett. 120x240 [47^{1/4} x 94^{1/2}]
Cage Dark Nat. Rett. 120x240 [47^{1/4} x 94^{1/2}]



GREY



Cage Dark Nat. Rett. 60x120 [23^{5/8}" x 47^{1/4}"]
 Dark Rough Grain Nat. Rett. 60x120 [23^{5/8}" x 47^{1/4}"]
 Dark Fine Grain Nat. Rett. 60x120 [23^{5/8}" x 47^{1/4}"]
 Grey Fine Grain Nat. Rett. 120x240 [47^{1/4}" x 94^{1/2}"]





Cage Grey Nat. Rett. 120x240 [47^{1/4} x 94^{1/2}"]
White Rough Grain Nat. Rett. 60x120 [23^{5/8} x 47^{1/4}"]
Grey Nat. Rett. 80x80 [31^{1/2} x 31^{1/2}"] 20mm



White Fine Grain Nat. Rett. 60x120 [23^{5/8} x 47^{1/4}]



WHITE



Sand Fine Grain Nat. Rett. 120x240 [47^{1/4}"x94^{1/2}"]
Sand Rough Grain Nat. Rett. 120x240 [47^{1/4}"x94^{1/2}"]
Cage Sand Nat. Rett. 120x240 [47^{1/4}"x94^{1/2}"]



SAND



Sand Fine Grain Nat. Rett. 120x240 [47^{1/4}"x94^{1/2}"]
Sand Rough Grain Nat. Rett. 120x240 [47^{1/4}"x94^{1/2}"]
Cage Sand Nat. Rett. 120x240 [47^{1/4}"x94^{1/2}"]

Taupe Fine Grain Nat. Rett. 60x120 (23^{5/8}"x47^{1/4}")
 Taupe Rough Grain Nat. Rett. 60x120 (23^{5/8}"x47^{1/4}")
 Cage Taupe Nat. Rett. 60x120 (23^{5/8}"x47^{1/4}")
 Sand Nat. Rett. 80x80 (31^{1/2}"x31^{1/2}") 20mm

TAUPE






Taupe Rough Grain Nat. Rett. 60x120 [23^{5/8} x47^{1/4}]
Sand Fine Nat. Rett. 60x120 [23^{5/8} x47^{1/4}]
Cage Taupe Nat. Rett. 60x120 [23^{5/8} x47^{1/4}]



Sand Fine Nat. Rett. 60x120 [23^{5/8}"x47^{1/4}"]
Sand Rough Grain Nat. Rett. 60x120 [23^{5/8}"x47^{1/4}"]
Sand Big Mix 30x30 [11^{13/16}"x11^{13/16}"]



Grey Fine Grain Nat. Rett. 60x120 [23^{5/8} x 47^{1/4}]
Grey Fine Grain Lapp. Rett. 60x120 [23^{5/8} x 47^{1/4}]
Cage Grey Nat. Rett. 60x120 [23^{5/8} x 47^{1/4}]
Dark Rough Grain Nat. Rett. 60x120 [23^{5/8} x 47^{1/4}]
Dark Rough Grain Lapp. Rett. 60x120 [23^{5/8} x 47^{1/4}]

20MM



Sand Rough Grain Nat. Rett. 80x80 (31^{1/2} x 31^{1/2}) 20mm
Cage Sand Nat. Rett. 120x240 (47^{1/4} x 94^{1/2})

20MM



OUTDOOR SPACES OF GREAT AESTHETIC VALUE

STONE WALK 20mm offers the chance to develop extremely aesthetically pleasing external spaces without compromising on technical expertise. The specific qualities of **STONE WALK** 20mm allow you to perfectly integrate the material in the surrounding environment, making it possible to create walkways and outdoor paths easily and effectively. The thickness of **STONE WALK** 20mm guarantees excellent resistance, making it ideal for use in both indoor and outdoor public spaces. **STONE WALK** 20mm is easy to lay on grass, sand and gravel. By gluing it down to screed it is possible to create industrial and commercial paved driveways. Ideal for access ramps and garages. **STONE WALK** 20mm is ideal for the creation of cavity floors.



80x80 (31^{1/2}"x31^{1/2}")
E0E1 SAND ROUGH GRAIN
NAT. RETT. ● 109



80x80 (31^{1/2}"x31^{1/2}")
E0E2 GREY ROUGH GRAIN
NAT. RETT. ● 109



80x80 (31^{1/2}"x31^{1/2}")
E0E3 DARK ROUGH GRAIN
NAT. RETT. ● 109

Sand Rough Grain Nat. Rett. 80x80 (31^{1/2}"x31^{1/2}") 20mm
Cage Sand Nat. Rett. 120x240 (47^{1/4}"x94^{1/2}")

TAUPE_FORMATI Sizes / Formats / Formate / Tamaños / форматы

FINE GRAIN




60x120 (23^{5/8}"x47^{1/4}")
E099 TAUPE NAT. RETT. ● 89
E0AD TAUPE LAPP. RETT. ● 96
E0C3 TAUPE TECNICA RETT. ● 91



60x60 (23^{5/8}"x23^{5/8}")
E09N TAUPE NAT. RETT. ● 73



30x60 (11^{13/16}"x23^{5/8}")
E09U TAUPE NAT. RETT. ● 66
E0AK TAUPE LAPP. RETT. ● 78
E0C9 TAUPE TECNICA RETT. ● 68




90x90 (35^{7/16}"x35^{7/16}")
E0A0 TAUPE NAT. RETT. ● 91
E0AR TAUPE LAPP. RETT. ● 98




45x90 (17^{11/16}"x35^{7/16}")
E0A6 TAUPE NAT. RETT. ● 77

ROUGH GRAIN



60x120 (23^{5/8}"x47^{1/4}")
E0AX TAUPE NAT. RETT. ● 89
E0D6 TAUPE LAPP. RETT. ● 96
E0DR TAUPE TECNICA RETT. ● 91



60x60 (23^{5/8}"x23^{5/8}")
E0CG TAUPE NAT. RETT. ● 73



30x60 (11^{13/16}"x23^{5/8}")
E0CN TAUPE NAT. RETT. ● 66
E0DD TAUPE LAPP. RETT. ● 78
E0DX TAUPE TECNICA RETT. ● 68



90x90 (35^{7/16}"x35^{7/16}")
E0CU TAUPE NAT. RETT. ● 91
E0DK TAUPE LAPP. RETT. ● 98



45x90 (17^{11/16}"x35^{7/16}")
E0DO TAUPE NAT. RETT. ● 77

CAGE




60x120 (23^{5/8}"x47^{1/4}")
E09G TAUPE NAT. RETT. ● 91

SAND_FORMATI Sizes / Formats / Formate / Tamaños / форматы

FINE GRAIN



120x240 (47^{1/4}"x94^{1/2}")
E07H SAND NAT. RETT. ● 112



120x120 (47^{1/4}"x47^{1/4}")
E07M SAND NAT. RETT. ● 95



60x120 (23^{5/8}"x47^{1/4}")
E098 SAND NAT. RETT. ● 89
E0AC SAND LAPP. RETT. ● 96
E0C2 SAND TECNICA RETT. ● 91



90x90 (35^{7/16}"x35^{7/16}")
E09Z SAND NAT. RETT. ● 91
E0AQ SAND LAPP. RETT. ● 98



45x90 (17^{11/16}"x35^{7/16}")
E0A5 SAND NAT. RETT. ● 77



60x60 (23^{5/8}"x23^{5/8}")
E09M SAND NAT. RETT. ● 73




30x60 (11^{13/16}"x23^{5/8}")
E09T SAND NAT. RETT. ● 66
E0AJ SAND LAPP. RETT. ● 78
E0C8 SAND TECNICA RETT. ● 68

ROUGH GRAIN



120x240 (47^{1/4}"x94^{1/2}")
E087 SAND NAT. RETT. ● 112



120x120 (47^{1/4}"x47^{1/4}")
E08C SAND NAT. RETT. ● 95



60x120 (23^{5/8}"x47^{1/4}")
E0AW SAND NAT. RETT. ● 89
E0D5 SAND LAPP. RETT. ● 96
E0DQ SAND TECNICA RETT. ● 91



90x90 (35^{7/16}"x35^{7/16}")
E0CT SAND NAT. RETT. ● 91
E0DJ SAND LAPP. RETT. ● 98



45x90 (17^{11/16}"x35^{7/16}")
E0CZ SAND NAT. RETT. ● 77



60x60 (23^{5/8}"x23^{5/8}")
E0CF SAND NAT. RETT. ● 73



30x60 (11^{13/16}"x23^{5/8}")
E0CM SAND NAT. RETT. ● 66
E0DC SAND LAPP. RETT. ● 78
E0DW SAND TECNICA RETT. ● 68

CAGE











120x240 (47^{1/4}"x94^{1/2}")
E07R SAND NAT. RETT. ● 115











60x120 (23^{5/8}"x47^{1/4}")
E09F SAND NAT. RETT. ● 91

WHITE_FORMATI Sizes / Formats / Formate / Tamaños / форматы



FINE GRAIN

		
120x240 (47 ^{1/4} "x94 ^{1/2} ") E07G WHITE NAT. RETT. ● 112	120x120 (47 ^{1/4} "x47 ^{1/4} ") E07L WHITE NAT. RETT. ● 95	60x120 (23 ^{5/8} "x47 ^{1/4} ") E097 WHITE NAT. RETT. ● 89 E0AA WHITE LAPP. RETT. ● 96 E0C1 WHITE TECNICA RETT. ● 91
		
90x90 (35 ^{7/16} "x35 ^{7/16} ") E09Y WHITE NAT. RETT. ● 91 E0AP WHITE LAPP. RETT. ● 98	45x90 (17 ^{11/16} "x35 ^{7/16} ") E0A4 WHITE NAT. RETT. ● 77	60x60 (23 ^{5/8} "x23 ^{5/8} ") E09L WHITE NAT. RETT. ● 73
		
30x60 (11 ^{13/16} "x23 ^{5/8} ") E09S WHITE NAT. RETT. ● 66 E0AH WHITE LAPP. RETT. ● 78 E0C7 WHITE TECNICA RETT. ● 68		

ROUGH GRAIN









		
120x240 (47 ^{1/4} "x94 ^{1/2} ") E086 WHITE NAT. RETT. ● 112	120x120 (47 ^{1/4} "x47 ^{1/4} ") E08A WHITE NAT. RETT. ● 95	60x120 (23 ^{5/8} "x47 ^{1/4} ") E0AV WHITE NAT. RETT. ● 89 E0D4 WHITE LAPP. RETT. ● 96 E0DP WHITE TECNICA RETT. ● 91
		
90x90 (35 ^{7/16} "x35 ^{7/16} ") E0CS WHITE NAT. RETT. ● 91 E0DH WHITE LAPP. RETT. ● 98	45x90 (17 ^{11/16} "x35 ^{7/16} ") E0CY WHITE NAT. RETT. ● 77	60x60 (23 ^{5/8} "x23 ^{5/8} ") E0CE WHITE NAT. RETT. ● 73
		
30x60 (11 ^{13/16} "x23 ^{5/8} ") E0CL WHITE NAT. RETT. ● 66 E0DA WHITE LAPP. RETT. ● 78 E0DV WHITE TECNICA RETT. ● 68		

CAGE









	
120x240 (47 ^{1/4} "x94 ^{1/2} ") E07Q WHITE NAT. RETT. ● 115	60x120 (23 ^{5/8} "x47 ^{1/4} ") E09E WHITE NAT. RETT. ● 91

GREY_FORMATI Sizes / Formats / Formate / Tamaños / форматы



FINE GRAIN

		
120x240 (47 ^{1/4} "x94 ^{1/2} ") E07J GREY NAT. RETT. ● 112	120x120 (47 ^{1/4} "x47 ^{1/4} ") E07N GREY NAT. RETT. ● 95	60x120 (23 ^{5/8} "x47 ^{1/4} ") E09A GREY NAT. RETT. ● 89 E0AE GREY LAPP. RETT. ● 96 E0C4 GREY TECNICA RETT. ● 91
		
90x90 (35 ^{7/16} "x35 ^{7/16} ") E0A1 GREY NAT. RETT. ● 91 E0AS GREY LAPP. RETT. ● 98	45x90 (17 ^{11/16} "x35 ^{7/16} ") E0A7 GREY NAT. RETT. ● 77	60x60 (23 ^{5/8} "x23 ^{5/8} ") E09P GREY NAT. RETT. ● 73
		
30x60 (11 ^{13/16} "x23 ^{5/8} ") E09V GREY NAT. RETT. ● 66 E0AL GREY LAPP. RETT. ● 78 E0CA GREY TECNICA RETT. ● 68		

ROUGH GRAIN


		
120x240 (47 ^{1/4} "x94 ^{1/2} ") E088 GREY NAT. RETT. ● 112	120x120 (47 ^{1/4} "x47 ^{1/4} ") E08D GREY NAT. RETT. ● 95	60x120 (23 ^{5/8} "x47 ^{1/4} ") E0AY GREY NAT. RETT. ● 89 E0D7 GREY LAPP. RETT. ● 96 E0DS GREY TECNICA RETT. ● 91
		
90x90 (35 ^{7/16} "x35 ^{7/16} ") E0CV GREY NAT. RETT. ● 91 E0DL GREY LAPP. RETT. ● 98	45x90 (17 ^{11/16} "x35 ^{7/16} ") E0D1 GREY NAT. RETT. ● 77	60x60 (23 ^{5/8} "x23 ^{5/8} ") E0CH GREY NAT. RETT. ● 73
		
30x60 (11 ^{13/16} "x23 ^{5/8} ") E0CP GREY NAT. RETT. ● 66 E0DE GREY LAPP. RETT. ● 78 E0DY GREY TECNICA RETT. ● 68		

CAGE


	
120x240 (47 ^{1/4} "x94 ^{1/2} ") E07S GREY NAT. RETT. ● 115	60x120 (23 ^{5/8} "x47 ^{1/4} ") E09H GREY NAT. RETT. ● 91

DARK_FORMATI Sizes / Formats / Formate / Tamaños / форматы


FINE GRAIN



ROUGH GRAIN




CAGE




DECORI Decors / Formats / Formate / Tamaños / форматы


Mosaico 3x3*



Mosaico Big Mix*



Listelli sfalsati*



* Su rete in fibra - On fibre mesh backing - Sur filet en fibre de verre - Auf Glasfasernetz - Sobre malla de fibra - На волоконной сетке

PEZZI SPECIALI Trims - Pieces Speciales - Formteile - Piezas Especiales - Специальные Изделия



BATTISCOPIA - SKIRTING

7x60 (2^{3/4}"x23^{5/8}")

Pcs. Box 15 - Ml. x Box 9

FINE GRAIN

- E0TP** WHITE NAT. RETT. ● 16
- E0TQ** SAND NAT. RETT. ● 16
- E0TR** TAUPE NAT. RETT. ● 16
- E0TS** GREY NAT. RETT. ● 16
- E0TT** DARK NAT. RETT. ● 16

ROUGH GRAIN

- E0VA** WHITE NAT. RETT. ● 16
- E0VC** SAND NAT. RETT. ● 16
- E0VD** TAUPE NAT. RETT. ● 16
- E0VE** GREY NAT. RETT. ● 16
- E0VF** DARK NAT. RETT. ● 16



BATTISCOPIA - SKIRTING

4,6x90 (1^{3/16}"x35^{7/16}")


Pcs. Box 8 - Ml. x Box 7,20

FINE GRAIN

- E0TV** WHITE NAT. RETT. ● 23
- E0TW** SAND NAT. RETT. ● 23
- E0TX** TAUPE NAT. RETT. ● 23
- E0TY** GREY NAT. RETT. ● 23
- E0TZ** DARK NAT. RETT. ● 23

ROUGH GRAIN

- E0VH** WHITE NAT. RETT. ● 23
- E0VJ** SAND NAT. RETT. ● 23
- E0VK** TAUPE NAT. RETT. ● 23
- E0VL** GREY NAT. RETT. ● 23
- E0VM** DARK NAT. RETT. ● 23



GRADONE - STEP

33x120x3,2x3,2 (12^{15/16}"x47^{1/4}"x1^{1/4}"x1^{1/4}")


Pcs. Box 2 - Ml. x Box 2,40

FINE GRAIN

- E0UE** WHITE NAT. RETT. ● 139
- E0UF** SAND NAT. RETT. ● 139
- E0UG** TAUPE NAT. RETT. ● 139
- E0UH** GREY NAT. RETT. ● 139
- E0UJ** DARK NAT. RETT. ● 139

ROUGH GRAIN

- E0W1** WHITE NAT. RETT. ● 139
- E0W2** SAND NAT. RETT. ● 139
- E0W3** TAUPE NAT. RETT. ● 139
- E0W4** GREY NAT. RETT. ● 139
- E0W5** DARK NAT. RETT. ● 139



GRADINO - STAIR TREAD

33x120 (12^{15/16}"x47^{1/4}")

Pcs. Box 2 - Ml. x Box 2,40

FINE GRAIN

- E0U1** WHITE NAT. RETT. ● 120
- E0U2** SAND NAT. RETT. ● 120
- E0U3** TAUPE NAT. RETT. ● 120
- E0U4** GREY NAT. RETT. ● 120
- E0U5** DARK NAT. RETT. ● 120

ROUGH GRAIN

- E0VP** WHITE NAT. RETT. ● 120
- E0VQ** SAND NAT. RETT. ● 120
- E0VR** TAUPE NAT. RETT. ● 120
- E0VS** GREY NAT. RETT. ● 120
- E0VT** DARK NAT. RETT. ● 120




FINE GRAIN

- E0U7** WHITE TECN. RETT. ● 120
- E0U8** SAND TECN. RETT. ● 120
- E0U9** TAUPE TECN. RETT. ● 120
- E0UA** GREY TECN. RETT. ● 120
- E0UC** DARK TECN. RETT. ● 120



ROUGH GRAIN

- E0VV** WHITE TECN. RETT. ● 120
- E0VW** SAND TECN. RETT. ● 120
- E0VX** TAUPE TECN. RETT. ● 120
- E0VY** GREY TECN. RETT. ● 120
- E0VZ** DARK TECN. RETT. ● 120



ANGOLARE DX / SX - CORNER TILE DX / SX

33x120x3,2x3,2 (12^{15/16}"x47^{1/4}"x1^{1/4}"x1^{1/4}")

Pcs. Box 1 - Ml. x Box 1,20

FINE GRAIN


- E0UL** / **E0US** WHITE NAT. RETT. ● 142
- E0UM** / **E0UT** SAND NAT. RETT. ● 142
- E0UN** / **E0UU** TAUPE NAT. RETT. ● 142
- E0UP** / **E0UV** GREY NAT. RETT. ● 142
- E0UQ** / **E0UW** DARK NAT. RETT. ● 142

ROUGH GRAIN

- E0W7** / **E0WE** WHITE NAT. RETT. ● 142
- E0W8** / **E0WF** SAND NAT. RETT. ● 142
- E0W9** / **E0WG** TAUPE NAT. RETT. ● 142
- E0WA** / **E0WH** GREY NAT. RETT. ● 142
- E0WC** / **E0WJ** DARK NAT. RETT. ● 142

PEZZI SPECIALI Trims - Pieces Speciales - Formteile - Piezas Especiales - Специальные Изделия

20MM




GRADONE - STEP

33x80x5 (12^{15/16}"x31^{1/2}"x1^{15/16}")

Pcs. Box 2 - Ml. x Box 1,60

- E0WY** SAND NAT. RETT. ● 114
- E0WZ** GREY NAT. RETT. ● 114
- E0W0** DARK NAT. RETT. ● 114




ANGOLARE DX / SX - CORNER TILE DX / SX

33x80x5 (12^{15/16}"x31^{1/2}"x1^{15/16}")

Pcs. Box 2 - Ml. x Box 1,60

- E0X2** / **EGHG** SAND NAT. RETT. ● 136
- E0X3** / **EGHH** GREY NAT. RETT. ● 136
- E0X4** / **EGHJ** DARK NAT. RETT. ● 136




TERMINALE - ENDINGPIECE

33x80x2,5 (12^{15/16}"x31^{1/2}"x^{15/16}")

Pcs. Box 2 - Ml. x Box 1,60

- E0X6** SAND NAT. RETT. ● 120
- E0X7** GREY NAT. RETT. ● 120
- E0X8** DARK NAT. RETT. ● 120




ANGOLARE TERMINALE DX / SX

ENDINGPIECE CORNER DX / SX

33x80x2,5 (12^{15/16}"x31^{1/2}"x^{15/16}")

Pcs. Box 2 - Ml. x Box 1,60

- E0XA** / **EGHL** SAND NAT. RETT. ● 136
- E0XC** / **EGHM** GREY NAT. RETT. ● 136
- E0XD** / **EGHN** DARK NAT. RETT. ● 136



GRADINO - STAIR TREAD

33x80 (12^{15/16}"x31^{1/2}")

Pcs. Box 2 - Ml. x Box 1,60

- E0WL** SAND NAT. RETT. ● 114
- E0WM** GREY NAT. RETT. ● 114
- E0WN** DARK NAT. RETT. ● 114

ALZATA - RISER

16,5x80 (6^{1/2}"x31^{1/2}")

Pcs. Box 4 - Ml. x Box 3,20

- E0WQ** SAND NAT. RETT. ● 46
- E0WR** GREY NAT. RETT. ● 46
- E0WS** DARK NAT. RETT. ● 46

PERFECT MATCH

TWO COLLECTIONS, **FIVE** COLOURS,
MULTIPLE COMBINATIONS

STONE WALK

Fine Grain

Rough Grain

Cage

STONE RUN

Minimal

Martellata

Rullata

TAUPE

SAND

WHITE

GREY

DARK





Grey Fine Grain Nat. Rett. 60x120 [23^{5/8} x47^{1/4}]
 Grey Fine Grain Nat. Rett. 120x240 [47^{1/4} x94^{1/2}]
 Grey Rough Grain Tecnica Rett. 60x120 [23^{5/8} x47^{1/4}]
 STONETALK Grey Martellata 60x120 [23^{5/8} x47^{1/4}]
 STONETALK Grey Rullata 60x120 [23^{5/8} x47^{1/4}]

STONE WALK

Dry - Pressed Ceramic Tiles ISO 13006 Annex G - UNI EN 14411 Annex G - Bla UGL

CARATTERISTICHE TECNICHE Technical Features - Características Técnicas - Technische Eigenschaften Technische Eigenschaften - Características Técnicas - Технические Характеристики	NORMA Standard - Norme Norm - Norma - Норма	VALORI Value - Valeur Vorgabe - Valor - Средние		
PLANARITÀ Flatness Planéité Ebenflächigkeit Planaridad Плоскостность	UNI EN ISO 10545/2	± 0,26% / ± 1,5 mm		
	ASTM C485 CALIBRATED ± 0,75% (MAX ± 0,09 in)	-		
ASSORBIMENTO D'ACQUA (VALORE MEDIO IN %) Water absorption (Average value expressed in %) - Absorption d'eau (Valeur moyenne en %) Wasseraufnahme (Durchschnittswert in %) - Absorción de agua (Valor medio en %) Поглощение воды	UNI EN ISO 10545/3 ≤ 0,5 %	CONFORME		
	ASTM C373	COMPLIANT		
RESISTENZA ALLA FLESSIONE Modulus of rupture - Resistance a la flexion - Biegefestigkeit Resistencia a la flexion - Прочность на изгиб	SPESORE	6,5 mm	10 mm	20MM
	UNI EN ISO 10545/4	≥ 35 N/mm ²	≥ 50 N/mm ²	≥ 50 N/mm ²
FORZA DI ROTTURA Breaking strength - Résistance à la rupture - Bruchlast - Resistencia a la rotura - Разрывное усилие	UNI EN ISO 10545/4	≥ 700 N	≥ 2000 N	≥ 4000 N
	ASTM C648	250 Lbs	250 Lbs	700 Lbs
RESISTENZA AL GELO Frost resistance - Résistance au gel - Frostbeständigkeit Resistencia a las heladas - Морозостойкость	UNI EN ISO 10545/12	CONFORME		
	ASTM C1026	UNAFFECTED		
RESISTENZA CHIMICA AD ALTE E BASSE CONCENTRAZIONI DI ACIDI E BASI Chemical resistance to high and low acid and basic concentrations Résistance chimique aux hautes et basses concentrations d'acides et de bases Chemikalienfestigkeit bei hohen und niedrigen Konzentrationen von Säuren und Basen Resistencia química con concentraciones altas y bajas de ácidos y bases Химическая стойкость к высоким и низким концентрациям кислот и щелочей	UNI EN ISO 10545/13	UA - ULA - UHA		
	ASTM C-650	UNAFFECTED		
RESISTENZA ALLE MACCHIE Stain resistance - Résistance aux taches - Fleckenbeständigkeit Resistencia a las manchas - Стойкость к образованию пятен	UNI EN ISO 10545/14	5		
	CTI 81-7D	NO EVIDENT VARIATION		
COEFFICIENTE DI ATTRITO Slip resistance Coefficient de glissement Rutschfestigkeit Barfußbereich Coeficiente de atrito medio Коэффициент трения	DIN 51130	NAT.	LAPP.	TECNICA/ 20MM
		R10	-	R11
	DIN 51097	B (A+B)	-	C (A+B+C)
		ANSI A 137.1- 2012 DCOF (Section 9.6)	WET ≥ 0,42	-
	B.C.R.A.	≥ 0,40	-	≥ 0,40
	AS 4586: 2013 Slip resistance classification of new pedestrian surface materials	P2	-	P4
BS 7976-2: 2002 Pendulum testers	25-35 Moderate Slip Potential	-	> 36 Low Slip Potential	
ENV 12633-2006 Method of determination of unpolished and polished slip/ skid resistance value	1	-	3	

Formato Size Format Format Тamaño Формат Формат cm	Spessore Thickness Epaisseur Stärke Espesor Толщина mm	Pz. x Mq. Pieces x Sqm Pcs - M ² Stk. x Qm Pzs x Mc. Шт x Кв.М.	Pz. x Scat. Pieces x Box Pcs - Bte Stk. x Krt. Pzs x Caja Шт x Кор.	Mq. x Scat. Sqm x Box M ² - Bte Qm x Krt. Mc. x Caja Кв.М. x Кор.	Peso x Scat. Weight x Box Poids - Bte Gewicht x Krt. Peso x Caja Вес x Кор. Kg	Scat. x Pal. Boxes x Pal. Bte - Pal. Krt. x Pal. Cajas x Pal. Кор. x Подд.	Mq. x Pal. Sqm x Pal. M ² - Pal. Qm x Pal. Mc. x Pal. Кв.М x Подд.	Peso x Pal. Weight x Pal. Poids - Pal. Gewicht x Pal. Peso x Pal. Вес x Подд. Kg
120x240 Naturale	6,5	0,35	1	2,880	46,08			vedi sotto - see below
120x120 Naturale	6,5	0,69	1	1,440	22,95			
60x120 Nat. - Lapp. - Tecn.	10	1,39	2	1,440	34,18	36	51,84	1230
80x80 Naturale 20MM	20	1,56	1	0,640	30,49	45	28,80	1372
60x60 Naturale	10	2,78	3	1,080	25,39	40	43,20	1015
30x60 Nat. - Lapp. - Tecn.	10	5,56	6	1,080	25,27	40	43,20	1011
90x90 Nat. - Lapp.	10	1,23	2	1,620	38,00	24	38,88	912
45x90 Naturale	10	2,47	3	1,215	28,54	32	38,88	913
30x30 Mosaico 3x3 Nat. - Lapp.	10	11,11	5	0,450	11,22	60	27,00	673
30x30 Mosaico Big Mix	10	11,11	5	0,450	10,64	60	27,00	638
30x60 Listelli Sfalsati	10	5,56	4	0,720	18,25	30	21,60	548
120x240 Decoro Cage	6,5	0,35	1	2,880	46,98	20	57,60	940
60x120 Decoro Cage	10	1,39	2	1,440	33,56	36	51,84	1208

Articolo Item Reference Artikel Articulo Артикул	Dimensione (cm) Size (cm) Format (cm) Format (cm) Tamaño (cm) Формат (cm)	Nr. Lastre No. of Slabs Nbre Dalles Anz. Platten N° de Placas Кол. Плит	Mq. x Imballo sqm per Pack m ² / Emballage qm pro Verpackung m ² por embalaje Кв.м. x упаковку	Peso Imballo (Kg) Weight of Packaging (kg) Poids Emballage (kg) Gewicht Verpackung (kg) Peso embalaje (kg) Вес упаковки (кг)	Peso Imballo+Lastre (Kg) Weight of Packaging + Slabs (kg) Poids Emballage+Dalles (kg) Gewicht Verpackung+Platten (kg) Peso embalaje + placas (kg) Вес упаковки + плит (кг)
120x120 Cassa - Crate - Caisse Kiste - Caja - Ящик	139x139x41h	24	34,56	62,5	616,3
120x240 Cassa - Crate - Caisse Kiste - Caja - Ящик	136x266x41h	20	57,60	99	1020,6
120x240 Cavalletto A-Frame - Chevalet de transport - Transportgestell Caballette - Подставка	75x250x160h	40	115,20	163	2006,2

For further information on technical specifications, please consult our up-dated general catalogue.



DESCRIPTION

STONE WALK is a porcelain tile collection featuring natural stone looks in natural colorways. Durable, classic, and reliable, STONE WALK is offered in a rough grain and striated texture for versatile indoor and outdoor designs.

INSTALLATION & MAINTENANCE

STONE WALK may be installed using standard ceramic tile installation methods and materials, as recommended by the Tile Council of North America (TCNA). An Architessa sales representative will advise you on general installation questions.

TECHNICAL INFORMATION

TYPE: COLOR BODY PORCELAIN
ORIGIN: ITALY
EDGE: RECTIFIED
THICKNESS: 9.5MM, 6.5MM (120x120, 120x140), 20MM (PAVER)
LOOK:STONE
SHADE VARIATION: V3 - MODERATE VARIATION
SURFACE ABRASION: N/A
TRAFFIC RATING: HEAVY COMMERCIAL & RESIDENTIAL

DCOF: >0.5
BREAKING STRENGTH: 250LBS (6.5MM & 10MM),
700 LBS (20MM)
WATER ABSORPTION: <0.5%
STAIN RESISTANCE: YES
FROST RESISTANCE: YES
ENVIRONMENT: N/A

CONTACT INFORMATION:

www.architessa.com

1.800.287.1742

For general sales inquiries: sales@architessa.com

For commercial & hospitality sample requests: samples@architessa.com

Headquarters: 1803 Research Blvd. Suite 402 Rockville, MD 20850