

STONE CLADDING

Catalog



ARCHITESSA





ASHLAR

ASHLAR

Structured, Sophisticated Stone Veneer

A NEW TWIST ON AN ICONIC STYLE

Unlike traditional Ashlar from centuries gone by, Ashlar cladding comes in geometric sizing and shapes that reflect today's avant garde appetite for new building design. Whether that's the XL sized Whitsunday cubes or the highly manicured, linear look of Sun Valley - We're drawing on the world's greatest Design Markets to bring you the next generation of Ashlar Cladding.



WHITSUNDAY ASHLAR



RESIDENCE, SYDNEY
WHITSUNDAY ASHLAR


Available Colors




Whitsunday




Charcoal




Ochre Blend



Aztec



Sun Valley



RESIDENCE, SCOTTSDALE
SUN VALLEY ASHLAR



ASHLAR Specs

Ashlar Stone Veneer encompasses two new Urban options: (1) The structured and clean appearance of our Sun Valley, which is sawn-cut on four sides and its back; and (2) The raw, rugged and hand-chipped style of our Whitsunday, Ochre Blend and Charcoal colors. These cuboid forms will give a stunning, structured appearance to your next transitional design.

Unit Dimensions

Random pieces: Sizes Vary by Color | Min. 2" x 5" / Max. 12" x 12"

Thickness: 0.75" - 2"

Weight

less than
15
lbs/sq ft

PACKAGING & USAGE SPECS

| Sq Ft / Crate | Corner Type | Installer Profile | U.S. Stock |
|---------------|-------------|-------------------|------------|
| 70-100* | L-Shaped | Mason | Yes* |

| Interior | Exterior | Freeze / Thaw | Wet Applications |
|----------|----------|---------------|------------------|
| ✓ | ✓ | ✓ | ✓ |

*Quantity/crate and stock quantities will vary by color, inquire with a Surface Shop Pro for more details.

INSTALLATION TECHNIQUES



Dry Fit Style

This newer style of installing Ashlar Stone Cladding is considered the most advanced and new urban look available on the market today. Highly desirable, but use skilled masons only to achieve this look. The use of mockups is also recommended.



Mortar Joint Style

Timeless, classic, and versatile, the Mortar Joint Style never fails to impress and is an efficient use of the raw stone. Use different colored mortar joints to create unique looks that match your unique project and design appetite.



RESIDENCE, SCOTTSDALE
SUN VALLEY ASHLAR



RESIDENCE, LOS ANGELES
WHITSUNDAY ASHLAR



RESIDENCE, PALO ALTO
SUN VALLEY ASHLAR



RESIDENCE, LOS ANGELES
WHITSUNDAY ASHLAR



LINEAR

LINEAR


Large & Medium Format Linear Styles

MODERN WITHOUT BEING MINIMALIST

There's something distinctly elegant about long, slender lines on a facade, fireplace, or entryway. Recognizing the need for this neatly linear yet organic appearance, Surface Shop has developed an entire range of medium and large format linear veneers to assist you on your next project. Crafted with the finest natural stone materials from around the world, these products are sure to meet the demands of your next dream project.




HALO STRATA™



RESIDENCE, SYDNEY
CUSTOM PLATINUM PLANC™



RESIDENCE, SAN FRANCISCO
GREY BASALT LYNIA™ TILE



RESIDENCE, LOS ANGELES
PLATINUM PLANC™



RESIDENCE, WASHINGTON D.C.
GREY BASALT PLANC™

LARGE FORMATS

Streamlined Appearance with a Larger, Expansive Style

Built to generous scale, **PLANC™ & STRATA™ Range** yield a breathtaking and expansive style. At 31.5" in length, each tile stretches well beyond typical finish dimensions found in the stone industry, ensuring that each project using it will truly stand out. We show our Large Format Ranges in a staggered format, however, each tile set is supplied as 3 loose strips so patterns and staggers will be unique to each individual installation.

Unit Dimensions

Set: 31.5" (W) x 5.5" / 3.1" / 2.4" (H) x 0.8" Thick

Coverage: 2.4 sq ft per set

Weight

12.5
lbs/sq ft


PACKAGING & USAGE SPECS

| Pc / Set | Sq Ft / Set | Sets / Crate | Sq Ft / Crate |
|----------|-------------|--------------|---------------|
| 3 | 2.4 | 63-96* | 151.2-230.4* |

| Interior | Exterior | Freeze / Thaw | Wet Applications |
|----------|----------|---------------|------------------|
| ✓ | ✓ | ✓ | ✓ |

*Box & Crate quantities vary by color, inquire with a Surface Shop Pro to find out more.

One PLANC™/STRATA™ Set



Displayed here in an optional staggered formation. For layout options, consult our PLANC™/STRATA™ pattern guides.

PLANC™/STRATA™ Corner Example



Corners are **made on-site** by either mitering or overlapping in interlocking fashion.



Available Colors



Halo STRATA™




Sun Valley STRATA™



Silver Grey PLANC™



Wave STRATA™



Platinum PLANC™




Graphite PLANC™



Grey Basalt PLANC™



Ebony Basalt PLANC™



MEDIUM FORMATS

Neatly Refined & Medium Sized Cladding for All Occasions

In our Medium Format category, the **LYNIA™ Tile Collection** reigns supreme. This preformatted mosaic strip cladding system uses a powerful combination of design, technology, and extraordinary stone. Cut from large slabs of hand-selected marbles and cooled basaltic lava rock, LYNIA™ Tiles are then honed down to a silky smooth finish, before they are mesh-mounted in a running, linear fashion.

Unit Dimensions

Total: 15" (H) x 17" (W) x 0.4" - 0.6" Thick

Coverage: 1.3 sq ft per set

Weight

7
lbs/unit


PACKAGING & USAGE SPECS

| Units / Box | Sq Ft / Box | Boxes / Crate | Sq Ft / Crate |
|-------------|-------------|---------------|---------------|
| 4 | 5.2 | 66 | 343.2 |

| Interior | Exterior | Freeze / Thaw | Wet Applications |
|----------|----------|---------------|------------------|
| ✓ | ✓ | ✓* | ✓* |

*White & Beige Marble suitable for wet applications, not for submerged or exterior F/T applications.


LYNIA™ Tile



Mesh Mounted


LYNIA™ Tiles are mounted to a proprietary mesh backer in a pre-configured interlocking step pattern. Each course is then staggered randomly, creating a uniformly linear and refined look.

LYNIA™ Corner



Pre-Mitered Corner (optional)

The LYNIA™ Tile system comes with pre-mitered interlocking corner sets, which are designed to lock directly into adjacent field units. This unique feature allows for breezy installations.



RESIDENCE, AUSTIN
GREY BASALT LYNIA™ TILE

Available Colors



Ebony Basalt LYNIA™




Beige Marble LYNIA™




Grey Basalt LYNIA™



White Marble LYNIA™



RESIDENCE, SAN FRANCISCO
GREY BASALT LYNIA™ TILE



COMMERCIAL, PHILADELPHIA
EBONY BASALT LYNIA™ TILE



LINEAR


RESIDENCE, MELBOURNE
PLATINUM PLANC™



RESIDENCE, CHICAGO
EBONY BASALT LYNIA™ TILE



COMMERCIAL, WASHINGTON D.C.
GREY BASALT LYNIA™ TILE



RESIDENCE, SYDNEY
CUSTOM PLATINUM PLANC™



RESIDENCE, WEST PALM BEACH
PLATINUM PLANC™



TERRAFORM
CLADDING

TERRAFORM™

Loose Laid, Organic Stone Cladding

**TIMELESS. ORGANIC.
VERSATILE.**

The natural and organic makeup of our TerraForm™ Stone Veneer Wall cladding provides for the greatest degree of design flexibility of all our products. The variety in the shapes and sizes of this loose stone style product will give your project a unique look and feel unmatched by any other.



RESIDENCE, BRISBANE
ORIGIN TERRAFORM™



RESIDENCE, MELBOURNE
ORIGIN TERRAFORM™

Available Colors



Costa



Kalahari



Aeon



Origin



Delos



Roland



Niko



Orion



TERRAFORM™ Specs

Our TerraForm™ collection offers a natural split face surface with hand chipped edges so you can fashion a wall with an organic and dimensionally textured look. All of our stones in this range are sawn-cut on the back and carefully split by hand on the remaining 5 sides, prior to packing in a crate, allowing for quality adhesion to all suitable substrates.

Unit Dimensions

Random Pieces: Sizes Vary by Color | Min. 2" x 5" - Max. 12" x 12"

Thickness: 0.75" - 2"

Weight

less than
15
lbs/sq ft

PACKAGING & USAGE SPECS

| Sq Ft / Crate | Corner Type | Installer Type | U.S. Stock |
|---------------|-------------|----------------|------------|
| Variable* | L-Shaped | Mason | Yes* |

| Interior | Exterior | Freeze / Thaw | Wet Applications |
|----------|----------|---------------|------------------|
| ✓ | ✓ | ✓ | ✓ |

*Sq Ft/crate yields will vary by color and installation technique, inquire with a Surface Shop Pro for more details.

INSTALLATION TECHNIQUES



Dry Fit Style

This newer style of installing is considered the most technically advanced and current urban look in the international designer markets today. Use only skilled masons to achieve this look. Mockups are recommended.



Mortar Joint Style

This more Traditional style is a classic, versatile, and efficient use of our TerraForm™ material. Use different colored mortar joints to create a unique look that matches your unique project and design appetite.



COMMERCIAL, LOS ANGELES
AEON TERRAFORM™



RESIDENCE, SYDNEY
KALAHARI TERRAFORM™



RESIDENCE, LOS ANGELES
COSTA TERRAFORM™



RESIDENCE, LOS ANGELES
ORION TERRAFORM™




STACKED
STONE PANELS

STONE PANELS

Panelized, Easy Installation with Pro Results

SAVE TIME. SAVE COST.
LOVE YOUR PROJECT.

Surface Shop's extensive collection of Stacked Stone Panels offer ease of installation and a unique alternative for any vertical application, interior or exterior. With a vast array of colors and styles, select any one of our highly calibrated panels to dramatically increase the speed and simplicity of your installation without compromising on the classic look of stacked stone.



RESIDENCE, NIAGARA FALLS
CHARCOAL STANDARD




RESIDENCE, TORONTO
SILVA HONED PRO




RESIDENCE, COPENHAGEN
WHITE QUARTZ STANDARD



CREDIT UNION, PORTLAND
EBONY BASALT AKSENT™ 3D



MEDICAL, PHILADELPHIA



COMMERCIAL, DENVER
OCHRE STANDARD

PRO SERIES

METICULOUS DESIGN, TOP OF THE LINE SPEED

Boasting a lighter weight, remarkable calibration, and a cut-to-size corner solution that is one-of-a-kind on the market, Surface Shop's Pro Series Panel range is a perfectly optimized system built for high speed installations that deliver beauty and value simultaneously. ***Pro Tip: Choose Pro Panels for their sought after, on-trend color range and uniquely flexible system.**

Unit Dimensions

| | |
|--|--|
| Flat Panel: 6" (H) x 24" (W) x 0.4"-1" thick | Weight less than 10 lbs/sq ft |
| Corner Set: 6" (H) x 24" (W) x 0.4"-1" thick -- Cut to Size On Site | |

Weight

Flat Panel



Double End Corner



PACKAGING & USAGE SPECS

| Pc / Box | Sq Ft / Box | Boxes / Crate | Sq Ft / Crate |
|----------|-------------|---------------|---------------|
| 6 - 7 | 6 - 7 | 30 - 48 | 210 - 288* |

| Interior | Exterior | Freeze / Thaw | Wet Applications |
|----------|----------|---------------|------------------|
| ✓ | ✓ | ✓ | ✓ |

*Box & Crate quantities vary by color, inquire with a Surface Shop Pro to find out more.

PRO Colors



Silva Splitface




Silva Honed



Ridgeline



Corsica Blend




Storm Splitface



Storm Honed




RESIDENCE, SEATTLE
RIDGELINE PRO



RESIDENCE, MIAMI
SILVA SPLITFACE PRO



COMMERCIAL, NASHVILLE
SILVA SPLITFACE PRO



RESIDENCE, DALLAS
CORSICA BLEND PRO

STANDARD SERIES

ARCHITECTURAL BUILD QUALITY, BEST IN CLASS ACCESSORIES

The Standard Series is a time tested and proven collection of best-in-class stone panels offering ease of installation and excellent corner details. Leveraging the speed of a panel, this highly calibrated product effortlessly transforms any space with the classic look of stacked stone. ***Pro Tip: Standard Series Rock Panels offer a higher definition texture than the XL Rock Panel Range.**

PACKAGING & USAGE SPECS

| Units / Box | Sq Ft / Box | Boxes / Crate | Sq Ft / Crate |
|-------------|-------------|---------------|------------------|
| 4 | 4 | 48 | 192 |
| Interior | Exterior | Freeze / Thaw | Wet Applications |
| ✓ | ✓ | ✓ | ✓ |

Unit Dimensions

Flat Panel: 6" (H) x 24" (W) x 0.5"-1.75" thick

Corner Set: 6" (H) x 8"/16" (W) x 0.5"-1.75" thick

Weight

12.5
lbs/sf

Flat Panel



Corner Set



STANDARD Colors



Ochre



Charcoal




Ivory Quartz



White Quartz




RESIDENCE, SAN FRANCISCO
CHARCOAL STANDARD



RESIDENCE, CYPRUS
IVORY QUARTZ STANDARD



RESIDENCE, TAMPA
WHITE QUARTZ STANDARD



PERFORMING ARTS, BOSTON
OCHRE STANDARD

XL SERIES

RUGGED, INTERLOCKING PANELS, DESIGNED FOR A LARGER SCALE

Where a larger format stone is desired, our XL Rock Panels deliver superbly. With larger and fewer individual stone strips per panel, as well as a unique interlocking corner system, our XL Rock Panels offer a bolder look on the wall, while still leveraging the same corner and installation concepts as our Standard Collection. **Pro Tip: Choose XL Rock Panels for broader, taller applications.**

Unit Dimensions

Flat Panel: 24"(w) x 6"(h) x 0.75" - 1.75" thick

Corner Set: 16"/8"(w) x 6" (h) x 0.75" - 1.75" thick

Weight

12 lbs / unit

PACKAGING & USAGE SPECS

| Units / Box | Sq Ft / Box | Boxes / Crate | Sq Ft / Crate |
|-------------|-------------|---------------|---------------|
| 4 | 3.76 | 48 | 180.48 |

| Interior | Exterior | Freeze / Thaw | Wet Applications |
|----------|----------|---------------|------------------|
| ✓ | ✓ | ✓* | ✓ |

*Aztec not recommended for F/T.


Flat Panel



Corner Set



XL Colors



Charcoal

White



Ochre

Aztec



Ivory



RESIDENCE, LONG ISLAND
OCHRE XL



RESIDENCE, CHICAGO
CHARCOAL XL



RESIDENCE, BERKSHIRE
OCHRE XL



RESIDENCE, HAMPTONS
CHARCOAL XL

AKSENT™ 3D SERIES

REFINED, MODERN, AND SMOOTH 3-DIMENSIONAL WALL TREATMENTS

Designed in a modular 6" x 24" form with calibrated interlocking ends to eliminate vertical seams, our AKSENT™ 3D Panels are not just beautiful, they're also highly functional. Utilizing honed Marbles, Lavastones, and Basalts as their medium of choice, they are silky smooth to the touch yet remarkably durable, making them ideal for commercial as well as residential applications.

Unit Dimensions

Flat Panel: 6" (H) x 24" (W) x 0.5–0.625" thick

Corner Set: 6" (H) x 8"/16" (W) x 0.5–0.625" thick

Weight

8.5
lbs/sf

PACKAGING & USAGE SPECS

| Units / Box | Sq Ft / Box | Boxes / Crate | Sq Ft / Crate |
|-------------|-------------|---------------|---------------|
| 6 | 5.64 | 48 | 270.72 |


| Interior | Exterior | Freeze / Thaw | Wet Applications |
|----------|----------|---------------|------------------|
| ✓ | ✓ | ✓* | ✓ |

*Beige Marble not recommended for F/T.

Flat Panel



Corner Set



AKSENT™ Colors




Ebony Basalt



White Marble




Beige Marble



Grey Basalt



Platinum



Graphite



SLIM LINE SERIES



STACKED
STONE PANELS

COMMERCIAL GRADE PANELS BUILT FOR COMMERCIAL BUDGETS

Where price is a sticking point, Surface Shop has produced a less expensive, thinner and lighter panel that offers the same great craftsmanship and accessories that we're known for, but on a budget. This range is available in the most commercially used colorways. Less stone means more value, and more panels per box means fewer pallets to ship to your job site.

PACKAGING & USAGE SPECS

| Pc / Box | Sq Ft / Box | Boxes / Crate | Sq Ft / Crate |
|----------|-------------|---------------|---------------|
| 5 | 5 | 48 | 240 |

| Interior | Exterior | Freeze / Thaw | Wet Applications |
|----------|----------|---------------|------------------|
| ✓ | ✓ | ✓ | ✓ |

Unit Dimensions

Flat Panel: 6" (H) x 24" (W) x 0.5"-1.25" thick

Corner Set: 6" (H) x 8"/16" (W) x 0.5"-1.25" thick

Weight

9.5
lbs/sf

Flat Panel



Corner Set



SLIM LINE Colors



Charcoal SL



Ochre SL



White Mist SL



RESIDENCE, ASHEVILLE
OCHRE SLIM LINE



RESIDENCE, LONDON
CHARCOAL SLIM LINE



RESIDENCE, UPSTATE NY
OCHRE SLIM LINE



RESIDENCE, LONDON
OCHRE SLIM LINE



DRY STACK
LEDGESTONE

DRY STACK

Rugged, Natural Stone Veneer Cladding

A NEW ERA OF LEDGESTONE STYLE


This exciting new line of Dry Fit LedgeStone Veneer is quickly becoming the go-to selection for Architects, Builders, and other tastemakers who seek the latest urban styles in Stone Veneer. Calling on some of the finest natural stone from around the world, Surface Shop's lineup of Dry Stack Stone Veneers will elevate your next project.



COSTA LEDGE DRY STACK



RESIDENCE, UPSTATE NEW YORK
COSTA LEDGE DRY STACK




RESIDENCE, LOS ANGELES
KALAHARI LEDGE DRY STACK

Available Colors



Costa Ledge



Kalahari Ledge




Collins




Nokomis



Bozeman Run



Colton Blend



Kit



Hayden



DRY STACK LEDGESTONE Specs

Dry Stack comes as loose format material in rough cut shapes and sizes, which has been sawn-cut on the back for ease of installation. Masons chip and fit this material on site, giving life to your walls. The dry stacked look is highly coveted among natural stone purists as it's seen by many as the most technically advanced and beautiful look for a loose stone wall.

PACKAGING & USAGE SPECS

| Sq Ft / Crate | Corner Typer | Installer Type | U.S. Stock |
|---------------|--------------|----------------|------------|
| 110-120* | L-Shaped | Mason | Yes* |

| Interior | Exterior | Freeze / Thaw | Wet Applications |
|----------|----------|---------------|------------------|
| ✓ | ✓ | ✓ | ✓ |

*Quantity/crate and stock quantities will vary by color, inquire with a Surface Shop Pro for more details.

Unit Dimensions


Random pieces: Sizes Vary by Color | Free Length Typically: 4"-18"

Thickness: 0.75" - 2"

Weight

less than
15
lbs/sq ft

INSTALLATION TECHNIQUES



KALAHARI LEDGE

100% Dry Stack


Using all Dry Stack material is the most common way to work with this series, and will provide your installation with an organic and structured linear appearance on the wall. Mockups are recommended.



KALAHARI MIX

50/50 Dry Stack & Terra Form™ Mix


Another method is to mix in our Terra Form™ material to create a customizable blend with larger vertical pieces to break up the linear structure inherent to dry stack.



RESIDENCE, SYDNEY
COSTA LEDGE DRY STACK



RESIDENCE, PHOENIX
COLLINS DRY STACK



RESIDENCE, LOS ANGELES
KALAHARI LEDGE DRY STACK



RESIDENCE, SYDNEY
KIT DRY STACK

CONTACT INFORMATION:

www.architessa.com

1.800.287.1742

For general sales inquiries: sales@architessa.com

For commercial & hospitality sample requests: samples@architessa.com

Headquarters: 1803 Research Blvd. Suite 402 Rockville, MD 20850