acc. to 29 CFR 1910.1200 App D



# **Glass Cleaner**

Version number: GHS 1.0 Date of compilation: 2021-05-28

#### **SECTION 1: Identification**

#### 1.1 Product identifier

Trade name Glass Cleaner

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses General use

# 1.3 Details of the supplier of the safety data sheet

Detail Geek Auto Care Inc. PO Box 32154 Regina, Saskatchewan S4N 7L2

1-866-417-9175 info@detailgeekautocare.com

http://detailgeekautocare.com

# 1.4 Emergency telephone number

Emergency information service

USA 1.800.535.5053, INTL 1.352.323.3500 24 hour emergency number

# SECTION 2: Hazard(s) identification

#### 2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

This mixture does not meet the criteria for classification.

#### 2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200) not required

#### 2.3 Other hazards

of no significance

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not relevant (mixture)

#### 3.2 Mixtures

Description of the mixture

United States: en Page: 1 / 16

acc. to 29 CFR 1910.1200 App D



# **Glass Cleaner**

Version number: GHS 1.0 Date of compilation: 2021-05-28

Name of substance	Identifier	Wt%	Classification acc. to GHS
2-butoxy-1-ethanol	CAS No 111-76-2	1-<3	Acute Tox. 4 / H302 Acute Tox. 4 / H312 Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Flam. Liq. 4 / H227
Propan-2-ol	CAS No 67-63-0	1-<3	Eye Irrit. 2 / H319 STOT SE 3 / H336 Flam. Liq. 2 / H225

#### Hazardous ingredients, Consideration of other advice

This table, if present, includes all GHS classified ingredients present above their cut-off limits, even if the finished product is not classified as hazardous by GHS.

Exact percentage of ingredients is withheld as a trade secret.

For full text of abbreviations: see SECTION 16.

#### **SECTION 4: First-aid measures**

#### 4.1 Description of first-aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

## Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

United States: en Page: 2 / 16

acc. to 29 CFR 1910.1200 App D



# **Glass Cleaner**

Version number: GHS 1.0 Date of compilation: 2021-05-28

# **SECTION 5: Fire-fighting measures**

# 5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

# 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NOx)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

# **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

#### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

United States: en Page: 3 / 16

acc. to 29 CFR 1910.1200 App D



# **Glass Cleaner**

Version number: GHS 1.0 Date of compilation: 2021-05-28

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation Use local and general ventilation. Use only in well-ventilated areas.

## Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Control of the effects

Protect against external exposure, such as frost

#### 7.3 Specific end use(s)

See section 16 for a general overview.

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

- '' '			<b>NA/ I I</b>		
Occupational e	xposure lim	it values (	workplace	Exposure I	lmits)

Coun try	Name of agent	CAS No	lden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m³]	Nota tion	Sourc e
US	2-butoxyethanol	111-76-2	REL	5 (10 h)	24 (10 h)						NIOS H REL
US	2-butoxyethanol	111-76-2	TLV®	20							AC- GIH® 2019
US	2-butoxyethanol	111-76-2	PEL	50	240						29 CFR 1910.1 000
US	2-butoxyethanol (EGBE) (glycol monobutyl ether)	111-76-2	PEL (CA)	20	97						Cal/ OSHA PEL
US	2-propanol	67-63-0	TLV®	200		400					AC- GIH® 2019
US	isopropyl alcohol	67-63-0	PEL (CA)	400	980	500	1,225				Cal/ OSHA PEL

United States: en Page: 4 / 16

acc. to 29 CFR 1910.1200 App D



# **Glass Cleaner**

Version number: GHS 1.0 Date of compilation: 2021-05-28

Occup	Occupational exposure limit values (Workplace Exposure Limits)										
Coun try	Name of agent	CAS No	lden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m³]	Nota tion	Sourc e
US	isopropyl alcohol	67-63-0	REL	400 (10 h)	980 (10 h)	500	1,225				NIOS H REL
US	isopropyl alcohol	67-63-0	PEL	400	980						29 CFR 1910.1 000

Notation

Ceiling-C STEL

ceiling value is a limit value above which exposure should not occur short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified

# Biological limit values

Country	Name of agent	Parameter	Nota- tion	Identifier	Value	Source
US	2-butoxyethanol	Butoxyacetic acid (BAA)	hydr, crea	BEI®	200 mg/g	ACGIH® 2019
US	isopropanol	acetone		BEI®	40 mg/l	ACGIH® 2019

Notation

crea creatinine hydr hydrolysis

# Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time		
2-butoxy-1-ethanol	111-76-2	DNEL	75 mg/kg	human, dermal	worker (industry)	chronic - systemic effects		
2-butoxy-1-ethanol	111-76-2	DNEL	98 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects		
Propan-2-ol	67-63-0	DNEL	888 mg/kg	human, dermal	worker (industry)	chronic - systemic effects		
Propan-2-ol	67-63-0	DNEL	500 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects		

United States: en Page: 5 / 16

acc. to 29 CFR 1910.1200 App D



# **Glass Cleaner**

Version number: GHS 1.0 Date of compilation: 2021-05-28

Relevant PNECs o	Relevant PNECs of components of the mixture						
Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time	
2-butoxy-1-ethanol	111-76-2	PNEC	8.8 <sup>mg</sup> / <sub>I</sub>	aquatic organisms	freshwater	short-term (single instance)	
2-butoxy-1-ethanol	111-76-2	PNEC	0.88 <sup>mg</sup> / <sub>I</sub>	aquatic organisms	marine water	short-term (single instance)	
2-butoxy-1-ethanol	111-76-2	PNEC	463 <sup>mg</sup> / <sub>l</sub>	microorganisms	sewage treatment plant (STP)	short-term (single instance)	
2-butoxy-1-ethanol	111-76-2	PNEC	35 <sup>mg</sup> / <sub>kg</sub>	benthic organisms	sediment	short-term (single instance)	
2-butoxy-1-ethanol	111-76-2	PNEC	3.1 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)	
2-butoxy-1-ethanol	111-76-2	PNEC	9.1 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	water	intermittent release	
Propan-2-ol	67-63-0	PNEC	141 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)	
Propan-2-ol	67-63-0	PNEC	141 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)	
Propan-2-ol	67-63-0	PNEC	2,251 <sup>mg</sup> / <sub>l</sub>	microorganisms	sewage treatment plant (STP)	short-term (single instance)	
Propan-2-ol	67-63-0	PNEC	552 <sup>mg</sup> / <sub>kg</sub>	benthic organisms	sediment	short-term (single instance)	
Propan-2-ol	67-63-0	PNEC	552 <sup>mg</sup> / <sub>kg</sub>	pelagic organisms	sediment	short-term (single instance)	
Propan-2-ol	67-63-0	PNEC	160 <sup>mg</sup> / <sub>kg</sub>	(top) predators	water	short-term (single instance)	
Propan-2-ol	67-63-0	PNEC	28 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)	
Propan-2-ol	67-63-0	PNEC	141 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	water	intermittent release	

# 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

United States: en Page: 6 / 16

acc. to 29 CFR 1910.1200 App D



# **Glass Cleaner**

Version number: GHS 1.0 Date of compilation: 2021-05-28

#### - Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

# Respiratory protection

In case of inadequate ventilation wear respiratory protection.

#### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

# **Appearance**

Physical state	liquid
Color	light green
Particle	not relevant (liquid)
Odor	fruity

#### Other safety parameters

pH (value)	5-7 (25 °C)
Melting point/freezing point	not determined
Initial boiling point and boiling range	82 °C
Flash point	>100 °C at 101 kPa closed cup
Evaporation rate	Not determined
Flammability (solid, gas)	not relevant, (fluid)
Vapor pressure	4.3 kPa at 20 °C
Density	1 <sup>g</sup> / <sub>ml</sub>
Vapor density	this information is not available

# Solubility(ies)

- Water solubility	miscible in any proportion
--------------------	----------------------------

#### Partition coefficient

i artition coemolent	
- n-octanol/water (log KOW)	this information is not available

United States: en Page: 7 / 16

acc. to 29 CFR 1910.1200 App D



# **Glass Cleaner**

Version number: GHS 1.0 Date of compilation: 2021-05-28

Auto-ignition temperature	230 °C
Viscosity	not determined
Explosive properties	none
Oxidizing properties	none
Temperature class (USA, acc. to NEC 500)	T2D (maximum permissible surface temperature on the equipment: 215°C)

# SECTION 10: Stability and reactivity

#### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

# 10.5 Incompatible materials

There is no additional information.

## 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

# Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

This mixture does not meet the criteria for classification.

Acute toxicity

Shall not be classified as acutely toxic.

United States: en Page: 8 / 16

acc. to 29 CFR 1910.1200 App D



# **Glass Cleaner**

Version number: GHS 1.0 Date of compilation: 2021-05-28

Acute toxicity estimate (ATE) of components of the mixture			
Name of substance	CAS No	Exposure route	ATE
2-butoxy-1-ethanol	111-76-2	oral	1,746 <sup>mg</sup> / <sub>kg</sub>
2-butoxy-1-ethanol	111-76-2	inhalation: vapor	11 <sup>mg</sup> / <sub>l</sub> /4h

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

# Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

## Carcinogenicity

Shall not be classified as carcinogenic.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans				
Name of substance	CAS No	Classification	Number	
2-butoxy-1-ethanol	111-76-2	3		
Propan-2-ol	67-63-0	3		

# Legend

Not classifiable as to carcinogenicity in humans

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

# Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

# Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

United States: en Page: 9 / 16

acc. to 29 CFR 1910.1200 App D



# **Glass Cleaner**

Version number: GHS 1.0 Date of compilation: 2021-05-28

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

#### 12.2 Persistence and degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Data are not available.

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Endocrine disrupting properties

None of the ingredients are listed.

#### 12.7 Other adverse effects

Data are not available.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

# **SECTION 14: Transport information**

**14.1 UN number** not subject to transport regulations

14.2 UN proper shipping name not relevant
 14.3 Transport hazard class(es) not assigned
 14.4 Packing group not assigned

**14.5 Environmental hazards** non-environmentally hazardous acc. to the dangerous

goods regulations

# 14.6 Special precautions for user

There is no additional information.

United States: en Page: 10 / 16

acc. to 29 CFR 1910.1200 App D



# **Glass Cleaner**

Version number: GHS 1.0 Date of compilation: 2021-05-28

#### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

#### Information for each of the UN Model Regulations

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information Not subject to transport regulations.

International Maritime Dangerous Goods Code (IMDG) - Additional information Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information Not subject to ICAO-IATA.

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations specific for the product in question National regulations (United States)

# Superfund Amendment and Reauthorization Act (SARA TITLE III )

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313)

Toxics Release Inventory: Specific Toxic Chemical Listings

Name of substance	CAS No	Remarks	Effective date
Propan-2-ol	67-63-0	only persons who manufacture by the strong acid process are subject, supplier notification not required	1986-12-31

## Clean Air Act

none of the ingredients are listed

# Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
water	7732-18-5	solvent	
2-butoxy-1-ethanol	111-76-2	co-solvent	OEHHA RELs
Propan-2-ol	67-63-0	alcohols	OEHHA RELs
proprietary low residue surfactant blend	not available	surfactant	

United States: en Page: 11 / 16

acc. to 29 CFR 1910.1200 App D



# **Glass Cleaner**

Version number: GHS 1.0 Date of compilation: 2021-05-28

#### - Toxic or Hazardous Substance List (MA-TURA)

Name of substance	CAS No	DEP CODE	PBT / HHS / LHS	PBT / HHS Threshol d	De Minimis Con- centration Threshold
2-butoxy-1-ethanol		1022			1.0 %
Propan-2-ol	67-63-0				1.0 %

# - Hazardous Substances List (MN-ERTK)

Name of substance	CAS No	References	Remarks
2-butoxy-1-ethanol	111-76-2	A, O	skin
Propan-2-ol	67-63-0	A, N, O	

#### Legend

American Conference of Governmental Industrial Hygienists (ACGIH), "Threshold Limit Values for Chemical Substances and Physical

Ν

American Conference of Governmental industrial hygienists (ACGIFI), Threshold Elimit Values for Chemical Substances and Thysical Agents and Biological Exposure Indices for 1992-93", available from ACGIH National Institute for Occupational Safety and Health (NIOSH), "Recommendations for Occupational Safety and Health Standards," August 1988, available from NIOSH, Publications Dissemination Office, Division of Standards Development and Technology Transfer Occupational Safety and Health Administration (OSHA), Safety and Health Standards, Code of Federal Regulations, title 29, part 1910, subpart Z, "Toxic and Hazardous Substances, 1990." General Information: Minnesota Department of Labor and Industry, Occupational 0 Safety and Health Division

If a potential for absorption from skin contact merits special consideration, the word "skin" follows the substance name. skin

#### - Hazardous Substance List (NJ-RTK)

Name of substance	CAS No	Remarks	Classifications
2-butoxy-1-ethanol	111-76-2		CA F2
Propan-2-ol	67-63-0		F3

#### Legend

Carcinogenic

CA F2 F3 Flammable - Second Degree Flammable - Third Degree

#### - Hazardous Substance List (Chapter 323) (PA-RTK)

Name acc. to inventory	CAS No	Classification
ETHANOL, 2-BUTOXY-	111-76-2	
2-PROPANOL	67-63-0	E

#### Legend

Environmental hazard

United States: en Page: 12 / 16

acc. to 29 CFR 1910.1200 App D



# **Glass Cleaner**

Version number: GHS 1.0 Date of compilation: 2021-05-28

# - Hazardous Substance List (RI-RTK)

Name of substance	CAS No	References
2-butoxy-1-ethanol	111-76-2	Т
Propan-2-ol	67-63-0	T, F

Legend

F Flammability (NFPA®)
T Toxicity (ACGIH®)

# California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

#### **VOC** content

Regulated Volatile Organic Compounds (VOC-EPA)Regulated Volatile Organic Compounds (VOC-Cal ARB)2.8 %

# Industry or sector specific available guidance(s)

# **NPCA-HMIS® III**

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	/	none
Health	0	no significant risk to health
Flammability	1	material that must be preheated before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

#### **NFPA® 704**

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	0	material that, under emergency conditions, would offer no hazard beyond that of ordinary combustible material
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

United States: en Page: 13 / 16

acc. to 29 CFR 1910.1200 App D



# **Glass Cleaner**

Version number: GHS 1.0 Date of compilation: 2021-05-28

#### **National inventories**

Country	Inventory	Status
CA	DSL	not all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
US	TSCA	not all ingredients are listed

Legend

DSL Domestic Substances List (DSL)
REACH Reg.
REACH registered substances
TSCA Toxic Substance Control Act

# 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

# SECTION 16: Other information, including date of preparation or last revision

# Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
29 CFR 1910.1000	29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits)
49 CFR US DOT	49 CFR U.S. Department of Transportation
ACGIH®	American Conference of Governmental Industrial Hygienists
ACGIH® 2019	From ACGIH®, 2019 TLVs® and BEIs® Book. Copyright 2019. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
Cal/OSHA PEL	California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)
Cal ARB	California Air Resources Board
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DEP CODE	Department of Environmental Protection Code
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EPA	Environmental Protection Agency. An agency of the federal government of the United States charged with protecting human health and the environment
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid

United States: en Page: 14 / 16

acc. to 29 CFR 1910.1200 App D



# **Glass Cleaner**

Version number: GHS 1.0 Date of compilation: 2021-05-28

Abbr.	Descriptions of used abbreviations
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
HHS	Higher hazard substance
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LHS	Lower hazard substance
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NFPA®	National Fire Protection Association (United States)
NIOSH REL	National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PEL	Permissible exposure limit
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
TLV®	Threshold Limit Values
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
vPvB	Very Persistent and very Bioaccumulative

# Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

United States: en Page: 15 / 16

acc. to 29 CFR 1910.1200 App D



# **Glass Cleaner**

Version number: GHS 1.0 Date of compilation: 2021-05-28

# List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H225	Highly flammable liquid and vapor.
H227	Combustible liquid.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.

# **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United States: en Page: 16 / 16