# The Nail Superstore. MATERIAL SAFETY DATA SHEET

# SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

CHEMICAL NAME: Methacrylate Copolymer

PRODUCT NAME: OneTouch High Impact Ultra Acrylic Nail Powder

TRADE NAME/PRODUCT CODE: 110001

**PRODUCT USE:** Organic Process Chemical

MANUFACTURER: The Nail Superstore
ADDRESS: 3804 Carnation St.
Franklin Park, IL 60131

**24 HR. EMERGENCY TELEPHONE:** (800) 535-5053 CONTACT: (847) 260-4000

PREPARATION/UPDATE DATE: 11/17/04
PRINT DATE: 7/20/06

### SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS

**FOR POLYMER:** 

 ITEM
 CHEMICAL NAME
 CAS NUMBER:
 WT/WT %

 01
 Polymer
 25685-29-4
 60.0-100.0

 02
 Benzoyl Peroxide
 94-36-0
 0.0-5.0

**OSHA ACGIH** Company ITEM **TLV-TWA** TLV-STEL **PEL TWA PEL CEILING** Recommendation SKIN 10 mg/m<sup>3</sup> 15 mg/m<sup>3</sup> 15 mg/m<sup>3</sup> ΝE 01 NE ΝE 5 mg/m<sup>3</sup> 5 mg/m<sup>3</sup>  $5 \text{ mg/m}^3$ 02 ΝE ΝE ΝE

See Section 16 for Abbreviations.

### **SECTION 3 - HAZARDS IDENTIFICATION**

**EMERGENCY OVERVIEW:** 

WARNING:

For Polymer: OSHA classifies this material as Particulates, Not

Otherwise Classified.

Acute Hazards: Eyes: May be irritating to the eyes by gross overexposure, no

matter how generated. Symptoms of overexposure may include redness, itching, irritation and watering. Keep dust

out of eyes.

Ingestion: Not expected to cause any harmful effects. Ingestion of

large amounts may be irritating if product is swallowed, may cause nausea, headache, vomiting and/or diarrhea.

Skin: May be irritating to skin in some sensitive individuals,

especially after prolonged and/or repeated contact.

Inhalation: May be irritated by gross overexposure, no matter how

generated.

Chronic Hazards: None known.

CARCINOGENICITY: IARC lists Benzoyl Peroxide as unclassifiable as to

carcinogenicity to humans. None of the other

components of this material are listed by IARC, NTP,

OSHA, or ACGIH as carcinogens.

PRIMARY ROUTES OF ENTRY: Inhalation, Skin or Eyes.

### **SECTION 4 - FIRST AID MEASURES**

### **EMERGENCY AND FIRST AID PROCEDURES:**

EYES: If product gets in the eyes, flush with copious amounts of lukewarm water for at

least 15 minutes. If irritation occurs, contact a physician.

INGESTION: If ingested, do not induce vomiting. If product has been swallowed, drink plenty of

water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give anything by mouth to an unconscious person. Provide an estimate of the time at which the material was ingested and the amount of the substance

that was swallowed. Get medical attention immediately.

INHALATION: Remove to fresh air. Seek immediate medical attention.

SKIN: If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water,

followed by a thorough washing of the effected area with soap and water. If

irritation, redness or swelling persists, contact a physician immediately.

CLOTHING: Remove contaminated clothing, wash thoroughly before reuse.

TREATMENT: Treat symptoms conventionally, after thorough decontamination.

# **SECTION 5 - FIRE FIGHTING MEASURES**

**FLASH POINT:** 304 °C, 580 °F

FLAMMABLE LIMIT, AIR VOL% LOWER: NA UPPER: NA

AUTOIGNITION TEMPERATURE: NE

**EXTINGUISHER METHOD:** Water, carbon dioxide, dry chemical.

FIRE AND EXPLOSION HAZARDS: Polymer dust is combustible. The explosive limits of the polymer

particles suspended in air are approximately those of coal dust.

SPECIAL FIRE FIGHTING PROCEDURES:

Avoid extinguishing methods, which may generate dust clouds.

Water stream can disperse dust into air producing a fire hazard and possible explosion hazard if exposed to ignition source.

**EXPLOSION HAZARD:** Firefighters should wear self-contained breathing apparatus.

**SENSITIVE TO MECHANICAL IMPACT:** For Polymer: No. **SENSITIVE TO STATIC DISCHARGE:** For Polymer: No.

### SECTION 6 - ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE: Before cleaning any spill or leak, individuals involved must wear

appropriate Personal Protective Equipment (e.g., goggles, gloves). Sweep up to avoid slipping hazard. Keep airborne particulates at a minimum when cleaning up spills. Dispose of properly in accordance with local, state and federal regulations. Wash all

affected areas with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse.

### **SECTION 7- HANDLING AND STORAGE**

PRECAUTIONS FOR HANDLING: Use in well ventilated areas. Avoid contact with skin, eyes and

clothing. Avoid breathing dust. Use good personal hygiene and

housekeeping.

**PRECAUTIONS FOR STORAGE:** Store containers in a cool, dry location, away from direct sunlight,

other light sources, or sources of intense heat. Keep container

closed to prevent water absorption and contamination.

**INDUSTRIAL HYGIENE PRACTICES:** Avoid prolonged contact with the product. Use in a well-ventilated

location (e.g., local exhaust ventilation, fans). After use, wash hands and exposed skin with soap and water. Do not eat, drink or

smoke while handling product.

#### SECTION 8 - EXPOSURE CONTROL/PERSONAL PROTECTION

**VENTILATION:** When working with large quantities of product provide adequate

ventilation (e.g., local exhaust ventilation, fans). Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes. Use good local exhaust at processing equipment, including buffers, sanders, grinders and polishers.

**RESPIRATORY PROTECTION:**No special respiratory protection is required under typical

circumstances of use or handling. If necessary, use only

respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, or applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. member

states, or Australia.

**EYE PROTECTION:** Depending on the use of this product safety glasses or goggles

may be worn. If necessary, refer to U.S. OSHA 29 CFR §1910.133, Canadian standards, or the European Standard EN166. Ensure that an eyewash station, sink or washbasin is

available in case of exposure to eyes.

PROTECTIVE GLOVES: If anticipated that prolonged & repeated skin contact will occur

during use of this product, wear gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate

standards of Canada, of the E.C. member states.

OTHER PROTECTIVE EQUIPMENT: No special body protection is required under typical circumstances

of use and handling. If necessary, refer to appropriate standards of Canada, the E.C. member states, or U.S. OSHA. An eyewash station and a safety shower are recommended. High temperature

processing equipment should be well ventilated.

### SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

**APPEARANCE:** Fine clear to pigmented powder.

**ODOR:** Faint odor in bulk.

pH: NA **ODOR THRESHOLD:** ND **BOILING POINT:** NA FREEZING POINT: NA VISCOSITY: NA **SPECIFIC GRAVITY** (H<sub>2</sub>O=1): ND **VAPOR PRESSURE:** NA **PERCENT VOLATILE W/W%:** NA **VAPOR DENSITY** (AIR=1): NA **EVAPORATION RATE** (BuAc =1): NA **SOLUBILITY IN WATER:** 

SOLUBILITY IN WATER: Insoluble.

COEFFICIENT OF WATER/OIL DISTRIBUTION: ND

### **SECTION 10 - STABILITY AND REACTIVITY**

**CONDITIONS TO AVOID:** Heating above 240 °C, 464 °F.

**INCOMPATIBILITY (MATERIALS TO AVOID):** Strong oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS: Methacrylate Monomer and Oxides of Carbon when burned.

HAZARDOUS POLYMERIZATION: MAY OCCUR: WILL NOT OCCUR: X

STABILITY: UNSTABLE: STABLE: X

#### SECTION 11- TOXICOLOGICAL PROPERTIES

#### **TOXICITY DATA:**

This product has NOT been tested on animals to obtain toxicology data. There is toxicology data for the components of the product, which is found in scientific literature. This data has not been presented in this document.

**MUTAGENICITY DATA:** This product is not reported to produce mutagenic effects in humans.

#### **REPRODUCTIVE TOXICITY DATA:**

Embryotoxicity: This product is not reported to produce embryotoxic effects in humans. Teratogenicity: This product is not reported to cause teratogenic effects in humans. Reproductive Toxicity: This product is not reported to cause reproductive effects in humans.

#### **SECTION 12 - ECOLOGICAL INFORMATION**

#### **AQUATIC TOXICITY:**

There is no specific data available for this product; however, very large releases of this product may be harmful or fatal to overexposed aquatic life.

#### **ENVIRONMENTAL FATE:**

There is no specific data available for this product.

### **SECTION 13 - DISPOSAL CONSIDERATIONS**

WASTE DISPOSAL METHOD: Dispose of properly in accordance with Federal, State, and Local

regulations.

**DISPOSAL OF EMPTY CONTAINERS:** Reuse of empty drums or containers is not recommended.

Employees should be advised of the potential hazards due to residual material associated with empty containers. Dispose of all empty containers properly in accordance with Federal, State and

Local regulations.

#### **SECTION 14 - TRANSPORTATION**

DOT/UN SHIPPING NAME:

POLYMER, NOI

DOT/UN CLASS: NA/UN NUMBER: PACKING GROUP:

LABEL:

IMDG CLASS: IMDG PG: CERCLA RQ:

#### **SECTION 15 - REGULATORY INFORMATION**

SARA Reporting Requirements: NA

SARA Threshold Planning Quantity: There are no specific Threshold Planning Quantities for the

components of this product.

TSCA Inventory Status: The components of this product are listed on the TSCA Inventory.

For use in FDA regulated products only.

CERCLA Reportable Quantity (RQ): NA

Other Federal Requirements: This product complies with the appropriate sections of the Food

and Drug Administration's 21 CFR subchapter G (Cosmetics).

Other Canadian Regulations:

This product has been classified according to the hazard criteria of

the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed

on the Priorities Substances List.

State Regulatory Information: This product may contain components that are covered under

specific state criteria.

**RISK STATEMENTS:** R36/37/38 – Irritating to eyes, respiratory system and skin.

**SAFETY STATEMENTS:** S3 – Keep in a cool place.

S7 - Keep container tightly closed.

S9 - Keep container in a well-ventilated place.

S20 – When using do not eat or drink. S 29 – Do not empty into drains.

S37/39 – Wear suitable gloves and eye/face protection.

#### **SECTION 16 - OTHER INFORMATION**

# HAZARDOUS MATERIAL IDENTIFICATION SYSTEM (HMIS) RATING:

HEALTH: 1
FLAMMABILITY: 1
REACTIVITY: 0

PERSONAL PROTECTIVE EQUIPMENT: Gloves and Safety Glasses or Chemical Goggles.

ND

Not Determined

### NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) HAZARD IDENTIFICATION RATING:

HEALTH: 1
FLAMMABILITY: 1
REACTIVITY: 0

#### **ABBREVIATIONS:**

Not Applicable

Not Established

NA

ΝE

parts per million G Gallon ppm Milligram Liter L mg gm Gram mol Mole kg Kilogram Micro μ Millimeter mm Pico р

Pa Pascals

LCLethal ConcentrationLDLethal DoseTCToxic ConcentrationTDToxic Dose

BOD Biological Oxygen Demand COD Chemical Oxygen Demand Lo Lowest ThOD Theoretical Oxygen Demand

TLm Threshold Limit

H Hours M Months D Days Y Years

W Weeks

ACGIH American Conference of Governmental Industrial Hygienist

CPR Controlled Product's Regulation
DSL Canadian Domestic Substances List
NDSL Canadian Non-domestic Substance List
IARC International Agency for Research for Cancer
NOEL No Observed Effect Level

NOAEL No Observed Adverse Effect Level

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit
TLV Threshold Limit Value

# SECTION 16 - OTHER INFORMATION CONTINUED

The data contained herein is based upon information that The Nail Superstore believes to be reliable. Users of this product have the responsibility to determine the suitability of use and to adopt all necessary precautions to ensure the safety and protection of property and involved in said use. All statements or suggestions are made without warranty, express or implied, regarding accuracy of the information, the hazards connected with the use of the material or results to be obtained form the use thereof.