



# GERDA<sup>®</sup>

PREMIUM DOOR MANUFACTURER



## HOUSE DOORS

THERMO PRIME | THERMO PREMIUM | OPTIMA

TURN YOUR SMARTPHONE INTO A SMART DOOR LOCK



## OPEN DOORS WITH YOUR SMARTPHONE

Open and close doors and monitor door lock status from any place around the world. With the automatic opening feature, you don't need to take your phone out from your purse or pocket. The lock will detect your presence and let you in. The self-locking feature works based on the same principle.

## HIGH-PERFORMANCE BATTERY

Gerda engineers, in collaboration with the South Korean Research Institute, have developed a small dedicated high-performance battery. It powers the mechanism for six months of operation. And when in need of recharging, the lock will let you know and you can charge the battery overnight.

## SAFETY WARRANTY

The lock actuating mechanism is an innovative, patented design developed by Gerda engineers. The software was created by Tedee IoT experts. An intuitive app lets you keep track of who and when has locked or unlocked the door. It also offers a virtual key allocation feature.

## SET\*

TEDEE LOCK + TEDEE BRIDGE + CLASS 6 LOCK CYLINDERS



## CLASS 6 LOCK CYLINDERS INCLUDED

- ✓ ANTI-BURGLARY TUMBLER LOCK INSERT. NEW LOCK INSERT DESIGN SECURED AGAINST 'LOCK BUMPING', WITH EFFECTIVE DRILL OPENING PROTECTION.

## INSTALL A TEDEE LOCK

- ✓ SLIDE THE LOCK ONTO A GERDA INSERT, ADJUST THE LOCK POSITION AND SECURE IT WITH ONE BOLT. INSTALLATION TAKES NO MORE THAN TWO MINUTES. INSPECT TO SEE WHETHER THE BOLTS SLIDE UPON TURNING THE KNOB.

## INSTALL THE SMARTPHONE APP

- ✓ DOWNLOAD THE TEDEE APP FROM APPLE STORE OR GOOGLE PLAY. SIGN UP AND ACTIVATE YOUR BLUE-TOOTH, LOCATION SERVICE AND INTERNET ACCESS. ADD YOUR LOCK AND ENTER THE ACTIVATION CODE.

## CONNECT THE BRIDGE

- ✓ FIND A FREE POWER SOCKET NEXT TO THE TEDEE LOCK AND PLUG THE BRIDGE IN. THIS WILL ENABLE YOU TO CONTROL THE LOCK OVER THE INTERNET FROM WHEREVER YOU ARE.



**MILANO 8 NS1**



**HANOVER NS6**

DOOR MODEL	OPTIMA 60
SIZE	<b>90E</b>
COLOUR	ANTHRACITE (FKG), GOLDEN OAK (FDE)
DOOR FRAME	PERFOTHERM
GLASS	MATTE
THRESHOLD	ALUMINUM
FITTINGS	HANDLE-HANDLE, CLASS 5 LOCK CYLINDERS, SINGLE KEY SYSTEM, SILVER ANODA

DOOR MODEL	OPTIMA 60
SIZE	<b>90E</b>
COLOUR	ANTHRACITE (FKG), GOLDEN OAK (FDE)
DOOR FRAME	PERFOTHERM
GLASS	MATTE
THRESHOLD	ALUMINUM
FITTINGS	HANDLE-HANDLE, CLASS 5 LOCK CYLINDERS, SINGLE KEY SYSTEM, SILVER ANODA



**TOKIO 2A TMMA**

DOOR MODEL	OPTIMA 60
SIZE	<b>80</b> <b>90E</b>
COLOUR	ANTHRACITE (FKG), GOLDEN OAK (FDE)
DOOR FRAME	PERFOTHERM
THRESHOLD	ALUMINUM
FITTINGS	HANDLE-HANDLE, CLASS 5 LOCK CYLINDERS, SINGLE KEY SYSTEM, SILVER ANODA



**W00 PLAIN**

DOOR MODEL	OPTIMA 60
SIZE	<b>80</b> <b>90E</b>
COLOUR	ANTHRACITE (FKG), GOLDEN OAK (FDE)
DOOR FRAME	PERFOTHERM
THRESHOLD	ALUMINUM
FITTINGS	HANDLE-HANDLE, CLASS 5 LOCK CYLINDERS, SINGLE KEY SYSTEM, SILVER ANODA

**ASSEMBLED DOOR  
(DOOR LEAF + DOOR FRAME + THRESHOLD  
+ FITTINGS WITH CLASS 5 LOCK CYLINDER AND MOUNTING KIT)**

DOORS FROM STOCK AVAILABLE ONLY IN THE GIVEN CONFIGURATION. DOORS DELIVERED FROM STOCK AS SOON AS POSSIBLE.

# WHAT SHOULD YOU KNOW ABOUT GERDA DOORS



## THERMAL INSULATION

Heat transfer coefficient (Ud) indicates the amount of thermal energy passing through the door (including the door frame). Based on this coefficient, we are able to determine the heat loss for a given division. Even a slight loss translates to higher heating costs. The coefficient value depends on the type and thickness of the door's material. Gerda HOUSE DOORS comply with the current standards by using modern technologies and steel-wooden or aluminum door frames.


Gerda doors, depending on the components used, may have different insulation coefficient levels:

- insulation doors
- energy-saving doors
- passive doors

The basic doors in our offer, so-called insulation doors, have a coefficient below 1.3 W/m<sup>2</sup>K. The door frame used is a steel PERFOTHERM® frame with thermal perforation, a seal and sill.

Energy-saving Optima 60 and Thermo Premium 60 doors have a coefficient starting from 0.9 W/m<sup>2</sup>K with a warm aluminum ALUTHERM door frame (with thermal chamber filling and a seal) and 1.0 W/m<sup>2</sup>K with DUOTHERM (warm steel-wooden door frame with thermal perforation and seal).

Passive doors are primarily meant to ensure maximum conservation of energy, while increasing the comfort of living. They allow for energy accumulation in the room, which leads to direct savings. Thermo Premium 75 doors feature a heat transfer coefficient from 0.79 W/m<sup>2</sup>K. The heat transfer coefficient applies to solid doors with a warm aluminum ALUTHERM door frame.



## RESISTANCE TO BURGLARY

This parameter is decisive for the so-called anti-burglary doors. Such doors have a solid structure that significantly impedes the possibility to cut out an opening through the door, preventing unauthorized entrance. As a standard, GERDA doors are fitted with two robust locks with a multi-point bolting system. Their key element are anti-prizing bolts that prevent forcing the door leaf or lifting it off the hinges. GERDA doors are tested for resistance to burglary and hold an anti-burglary protection class from RC2/RC3 to RC3. The higher the class of doors installed, the greater the safety of people and property in the house.



## ANTI-BURGLARY PROTECTION CLASSES

### RC2 CLASS

- PLIERS
- WEDGE
- HAMMER

### RC3 CLASS

- STEEL PRY BAR
- WEDGE
- HAMMER
- MECHANICAL DRILL

### RC4 CLASS

- HEAVY HAMMER
- AXE
- CHISEL
- BIT
- HAMMER DRILL

**GERDA®**  
**DOORS COLLECTION**

**GERDA®**

PREMIUM PRODUCT



**MILANO 8  
WINCHESTER**

**VILLACH  
STEEL GRAY**

**INNSBRUCK  
LIGHT WALNUT**



**REGEN 5**  
**DARK ANTHRACITE**



**BAMBERG 3**  
**TURNER OAK**

**ALUTHERM 75 DOOR FRAME  
SOLID DOOR / GLAZED DOOR**

**STEEL DOOR FRAME  
SOLID DOOR / GLAZED DOOR**


$U_D = 0,79 / 0,9 \text{ W/m}^2\text{K}$




**RC2**



Adjustable hook hitches with flexible teflon insert




ALUTHERM 75 door frame



Hinges adjustable in three planes with caps matching fitting's colour



Adjustable pawl hitch




Door leaf with thermal division



Mortise lock: 5 point hooked or 3 point automatic




Handles with long or split escutcheon




Ring escutcheon\*



Composite connector of threshold



ALUTHERM 75 door frame



4 sides rebated



Class 5 lock cylinder (5 keys + installer's keys)



Lower upstand brush seal PRIME



Fixed anti-prizing bolts



Warm aluminium subthreshold extension



GERDA RESIST ULTRA insulation duo tapes\*



Tedee lock + tedee bridge\*



# GERDA® THERMO PREMIUM 75



## PARAMETERS

<b>UD</b>	THERMAL INSULATION U <sub>D</sub> VALUES FOR INWARD-OPENING RÉFÉRENCE DOORS	<b>ALUTHERM 75* DOOR FRAME</b> <b>SOLID DOOR 0,79 W/m²K</b> <b>GLAZED DOOR 1,1 W/m²K</b>	<b>DUOTHERM 75 DOOR FRAME</b> <b>SOLID DOOR 0,87 W/m²K</b> <b>GLAZED DOOR 1,3 W/m²K</b>
<b>RC</b>	ANTI-BURGLARY PROTECTION CLASS		<b>RC2 / RC3**</b>
	LEAF THICKNESS		<b>75 mm</b>
	DOOR SIZES		<b>80, 90N, 90E, 100E*</b>
	DESIGN LINES		<b>4</b>
	LEAF STRUCTURE	<b>WOODEN FRAME + EXPANDED GRAPHITE POLYSTYRENE</b>	


# GERDA® THERMO PREMIUM 60



## PARAMETERS

<b>UD</b>	THERMAL INSULATION U <sub>D</sub> VALUES FOR INWARD-OPENING REFERENCE DOORS	<b>ALUTHERM 60* DOOR FRAME</b> <b>SOLID DOOR 0,86 W/m²K</b> <b>GLAZED DOOR 1,2 W/m²K</b>	<b>DUOTHERM 60 DOOR FRAME</b> <b>SOLID DOOR 0,94 W/m²K</b> <b>GLAZED DOOR 1,3 W/m²K</b>
<b>RC</b>	ANTI-BURGLARY PROTECTION CLASS		<b>RC2 / RC3**</b>
	LEAF THICKNESS		<b>60 mm</b>
	DOOR SIZES		<b>80, 90N, 90E, 100E*</b>
	DESIGN LINES		<b>4</b>
	LEAF STRUCTURE	<b>WOODEN FRAME + EXPANDED GRAPHITE POLYSTYRENE</b>	

**AIR GLASS**



AGB LINZ 1 p. 26



AGC LINZ 2 p. 26



AGD LINZ 3 p. 26



AGDB LINZ 3 B p. 26



AGE GRAZ 1 p. 28




AGF GRAZ 2 p. 28



AGG GRAZ 3 p. 29

**QUARDO**



KWA PASAWA 1 p. 32



KWB PASAWA 2 p. 32




KWC PASAWA 3 p. 33



KWD PASAWA 4 p. 33




KWE JENA 3 p. 34



KW4 JENA 4 p. 34



KWF BAMBERG 1 p. 36



KWN TREWIR 3 p. 41



KWP TREWIR 4 p. 41



KW7 TREWIR 7 p. 41



KWS DORFEN p. 42



KWT KASSEL 1 p. 44



KWX KASSEL 2 p. 44




KPN KRONACH 1 p. 46




KPM REGEN 5 p. 49



KPR REGEN 6 p. 49




KPRB REGEN 6 B p. 49



KPE DREZNO 1 p. 50



KPF DREZNO 2 p. 50



KPH DREZNO 4 p. 51



KPA ERFURT 1 p. 52

**ELITE 3D**



ELA BRIG p. 54



ELB OLTEN p. 54



ELC VISP p. 55



ELD TRIN p. 55



ELE BERNO p. 55



NS1 MILANO 8 p. 56



NS2 MILANO 9 p. 56

**TEMPO**

### AIR GLASS



AGGB GRAZ 3 B p. 29



AGA SALZBURG p. 30



AGH VILLACH p. 30



AGHB VILLACH B p. 30

### QUARDO



KWG BAMBERG 2 p. 36



KWH BAMBERG 3 p. 37



KWI BAMBERG 4 p. 37



KWJ ULM 1 p. 38



KWK ULM 2 p. 38



KWL TREWIR 1 p. 40



KWM TREWIR 2 p. 40



KPP KRONACH 2 p. 46



KPT KRONACH 3 p. 47



KPZ KRONACH 4 p. 47



KPJ REGEN 1 p. 48



KPK REGEN 2 p. 48



KPL REGEN 3 p. 49



KPS REGEN 4 p. 49



KPB ERFURT 2 p. 52



KPC ERFURT 3 p. 53

### TEMPO




NS3 MILANO 10 p. 57



NS4 MILANO 11 p. 57



NS9B MILANO 12 B p. 57



NSSB HANOVER 5 B p. 58



NS6 HANOVER 6 p. 58



NS7 INNSBRUCK p. 59



W00 PŁASKIE p. 60



**PARAMETERS**

<b>UD</b>	THERMAL INSULATION U <sub>D</sub> VALUES FOR INWARD-OPENING REFERENCE DOORS	<b>ALUTHERM 60* DOOR FRAME</b> <b>SOLID DOOR 1,0 W/m²K</b> <b>GLAZED DOOR 1,3 W/m²K</b>	<b>PERFOTHERM 60 DOOR FRAME</b> <b>SOLID DOOR 1,1 W/m²K</b> <b>GLAZED DOOR 1,3 W/m²K</b>
<b>RC</b>	ANTI-BURGLARY PROTECTION CLASS	<b>RC2 / RC3**</b>	
	LEAF THICKNESS	<b>60 mm</b>	
	DOOR SIZES	<b>80N, 80, 90N, 90E, 100E*</b>	
	DESIGN LINES	<b>2</b>	
	LEAF STRUCTURE	<b>WOODEN FRAME + EXPANDED GRAPHITE POLYSTYRENE</b>	

**ALUTHERM 60\* DOOR FRAME  
SOLID DOOR / GLAZED DOOR**

**PERFOTHERM 60 DOOR FRAME  
SOLID DOOR / GLAZED DOOR**


$U_D = 1,0 / 1,3 \text{ W/m}^2\text{K}$

$U_D = 1,1 / 1,3 \text{ W/m}^2\text{K}$

**RC2 / RC3\*\***



Vertical bolt\*



PERFOTHERM 60  
door frame



Hinges adjustable in two  
planes with caps matching  
fitting's colour



Adjustable pawl  
hitch




Auxiliary 3-bolt lock




Main 3-bolt lock



Class 5 lock cylinder,  
single key system  
(5 keys + installer's keys)



Auxiliary 2-bolt lock\*




Fixed anti-prizing  
bolts




Subthreshold  
extension\*  
PERFOTHERM 60 –  
option  
ALUTHERM 60 –  
standard



GERDA RESIST  
ULTRA insulation  
duo tapes\*



ALUTHERM 60\*  
door frame



PERFOTHERM 60  
door frame



3 sides rebated









Tedee lock  
+ tedee bridge\*

# GERDA<sup>®</sup> OPTIMA 50



## PARAMETERS

	THERMAL INSULATION U <sub>0</sub> VALUES FOR INWARD-OPENING REFERENCE DOORS	<b>PERFOTHERM 50* DOOR FRAME SOLID DOOR 1,2 W/m<sup>2</sup>K</b>
	ANTI-BURGLARY PROTECTION CLASS	<b>RC2</b>
	LEAF THICKNESS	<b>50 mm</b>
	DOOR SIZES	<b>80N, 80, 90N, 90E, 100E*</b>
	DESIGN LINES	<b>2</b>
	LEAF STRUCTURE	<b>WOODEN BLOCKS + WOODEN FRAME + EXPANDED GRAPHITE POLYSTYRENE</b>

**TEMPO**



NS1 MILANO 8 p. 56



NS2 MILANO 9 p. 56



NS3 MILANO 10 p. 57



NS4 MILANO 11 p. 57



NS9 MILANO 12 p. 57



NS9B MILANO 12 B p. 57



NS5 HANOVER 5 p. 58



NT1 TURYN 1 p. 64



NT2 TURYN 2 p. 65



SOJ BERGAMO 2 p. 66



SJ9 NICEA 9 p. 66



SBE BERLIN 4 p. 67



ST4 UPPSALA 1 p. 68



ST4A UPPSALA 1A p. 68



ST9 LUND 1 p. 72



WBA ASPEN 1 p. 73



TN7 ASPEN 2 p. 73



TN7B ASPEN 2B p. 73



SR3 TROMSO 1 p. 74



SR4 TROMSO 1 p. 74



SR5 TROMSO 2 p. 75

**CLASSIC**



W76 MODENA p. 76



W77 MODENA 2 p. 76



W78 MODENA 3 p. 77



WDR RAVENA p. 77



WJ1 NICEA 5 p. 78



W23 OLYMPIA p. 79



W91 WERONA p. 80



W24 LIZBONA p. 82



W9N WENECJA p. 82



W13 LONDYN p. 83



W5L LONDYN 1 p. 83



W54 BARCELONA p. 84




W53 BARCELONA 1 p. 84



G76 GENEWA 1 p. 85



### TEMPO



NS5B HANOVER 5 B p. 58



NS6 HANOVER 6 p. 58



NS7 INNSBRUCK p. 59



W00 PLAIN p. 60



W00 PLAIN p. 60



SNU MILANO 4 p. 62



SNUA MILANO 4A p. 62



TML TOKIO 1 p. 70



TMLA TOKIO 1A p. 70



TMM TOKIO 2 p. 71



TMMa TOKIO 2A p. 71



ST8 RYGA p. 72



SR5 TROMSO 2 p. 75

### CLASSIC



W94 WERONA 1 p. 80



W93 WERONA 3 p. 81



W6A WERONA 4 p. 81



WQA WERONA 5 p. 81



G75 GENEWA 2 p. 85



D75 GENEWA 3 p. 85

# AIR GLASS LINZ

# GERDA®



**AGB LINZ 1**



**AGC LINZ 2**

Door size	80	90N	90E	100E
Door height (DUOTHERM / ALUTHERM)	2076 / 2087 mm			

MODEL	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
<b>AGB LINZ 1 / AGBB LINZ 1 B</b>	✓	✓	✓
<b>AGC LINZ 2 / AGCB LINZ 2 B</b>	✓	✓	✓
<b>AGD LINZ 3 / AGDB LINZ 3 B</b>	✓	✓	✓

## RC2 STANDARD EQUIPMENT

- GLAZED DOOR LEAF
- 4 SIDES REBATED
- THERMO PREMIUM – DUOTHERM DOOR FRAME
- THERMO PRIME – ALUTHERM 75 DOOR FRAME
- HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING FITTING'S COLOUR
- INSERTS **INOX** **BLACK**
- WARM THRESHOLD
- FITTINGS SET WITH LOCK CYLINDER PROTECTION
- BERGEN ESCUTCHEONS WITH ALEX HANDLES
- THERMO PREMIUM – CLASS 5 LOCK CYLINDER, SINGLE KEY SYSTEM, BOLT LOCK
- THERMO PRIME – CLASS 5 LOCK CYLINDER, 3 POINT HOOKED MORTISE LOCK OR 5 POINT AUTOMATIC MORTISE LOCK


## EXTRA CHARGES

ALUTHERM DOOR FRAME (THERMO PREMIUM DOOR)	ROSTOCK HANDRAIL	2000 mm
TWO-COLOUR DOOR		1800 mm
CLASS 6 LOCK CYLINDERS, SINGLE KEY SYSTEM	AMSTERDAM / MONTREAL HANDRAIL	1700 mm
	ELECTRIC STRIKE RECOMMENDED	1500 mm
		1000 mm
UPPER ESCUTCHEON PROTECTION (THERMO PREMIUM)		1800 mm
KNOB-HANDLE	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE	1700 mm
REED SWITCH		1500 mm
SIZE 100E		1000 mm
INTEGRATED CLOSER	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON	1700 mm
	ELECTRIC STRIKE NECESSARY	1500 mm
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	TEDEE SET	

FIXED GLAZED SIDE PANELS: PAGES 88–89, FULL EQUIPMENT LIST: PAGES 94–99

## GLASS

### AIR GLASS



## INSERT

### INOX




### BLACK




## DOOR COLOURS


### ALPINE WALNUT




### MAHOGANY




### BRAZILIAN WALNUT




### LIGHT WALNUT



### GOLDEN OAK



### WINCHESTER



### TURNER OAK





AGD LINZ 3



INTERNAL SIDE

### THERMO PRIME 75 DOOR CONFIGURATION





AGDB LINZ 3 B




INTERNAL SIDE

#### FITTINGS


##### HANDLE-HANDLE



##### KNOB-HANDLE\*



##### HANDRAIL-HANDLE\*



#### FITTINGS' COLOURS

PLATINUM ANODE

SILVER ANODE

BLACK ANODE

#### DOOR COLOURS


LIGHT WENGE




WHITE




STEEL GRAY




ANTHRACITE




DARK ANTHRACITE



BLACK



TWO-COLOUR DOOR\*



\* EXTRA CHARGE

# AIR GLASS GRAZ

# GERDA®



AGE GRAZ 1



AGF GRAZ 2

Door size	80	90N	90E	100E
Door height (DUOTHERM / ALUTHERM)	2076 / 2087 mm			

MODEL	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
AGE GRAZ 1 / AGEB GRAZ 1 B	✓	✓	✓
AGF GRAZ 2 / AGFB GRAZ 2 B	✓	✓	✓
AGG GRAZ 3 / AGGB GRAZ 3 B	✓	✓	✓

## RC2 STANDARD EQUIPMENT

- GLAZED DOOR LEAF
- 4 SIDES REBATED
- THERMO PREMIUM – DUOTHERM DOOR FRAME
- THERMO PRIME – ALUTHERM 75 DOOR FRAME
- HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING FITTING'S COLOUR
- INSERTS INOX BLACK
- WARM THRESHOLD
- FITTINGS SET WITH LOCK CYLINDER PROTECTION
- BERGEN ESCUTCHEONS WITH ALEX HANDLES
- THERMO PREMIUM – CLASS 5 LOCK CYLINDER, SINGLE KEY SYSTEM, BOLT LOCK
- THERMO PRIME – CLASS 5 LOCK CYLINDER, 3 POINT HOOKED MORTISE LOCK OR 5 POINT AUTOMATIC MORTISE LOCK

## EXTRA CHARGES

ALUTHERM DOOR FRAME (THERMO PREMIUM DOOR)	ROSTOCK HANDRAIL	2000 mm
TWO-COLOUR DOOR		1800 mm
CLASS 6 LOCK CYLINDERS, SINGLE KEY SYSTEM	AMSTERDAM / MONTREAL HANDRAIL ELECTRIC STRIKE RECOMMENDED	1700 mm
UPPER ESCUTCHEON PROTECTION (THERMO PREMIUM)		1500 mm
KNOB-HANDLE		1000 mm
REED SWITCH		1800 mm
SIZE 100E	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE	1700 mm
INTEGRATED CLOSER		1500 mm
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE		1000 mm
	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON ELECTRIC STRIKE NECESSARY	1700 mm
	TEDEE SET	1500 mm

FIXED GLAZED SIDE PANELS: PAGES 88–89, FULL EQUIPMENT LIST: PAGES 94–99

## GLASS

### AIR GLASS



## INSERT

### INOX




### BLACK




## DOOR COLOURS

### ALPINE WALNUT




FRR

### MAHOGANY




FMA

### BRAZILIAN WALNUT




FRB

### LIGHT WALNUT




FRP

### GOLDEN OAK



FDE

### WINCHESTER



FDW

### TURNER OAK



FDT



AGGB GRAZ 3 B



INTERNAL SIDE

### THERMO PRIME 75 DOOR CONFIGURATION



AGF GRAZ 2



INTERNAL SIDE

#### FITTINGS

##### HANDLE-HANDLE



THERMO PRIME

SOFIA



BERGEN

THERMO PREMIUM



BERGEN

##### KNOB-HANDLE\*

THERMO PRIME



BERGEN


THERMO PREMIUM



BERGEN

##### HANDRAIL-HANDLE\*

THERMO PRIME  
THERMO PREMIUM



AMSTERDAM  
BERGEN  
ROSTOCK

#### FITTINGS' COLOURS

PLATINUM ANODE

SILVER ANODE

BLACK ANODE

#### DOOR COLOURS

LIGHT WENGE




FEJ

WHITE




FSB

STEEL GRAY




FKZ

ANTHRACITE




FKG

DARK ANTHRACITE



FKF

BLACK



FKC

TWO-COLOUR DOOR\*



INTERNAL

EXTERNAL

\* EXTRA CHARGE

# AIR GLASS SALZBURG / VILLACH

# GERDA®



**AGA SALZBURG**

Door size (SALZBURG)	80	90N	90E	100E
Door size (VILLACH)	-	-	90E	100E
Door height (SALZBURG) (DUOTHERM / ALUTHERM)	2076 / 2087 mm			
Door height (VILLACH) (DUOTHERM / ALUTHERM)	2076 / 2087-2400 mm			

MODEL	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
<b>AGA SALZBURG / AGAB SALZBURG B</b>	✓	✓	✓
<b>AGH VILLACH / AGHB VILLACH B</b>	✓	✓	✓

## RC2 STANDARD EQUIPMENT

• GLAZED DOOR LEAF	• WARM THRESHOLD
• 4 SIDES REBATED	• FITTINGS SET WITH LOCK CYLINDER PROTECTION
• THERMO PREMIUM – DUOTHERM DOOR FRAME	• BERGEN ESCUTCHEONS WITH ALEX HANDLES
• THERMO PRIME – ALUTHERM 75 DOOR FRAME	• THERMO PREMIUM – CLASS 5 LOCK CYLINDER, SINGLE KEY SYSTEM, BOLT LOCK
• HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING FITTING'S COLOUR	• THERMO PRIME – CLASS 5 LOCK CYLINDER, 3 POINT HOOKED MORTISE LOCK OR 5 POINT AUTOMATIC MORTISE LOCK
• INSERTS	<div style="display: flex; gap: 10px;"> <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;">INOX</div> <div style="background-color: #333333; color: white; padding: 5px; border: 1px solid black;">BLACK</div> </div>

## EXTRA CHARGES

ALUTHERM DOOR FRAME (THERMO PREMIUM DOOR)	ROSTOCK HANDRAIL	2000 mm
TWO-COLOUR DOOR		1800 mm
CLASS 6 LOCK CYLINDERS, SINGLE KEY SYSTEM	AMSTERDAM / MONTREAL HANDRAIL	1700 mm
	ELECTRIC STRIKE RECOMMENDED	1500 mm
		1000 mm
UPPER ESCUTCHEON PROTECTION (THERMO PREMIUM)		1800 mm
	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE	1700 mm
KNOB-HANDLE		1500 mm
REED SWITCH		1000 mm
SIZE 100E	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON	1700 mm
INTEGRATED CLOSER	ELECTRIC STRIKE NECESSARY	1500 mm
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	TEDEE SET	


FIXED GLAZED SIDE PANELS: PAGES 88-89, FULL EQUIPMENT LIST: PAGES 94-99



**AGHB VILLACH B**

## GLASS

### AIR GLASS



## INSERT

### INOX




### BLACK




## DOOR COLOURS


### ALPINE WALNUT




### MAHOGANY




### BRAZILIAN WALNUT




### LIGHT WALNUT



### GOLDEN OAK



### WINCHESTER



### TURNER OAK





AGA SALZBURG




INTERNAL SIDE

### THERMO PRIME 75 DOOR CONFIGURATION

### FITTINGS

#### HANDLE-HANDLE



THERMO  
PRIME


SOFIA



THERMO  
PREMIUM


BERGEN

#### KNOB-HANDLE\*



THERMO  
PRIME


BERGEN



THERMO  
PREMIUM

BERGEN

#### HANDRAIL-HANDLE\*



THERMO PRIME  
THERMO PREMIUM

1000 mm  
1500 mm  
1700 mm  
1800 mm  
2000 mm

AMSTERDAM  
BERGEN  
ROSTOCK

#### FITTINGS' COLOURS

PLATINUM ANODE

SILVER ANODE

BLACK ANODE

### DOOR COLOURS

LIGHT WENGE




WHITE




STEEL GRAY




ANTHRACITE



DARK ANTHRACITE



BLACK



TWO-COLOUR DOOR\*



\* EXTRA CHARGE



**KWA PASAWA 1**



**KWB PASAWA 2**

Door size	80	90N	90E	100E
Door height (DUOTHERM / ALUTHERM)	2076 / 2087-2400 mm			

MODEL	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
<b>KWA PASAWA 1 / KWAB PASAWA 1 B</b>	✓	✓	✓
<b>KWB PASAWA 2 / KWBB PASAWA 2 B</b>	✓	✓	✓
<b>KWC PASAWA 3 / KWCB PASAWA 3 B</b>	✓	✓	✓
<b>KWD PASAWA 4 / KWDB PASAWA 4 B</b>	✓	✓	✓

### RC2 STANDARD EQUIPMENT

- GLAZED DOOR LEAF
- 4 SIDES REBATED
- THERMO PREMIUM – DUOTHERM DOOR FRAME
- THERMO PRIME – ALUTHERM 75 DOOR FRAME
- HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING FITTING'S COLOUR
- WARM THRESHOLD
- FITTINGS SET WITH LOCK CYLINDER PROTECTION
- BERGEN ESCUTCHEONS WITH ALEX HANDLES
- THERMO PREMIUM – CLASS 5 LOCK CYLINDER, SINGLE KEY SYSTEM, BOLT LOCK
- THERMO PRIME – CLASS 5 LOCK CYLINDER, 3 POINT HOOKED MORTISE LOCK OR 5 POINT AUTOMATIC MORTISE LOCK

- INSERTS INOX BLACK


### EXTRA CHARGES

CUSTOM HEIGHT (THERMO PRIME)	2150 - 2200 mm
AVAILABLE COLOURS: FRP, FDE, FDW, FKG, FKF	2250 - 2300 mm
	2350 - 2400 mm
ALUTHERM DOOR FRAME (THERMO PREMIUM DOOR)	ROSTOCK HANDRAIL 2000 mm
TWO-COLOUR DOOR	AMSTERDAM / MONTREAL HANDRAIL 1800 mm
CLASS 6 LOCK CYLINDER, SINGLE KEY SYSTEM	ELECTRIC STRIKE RECOMMENDED 1700 mm
UPPER ESCUTCHEON PROTECTION (THERMO PREMIUM)	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE 1500 mm
KNOB-HANDLE	1000 mm
REED SWITCH	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON 1700 mm
SIZE 100E	ELECTRIC STRIKE NECESSARY 1500 mm
INTEGRATED CLOSER	DOOR SHORTENING KWA, KWB, KWC (10, 20, 30, 40 mm), KWD (10, 20, 30, 40, 60, 80, 100 mm)
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	TEDEE SET


FIXED GLAZED SIDE PANELS: PAGES 88-89, FULL EQUIPMENT LIST: PAGES 94-99

### GLASS

MATTE




MIRA STAR MIRROR




### DOOR COLOURS


ALPINE WALNUT




MAHOGANY




BRAZILIAN WALNUT




LIGHT WALNUT



GOLDEN OAK



WINCHESTER



TURNER OAK







**KwCB PASAWA 3 B**



**KwD PASAWA 4**



**INTERNAL SIDE**

### THERMO PRIME 75 DOOR CONFIGURATION






**KwA PASAWA 1**




**INTERNAL SIDE**

### FITTINGS


#### HANDLE-HANDLE



#### KNOB-HANDLE\*



#### HANDRAIL-HANDLE\*



#### FITTINGS' COLOURS

PLATINUM ANODE

SILVER ANODE

BLACK ANODE

### DOOR COLOURS


LIGHT WENGE




WHITE




STEEL GRAY




ANTHRACITE




DARK ANTHRACITE



BLACK



TWO-COLOUR DOOR\*



\* EXTRA CHARGE



**KW3 JENA 3**



**KW4 JENA 4**

Door size	80	90N	90E	100E
Door height (DUOTHERM / ALUTHERM)	2076 / 2087-2400 mm			

MODEL	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
<b>KW3 JENA 3</b>	✓	✓	✓
<b>KW4 JENA 4</b>	✓	✓	✓

## RC2 STANDARD EQUIPMENT

- GLAZED DOOR LEAF
- 4 SIDES REBATED
- THERMO PREMIUM – DUOTHERM DOOR FRAME
- THERMO PRIME – ALUTHERM 75 DOOR FRAME
- HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING FITTING'S COLOUR
- WARM THRESHOLD
- FITTINGS SET WITH LOCK CYLINDER PROTECTION
- BERGEN ESCUTCHEONS WITH ALEX HANDLES
- THERMO PREMIUM – CLASS 5 LOCK CYLINDER, SINGLE KEY SYSTEM, BOLT LOCK
- THERMO PRIME – CLASS 5 LOCK CYLINDER, 3 POINT HOOKED MORTISE LOCK OR 5 POINT AUTOMATIC MORTISE LOCK


## EXTRA CHARGES

CUSTOM HEIGHT (THERMO PRIME)	2150 – 2200 mm
AVAILABLE COLOURS: FRP, FDE, FDW, FKG, FKF	2250 – 2300 mm
	2350 – 2400 mm
ALUTHERM DOOR FRAME (THERMO PREMIUM DOOR)	ROSTOCK HANDRAIL 2000 mm
TWO-COLOUR DOOR	AMSTERDAM / MONTREAL HANDRAIL 1800 mm
CLASS 6 LOCK CYLINDER, SINGLE KEY SYSTEM	ELECTRIC STRIKE RECOMMENDED 1700 mm
UPPER ESCUTCHEON PROTECTION (THERMO PREMIUM)	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE 1500 mm
KNOB-HANDLE	1000 mm
REED SWITCH	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON 1700 mm
SIZE 100E	ELECTRIC STRIKE NECESSARY 1500 mm
INTEGRATED CLOSER	DOOR SHORTENING (10, 20, 30, 40, 60, 80, 100 mm)
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	TEDEE SET


FIXED GLAZED SIDE PANELS: PAGES 88-89, FULL EQUIPMENT LIST: PAGES 94-99

## GLASS

MATTE




MIRA STAR MIRROR




## DOOR COLOURS


ALPINE WALNUT




MAHOGANY




BRAZILIAN WALNUT




LIGHT WALNUT



GOLDEN OAK



WINCHESTER



TURNER OAK





**KW3B JENA 3 B**





**INTERNAL SIDE**

### THERMO PRIME 75 DOOR CONFIGURATION

### FITTINGS


#### HANDLE-HANDLE



#### KNOB-HANDLE\*



#### HANDRAIL-HANDLE\*



#### FITTINGS' COLOURS

PLATINUM ANODE

SILVER ANODE

BLACK ANODE

### DOOR COLOURS


LIGHT WENGE




WHITE




STEEL GRAY




ANTHRACITE



DARK ANTHRACITE



BLACK



TWO-COLOUR DOOR\*



\* EXTRA CHARGE



**KWF BAMBERG 1**



**KWG BAMBERG 2**

Door size	80	90N	90E	100E
Door height (DUOTHERM / ALUTHERM)	2076 / 2087-2400 mm			

MODEL	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
<b>KWF BAMBERG 1 / KWFB BAMBERG 1 B</b>	✓	✓	✓
<b>KWG BAMBERG 2 / KWGB BAMBERG 2 B</b>	✓	✓	✓
<b>KWH BAMBERG 3 / KWHB BAMBERG 3 B</b>	✓	✓	✓
<b>KWI BAMBERG 4 / KWIB BAMBERG 4 B</b>	✓	✓	✓

## RC2 STANDARD EQUIPMENT

• GLAZED DOOR LEAF	• WARM THRESHOLD
• 4 SIDES REBATED	• FITTINGS SET WITH LOCK CYLINDER PROTECTION
• THERMO PREMIUM – DUOTHERM DOOR FRAME	• BERGEN ESCUTCHEONS WITH ALEX HANDLES
• THERMO PRIME – ALUTHERM 75 DOOR FRAME	• THERMO PREMIUM – CLASS 5 LOCK CYLINDER, SINGLE KEY SYSTEM, BOLT LOCK
• HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING FITTING'S COLOUR	• THERMO PRIME – CLASS 5 LOCK CYLINDER, 3 POINT HOOKED MORTISE LOCK OR 5 POINT AUTOMATIC MORTISE LOCK
• INSERTS	<div style="display: flex; gap: 10px;"> <div style="background-color: #cccccc; padding: 5px;">INOX</div> <div style="background-color: #333333; color: white; padding: 5px;">BLACK</div> </div>


## EXTRA CHARGES

CUSTOM HEIGHT (THERMO PRIME)	2150 - 2200 mm
AVAILABLE COLOURS: FRP, FDE, FDW, FKG, FKF	2250 - 2300 mm
	2350 - 2400 mm
ALUTHERM DOOR FRAME (THERMO PREMIUM DOOR)	ROSTOCK HANDRAIL 2000 mm
TWO-COLOUR DOOR	AMSTERDAM / MONTREAL HANDRAIL 1800 mm
CLASS 6 LOCK CYLINDER, SINGLE KEY SYSTEM	ELECTRIC STRIKE RECOMMENDED 1700 mm
UPPER ESCUTCHEON PROTECTION (THERMO PREMIUM)	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE 1500 mm
KNOB-HANDLE	1000 mm
REED SWITCH	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON 1700 mm
SIZE 100E	ELECTRIC STRIKE NECESSARY 1500 mm
INTEGRATED CLOSER	DOOR SHORTENING (10, 20, 30, 40 mm)
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	TEDEE SET


FIXED GLAZED SIDE PANELS: PAGES 88-89, FULL EQUIPMENT LIST: PAGES 94-99

## GLASS

### MATTE




### MIRA STAR MIRROR




## DOOR COLOURS

### ALPINE WALNUT




FRR

### MAHOGANY




FMA

### BRAZILIAN WALNUT




FRB

### LIGHT WALNUT




FRP

### GOLDEN OAK



FDE

### WINCHESTER



FDW

### TURNER OAK



FDT



**KWH BAMBERG 3**



**KWI BAMBERG 4**



**INTERNAL SIDE**

### THERMO PRIME 75 DOOR CONFIGURATION





**KWF BAMBERG 1**




**INTERNAL SIDE**

#### FITTINGS


##### HANDLE-HANDLE



##### KNOB-HANDLE\*



##### HANDRAIL-HANDLE\*



#### FITTINGS' COLOURS

PLATINUM ANODE

SILVER ANODE

BLACK ANODE

#### DOOR COLOURS


LIGHT WENGE




WHITE




STEEL GRAY




ANTHRACITE




DARK ANTHRACITE



BLACK



TWO-COLOUR DOOR\*



\* EXTRA CHARGE



**KWJB ULM 1 B**



**KWK ULM 2**

Door size	80	90N	90E	100E
Door height (DUOTHERM / ALUTHERM)	2076 / 2087-2400 mm			

MODEL	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
<b>KWJ ULM 1 / KWJB ULM 1 B</b>	✓	✓	-
<b>KWK ULM 2 / KWKB ULM 2 B</b>	✓	✓	✓

## RC2 STANDARD EQUIPMENT

- GLAZED DOOR LEAF
- 4 SIDES REBATED
- THERMO PREMIUM – DUOTHERM DOOR FRAME
- THERMO PRIME – ALUTHERM 75 DOOR FRAME
- HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING FITTING'S COLOUR
- INSERTS
- WARM THRESHOLD
- FITTINGS SET WITH LOCK CYLINDER PROTECTION
- BERGEN ESCUTCHEONS WITH ALEX HANDLES
- THERMO PREMIUM – CLASS 5 LOCK CYLINDER, SINGLE KEY SYSTEM, BOLT LOCK
- THERMO PRIME – CLASS 5 LOCK CYLINDER, 3 POINT HOOKED MORTISE LOCK OR 5 POINT AUTOMATIC MORTISE LOCK




## EXTRA CHARGES

CUSTOM HEIGHT (THERMO PRIME)	2150 – 2200 mm	
AVAILABLE COLOURS: FRP, FDE, FDW, FKG, FKF	2250 – 2300 mm	
	2350 – 2400 mm	
ALUTHERM DOOR FRAME (THERMO PREMIUM DOOR)	ROSTOCK HANDRAIL	2000 mm
TWO-COLOUR DOOR	AMSTERDAM / MONTREAL HANDRAIL	1800 mm
	ELECTRIC STRIKE RECOMMENDED	1700 mm
CLASS 6 LOCK CYLINDER, SINGLE KEY SYSTEM	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE	1500 mm
UPPER ESCUTCHEON PROTECTION (THERMO PREMIUM)		1000 mm
KNOB-HANDLE	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON	1700 mm
REED SWITCH	ELECTRIC STRIKE NECESSARY	1500 mm
SIZE 100E	DOOR SHORTENING (10, 20, 30, 40, 60, 80, 100 mm)	
INTEGRATED CLOSER		
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	TEDEE SET	


FIXED GLAZED SIDE PANELS: PAGES 88-89, FULL EQUIPMENT LIST: PAGES 94-99

## GLASS

MATTE



MIRA STAR MIRROR



## INSERT

INOX




BLACK




## DOOR COLOURS


ALPINE WALNUT




MAHOGANY




BRAZILIAN WALNUT




LIGHT WALNUT



GOLDEN OAK



WINCHESTER



TURNER OAK





**KWJ ULM 2**





**INTERNAL SIDE**


### THERMO PRIME 75 DOOR CONFIGURATION

### FITTINGS


#### HANDLE-HANDLE



#### KNOB-HANDLE\*



#### HANDRAIL-HANDLE\*



#### FITTINGS' COLOURS

PLATINUM ANODE

SILVER ANODE

BLACK ANODE

### DOOR COLOURS


LIGHT WENGE




WHITE




STEEL GRAY




ANTHRACITE



DARK ANTHRACITE



BLACK



TWO-COLOUR DOOR\*



\* EXTRA CHARGE



**KWL TREWIR 1**



**KWMB TREWIR 2 B**

Door size	80	90N	90E	100E
Door height (DUOTHERM / ALUTHERM)	2076 / 2087-2400 mm			

MODEL	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
<b>KWL TREWIR 1 / KWL B TREWIR 1 B</b>	✓	✓	✓
<b>KWM TREWIR 2 / KWMB TREWIR 2 B</b>	✓	✓	✓
<b>KWN TREWIR 3 / KWN B TREWIR 3 B</b>	✓	✓	✓
<b>KWP TREWIR 4 / KWP B TREWIR 4 B</b>	✓	✓	✓
<b>KW7 TREWIR 7 / KW7 B TREWIR 7 B</b>	✓	✓	✓

## RC2 STANDARD EQUIPMENT

- GLAZED DOOR LEAF
- 4 SIDES REBATED
- THERMO PREMIUM – DUOTHERM DOOR FRAME
- THERMO PRIME – ALUTHERM 75 DOOR FRAME
- HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING FITTING'S COLOUR
- WARM THRESHOLD
- FITTINGS SET WITH LOCK CYLINDER PROTECTION
- BERGEN ESCUTCHEONS WITH ALEX HANDLES
- THERMO PREMIUM – CLASS 5 LOCK CYLINDER, SINGLE KEY SYSTEM, BOLT LOCK
- THERMO PRIME – CLASS 5 LOCK CYLINDER, 3 POINT HOOKED MORTISE LOCK OR 5 POINT AUTOMATIC MORTISE LOCK

- INSERTS INOX BLACK

## EXTRA CHARGES

CUSTOM HEIGHT (THERMO PRIME)	2150 – 2200 mm
AVAILABLE COLOURS: FRP, FDE, FDW, FKG, FKF	2250 – 2300 mm
	2350 – 2400 mm
ALUTHERM DOOR FRAME (THERMO PREMIUM DOOR)	ROSTOCK HANDRAIL 2000 mm
TWO-COLOUR DOOR	AMSTERDAM / MONTREAL HANDRAIL 1800 mm
CLASS 6 LOCK CYLINDER, SINGLE KEY SYSTEM	ELECTRIC STRIKE RECOMMENDED 1700 mm
UPPER ESCUTCHEON PROTECTION (THERMO PREMIUM)	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE 1500 mm
KNOB-HANDLE	1000 mm
REED SWITCH	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON 1700 mm
SIZE 100E	ELECTRIC STRIKE NECESSARY 1500 mm
INTEGRATED CLOSER	DOOR SHORTENING (10, 20, 30, 40 mm)
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	TEDEE SET


FIXED GLAZED SIDE PANELS: PAGES 88-89, FULL EQUIPMENT LIST: PAGES 94-99

## GLASS


MATTE



REFLEX GRAPHITE




MIRA STAR MIRROR




## DOOR COLOURS


ALPINE WALNUT




MAHOGANY




BRAZILIAN WALNUT




LIGHT WALNUT



GOLDEN OAK



WINCHESTER



TURNER OAK







**KWN TREWIR 3**



**KWP TREWIR 4**



**KW7 TREWIR 7**

### THERMO PRIME 75 DOOR CONFIGURATION





**KWL TREWIR 1**



**INTERNAL SIDE**

### FITTINGS


#### HANDLE-HANDLE



#### KNOB-HANDLE\*



#### HANDRAIL-HANDLE\*



### FITTINGS' COLOURS

PLATINUM ANODE

SILVER ANODE

BLACK ANODE

### DOOR COLOURS


LIGHT WENGE




WHITE




STEEL GRAY




ANTHRACITE




DARK ANTHRACITE



BLACK



TWO-COLOUR DOOR\*



\* EXTRA CHARGE



**KWSB DORFEN B**

<b>Door size</b>	80	90N	90E	100E
<b>Door height</b> (DUOTHERM / ALUTHERM)	2076 / 2087-2400 mm			

MODEL	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
<b>KWS DORFEN / KWSB DORFEN B</b>	✓	✓	✓

## RC2 STANDARD EQUIPMENT

• GLAZED DOOR LEAF	• WARM THRESHOLD
• 4 SIDES REBATED	• FITTINGS SET WITH LOCK CYLINDER PROTECTION
• THERMO PREMIUM – DUOTHERM DOOR FRAME	• BERGEN ESCUTCHEONS WITH ALEX HANDLES
• THERMO PRIME – ALUTHERM 75 DOOR FRAME	• THERMO PREMIUM – CLASS 5 LOCK CYLINDER, SINGLE KEY SYSTEM, BOLT LOCK
• HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING FITTING'S COLOUR	• THERMO PRIME – CLASS 5 LOCK CYLINDER, 3 POINT HOOKED MORTISE LOCK OR 5 POINT AUTOMATIC MORTISE LOCK
• INSERTS	<div style="display: flex; gap: 10px;"> <div style="background-color: #cccccc; padding: 2px 10px;">INOX</div> <div style="background-color: #333333; color: white; padding: 2px 10px;">BLACK</div> </div>


## EXTRA CHARGES

CUSTOM HEIGHT (THERMO PRIME)	2150 - 2200 mm	
AVAILABLE COLOURS: FRP, FDE, FDW, FKG, FKF	2250 - 2300 mm	
	2350 - 2400 mm	
ALUTHERM DOOR FRAME (THERMO PREMIUM DOOR)	ROSTOCK HANDRAIL	2000 mm
TWO-COLOUR DOOR	AMSTERDAM / MONTREAL HANDRAIL ELECTRIC STRIKE RECOMMENDED	1800 mm
CLASS 6 LOCK CYLINDER, SINGLE KEY SYSTEM		1700 mm
UPPER ESCUTCHEON PROTECTION (THERMO PREMIUM)	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE	1500 mm
KNOB-HANDLE	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON	1700 mm
REED SWITCH	ELECTRIC STRIKE NECESSARY	1500 mm
SIZE 100E	DOOR SHORTENING (10, 20, 30, 40 mm)	
INTEGRATED CLOSER		
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	TEDEE SET	

FIXED GLAZED SIDE PANELS: PAGES 88-89, FULL EQUIPMENT LIST: PAGES 94-99

## GLASS


**MATTE**



**REFLEX GRAPHITE**




**MIRA STAR MIRROR**




## DOOR COLOURS


**ALPINE WALNUT**




**MAHOGANY**




**BRAZILIAN WALNUT**




**LIGHT WALNUT**



**GOLDEN OAK**



**WINCHESTER**



**TURNER OAK**





**KWS DORFEN**




**INTERNAL SIDE**

### THERMO PRIME 75 DOOR CONFIGURATION

### FITTINGS


#### HANDLE-HANDLE



#### KNOB-HANDLE\*



#### HANDRAIL-HANDLE\*



#### FITTINGS' COLOURS

PLATINUM ANODE

SILVER ANODE

BLACK ANODE

### DOOR COLOURS


LIGHT WENGE




WHITE




STEEL GRAY




ANTHRACITE



DARK ANTHRACITE



BLACK



TWO-COLOUR DOOR\*



\* EXTRA CHARGE



**KWT KASSEL 1**



**KWXB KASSEL 2 B**

Door size	80	90N	90E	100E
Door height (DUOTHERM / ALUTHERM)	2076 / 2087-2400 mm			

MODEL	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
<b>KWT KASSEL 1 / KWTB KASSEL 1 B</b>	✓	✓	✓
<b>KWX KASSEL 2 / KWXB KASSEL 2 B</b>	✓	✓	✓

## RC2 STANDARD EQUIPMENT

- GLAZED DOOR LEAF
- 4 SIDES REBATED
- THERMO PREMIUM – DUOTHERM DOOR FRAME
- THERMO PRIME – ALUTHERM 75 DOOR FRAME
- HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING FITTING'S COLOUR
- INSERTS **INOX** **BLACK**
- WARM THRESHOLD
- FITTINGS SET WITH LOCK CYLINDER PROTECTION
- BERGEN ESCUTCHEONS WITH ALEX HANDLES
- THERMO PREMIUM – CLASS 5 LOCK CYLINDER, SINGLE KEY SYSTEM, BOLT LOCK
- THERMO PRIME – CLASS 5 LOCK CYLINDER, 3 POINT HOOKED MORTISE LOCK OR 5 POINT AUTOMATIC MORTISE LOCK


## EXTRA CHARGES

CUSTOM HEIGHT (THERMO PRIME)	2150 – 2200 mm
AVAILABLE COLOURS: FRP, FDE, FDW, FKG, FKF	2250 – 2300 mm
	2350 – 2400 mm
ALUTHERM DOOR FRAME (THERMO PREMIUM DOOR)	ROSTOCK HANDRAIL 2000 mm
TWO-COLOUR DOOR	AMSTERDAM / MONTREAL HANDRAIL 1800 mm
CLASS 6 LOCK CYLINDER, SINGLE KEY SYSTEM	ELECTRIC STRIKE RECOMMENDED 1700 mm
UPPER ESCUTCHEON PROTECTION (THERMO PREMIUM)	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE 1500 mm
KNOB-HANDLE	1000 mm
REED SWITCH	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON 1700 mm
SIZE 100E	ELECTRIC STRIKE NECESSARY 1500 mm
INTEGRATED CLOSER	DOOR SHORTENING (10, 20, 30, 40 mm)
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	TEDEE SET

FIXED GLAZED SIDE PANELS: PAGES 88-89, FULL EQUIPMENT LIST: PAGES 94-99

## GLASS


MATTE



REFLEX GRAPHITE




MIRA STAR MIRROR




## DOOR COLOURS


ALPINE WALNUT




MAHOGANY




BRAZILIAN WALNUT




LIGHT WALNUT



GOLDEN OAK



WINCHESTER



TURNER OAK





**KWT KASSEL 1**




**INTERNAL SIDE**

### THERMO PRIME 75 DOOR CONFIGURATION

#### FITTINGS

##### HANDLE-HANDLE



THERMO  
PRIME

SOFIA



THERMO  
PREMIUM

BERGEN

##### KNOB-HANDLE\*



THERMO  
PRIME


BERGEN



THERMO  
PREMIUM

BERGEN

##### HANDRAIL-HANDLE\*



THERMO PRIME  
THERMO PREMIUM

AMSTERDAM  
BERGEN  
ROSTOCK

#### FITTINGS' COLOURS

PLATINUM ANODE

SILVER ANODE

BLACK ANODE

#### DOOR COLOURS


LIGHT WENGE




WHITE




STEEL GRAY



ANTHRACITE




DARK ANTHRACITE




BLACK



TWO-COLOUR DOOR\*



\* EXTRA CHARGE



**KPN KRONACH 1**



**KPPB KRONACH 2 B**

Door size	80	90N	90E	100E
Door height (DUOTHERM / ALUTHERM)	2076 / 2087-2400 mm			

MODEL	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
<b>KPN KRONACH 1 / KPNB KRONACH 1 B</b>	✓	✓	✓
<b>KPP KRONACH 2 / KPPB KRONACH 2 B</b>	✓	✓	✓
<b>KPT KRONACH 3 / KPTB KRONACH 3 B</b>	✓	✓	-
<b>KPZ KRONACH 4 / KPZB KRONACH 4 B</b>	✓	✓	-

## RC2 STANDARD EQUIPMENT

- SOLID DOOR LEAF
- 4 SIDES REBATED
- THERMO PREMIUM – DUOTHERM DOOR FRAME
- THERMO PRIME – ALUTHERM 75 DOOR FRAME
- HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING FITTING'S COLOUR
- WARM THRESHOLD
- FITTINGS SET WITH LOCK CYLINDER PROTECTION
- BERGEN ESCUTCHEONS WITH ALEX HANDLES
- THERMO PREMIUM – CLASS 5 LOCK CYLINDER, SINGLE KEY SYSTEM, BOLT LOCK
- THERMO PRIME – CLASS 5 LOCK CYLINDER, 3 POINT HOOKED MORTISE LOCK OR 5 POINT AUTOMATIC MORTISE LOCK

• INSERTS

INOX

BLACK


## EXTRA CHARGES

CUSTOM HEIGHT (THERMO PRIME)	2150 - 2200 mm
AVAILABLE COLOURS: FRP, FDE, FDW, FKG, FKF	2250 - 2300 mm
	2350 - 2400 mm
ALUTHERM DOOR FRAME (THERMO PREMIUM DOOR)	ROSTOCK HANDRAIL 2000 mm
TWO-COLOUR DOOR	AMSTERDAM / MONTREAL HANDRAIL
RC3 PACKAGE	ELECTRIC STRIKE RECOMMENDED 1800 mm
CLASS 6 LOCK CYLINDER, SINGLE KEY SYSTEM	1700 mm
UPPER ESCUTCHEON PROTECTION (THERMO PREMIUM)	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE 1500 mm
KNOB-HANDLE	1000 mm
REED SWITCH	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON 1700 mm
INSERT AND APPLICATION – OPPOSITE SIDE	ELECTRIC STRIKE NECESSARY 1500 mm
INSERT – OPPOSITE SIDE	DOOR SHORTENING (10, 20, 30, 40 mm)
SIZE 100E	
INTEGRATED CLOSER	TEDEE SET
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	

FIXED GLAZED SIDE PANELS: PAGES 88-89, FULL EQUIPMENT LIST: PAGES 94-99


## DOOR COLOURS

ALPINE WALNUT




FRR

MAHOGANY




FMA

BRAZILIAN WALNUT




FRB

LIGHT WALNUT




FRP

GOLDEN OAK



FDE

WINCHESTER



FDW

TURNER OAK



FDT



**KPT KRONACH 3**



**KPZ KRONACH 4**



**INTERNAL SIDE**

### THERMO PRIME 75 DOOR CONFIGURATION





**KPN KRONACH 1**



**INTERNAL SIDE**

#### FITTINGS


##### HANDLE-HANDLE



##### KNOB-HANDLE\*



##### HANDRAIL-HANDLE\*



#### FITTINGS' COLOURS

PLATINUM ANODE

SILVER ANODE

BLACK ANODE

#### DOOR COLOURS

LIGHT WENGE




WHITE




STEEL GRAY




ANTHRACITE



DARK ANTHRACITE



BLACK



TWO-COLOUR DOOR\*



\* EXTRA CHARGE



**KPJ REGEN 1**

Door size	80	90N	90E	100E
Door height (DUOTHERM / ALUTHERM)	2076 / 2087-2400 mm			

MODEL	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
<b>KPJ REGEN 1 / KPJB REGEN 1 B</b>	✓	✓	✓
<b>KPK REGEN 2 / KPKB REGEN 2 B</b>	✓	✓	✓
<b>KPL REGEN 3 / KPLB REGEN 3 B</b>	✓	✓	✓
<b>KPS REGEN 4 / KPSB REGEN 4 B</b>	✓	✓	✓
<b>KPM REGEN 5 / KPMB REGEN 5 B</b>	✓	✓	✓
<b>KPR REGEN 6 / KPRB REGEN 6 B</b>	✓	✓	✓

## RC2 STANDARD EQUIPMENT

- SOLID DOOR LEAF
- 4 SIDES REBATED
- THERMO PREMIUM – DUOTHERM DOOR FRAME
- THERMO PRIME – ALUTHERM 75 DOOR FRAME
- HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING FITTING'S COLOUR
- WARM THRESHOLD
- FITTINGS SET WITH LOCK CYLINDER PROTECTION
- BERGEN ESCUTCHEONS WITH ALEX HANDLES
- THERMO PREMIUM – CLASS 5 LOCK CYLINDER, SINGLE KEY SYSTEM, BOLT LOCK
- THERMO PRIME – CLASS 5 LOCK CYLINDER, 3 POINT HOOKED MORTISE LOCK OR 5 POINT AUTOMATIC MORTISE LOCK

- INSERTS **INOX** **BLACK**

## EXTRA CHARGES

CUSTOM HEIGHT (THERMO PRIME)	2150 – 2200 mm
AVAILABLE COLOURS: FRP, FDE, FDW, FKG, FKF	2250 – 2300 mm
	2350 – 2400 mm
ALUTHERM DOOR FRAME (THERMO PREMIUM DOOR)	ROSTOCK HANDRAIL 2000 mm
TWO-COLOUR DOOR	AMSTERDAM / MONTREAL HANDRAIL
RC3 PACKAGE	ELECTRIC STRIKE RECOMMENDED 1800 mm
CLASS 6 LOCK CYLINDER, SINGLE KEY SYSTEM	1700 mm
UPPER ESCUTCHEON PROTECTION (THERMO PREMIUM)	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE 1500 mm
KNOB-HANDLE	1000 mm
REED SWITCH	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON 1700 mm
INSERT AND APPLICATION – OPPOSITE SIDE	ELECTRIC STRIKE NECESSARY 1500 mm
INSERT – OPPOSITE SIDE	DOOR SHORTENING (10, 20, 30, 40 mm)
SIZE 100E	
INTEGRATED CLOSER	TEDEE SET
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	

FIXED GLAZED SIDE PANELS: PAGES 88–89, FULL EQUIPMENT LIST: PAGES 94–99



**KPK REGEN 2**

## DOOR COLOURS

ALPINE WALNUT	MAHOGANY	BRAZILIAN WALNUT	LIGHT WALNUT	GOLDEN OAK	WINCHESTER	TURNER OAK
FRR	FMA	FRB	FRP	FDE	FDW	FDT





**KPL REGEN 3**



**KPS REGEN 4**



**KPM REGEN 5**

### THERMO PRIME 75 DOOR CONFIGURATION



**KPRB REGEN 6 B**






**KPJ REGEN 1**





**INTERNAL SIDE**

#### FITTINGS


##### HANDLE-HANDLE



##### KNOB-HANDLE\*



##### HANDRAIL-HANDLE\*



#### FITTINGS' COLOURS

PLATINUM ANODE

SILVER ANODE

BLACK ANODE

#### DOOR COLOURS


LIGHT WENGE




WHITE




STEEL GRAY




ANTHRACITE



DARK ANTHRACITE



BLACK



TWO-COLOUR DOOR\*



\* EXTRA CHARGE



**KPE DREZNO 1**



**KPFB DREZNO 2 B**

<b>Door size</b>	80	90N	90E	100E
<b>Door height</b> (DUOTHERM / ALUTHERM)	2076 / 2087-2400 mm			

MODEL	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
<b>KPE DREZNO 1 / KPEB DREZNO 1 B</b>	✓	✓	-
<b>KPF DREZNO 2 / KPFB DREZNO 2 B</b>	✓	✓	-
<b>KPH DREZNO 4 / KPHB DREZNO 4 B</b>	✓	✓	✓

## RC2 STANDARD EQUIPMENT

- SOLID DOOR LEAF
- 4 SIDES REBATED
- THERMO PREMIUM – DUOTHERM DOOR FRAME
- THERMO PRIME – ALUTHERM 75 DOOR FRAME
- HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING FITTING'S COLOUR
- INSERTS INOX BLACK
- WARM THRESHOLD
- FITTINGS SET WITH LOCK CYLINDER PROTECTION
- BERGEN ESCUTCHEONS WITH ALEX HANDLES
- THERMO PREMIUM – CLASS 5 LOCK CYLINDER, SINGLE KEY SYSTEM, BOLT LOCK
- THERMO PRIME – CLASS 5 LOCK CYLINDER, 3 POINT HOOKED MORTISE LOCK OR 5 POINT AUTOMATIC MORTISE LOCK


## EXTRA CHARGES

CUSTOM HEIGHT (THERMO PRIME)	2150 – 2200 mm
AVAILABLE COLOURS: FRP, FDE, FDW, FKG, FKF	2250 – 2300 mm
	2350 – 2400 mm
ALUTHERM DOOR FRAME (THERMO PREMIUM DOOR)	ROSTOCK HANDRAIL 2000 mm
TWO-COLOUR DOOR	AMSTERDAM / MONTREAL HANDRAIL
RC3 PACKAGE	ELECTRIC STRIKE RECOMMENDED 1800 mm
CLASS 6 LOCK CYLINDER, SINGLE KEY SYSTEM	1700 mm
UPPER ESCUTCHEON PROTECTION (THERMO PREMIUM)	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE 1500 mm
KNOB-HANDLE	1000 mm
REED SWITCH	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON 1700 mm
INSERT – OPPOSITE SIDE	ELECTRIC STRIKE NECESSARY 1500 mm
SIZE 100E	DOOR SHORTENING (10, 20, 30, 40 mm)
INTEGRATED CLOSER	
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	TEDEE SET


FIXED GLAZED SIDE PANELS: PAGES 88–89, FULL EQUIPMENT LIST: PAGES 94–99

## DOOR COLOURS


ALPINE WALNUT




MAHOGANY




BRAZILIAN WALNUT




LIGHT WALNUT



GOLDEN OAK



WINCHESTER



TURNER OAK





**KPH DREZNO 4**



**INTERNAL SIDE**

### THERMO PRIME 75 DOOR CONFIGURATION




**KPE DREZNO 4**



**INTERNAL SIDE**

#### FITTINGS

##### HANDLE-HANDLE



THERMO PRIME

SOFIA



BERGEN



THERMO PREMIUM


BERGEN

##### KNOB-HANDLE\*



THERMO PRIME


BERGEN



THERMO PREMIUM

BERGEN

##### HANDRAIL-HANDLE\*



THERMO PRIME  
THERMO PREMIUM

1000 mm  
1500 mm  
1700 mm  
1800 mm  
2000 mm

AMSTERDAM  
BERGEN  
ROSTOCK

#### FITTINGS' COLOURS

PLATINUM ANODE

SILVER ANODE

BLACK ANODE

#### DOOR COLOURS

LIGHT WENGE




FEJ

WHITE




FSB

STEEL GRAY




FKZ

ANTHRACITE




FKG

DARK ANTHRACITE



FKF

BLACK



FKC

TWO-COLOUR DOOR\*



INTERNAL

EXTERNAL

\* EXTRA CHARGE



**KPAB ERFURT 1 B**



**KPB ERFURT 2**

Szerokość drzwi	80	90N	90E	100E
Wysokość drzwi (DUOTHERM / ALUTHERM)	2076 / 2087-2400 mm			

MODEL	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
<b>KPA ERFURT 1 / KPAB ERFURT 1 B</b>	✓	✓	✓
<b>KPB ERFURT 2 / KPBB ERFURT 2 B</b>	✓	✓	✓
<b>KPC ERFURT 3 / KPCB ERFURT 3 B</b>	✓	✓	✓

## RC2 STANDARD EQUIPMENT

- SOLID DOOR LEAF
- 4 SIDES REBATED
- THERMO PREMIUM – DUOTHERM DOOR FRAME
- THERMO PRIME – ALUTHERM 75 DOOR FRAME
- HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING FITTING'S COLOUR
- INSERTS INOX BLACK
- WARM THRESHOLD
- FITTINGS SET WITH LOCK CYLINDER PROTECTION
- BERGEN ESCUTCHEONS WITH ALEX HANDLES
- THERMO PREMIUM – CLASS 5 LOCK CYLINDER, SINGLE KEY SYSTEM, BOLT LOCK
- THERMO PRIME – CLASS 5 LOCK CYLINDER, 3 POINT HOOKED MORTISE LOCK OR 5 POINT AUTOMATIC MORTISE LOCK


## EXTRA CHARGES

CUSTOM HEIGHT (THERMO PRIME)	2150 – 2200 mm	
AVAILABLE COLOURS: FRP, FDE, FDW, FKG, FKF	2250 – 2300 mm	
	2350 – 2400 mm	
ALUTHERM DOOR FRAME (THERMO PREMIUM DOOR)	ROSTOCK HANDRAIL	2000 mm
TWO-COLOUR DOOR	AMSTERDAM / MONTREAL HANDRAIL	
RC3 PACKAGE	ELECTRIC STRIKE RECOMMENDED	1800 mm
CLASS 6 LOCK CYLINDER, SINGLE KEY SYSTEM		1700 mm
UPPER ESCUTCHEON PROTECTION (THERMO PREMIUM)	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE	1500 mm
KNOB-HANDLE		1000 mm
REED SWITCH	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON	1700 mm
INSERT – OPPOSITE SIDE	ELECTRIC STRIKE NECESSARY	1500 mm
SIZE 100E	DOOR SHORTENING (10, 20, 30, 40 mm)	
INTEGRATED CLOSER		
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	TEDEE SET	


FIXED GLAZED SIDE PANELS: PAGES 88–89, FULL EQUIPMENT LIST: PAGES 94–99

## DOOR COLOURS


ALPINE WALNUT




MAHOGANY




BRAZILIAN WALNUT




LIGHT WALNUT



GOLDEN OAK



WINCHESTER



TURNER OAK





**KPC ERFURT 3**



**INTERNAL SIDE**

### THERMO PRIME 75 DOOR CONFIGURATION




**KPA ERFURT 1**



**INTERNAL SIDE**

#### FITTINGS

##### HANDLE-HANDLE



THERMO  
PRIME

SOFIA



BERGEN



THERMO  
PREMIUM

BERGEN

##### KNOB-HANDLE\*



THERMO  
PRIME


BERGEN



THERMO  
PREMIUM

BERGEN

##### HANDRAIL-HANDLE\*



THERMO PRIME  
THERMO PREMIUM

1000 mm  
1500 mm  
1700 mm  
1800 mm  
2000 mm

AMSTERDAM  
BERGEN  
ROSTOCK

#### FITTINGS' COLOURS

PLATINUM ANODE

SILVER ANODE

BLACK ANODE

#### DOOR COLOURS

LIGHT WENGE




FEJ

WHITE




FSB

STEEL GRAY




FKZ

ANTHRACITE




FKG

DARK ANTHRACITE




FKF

BLACK



FKC

TWO-COLOUR DOOR\*



INTERNAL

EXTERNAL

\* EXTRA CHARGE

# ELITE 3D

## BRIG / OLTEN / VISP / TRIN / BERNO



**ELA BRIG**

Door size	80	90N	90E	100E
Door height (DUOTHERM / ALUTHERM)	2076 / 2087-2400 mm			

MODEL	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
<b>ELA BRIG</b>	✓	✓	✓
<b>ELB OLTEN</b>	✓	✓	✓
<b>ELC VISP</b>	✓	✓	✓
<b>ELD TRIN</b>	✓	✓	✓
<b>ELE BERNO</b>	✓	✓	-

### RC2 STANDARD EQUIPMENT

• SOLID DOOR LEAF	• WARM THRESHOLD
• 4 SIDES REBATED	• FITTINGS SET WITH LOCK CYLINDER PROTECTION
• THERMO PREMIUM – DUOTHERM DOOR FRAME	• BERGEN ESCUTCHEONS WITH ALEX HANDLES
• THERMO PRIME – ALUTHERM 75 DOOR FRAME	• THERMO PREMIUM – CLASS 5 LOCK CYLINDER, SINGLE KEY SYSTEM, BOLT LOCK
• HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING FITTING'S COLOUR	• THERMO PRIME – CLASS 5 LOCK CYLINDER, 3 POINT HOOKED MORTISE LOCK OR 5 POINT AUTOMATIC MORTISE LOCK

### EXTRA CHARGES

CUSTOM HEIGHT (THERMO PRIME)	2150 – 2200 mm
AVAILABLE COLOURS: FRP, FDE, FDW, FKG, FKF	2250 – 2300 mm
	2350 – 2400 mm
ALUTHERM DOOR FRAME (THERMO PREMIUM DOOR)	REED SWITCH
TWO-COLOUR DOOR	FRAME – OPPOSITE SIDE
RC3 PACKAGE	SIZE 100E
CLASS 6 LOCK CYLINDER, SINGLE KEY SYSTEM	INTEGRATED CLOSER
UPPER ESCUTCHEON PROTECTION (THERMO PREMIUM)	ELECTRIC STRIKE WITH DAY / NIGHT FEATURE
KNOB-HANDLE	DOOR SHORTENING (10, 20, 30, 40 mm)
	TEDEE SET

FIXED GLAZED SIDE PANELS: PAGES 88-89, FULL EQUIPMENT LIST: PAGES 94-99



**ELB OLTEN**

### FRAME

#### CLASSIC




#### MODERN




### DOOR COLOURS


#### ALPINE WALNUT




#### MAHOGANY




#### BRAZILIAN WALNUT




#### LIGHT WALNUT



#### GOLDEN OAK



#### WINCHESTER



#### TURNER OAK





**ELC VISP**



**ELD TRIN**



**ELE BERNO**

### THERMO PRIME 75 DOOR CONFIGURATION




**ELA BRIG**



**INTERNAL SIDE**

### FITTINGS

#### HANDLE-HANDLE



THERMO PRIME

SOFIA




BERGEN



THERMO PREMIUM

BERGEN

#### KNOB-HANDLE\*



THERMO PRIME

BERGEN



THERMO PREMIUM

BERGEN

### FITTINGS' COLOURS

PLATINUM ANODE

SILVER ANODE

BLACK ANODE

### DOOR COLOURS

LIGHT WENGE




FEJ

WHITE




FSB

STEEL GRAY




FKZ

ANTHRACITE




FKG

DARK ANTHRACITE



FKF

BLACK



FKC

TWO-COLOUR DOOR\*



INTERNAL

EXTERNAL

\* EXTRA CHARGE



**NS1B MILANO 8 B**



**NS2 MILANO 9**

Door size (THERMO PRIME, THERMO PREMIUM)	-	80	90N	90E	100E
Door height (DUOTHERM, PERFOTHERM / ALUTHERM)	2076 / 2087-2400 mm				
Door size (OPTIMA)	80N	80	90N	90E	100E

MODEL	OPTIMA 60	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
<b>NS1 MILANO 8 / NS1B MILANO 8 B</b>	✓	✓	✓	✓
<b>NS2 MILANO 9 / NS2B MILANO 9 B</b>	✓	✓	✓	✓
<b>NS3 MILANO 10 / NS3B MILANO 10 B</b>	✓	✓	✓	✓
<b>NS4 MILANO 11 / NS4B MILANO 11 B</b>	✓	✓	✓	✓
<b>NS9 MILANO 12 / NS9B MILANO 12 B</b>	✓	✓	✓	✓

## RC2 STANDARD EQUIPMENT

- GLAZED DOOR LEAF
- THERMO PRIME, THERMO PREMIUM – 4 SIDES REBATED
- OPTIMA – 3 SIDES REBATED
- THERMO PRIME – ALUTHERM DOOR FRAME
- THERMO PREMIUM – DUOTHERM DOOR FRAME
- OPTIMA – PERFOTHERM DOOR FRAME
- THERMO PRIME, THERMO PREMIUM – HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING FITTING'S COLOUR
- OPTIMA – HINGES ADJUSTABLE IN TWO PLANES WITH CAPS MATCHING FITTING'S COLOUR
- DOUBLE-SIDED PATTERN
- ALUMINUM THRESHOLD
- FITTINGS SET WITH LOCK CYLINDER PROTECTION
- THERMO PRIME – BERGEN SPLIT ESCUTCHEONS
- THERMO PREMIUM – BERGEN LONG ESCUTCHEONS
- OPTIMA – BLOK SPLIT ESCUTCHEONS
- THERMO PRIME – CLASS 5 LOCK CYLINDER, 3 POINT HOOKED MORTISE LOCK OR 5 POINT AUTOMATIC MORTISE LOCK
- THERMO PREMIUM, OPTIMA – CLASS 5 LOCK CYLINDER, SINGLE KEY SYSTEM, BOLT LOCK

## EXTRA CHARGES

CUSTOM HEIGHT (THERMO PRIME)	2150 – 2200 mm	
AVAILABLE COLOURS: FRP, FDE, FDW, FKG, FKF	2250 – 2300 mm	
	2350 – 2400 mm	
ALUTHERM 75 DOOR FRAME	ROSTOCK HANDRAIL (T. PRIME, T.PREMIUM)	2000 mm
ALUTHERM 60 DOOR FRAME	AMSTERDAM / MONTREAL HANDRAIL	
TWO-COLOUR DOOR	ELECTRIC STRIKE RECOMMENDED	1800 mm
CLASS 6 LOCK CYLINDER, SINGLE KEY SYSTEM		1700 mm
UPPER ESCUTCHEON PROTECTION (THERMO PREMIUM, OPTIMA)	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE	1500 mm
KNOB-HANDLE		1000 mm
REED SWITCH	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON	1700 mm
SIZE 100E	ELECTRIC STRIKE NECESSARY	1500 mm
INTEGRATED CLOSER (THERMO PRIME, THERMO PREMIUM)	DOOR SHORTENING NS1, NS2, NS3, NS9 (10, 20, 30, 40 mm)	
	NS4 (10, 20, 30, 40, 60, 80, 100 mm)	
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	TEDEE SET	


FIXED GLAZED SIDE PANELS: PAGES 88-89, FULL EQUIPMENT LIST: PAGES 94-99

## GLASS

### MATTE



### MATTE SEE-THROUGH STRIPES




### MIRA STAR MIRROR




## DOOR COLOURS

### ALPINE WALNUT




FRR

### MAHOGANY




FMA

### BRAZILIAN WALNUT




FRB

### LIGHT WALNUT




FRP

### GOLDEN OAK



FDE

### WINCHESTER



FDW

### TURNER OAK



FDT





NS3 MILANO 10



NS4 MILANO 11



NS9 MILANO 12

### THERMO PRIME 75 DOOR CONFIGURATION



NS1B MILANO 8 B



INTERNAL SIDE

### FITTINGS

#### HANDLE-HANDLE

THERMO PRIME



SOFIA

THERMO PREMIUM OPTIMA 60



BERGEN



BERGEN

OPTIMA 60




BLOK



BERGEN

#### HANDRAIL-HANDLE\*

THERMO PRIME  
THERMO PREMIUM  
OPTIMA 60



AMSTERDAM  
BERGEN  
ROSTOCK



### FITTINGS' COLOURS

PLATINUM ANODE

SILVER ANODE

BLACK ANODE

### DOOR COLOURS

LIGHT WENGE




FEJ

WHITE




FSB

STEEL GRAY




FKZ

ANTHRACITE



FKG

DARK ANTHRACITE




FKF

BLACK



FKC

TWO-COLOUR DOOR\*



INTERNAL

EXTERNAL

\* EXTRA CHARGE

# TEMPO HANOVER / INNSBRUCK

# GERDA®



**NS5B HANOVER 5 B**

Door size (THERMO PRIME, THERMO PREMIUM)	-	80	90N	90E	100E
Door height (DUOTHERM, PERFOTHERM / ALUTHERM)	2076 / 2087-2400 mm				
Door size (OPTIMA)	80N	80	90N	90E	100E

MODEL	OPTIMA 60	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
<b>NS5 HANOVER 5 / NS5B HANOVER 5 B</b>	✓	✓	✓	✓
<b>NS6 HANOVER 6 / NS6B HANOVER 6 B</b>	✓	✓	✓	✓
<b>NS7 INNSBRUCK / NS7B INNSBRUCK B</b>	✓	✓	✓	✓

## RC2 STANDARD EQUIPMENT

<ul style="list-style-type: none"> <li>GLAZED DOOR LEAF</li> <li>THERMO PRIME, THERMO PREMIUM – 4 SIDES REBATED</li> <li>OPTIMA – 3 SIDES REBATED</li> <li>THERMO PRIME – ALUTHERM DOOR FRAME</li> <li>THERMO PREMIUM – DUOTHERM DOOR FRAME</li> <li>OPTIMA – PERFOTHERM DOOR FRAME</li> </ul>	<ul style="list-style-type: none"> <li>ALUMINUM THRESHOLD</li> <li>FITTINGS SET WITH LOCK CYLINDER PROTECTION</li> <li>THERMO PRIME – BERGEN SPLIT ESCUTCHEONS</li> <li>THERMO PREMIUM – BERGEN LONG ESCUTCHEONS</li> <li>OPTIMA – BLOK SPLIT ESCUTCHEONS</li> </ul>
<ul style="list-style-type: none"> <li>THERMO PRIME, THERMO PREMIUM – HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING FITTING'S COLOUR</li> <li>OPTIMA – HINGES ADJUSTABLE IN TWO PLANES WITH CAPS MATCHING FITTING'S COLOUR</li> <li>DOUBLE-SIDED PATTERN</li> </ul>	<ul style="list-style-type: none"> <li>THERMO PRIME – CLASS 5 LOCK CYLINDER, 3 POINT HOOKED MORTISE LOCK OR 5 POINT AUTOMATIC MORTISE LOCK</li> <li>THERMO PREMIUM, OPTIMA – CLASS 5 LOCK CYLINDER, SINGLE KEY SYSTEM, BOLT LOCK</li> </ul>

## EXTRA CHARGES

CUSTOM HEIGHT (THERMO PRIME) AVAILABLE COLOURS: FRP, FDE, FDW, FKG, FKF	2150 – 2200 mm 2250 – 2300 mm 2350 – 2400 mm
ALUTHERM 75 DOOR FRAME ALUTHERM 60 DOOR FRAME	ROSTOCK HANDRAIL (T. PRIME, T.PREMIUM) 2000 mm
TWO-COLOUR DOOR	AMSTERDAM / MONTREAL HANDRAIL ELECTRIC STRIKE RECOMMENDED 1800 mm
CLASS 6 LOCK CYLINDER, SINGLE KEY SYSTEM	1700 mm
UPPER ESCUTCHEON PROTECTION (THERMO PREMIUM, OPTIMA)	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE 1500 mm 1000 mm
KNOB-HANDLE	
REED SWITCH	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON 1700 mm
SIZE 100E	ELECTRIC STRIKE NECESSARY 1500 mm
INTEGRATED CLOSER (THERMO PRIME, THERMO PREMIUM)	DOOR SHORTENING NS1, NS2, NS3, NS9 (10, 20, 30, 40 mm) NS4 (10, 20, 30, 40, 60, 80, 100 mm)
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	TEDEE SET

FIXED GLAZED SIDE PANELS: PAGES 88-89, FULL EQUIPMENT LIST: PAGES 94-99



**NS6 HANOVER 6**

## GLASS

MATTE




MIRA STAR  
MIRROR




## DOOR COLOURS


ALPINE WALNUT




MAHOGANY




BRAZILIAN WALNUT




LIGHT WALNUT



GOLDEN OAK



WINCHESTER



TURNER OAK





NS7 INNSBRUCK

#### THERMO PRIME 75 DOOR CONFIGURATION



NS5B HANOVER 5 B



INTERNAL SIDE

#### FITTINGS

##### HANDLE-HANDLE

THERMO PRIME



SOFIA



BERGEN

THERMO PREMIUM OPTIMA 60



BERGEN

OPTIMA 60




BLOK



BERGEN

##### HANDRAIL-HANDLE\*

THERMO PRIME  
THERMO PREMIUM  
OPTIMA 60



AMSTERDAM  
BERGEN  
ROSTOCK

#### FITTINGS' COLOURS

PLATINUM ANODE

SILVER ANODE

BLACK ANODE

#### DOOR COLOURS


LIGHT WENGE




WHITE




STEEL GRAY




ANTHRACITE




DARK ANTHRACITE



BLACK



TWO-COLOUR DOOR\*



\* EXTRA CHARGE



WOO PLAIN

Door size (THERMO PRIME, THERMO PREMIUM)	-	80	90N	90E	100E
Door height (DUOTHERM, PERFOTHERM / ALUTHERM)	2076 / 2087-2400 mm				
Door size (OPTIMA)	80N	80	90N	90E	100E

MODEL	OPTIMA 50	OPTIMA 60	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
WOO PLAIN	✓	✓	✓	✓	✓

## RC2 STANDARD EQUIPMENT

• SOLID DOOR LEAF	• ALUMINUM THRESHOLD
• THERMO PRIME, THERMO PREMIUM – 4 SIDES REBATED	• FITTINGS SET WITH LOCK CYLINDER PROTECTION
• OPTIMA – 3 SIDES REBATED	
• THERMO PRIME – ALUTHERM DOOR FRAME	• THERMO PRIME – BERGEN SPLIT ESCUTCHEONS
• THERMO PREMIUM – DUOTHERM DOOR FRAME	• THERMO PREMIUM – BERGEN LONG ESCUTCHEONS
• OPTIMA – PERFOTHERM DOOR FRAME	• OPTIMA – BLOK SPLIT ESCUTCHEONS
• THERMO PRIME, THERMO PREMIUM – HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING FITTING'S COLOUR	• THERMO PRIME – CLASS 5 LOCK CYLINDER, 3 POINT HOOKED MORTISE LOCK OR 5 POINT AUTOMATIC MORTISE LOCK
• OPTIMA – HINGES ADJUSTABLE IN TWO PLANES WITH CAPS MATCHING FITTING'S COLOUR	• THERMO PREMIUM, OPTIMA – CLASS 5 LOCK CYLINDER, SINGLE KEY SYSTEM, BOLT LOCK


## EXTRA CHARGES

CUSTOM HEIGHT (THERMO PRIME)	2150 – 2200 mm	
AVAILABLE COLOURS: FRP, FDE, FDW, FKG, FKF	2250 – 2300 mm	
	2350 – 2400 mm	
ALUTHERM 75 DOOR FRAME	ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	
ALUTHERM 60 DOOR FRAME		
PERFOTHERM 50 DOOR FRAME	ROSTOCK HANDRAIL (THERMO PRIME, THERMO PREMIUM)	2000 mm
TWO-COLOUR DOOR	AMSTERDAM / MONTREAL HANDRAIL	
RC3 PACKAGE	ELECTRIC STRIKE RECOMMENDED	1800 mm
CLASS 6 LOCK CYLINDER, SINGLE KEY SYSTEM		1700 mm
UPPER ESCUTCHEON PROTECTION (THERMO PREMIUM, OPTIMA)	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE	1500 mm
		1000 mm
KNOB-HANDLE	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON	1700 mm
REED SWITCH	ELECTRIC STRIKE NECESSARY	1500 mm
SIZE 100E	DOOR SHORTENING (10, 20, 30, 40, 60, 80, 100 mm)	
INTEGRATED CLOSER (THERMO PRIME, THERMO PREMIUM)	TEDEE SET	


FIXED GLAZED SIDE PANELS: PAGES 88–89, FULL EQUIPMENT LIST: PAGES 94–99

## DOOR COLOURS


ALPINE WALNUT




MAHOGANY




BRAZILIAN WALNUT




LIGHT WALNUT



GOLDEN OAK



WINCHESTER



TURNER OAK





WOO PLAIN



INTERNAL SIDE

### THERMO PRIME 75 DOOR CONFIGURATION





WOO PLAIN




INTERNAL SIDE

### FITTINGS

#### HANDLE-HANDLE



#### HANDRAIL-HANDLE\*



#### FITTINGS' COLOURS



### DOOR COLOURS



\* EXTRA CHARGE



**SNU MILANO 4**



**SNUA MILANO 4 A**

<b>Door size</b>	80N	80	90N	90E	100E
<b>Door height</b> (PERFOTHERM / ALUTHERM)	2076 / 2087 mm				

MODEL	OPTIMA 50	OPTIMA 60
<b>SNU MILANO 4</b>	-	✓
<b>SNUA MILANO 4 A</b>	-	✓
<b>SNUB MILANO 4 B</b>	-	✓

## RC2 STANDARD EQUIPMENT


- GLAZED DOOR LEAF
- 3 SIDES REBATED
- PERFOTHERM DOOR FRAME
- HINGES ADJUSTABLE IN TWO PLANES WITH CAPS MATCHING FITTING'S COLOUR
- DOUBLE-SIDED PATTERN
- ALUMINUM THRESHOLD
- FITTINGS SET WITH LOCK CYLINDER PROTECTION
- BERGEN AND BLOK SPLIT ESCUTCHEONS
- CLASS 5 LOCK CYLINDER, SINGLE KEY SYSTEM, BOLT LOCK

## EXTRA CHARGES


ALUTHERM DOOR FRAME	AMSTERDAM / MONTREAL HANDRAIL ELECTRIC STRIKE RECOMMENDED	1800 mm
TWO-COLOUR DOOR		1700 mm
CLASS 6 LOCK CYLINDER, SINGLE KEY SYSTEM	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE	1500 mm
UPPER ESCUTCHEON PROTECTION		1000 mm
KNOB-HANDLE	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON	1700 mm
REED SWITCH	ELECTRIC STRIKE NECESSARY	1500 mm
SIZE 100E	DOOR SHORTENING (10, 20, 30, 40, 60, 80, 100 mm)	
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	TEDEE SET	

FIXED GLAZED SIDE PANELS: PAGES 88-89, FULL EQUIPMENT LIST: PAGES 94-99

## GLASS



## DOOR COLOURS








**SNUB MILANO 4 B**

### FITTINGS

#### HANDLE-HANDLE




OPTIMA 60




#### KNOB-HANDLE\*

OPTIMA 60



#### HANDRAIL-HANDLE\*

OPTIMA 60



#### FITTINGS' COLOURS

PLATINUM ANODE

SILVER ANODE

BLACK ANODE

### DOOR COLOURS


LIGHT WENGE




WHITE




STEEL GRAY




ANTHRACITE



DARK ANTHRACITE



BLACK



TWO-COLOUR DOOR\*



\* EXTRA CHARGE




**NT1 TURYN 1**



**NT1B TURYN 1 B**


## DOOR COLOURS

ALPINE WALNUT




FRR

MAHOGANY




FMA

BRAZILIAN WALNUT




FRB

LIGHT WALNUT




FRP

GOLDEN OAK



FDE

WINCHESTER



FDW

TURNER OAK



FDT

Door size	80N	80	90N	90E	100E
Door height (PERFOTHERM / ALUTHERM)	2076 / 2087 mm				

MODEL	OPTIMA 50	OPTIMA 60
NT1 TURYN 1	-	✓
NT1B TURYN 1 B	-	✓
NT2 TURYN 2	-	✓
NT2B TURYN 2 B	-	✓

## RC2 STANDARD EQUIPMENT

- GLAZED DOOR LEAF
- 3 SIDES REBATED
- PERFOTHERM DOOR FRAME
- HINGES ADJUSTABLE IN TWO PLANES WITH CAPS MATCHING FITTING'S COLOUR
- DOUBLE-SIDED PATTERN
- ALUMINUM THRESHOLD
- FITTINGS SET WITH LOCK CYLINDER PROTECTION
- BERGEN AND BLOK SPLIT ESCUTCHEONS
- CLASS 5 LOCK CYLINDER, SINGLE KEY SYSTEM, BOLT LOCK


## EXTRA CHARGES

ALUTHERM DOOR FRAME	AMSTERDAM / MONTREAL HANDRAIL ELECTRIC STRIKE RECOMMENDED	1800 mm
TWO-COLOUR DOOR		1700 mm
CLASS 6 LOCK CYLINDER, SINGLE KEY SYSTEM	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE	1500 mm
UPPER ESCUTCHEON PROTECTION		1000 mm
KNOB-HANDLE	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON ELECTRIC STRIKE NECESSARY	1700 mm
REED SWITCH		1500 mm
SIZE 100E	DOOR SHORTENING (10, 20, 30, 40, 60, 80, 100 mm)	
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	TEDEE SET	


FIXED GLAZED SIDE PANELS: PAGES 88-89, FULL EQUIPMENT LIST: PAGES 94-99

## GLASS

MATTE




MATTE  
SEE-THROUGH STRIPES



REFLEX GRAPHITE



MIRA STAR  
MIRROR







NT2 TURYN 2



NT2B TURYN 2 B

### FITTINGS

#### HANDLE-HANDLE



BERGEN

OPTIMA 60




BLOK



BERGEN

#### KNOB-HANDLE\*

OPTIMA 60




BERGEN

BLOK

#### HANDRAIL-HANDLE\*

OPTIMA 60



AMSTERDAM  
BERGEN

#### FITTINGS' COLOURS

PLATINUM ANODE

SILVER ANODE

BLACK ANODE

### DOOR COLOURS

LIGHT WENGE




FEJ

WHITE




FSB

STEEL GRAY




FKZ

ANTHRACITE




FKG

DARK ANTHRACITE



FKF

BLACK



FKC

TWO-COLOUR DOOR\*



INTERNAL

EXTERNAL

\* EXTRA CHARGE

# TEMPO BERGAMO / NICEA / BERLIN

# GERDA®



**SOJ BERGAMO 2**



**SJ9 NICEA 9**

Door size	80N	80	90N	90E	100E
Door height (PERFOTHERM / ALUTHERM)	2076 / 2087 mm				
<b>MODEL</b>	<b>OPTIMA 50</b>		<b>OPTIMA 60</b>		
<b>SOJ BERGAMO 2</b>	-		✓		
<b>SJ9 NICEA 9</b>	-		✓		
<b>SBE BERLIN</b>	-		✓		

## RC2 STANDARD EQUIPMENT


- GLAZED DOOR LEAF
- 3 SIDES REBATED
- PERFOTHERM DOOR FRAME
- HINGES ADJUSTABLE IN TWO PLANES WITH CAPS MATCHING FITTING'S COLOUR
- DOUBLE-SIDED PATTERN
- ALUMINUM THRESHOLD
- FITTINGS SET WITH LOCK CYLINDER PROTECTION
- BERGEN AND BLOK SPLIT ESCUTCHEONS
- CLASS 5 LOCK CYLINDER, SINGLE KEY SYSTEM, BOLT LOCK

## EXTRA CHARGES

ALUTHERM DOOR FRAME	AMSTERDAM / MONTREAL HANDRAIL ELECTRIC STRIKE RECOMMENDED	1800 mm
TWO-COLOUR DOOR		1700 mm
CLASS 6 LOCK CYLINDER, SINGLE KEY SYSTEM	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE	1500 mm 1000 mm
UPPER ESCUTCHEON PROTECTION		
KNOB-HANDLE	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON ELECTRIC STRIKE NECESSARY	1700 mm 1500 mm
REED SWITCH		
SIZE 100E	DOOR SHORTENING SJ9 (10, 20, 30, 40 mm) SBE (10, 20, 30, 40, 60, 80, 100 mm)	
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	TEDEE SET	

FIXED GLAZED SIDE PANELS: PAGES 88-89, FULL EQUIPMENT LIST: PAGES 94-99

## GLASS model BERGAMO / NICEA



## DOOR COLOURS


ALPINE WALNUT	MAHOGANY	BRAZILIAN WALNUT	LIGHT WALNUT	GOLDEN OAK	WINCHESTER	TURNER OAK
FRR	FMA	FRB	FRP	FDE	FDW	FDT



**SBE BERLIN**

### GLASS model BERLIN

MATTE



REFLEX BROWN




LIGHT WENGE




WHITE




STEEL GRAY




ANTHRACITE



DARK ANTHRACITE



BLACK




TWO-COLOUR DOOR\*



\* EXTRA CHARGE

### FITTINGS

HANDLE-HANDLE




BERGEN

OPTIMA 60




BLOK



BERGEN

KNOB-HANDLE\*




OPTIMA 60

BERGEN

BLOK

HANDRAIL-HANDLE\*



OPTIMA 60

AMSTERDAM  
BERGEN

FITTINGS' COLOURS

PLATINUM ANODE

SILVER ANODE

BLACK ANODE

### DOOR COLOURS



**ST4 UPPSALA 1**  
(pressed without inserts)

Door size	80N	80	90N	90E	100E
Door height (FB, PERFOTHERM / ALUTHERM)	2076 / 2087 mm				

MODEL	OPTIMA 50	OPTIMA 60
<b>ST4 UPPSALA 1</b>	✓	✓
<b>ST4A UPPSALA 1 A</b>	✓	✓

## RC2 STANDARD EQUIPMENT

- SOLID DOOR LEAF
- 3 SIDES REBATED
- OPTIMA 60 – PERFOTHERM DOOR FRAME
- OPTIMA 50 – STEEL DOOR FRAME
- HINGES ADJUSTABLE IN TWO PLANES WITH CAPS MATCHING FITTING'S COLOUR
- DOUBLE-SIDED PATTERN
- ALUMINUM THRESHOLD
- FITTINGS SET WITH LOCK CYLINDER PROTECTION
- BERGEN AND BLOK SPLIT ESCUTCHEONS
- CLASS 5 LOCK CYLINDER, SINGLE KEY SYSTEM, BOLT LOCK
- INSERTY **INOX**


## EXTRA CHARGES

OPTIMA 60 – ALUTHERM 60 DOOR FRAME		1800 mm
OPTIMA 50 – PERFOTHERM 50 DOOR FRAME	AMSTERDAM / MONTREAL HANDRAIL	1700 mm
TWO-COLOUR DOOR	ELECTRIC STRIKE RECOMMENDED	1500 mm
RC3 PACKAGE		1000 mm
CLASS 6 LOCK CYLINDER, SINGLE KEY SYSTEM	AMSTERDAM / MONTREAL	1800 mm
UPPER ESCUTCHEON PROTECTION	HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE	1700 mm
KNOB-HANDLE		1500 mm
REED SWITCH		1000 mm
SIZE 100E	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON	1700 mm
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	ELECTRIC STRIKE NECESSARY	1500 mm
	TEDEE SET	


FIXED GLAZED SIDE PANELS: PAGES 88–89, FULL EQUIPMENT LIST: PAGES 94–99

## DOOR COLOURS


ALPINE WALNUT




MAHOGANY




BRAZILIAN WALNUT




LIGHT WALNUT



GOLDEN OAK



WINCHESTER



TURNER OAK








ST4A UPPSALA 1 A (INOX inserts)

### FITTINGS


#### HANDLE-HANDLE



#### KNOB-HANDLE\*



#### HANDRAIL-HANDLE\*



#### FITTINGS' COLOURS

PLATINUM ANODE

SILVER ANODE

BLACK ANODE

### DOOR COLOURS


LIGHT WENGE




WHITE




STEEL GRAY




ANTHRACITE



DARK ANTHRACITE



BLACK



TWO-COLOUR DOOR\*



\* EXTRA CHARGE



**TML TOKIO 1**  
(pressed without inserts)



**TMLA TOKIO 1A (INOX inserts)**

<b>Door size</b>	80N	80	90N	90E	100E
<b>Door height</b> (FB, PERFOTHERM / ALUTHERM)	2076 / 2087 mm				

MODEL	OPTIMA 50	OPTIMA 60
<b>TML TOKIO 1</b>	✓	✓
<b>TMLA TOKIO 1 A</b>	✓	✓
<b>TMM TOKIO 2</b>	✓	✓
<b>TMMA TOKIO 2 A</b>	✓	✓

### RC2 STANDARD EQUIPMENT

• SOLID DOOR LEAF	• ALUMINUM THRESHOLD
• 3 DOOR LEAF UPSTANDS	• FITTINGS SET WITH LOCK CYLINDER PROTECTION
• OPTIMA 50 – FB STEEL DOOR FRAME OPTIMA 60 – PERFOTHERM DOOR FRAME	• BERGEN AND BLOK SPLIT ESCUTCHEONS
• DOUBLE-SIDED PATTERN	• CLASS 5 LOCK CYLINDER, SINGLE KEY SYSTEM
• 2D-ADJUSTABLE HINGES WITH CAPS MATCHING FITTING'S COLOUR	• INSERTS <b>INOX</b>


### EXTRA CHARGES

OPTIMA 60 – ALUTHERM 60 DOOR FRAME		1800 mm
OPTIMA 50 – PERFOTHERM 50 DOOR FRAME	AMSTERDAM / MONTREAL HANDRAIL	1700 mm
TWO-COLOUR DOOR	ELECTRIC STRIKE RECOMMENDED	1500 mm
RC3 PACKAGE		1000 mm
CLASS 6 LOCK CYLINDER, SINGLE KEY SYSTEM		1800 mm
UPPER ESCUTCHEON PROTECTION	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE	1700 mm
KNOB-HANDLE		1500 mm
REED SWITCH		1000 mm
SIZE 100E	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON	1700 mm
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	ELECTRIC STRIKE NECESSARY	1500 mm
	TEDEE SET	


FIXED GLAZED SIDE PANELS: PAGES 88-89, FULL EQUIPMENT LIST: PAGES 94-99

### DOOR COLOURS


ALPINE WALNUT




MAHOGANY




BRAZILIAN WALNUT




LIGHT WALNUT



GOLDEN OAK



WINCHESTER



TURNER OAK







**TMM TOKIO 2**  
(pressed without inserts)




**TMM TOKIO 2A (INOX inserts)**

### FITTINGS


#### HANDLE-HANDLE



#### KNOB-HANDLE\*



#### HANDRAIL-HANDLE\*



#### FITTINGS' COLOURS

PLATINUM ANODE

SILVER ANODE

BLACK ANODE

### DOOR COLOURS


LIGHT WENGE




WHITE




STEEL GRAY




ANTHRACITE



DARK ANTHRACITE



BLACK



TWO-COLOUR DOOR\*



\* EXTRA CHARGE

# TEMPO RYGA / LUND / ASPEN

# GERDA®



**ST8 RYGA**



**ST9 LUND**

Door size	80N	80	90N	90E	100E
Door height (FB, PERFOTHERM / ALUTHERM)	2076 / 2087 mm				

MODEL	OPTIMA 50	OPTIMA 60
<b>ST8 RYGA</b>	✓	✓
<b>ST9 LUND</b>	✓	✓
<b>WBA ASPEN 1</b>	✓	✓
<b>TN7 ASPEN 2</b>	✓	✓
<b>TN7B ASPEN 2 B</b>	✓	✓

## RC2 STANDARD EQUIPMENT

- SOLID DOOR LEAF
- 3 DOOR LEAF UPSTANDS
- OPTIMA 50 – FB STEEL DOOR FRAME  
OPTIMA 60 – PERFOTHERM DOOR FRAME
- DOUBLE-SIDED PATTERN
- 2D-ADJUSTABLE HINGES WITH CAPS MATCHING FITTING'S COLOUR
- ALUMINUM THRESHOLD
- FITTINGS SET WITH LOCK CYLINDER PROTECTION
- BERGEN AND BLOK SPLIT ESCUTCHEONS
- CLASS 5 LOCK CYLINDER, SINGLE KEY SYSTEM
- INSERTS **INOX** **BLACK\***

## EXTRA CHARGES


\*only for ASPEN

OPTIMA 60 – ALUTHERM 60 DOOR FRAME		1800 mm
OPTIMA 50 – PERFOTHERM 50 DOOR FRAME	AMSTERDAM / MONTREAL HANDRAIL	1700 mm
TWO-COLOUR DOOR	ELECTRIC STRIKE RECOMMENDED	1500 mm
RC3 PACKAGE		1000 mm
CLASS 6 LOCK CYLINDER, SINGLE KEY SYSTEM		1800 mm
UPPER ESCUTCHEON PROTECTION	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE	1700 mm
KNOB-HANDLE		1500 mm
REED SWITCH		1000 mm
SIZE 100E	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON	1700 mm
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	ELECTRIC STRIKE NECESSARY	1500 mm
DOOR SHORTENING WBA, TN7, TN7B (10, 20, 30, 40, 60, 80, 100 mm)	TEDEE SET	


FIXED GLAZED SIDE PANELS: PAGES 88–89, FULL EQUIPMENT LIST: PAGES 94–99

## DOOR COLOURS


ALPINE WALNUT




MAHOGANY




BRAZILIAN WALNUT




LIGHT WALNUT



GOLDEN OAK



WINCHESTER



TURNER OAK







**WBA ASPEN 1**





**TN7 ASPEN 2**




**TN7B ASPEN 2 B**

### FITTINGS


#### HANDLE-HANDLE



#### KNOB-HANDLE\*



#### HANDRAIL-HANDLE\*



#### FITTINGS' COLOURS

PLATINUM ANODE

SILVER ANODE

BLACK ANODE

### DOOR COLOURS


LIGHT WENGE




WHITE




STEEL GRAY




ANTHRACITE




DARK ANTHRACITE



BLACK



TWO-COLOUR DOOR\*



\* EXTRA CHARGE



**SR3 TROMSO**



**SR4 TROMSO 1**

<b>Door size</b>	80N	80	90N	90E	100E
<b>Door height</b> (FB, PERFOTHERM / ALUTHERM)	2076 / 2087 mm				

MODEL	OPTIMA 50	OPTIMA 60
<b>SR3 TROMSO</b>	✓	✓
<b>SR4 TROMSO 1</b>	✓	✓
<b>SR5 TROMSO 2</b>	✓	✓

### RC2 STANDARD EQUIPMENT

• GLAZED DOOR LEAF	• ALUMINUM THRESHOLD
• 3 SIDES REBATED	• FITTINGS SET WITH LOCK CYLINDER PROTECTION
• OPTIMA 60 – PERFOTHERM DOOR FRAME	• BERGEN AND BLOK SPLIT ESCUTCHEONS
• OPTIMA 50 – STEEL DOOR FRAME	
• HINGES ADJUSTABLE IN TWO PLANES WITH CAPS MATCHING FITTING'S COLOUR	• CLASS 5 LOCK CYLINDER, SINGLE KEY SYSTEM, BOLT LOCK
• DOUBLE-SIDED PATTERN	


### EXTRA CHARGES

OPTIMA 60 – ALUTHERM 60 DOOR FRAME		1800 mm
OPTIMA 50 – PERFOTHERM 50 DOOR FRAME	AMSTERDAM / MONTREAL HANDRAIL	1700 mm
TWO-COLOUR DOOR	ELECTRIC STRIKE RECOMMENDED	1500 mm
RC3 PACKAGE		1000 mm
CLASS 6 LOCK CYLINDER, SINGLE KEY SYSTEM		1800 mm
UPPER ESCUTCHEON PROTECTION	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE	1700 mm
KNOB-HANDLE		1500 mm
REED SWITCH		1000 mm
SIZE 100E	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON	1700 mm
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	ELECTRIC STRIKE NECESSARY	1500 mm
DOOR SHORTENING SR4 (10, 20, 30, 40 mm)	TEDEE SET	


FIXED GLAZED SIDE PANELS: PAGES 88–89, FULL EQUIPMENT LIST: PAGES 94–99

### DOOR COLOURS


ALPINE WALNUT




MAHOGANY




BRAZILIAN WALNUT




LIGHT WALNUT



GOLDEN OAK



WINCHESTER



TURNER OAK








SR5 TROMSO 2

### FITTINGS


#### HANDLE-HANDLE



#### KNOB-HANDLE\*



#### HANDRAIL-HANDLE\*



#### FITTINGS' COLOURS

PLATINUM ANODE

SILVER ANODE

BLACK ANODE

### DOOR COLOURS


LIGHT WENGE




WHITE




STEEL GRAY




ANTHRACITE




DARK ANTHRACITE



BLACK



TWO-COLOUR DOOR\*



\* EXTRA CHARGE

# CLASSIC MODENA / RAVENA

# GERDA®



**W76 MODENA**



**W77 MODENA 2**

Door size	80	90N	90E
Door height (FB, PERFOTHERM / ALUTHERM)	2076 / 2087 mm		

MODEL	OPTIMA 50	OPTIMA 60
<b>W76 MODENA</b>	-	✓
<b>W77 MODENA 2</b>	-	✓
<b>W78 MODENA 3</b>	-	✓
<b>WDR RAVENA</b>	✓	✓

## RC2 STANDARD EQUIPMENT

- GLAZED DOOR LEAF
- 3 SIDES REBATED
- OPTIMA 60 – PERFOTHERM DOOR FRAME
- OPTIMA 50 – STEEL DOOR FRAME
- HINGES ADJUSTABLE IN TWO PLANES WITH CAPS MATCHING FITTING'S COLOUR
- DOUBLE-SIDED PATTERN
- ALUMINUM THRESHOLD
- FITTINGS SET WITH LOCK CYLINDER PROTECTION
- BERGEN AND BLOK SPLIT ESCUTCHEONS
- CLASS 5 LOCK CYLINDER, SINGLE KEY SYSTEM, BOLT LOCK
- DEEP STAMPING

## EXTRA CHARGES


OPTIMA 60 – ALUTHERM 60 DOOR FRAME	KNOB-HANDLE
OPTIMA 50 – PERFOTHERM 50 DOOR FRAME	REED SWITCH
TWO-COLOUR DOOR	ELECTRIC STRIKE WITH DAY / NIGHT FEATURE
RC3 PACKAGE (OPTIMA 60 WDR)	DOOR SHORTENING (10, 20, 30, 40, 60, 80, 100 mm)
CLASS 6 LOCK CYLINDER, SINGLE KEY SYSTEM	TEDEE SET
UPPER ESCUTCHEON PROTECTION	

FIXED GLAZED SIDE PANELS: PAGES 88–89, FULL EQUIPMENT LIST: PAGES 94–99

## GLASS



## DOOR COLOURS






**W78 MODENA 3**





**WDR RAVENA**

### FITTINGS

#### HANDLE-HANDLE



#### KNOB-HANDLE\*



#### FITTINGS' COLOURS



### DOOR COLOURS


#### LIGHT WENGE




#### WHITE




#### STEEL GRAY




#### ANTHRACITE




#### DARK ANTHRACITE



#### BLACK



#### TWO-COLOUR DOOR\*



\* EXTRA CHARGE

# CLASSIC NICEA / OLYMPIA



**WJ1 NICEA 5**

Door size	80	90N	90E
Door height (FB, PERFOTHERM / ALUTHERM)	2076 / 2087 mm		

MODEL	OPTIMA 50	OPTIMA 60
<b>WJ1 NICEA 5</b>	-	✓
<b>W23 OLYMPIA</b>	-	✓

## RC2 STANDARD EQUIPMENT

• GLAZED DOOR LEAF	• ALUMINUM THRESHOLD
• 3 SIDES REBATED	• FITTINGS SET WITH LOCK CYLINDER PROTECTION
• PERFOTHERM 60 DOOR FRAME	• BERGEN AND BLOK SPLIT ESCUTCHEONS
• HINGES ADJUSTABLE IN TWO PLANES WITH CAPS MATCHING FITTING'S COLOUR	• CLASS 5 LOCK CYLINDER, SINGLE KEY SYSTEM, BOLT LOCK
• DOUBLE-SIDED PATTERN	• DEEP STAMPING


## EXTRA CHARGES

OPTIMA 60 – ALUTHERM 60 DOOR FRAME	REED SWITCH
TWO-COLOUR DOOR	SIZE 100E (W23)
CLASS 6 LOCK CYLINDER, SINGLE KEY SYSTEM	ELECTRIC STRIKE WITH DAY / NIGHT FEATURE
UPPER ESCUTCHEON PROTECTION	DOOR SHORTENING (10, 20, 30, 40, 60, 80, 100 mm)
KNOB-HANDLE	TEDEE SET

FIXED GLAZED SIDE PANELS: PAGES 88–89, FULL EQUIPMENT LIST: PAGES 94–99

## GLASS

MATTE



REFLEX GRAPHITE




MIRA STAR  
MIRROR




## DOOR COLOURS


ALPINE WALNUT




MAHOGANY




BRAZILIAN WALNUT




LIGHT WALNUT



GOLDEN OAK



WINCHESTER



TURNER OAK






**W23 OLYMPIA**


### FITTINGS

HANDLE-HANDLE



BERGEN

OPTIMA 60



BERGEN




BLOK

KNOB-HANDLE\*



BERGEN

OPTIMA 60



BERGEN



BLOK

FITTINGS' COLOURS

PLATINUM ANODE

SILVER ANODE

BLACK ANODE

### DOOR COLOURS


LIGHT WENGE




WHITE




STEEL GRAY




ANTHRACITE



DARK ANTHRACITE



BLACK



TWO-COLOUR DOOR\*



\* EXTRA CHARGE




**W91 WERONA**



**W94 WERONA 1**


## DOOR COLOURS

ALPINE WALNUT




FRR

MAHOGANY




FMA

BRAZILIAN WALNUT




FRB

LIGHT WALNUT




FRP

GOLDEN OAK



FDE

WINCHESTER



FDW

TURNER OAK



FDT

Door size

80

90N

90E

Door height  
(FB, PERFOTHERM / ALUTHERM)

2076 / 2087 mm

## MODEL

OPTIMA 50

OPTIMA 60

**W91 WERONA**

✓

✓

**W94 WERONA 1**

-

✓

**W93 WERONA 3**

-

✓

**W6A WERONA 4**

-

✓

**WQA WERONA 5**

-

✓

## RC2 STANDARD EQUIPMENT

- GLAZED DOOR LEAF
- 3 SIDES REBATED
- OPTIMA 60 – PERFOTHERM DOOR FRAME
- OPTIMA 50 – STEEL DOOR FRAME
- HINGES ADJUSTABLE IN TWO PLANES WITH CAPS MATCHING FITTING'S COLOUR
- DOUBLE-SIDED PATTERN
- ALUMINUM THRESHOLD
- FITTINGS SET WITH LOCK CYLINDER PROTECTION
- BERGEN AND BLOK SPLIT ESCUTCHEONS
- CLASS 5 LOCK CYLINDER, SINGLE KEY SYSTEM, BOLT LOCK
- DEEP STAMPING

## EXTRA CHARGES

OPTIMA 60 – ALUTHERM 60 DOOR FRAME

KNOB-HANDLE

OPTIMA 50 – PERFOTHERM 50 DOOR FRAME

REED SWITCH

TWO-COLOUR DOOR

ELECTRIC STRIKE WITH DAY / NIGHT FEATURE

RC3 PACKAGE (OPTIMA 60 W91)

DOOR SHORTENING  
(10, 20, 30, 40, 60, 80, 100 mm)

CLASS 6 LOCK CYLINDER, SINGLE KEY SYSTEM


UPPER ESCUTCHEON PROTECTION

TEDEE SET

FIXED GLAZED SIDE PANELS: PAGES 88–89, FULL EQUIPMENT LIST: PAGES 94–99

## GLASS


MATTE



REFLEX BROWN



MIRA STAR  
MIRROR







**W93 WERONA 3**




**W6A WERONA 4**




**WQA WERONA 5**

## FITTINGS

### HANDLE-HANDLE



### KNOB-HANDLE\*



### FITTINGS' COLOURS



## DOOR COLOURS

### LIGHT WENGE




### WHITE




### STEEL GRAY




### ANTHRACITE



### DARK ANTHRACITE



### BLACK



### TWO-COLOUR DOOR\*



\* EXTRA CHARGE

# CLASSIC LIZBONA / WENECJA / LONDYN

# GERDA®




**W24 LIZBONA**



**W9N WENECJA**


## DOOR COLOURS

ALPINE WALNUT




FRR

MAHOGANY




FMA

BRAZILIAN WALNUT




FRB

LIGHT WALNUT




FRP

GOLDEN OAK



FDE

WINCHESTER



FDW

TURNER OAK



FDT

Door size	80	90N	90E
Door height (FB, PERFOTHERM / ALUTHERM)	2076 / 2087 mm		

MODEL	OPTIMA 50	OPTIMA 60
<b>W24 LIZBONA</b>	✓	✓
<b>W9N WENECJA</b>	✓	✓
<b>W13 LONDYN</b>	✓	✓
<b>W5L LONDYN 1</b>	-	✓

## RC2 STANDARD EQUIPMENT

- GLAZED DOOR LEAF
- 3 SIDES REBATED
- OPTIMA 60 – PERFOTHERM DOOR FRAME
- OPTIMA 50 – STEEL DOOR FRAME
- HINGES ADJUSTABLE IN TWO PLANES WITH CAPS MATCHING FITTING'S COLOUR
- DOUBLE-SIDED PATTERN
- ALUMINUM THRESHOLD
- FITTINGS SET WITH LOCK CYLINDER PROTECTION
- BERGEN AND BLOK SPLIT ESCUTCHEONS
- CLASS 5 LOCK CYLINDER, SINGLE KEY SYSTEM, BOLT LOCK
- DEEP STAMPING


## EXTRA CHARGES

OPTIMA 60 – ALUTHERM 60 DOOR FRAME	KNOB-HANDLE
OPTIMA 50 – PERFOTHERM 50 DOOR FRAME	REED SWITCH
TWO-COLOUR DOOR	ELECTRIC STRIKE WITH DAY / NIGHT FEATURE
RC3 PACKAGE (OPTIMA 60 W24, W9N, W13)	DOOR SHORTENING (10, 20, 30, 40, 60, 80, 100 mm)
CLASS 6 LOCK CYLINDER, SINGLE KEY SYSTEM	TEDEE SET
UPPER ESCUTCHEON PROTECTION	

FIXED GLAZED SIDE PANELS: PAGES 88–89, FULL EQUIPMENT LIST: PAGES 94–99

## GLASS


MATTE



REFLEX BROWN



MIRA STAR  
MIRROR






W13 LONDYN




W5L LONDYN 1

### FITTINGS

#### HANDLE-HANDLE



#### KNOB-HANDLE\*



#### FITTINGS' COLOURS



### DOOR COLOURS


#### LIGHT WENGE




#### WHITE




#### STEEL GRAY




#### ANTHRACITE




#### DARK ANTHRACITE



#### BLACK



#### TWO-COLOUR DOOR\*



\* EXTRA CHARGE

# CLASSIC BARCELONA / GENEWA

# GERDA®




**W54 BARCELONA**



**W53 BARCELONA 1**


## DOOR COLOURS

ALPINE WALNUT




FRR

MAHOGANY




FMA

BRAZILIAN WALNUT




FRB

LIGHT WALNUT




FRP

GOLDEN OAK



FDE

WINCHESTER



FDW

TURNER OAK



FDT

Door size	80	90N	90E
Door height (FB, PERFOTHERM / ALUTHERM)	2076 / 2087 mm		

MODEL	OPTIMA 50	OPTIMA 60
<b>W54 BARCELONA</b>	✓	✓
<b>W53 BARCELONA 1</b>	-	✓
<b>G76 GENEWA 1</b>	-	✓
<b>G75 GENEWA 2</b>	-	✓
<b>D75 GENEWA 3</b>	✓	✓

## RC2 STANDARD EQUIPMENT

- GLAZED DOOR LEAF
- 3 SIDES REBATED
- OPTIMA 60 – PERFOTHERM DOOR FRAME
- OPTIMA 50 – STEEL DOOR FRAME
- HINGES ADJUSTABLE IN TWO PLANES WITH CAPS MATCHING FITTING'S COLOUR
- DOUBLE-SIDED PATTERN
- ALUMINUM THRESHOLD
- FITTINGS SET WITH LOCK CYLINDER PROTECTION
- BERGEN AND BLOK SPLIT ESCUTCHEONS
- CLASS 5 LOCK CYLINDER, SINGLE KEY SYSTEM, BOLT LOCK
- DEEP STAMPING (BARCELONA)


## EXTRA CHARGES

OPTIMA 60 – ALUTHERM 60 DOOR FRAME	KNOB-HANDLE
OPTIMA 50 – PERFOTHERM 50 DOOR FRAME	REED SWITCH
TWO-COLOUR DOOR	ELECTRIC STRIKE WITH DAY / NIGHT FEATURE
RC3 PACKAGE (OPTIMA 60 W54, D75)	DOOR SHORTENING (10, 20, 30, 40, 60, 80, 100 mm)
CLASS 6 LOCK CYLINDER, SINGLE KEY SYSTEM	TEDEE SET
UPPER ESCUTCHEON PROTECTION	

FIXED GLAZED SIDE PANELS: PAGES 88–89, FULL EQUIPMENT LIST: PAGES 94–99

## GLASS


MATTE



REFLEX BROWN



MIRA STAR  
MIRROR





**G76 GENEWA 1**



**G75 GENEWA 2**



**D75 GENEWA 3**

### FITTINGS

#### HANDLE-HANDLE

OPTIMA 60




BERGEN

OPTIMA 60  
OPTIMA 50



BERGEN



BLOK


#### KNOB-HANDLE\*

OPTIMA 60



BERGEN

OPTIMA 60  
OPTIMA 50



BERGEN



BLOK

#### FITTINGS' COLOURS

PLATINUM ANODE

SILVER ANODE

BLACK ANODE

### DOOR COLOURS

LIGHT WENGE




FEJ

WHITE




FSB

STEEL GRAY




FKZ

ANTHRACITE




FKG

DARK ANTHRACITE




FKF

BLACK



FKC

TWO-COLOUR DOOR\*



INTERNAL

EXTERNAL

\* EXTRA CHARGE

OPTIMA 60 DUO have been designed for users looking for a custom-size door. A passive door leaf enables a broader passage. Passive door leaves are available both with and without glazing.

## PARAMETERS


- ✓ DOOR FOR DETACHED HOUSES AS WELL AS FOR MULTI-FAMILY HOUSES
- ✓ STEEL DOOR LEAVES 60 mm THICK, FILLED WITH EXPANDED GRAPHITE POLYSTYRENE
- ✓ AVAILABLE WITH PERFOTHERM 60 DOOR FRAME AND ALUMINUM THRESHOLD
- ✓ ALUTHERM 60 ALUMINUM DOOR FRAME WITH AN EXTRA CHARGE
- ✓ PASSIVE DOOR LEAVES IN SOLID AND GLAZED DESIGN, IN SIZES 30, 40, 50 cm
- ✓ DOOR AVAILABLE IN 12 COLOURS

DOOR FRAME DIMENSIONS AND MOUNTING HOLES – SEE p. 104–105

## PASSIVE DOOR DESIGNS\*

The passive door leaf price includes price for treshold and door frame. Alutherm 60 aluminum door frame – EXTRA CHARGE

NAME	SIZE
P00	30 40 50
PD4	40
GH1	40 50
GC2	40 50
GN5	30 40 50
GPD	30 40 50
DN3 / DN3B	30 40 50
DN6 / DN6B	30 40 50
DT8 / DT8B	50
DW9 / DW9B	50
DW8 / DW8B	50
DPE / DPEB	30 40 50
PD5	30 40 50
PD5A	30 40 50
PD5B	30 40 50
NMB	30 40 50
NMBA	30 40 50
NMBB	30 40 50
NMA	30 40 50
NMAA	30 40 50
NMAB	30 40 50





**SOJ BERGAMO 2 + NMBA**



**NS5 HANOVER 5 + DW9**



**ST8 RYGA + P00**



**TMMA TOKIO 2 A + P00**



**NS9 MILANO 12 + DW8**



**SNUA MILANO 4 A + PD5A**



**NT2B TURYN 2 B + DT8**



**ST4A UPPSALA 1 A + NMAA**



**NS6 HANOVER 6 + DW8**

\* EXTRA CHARGE

# ALUMINUM GLAZED SIDE AND TOP PANELS

# GERDA®



SET GL



SET G



SET GP



SET L

## SIDE GLAZED PANELS\*

HEIGHT Hz	GLAZED PANEL / GLASS TYPE	WIDTH Ld/Pd						
		up to 300 mm	up to 400 mm	up to 500 mm	up to 600 mm	up to 700 mm	up to 800 mm	up to 900 mm
2087 mm	PANEL WITH SAFETY GLASS	✓	✓	✓	✓	✓	✓	✓
	ANTI-BULGLARY RC2 PANEL WITH P4 GLASS	✓	✓	✓	✓	✓	✓	✓
do 2200 mm	PANEL WITH SAFETY GLASS	✓	✓	✓	✓	✓	✓	✓
	ANTI-BULGLARY RC2 PANEL WITH P4 GLASS	✓	✓	✓	✓	✓	✓	✓
do 2300 mm	PANEL WITH SAFETY GLASS	✓	✓	✓	✓	✓	✓	✓
	ANTI-BULGLARY RC2 PANEL WITH P4 GLASS	✓	✓	✓	✓	✓	✓	✓
do 2400 mm	PANEL WITH SAFETY GLASS	✓	✓	✓	✓	✓	✓	✓
	ANTI-BULGLARY RC2 PANEL WITH P4 GLASS	✓	✓	✓	✓	✓	✓	✓

SIDE GLAZED PANEL STANDARD WIDTH IN 50 mm INCREMENTS. FOR 10 mm INCREMENTS – EXTRA CHARGE +25%

## ALUTHERM DOOR FRAME

SIZE	HEIGHT Hz	WIDTH Sc
80	standard 2087 mm not standard:	918 mm
90N	2150 mm	988 mm
	2200 mm	
90E	2250 mm	1031 mm
	2300 mm	
100E	2350 mm	1131 mm
	2400 mm	

To get complete price for set please sum up:

for THERMO PRIME:

- door price
- side / top panel price

for THERMO PREMIUM I OPTIMA:

- door price
- ALUTHERM door frame extra charge,
- side / top panel price



# GERDA® ALUMINUM GLAZED SIDE AND TOP PANELS



SET P



SET LP




SET LGP

## TOP GLAZED PANELS\*

HEIGHT Hd	GLAZED PANEL / GLASS TYPE	WIDTH Ld/B/Pd				
		up to 1150 mm	up to 1550 mm	up to 1950 mm	up to 2350 mm	up to 2950 mm
300 mm	PANEL WITH SAFETY GLASS	✓	✓	✓	✓	✓
400 mm		✓	✓	✓	✓	✓
500 mm		✓	✓	✓	✓	✓
300 mm	ANTI-BULGLARY RC2 PANEL WITH P4 GLASS	✓	✓	✓	✓	✓
400 mm		✓	✓	✓	✓	✓
500 mm		✓	✓	✓	✓	✓

SIDE GLAZED PANEL STANDARD WIDTH IN 50 mm INCREMENTS. FOR 10 mm INCREMENTS – EXTRA CHARGE +25%




# A VARIETY OF COLOURS


# GERDA®

CHOOSE YOUR DOOR COLOUR


ALPINE WALNUT



MAHOGANY




BRAZILIAN WALNUT




LIGHT WALNUT




WHITE




STEEL GRAY




ANTHRACITE




DARK ANTHRACITE



### GOLDEN OAK



### WINCHESTER



### TURNER OAK



### LIGHT WENGE



### BLACK



### TWO-COLOUR\*



To obtain a unique configuration of the door to our house, we can combine any two colors from the available palette. The outer side of the door leaf, as well as the outer frame, will then have a different color than the inner side. In this way, we can even better match the style of the door to the design of the façade and interior. That option is available with an extra charge.

Without extra charges, there is also available to order door leaf in a selected color with a frame in a different color.