



CONSTRUCTION TOOLS & MATERIALS




DEAR CUSTOMER,

ECOFIRM is a United States-based company that designs and produces premium European hand tools and trowels.

State-of-the-art manufacturing techniques ensure ECOFIRM TOOLS are precision crafted, and durable, without compromising on the ergonomic, and lightweight design that professionals love.

We are continuously working to bring our quality products to the masses, and now offer delivery to countries.



WIDE ASSORTMENT

**TOOLS
FOR PROFESSIONALS**

**HIGH-QUALITY MATERIALS
FUNCTIONAL SOLUTIONS**



OUR OFFER

Our assortment is dominated by trowels, floats and putty knives, but we do not limit ourselves to these products only. We also sell grinding tools, mud rollers, screeding levels, spirit levels, scrapers, mixing tubs, buckets and tiling kits.

We encourage you to familiarize yourself with our rich offer and test the products on your own walls!



STEEL FOR BLADES

You will find here blades made of the highest quality spring steel, stainless steel and hardened steel. The material used for each of the tools is not accidental. We select it in accordance with its purpose tools serves as long as possible.



WIDE RANGE OF SIZES

Regardless of your needs, we can guarantee that you will find a tool with the right blade size in our offer.



CONTENTS	PAGE
1. PREMIUM TROWELS.....	7
2. HAWKS.....	25
3. ECOFORM.....	28
4. TELESCOPIC STICKS, ADAPTERS, MUD ROLLERS.....	31
5. SKIMMING BLADES SETS	35
6. FACADE PUTTY KNIVES.....	38
7. FORGED PREMIUM TROWELS.....	41
8. STANDARD TROWELS.....	45
9. PUTTY KNIVES.....	62
10. ABS FLOATS.....	65
11. SCRAPERS.....	70
12. MIXING TUBS, BUCKETS.....	72
13. TILERS KITS.....	73
14. SPIRIT LEVELS.....	74
15. SCREEDING LEVELS.....	75



PREMIUM TROWELS



PREMIUM POLYCARBONATE TROWELS 1MM



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127311279-K	279x110x1	1
127311305-K	305x110x1	1
127311356-K	356x110x1	1
127311406-K	406x110x1	1
127311457-K	457x110x1	1

Hardened gold stainless steel. Glued Super Flex blade thickness 0,3mm. Powder coated aluminum bar. Natural cork handle.

PREMIUM GOLD TROWELS 0,3MM



Hardened gold stainless steel. Glued Super Flex blade thickness 0,3mm. Powder coated aluminum bar. Natural cork handle.

PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127310279-MHK	279x100x0,3	1
127310305-MHK	305x100x0,3	1
127310356-MHK	356x100x0,3	1
127310406-MHK	406x100x0,3	1
127310457-MHK	457x100x0,3	1
127312279-MHK	279x120x0,3	1
127312305-MHK	305x120x0,3	1
127312356-MHK	356x120x0,3	1
127312406-MHK	406x120x0,3	1
127312457-MHK	457x120x0,3	1



Hardened gold stainless steel. Glued Super Flex blade thickness 0,3mm. Powder coated aluminum bar. Two-component handle.

PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127310279-MH2K	279x100x0,3	1
127310305-MH2K	305x100x0,3	1
127310356-MH2K	356x100x0,3	1
127310406-MH2K	406x100x0,3	1
127310457-MH2K	457x100x0,3	1
127312279-MH2K	279x120x0,3	1
127312305-MH2K	305x120x0,3	1
127312356-MH2K	356x120x0,3	1
127312406-MH2K	406x120x0,3	1
127312457-MH2K	457x120x0,3	1

PREMIUM GOLD TROWELS 0,4MM



Hardened gold stainless steel. Glued Medium Flex blade thickness 0,4mm. Powder coated aluminum bar. Natural cork handle.

PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127410279-MHLK	279x100x0,4	1
127410305-MHLK	305x100x0,4	1
127410356-MHLK	356x100x0,4	1
127410406-MHLK	406x100x0,4	1
127410457-MHLK	457x100x0,4	1
127412279-MHLK	279x120x0,4	1
127412305-MHLK	305x120x0,4	1
127412356-MHLK	356x120x0,4	1
127412406-MHLK	406x120x0,4	1
127412457-MHLK	457x120x0,4	1



Hardened gold stainless steel. Glued Medium Flex blade thickness 0,4mm. Powder coated aluminum bar. Two-component handle.

PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127410279-MH2K	279x100x0,4	1
127410305-MH2K	305x100x0,4	1
127410356-MH2K	356x100x0,4	1
127410406-MH2K	406x100x0,4	1
127410457-MH2K	457x100x0,4	1
127412279-MH2K	279x120x0,4	1
127412305-MH2K	305x120x0,4	1
127412356-MH2K	356x120x0,4	1
127412406-MH2K	406x120x0,4	1
127412457-MH2K	457x120x0,4	1

PREMIUM SILVER TROWELS 0,4MM



Silver cold rolled stainless steel. Glued Medium Flex blade thickness 0,4mm. Powder coated aluminum bar. Natural cork handle.

PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127412279-MK	279x120x0,4	1
127412305-MK	305x120x0,4	1
127412356-MK	356x120x0,4	1
127412406-MK	406x120x0,4	1
127412457-MK	457x120x0,4	1



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127412279-M2K	279x120x0,4	1
127412305-M2K	305x120x0,4	1
127412356-M2K	356x120x0,4	1
127412406-M2K	406x120x0,4	1
127412457-M2K	457x120x0,4	1

Silver cold rolled stainless steel. Glued Medium Flex blade thickness 0,4mm. Powder coated aluminum bar. Twocomponent handle.

PREMIUM CURVED SILVER TROWELS 0,4MM



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127412279-MWK	279x120x0,4	1
127412305-MWK	305x120x0,4	1
127412356-MWK	356x120x0,4	1
127412406-MWK	406x120x0,4	1
127412457-MWK	457x120x0,4	1

Silver cold rolled stainless steel. Medium flex curved blade thickness 0,4mm. Powder coated aluminum bar. Natural cork handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127412279-MW2K	279x120x0,4	1
127412305-MW2K	305x120x0,4	1
127412356-MW2K	356x120x0,4	1
127412406-MW2K	406x120x0,4	1
127412457-MW2K	457x120x0,4	1

Silver cold rolled stainless steel. Medium flex curved blade thickness 0,4mm. Powder coated aluminum bar. Twocomponent handle.

PREMIUM SILVER TROWELS 0,5MM



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127512279-MK	279x120x0,5	1
127512305-MK	305x120x0,5	1
127512356-MK	356x120x0,5	1
127512406-MK	406x120x0,5	1
127512457-MK	457x120x0,5	1

Silver cold rolled stainless steel. Flex blade thickness 0,5mm. Powder coated aluminum bar. Natural cork handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127512279-M2K	279x120x0,5	1
127512305-M2K	305x120x0,5	1
127512356-M2K	356x120x0,5	1
127512406-M2K	406x120x0,5	1
127512457-M2K	457x120x0,5	1

Silver cold rolled stainless steel. Flex blade thickness 0,5mm. Powder coated aluminum bar. Twocomponent handle.

PREMIUM SILVER CURVED TROWELS 0,5MM



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127512279-MWK	279x120x0,5	1
127512305-MWK	305x120x0,5	1
127512356-MWK	356x120x0,5	1
127512406-MWK	406x120x0,5	1
127512457-MWK	457x120x0,5	1

Silver cold rolled stainless steel. Flex curved blade thickness 0,4mm. Powder coated aluminum bar. Natural cork handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127512279-MW2K	279x120x0,5	1
127512305-MW2K	305x120x0,5	1
127512356-MW2K	356x120x0,5	1
127512406-MW2K	406x120x0,5	1
127512457-MW2K	457x120x0,5	1

Silver cold rolled stainless steel. Flex curved blade thickness 0,4mm. Powder coated aluminum bar. Twocomponent handle.

PREMIUM GOLD TROWELS 0,65MM



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127708203-MHK	203x86x0,65	1
127712279-MHK	279x120x0,65	1
127712305-MHK	305x120x0,65	1
127712356-MHK	356x120x0,65	1
127712406-MHK	406x120x0,65	1
127712457-MHK	457x120x0,65	1

Hardened gold stainless steel. Blade thickness 0,65mm. Powder coated aluminum bar. Natural cork handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127708203-MH2K	203x86x0,65	1
127712279-MH2K	279x120x0,65	1
127712305-MH2K	305x120x0,65	1
127712356-MH2K	356x120x0,65	1
127712406-MH2K	406x120x0,65	1
127712457-MH2K	457x120x0,65	1

Hardened gold stainless steel. Blade thickness 0,65mm. Powder coated aluminum bar. Twocomponent handle.

PREMIUM GOLD CURVED TROWELS 0,65MM



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127708203-MHWK	203x86x0,65	1
127712279-MHWK	279x120x0,65	1
127712305-MHWK	305x120x0,65	1
127712356-MHWK	356x120x0,65	1
127712406-MHWK	406x120x0,65	1
127712457-MHWK	457x120x0,65	1

Hardened gold stainless steel. Curved blade thickness 0,65mm.
Powder coated aluminum bar. Natural cork handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127708203-MHW2K	203x86x0,65	1
127712279-MHW2K	279x120x0,65	1
127712305-MHW2K	305x120x0,65	1
127712356-MHW2K	356x120x0,65	1
127712406-MHW2K	406x120x0,65	1
127712457-MHW2K	457x120x0,65	1

Hardened gold stainless steel. Curved blade thickness 0,65mm.
Powder coated aluminum bar. Twocomponent handle.

NOTCHED TROWELS




Ecofirm 8", 12", 16" Tile Edging Trowel 1/4", 1/2", 3/8"

- Premium Stainless Steel for high strength, rust resistant and easy cleanup



Ecofirm 8"(S) Tile Edging Trowel 1/4", 3/8", 1/2"

- The handles make the trowel more comfortable to use for less hand fatigue and provides superior balance and strength.



Ecofirm Finishing Trowel stainless Steel 11"

- Excellent choice for concrete and cement hand work .
- Flat blade allows a more consistent finish
- Crated with special ends.



Ecofirm Artistic Trowel

- Smooth Cork handle
- Heavy duty steel
- Rust proof, bend proof , break proof
- Lightweight cement reduce hand fatigue



Finishing Tile Trowel with teeth 19" 10 Mm

- Can be used to spread epoxy over tile , wood, countertops, tables , bar tops.
- Unmatched Durability- made out of steel and cork handles.
- Easy to clean !



Finishing Tile Trowel Stainless Steel 13.7 semicircular

Aluminum mounting

- Small and lightweight and easy to maneuver
- Built to last
- Great for a variety of projects - epoxy resin kits, tile , masonry.



Ecofirm Tools finishing trowel Stainless Steel 11" soft grip 4 Mm

- Flat finishing trowel will not rust.
- Very easy to use
- Non slip handle
- Welded corners that last longer.



Ecofirm Tile Trowel Stainless Steel 11.9" Soft grip 10 mm teeth

- Crafted to improve efficiency and save effort .

PREMIUM NOTCHED GOLD TROWELS 0,65MM

Hardened gold stainless steel. Blade thickness 0,65mm. Powder coated aluminum bar.
Natural cork handle.



**TOOTH
4X4**

PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127712279E4-MHK	279x120x0,65	1
127712305E4-MHK	305x120x0,65	1
127712356E4-MHK	356x120x0,65	1
127712406E4-MHK	406x120x0,65	1
127712457E4-MHK	457x120x0,65	1
127712508E4-MHK	508x120x0,65	1

**TOOTH
6X6**

PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127712279E6-MHK	279x120x0,65	1
127712305E6-MHK	305x120x0,65	1
127712356E6-MHK	356x120x0,65	1
127712406E6-MHK	406x120x0,65	1
127712457E6-MHK	457x120x0,65	1
127712508E6-MHK	508x120x0,65	1

**TOOTH
8X8**

PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127712279E8-MHK	279x120x0,65	1
127712305E8-MHK	305x120x0,65	1
127712356E8-MHK	356x120x0,65	1
127712406E8-MHK	406x120x0,65	1
127712457E8-MHK	457x120x0,65	1
127712508E8-MHK	508x120x0,65	1

TOOTH 10X10

TOOTH 12X12

PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127712279E10-MHK	279x120x0,65	1
127712305E10-MHK	305x120x0,65	1
127712356E10-MHK	356x120x0,65	1
127712406E10-MHK	406x120x0,65	1
127712457E10-MHK	457x120x0,65	1
127712508E10-MHK	508x120x0,65	1

PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127712279E12-MHK	279x120x0,65	1
127712305E12-MHK	305x120x0,65	1
127712356E12-MHK	356x120x0,65	1
127712406E12-MHK	406x120x0,65	1
127712457E12-MHK	457x120x0,65	1
127712508E12-MHK	508x120x0,65	1



Hardened gold stainless steel. Blade thickness 0,65mm. Powder coated aluminum bar. Twocomponent handle.

TOOTH 4X4

TOOTH 6X6

TOOTH 8X8

TOOTH 10X10

TOOTH 12X12

PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127712279E4-MH2K	279x120x0,65	1
127712305E4-MH2K	305x120x0,65	1
127712356E4-MH2K	356x120x0,65	1
127712406E4-MH2K	406x120x0,65	1
127712457E4-MH2K	457x120x0,65	1
127712508E4-MH2K	508x120x0,65	1

PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127712279E6-MH2K	279x120x0,65	1
127712305E6-MH2K	305x120x0,65	1
127712356E6-MH2K	356x120x0,65	1
127712406E6-MH2K	406x120x0,65	1
127712457E6-MH2K	457x120x0,65	1
127712508E6-MH2K	508x120x0,65	1

PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127712279E8-MH2K	279x120x0,65	1
127712305E8-MH2K	305x120x0,65	1
127712356E8-MH2K	356x120x0,65	1
127712406E8-MH2K	406x120x0,65	1
127712457E8-MH2K	457x120x0,65	1
127712508E8-MH2K	508x120x0,65	1

PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127712279E10-MH2K	279x120x0,65	1
127712305E10-MH2K	305x120x0,65	1
127712356E10-MH2K	356x120x0,65	1
127712406E10-MH2K	406x120x0,65	1
127712457E10-MH2K	457x120x0,65	1
127712508E10-MH2K	508x120x0,65	1

PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127712279E12-MH2K	279x120x0,65	1
127712305E12-MH2K	305x120x0,65	1
127712356E12-MH2K	356x120x0,65	1
127712406E12-MH2K	406x120x0,65	1
127712457E12-MH2K	457x120x0,65	1
127712508E12-MH2K	508x120x0,65	1

PREMIUM NOTCHED SILVER TROWELS 0,7MM



**TOOTH
4X4**

PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127713279E4-MK	279x120x0,7	1
127713305E4-MK	305x120x0,7	1
127713356E4-MK	356x120x0,7	1
127713406E4-MK	406x120x0,7	1
127713457E4-MK	457x120x0,7	1
127713508E4-MK	508x120x0,7	1

**TOOTH
6X6**

PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127713279E6-MK	279x120x0,7	1
127713305E6-MK	305x120x0,7	1
127713356E6-MK	356x120x0,7	1
127713406E6-MK	406x120x0,7	1
127713457E6-MK	457x120x0,7	1
127713508E6-MK	508x120x0,7	1

**TOOTH
8X8**

PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127713279E8-MK	279x120x0,7	1
127713305E8-MK	305x120x0,7	1
127713356E8-MK	356x120x0,7	1
127713406E8-MK	406x120x0,7	1
127713457E8-MK	457x120x0,7	1
127713508E8-MK	508x120x0,7	1

TOOTH 10X10

PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127713279E10-MK	279x120x0,7	1
127713305E10-MK	305x120x0,7	1
127713356E10-MK	356x120x0,7	1
127713406E10-MK	406x120x0,7	1
12773457E10-MK	457x120x0,7	1
127713508E10-MK	508x120x0,7	1

TOOTH 12X12

PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127713279E12-MK	279x120x0,7	1
127713305E12-MK	305x120x0,7	1
127713356E12-MK	356x120x0,7	1
127713406E12-MK	406x120x0,7	1
127713457E12-MK	457x120x0,7	1
127713508E12-MK	508x120x0,7	1



Silver cold rolled stainless steel. Blade thickness 0,7mm. Powder coated aluminum bar. Twocomponent handle.

TOOTH 4X4

TOOTH 6X6

TOOTH 8X8

TOOTH 10X10

TOOTH 12X12

PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127713279E4-M2K	279x120x0,65	1
127713305E4-M2K	305x120x0,65	1
127713356E4-M2K	356x120x0,65	1
127713406E4-M2K	406x120x0,65	1
127713457E4-M2K	457x120x0,65	1
127713508E4-M2K	508x120x0,65	1

PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127713279E6-M2K	279x120x0,7	1
127713305E6-M2K	305x120x0,7	1
127713356E6-M2K	356x120x0,7	1
127713406E6-M2K	406x120x0,7	1
127713457E6-M2K	457x120x0,7	1
127713508E6-MK	508x120x0,7	1

PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127713279E8-M2K	279x120x0,7	1
127713305E8-M2K	305x120x0,7	1
127713356E8-M2K	356x120x0,7	1
127713406E8-M2K	406x120x0,7	1
127713457E8-M2K	457x120x0,7	1
127713508E8-M2K	508x120x0,7	1

PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127713279E10-M2K	279x120x0,7	1
127713305E10-M2K	305x120x0,7	1
127713356E10-M2K	356x120x0,7	1
127713406E10-M2K	406x120x0,7	1
127713457E10-M2K	457x120x0,7	1
127713508E10-M2K	508x120x0,7	1

PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127713279E12-M2K	279x120x0,7	1
127713305E12-M2K	305x120x0,7	1
127713356E12-M2K	356x120x0,7	1
127713406E12-M2K	406x120x0,7	1
127713457E12-M2K	457x120x0,7	1
127713508E12-M2K	508x120x0,7	1

PREMIUM VENETAN TROWELS 0,3MM



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
1263240100-MHK-1	240x100x80x0,3	1

Hardened gold stainless steel. Super Flex blade thickness 0,3mm.
Powder coated aluminum bar. Natural cork handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
1263240100-MH2K-1	240x100x80x0,3	1

Hardened gold stainless steel. Super Flex blade thickness 0,3mm.
Powder coated aluminum bar. Twocomponent handle.

PREMIUM VENETAN TROWELS 0,3MM



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
1263200086-MHK-1	200x86x0,3	1

Hardened gold stainless steel. Super Flex blade thickness 0,3mm.
Powder coated aluminum bar. Natural cork handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
1263200086-MH2K-1	200x86x0,3	1

Hardened gold stainless steel. Super Flex blade thickness 0,3mm.
Powder coated aluminum bar. Twocomponent handle.

PREMIUM INVERTED VENETAN TROWELS 0,3MM



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
1263240100-MHK-2	240x130x100x0,3	1

Hardened gold stainless steel. Super Flex blade thickness 0,3mm.
Powder coated aluminum bar. Natural cork handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
1263240100-MH2K-2	240x130x100x0,3	1

Hardened gold stainless steel. Super Flex blade thickness 0,3mm.
Powder coated aluminum bar. Twocomponent handle.

PREMIUM VENETAN IRON-SHAPE TROWELS 0,3MM



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
1263240086-MHK-3	240x86x0,3mm	1

Hardened gold stainless steel. Super Flex blade thickness 0,3mm.
Powder coated aluminum bar. Natural cork handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
1263240086-MH2K-3	240x86x0,3mm	1

Hardened gold stainless steel. Super Flex blade thickness 0,3mm.
Powder coated aluminum bar. Twocomponent handle.

PREMIUM VENETAN TROWELS 0,65MM



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
126520-MHK	200x70x80x0,65	1
126524-MHK	240x90x110x0,65	1
126528-MHK	280x90x110x0,65	1

Hardened gold stainless steel. Blade thickness 0,65mm. Rounded corners and polished blade to mirror effect. Powder coated aluminum bar. Natural cork handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
126520-MH2K	200x70x80x0,65	1
126524-MH2K	240x90x110x0,65	1
126528-MH2K	280x90x110x0,65	1

Hardened gold stainless steel. Blade thickness 0,65mm. Rounded corners and polished blade to mirror effect. Powder coated aluminum bar. Twocomponent handle.

PREMIUM VENETAN INVERTED TROWELS 0,65MM



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
126124-MHK	240x130x100x0,65	1

Hardened gold stainless steel. Blade thickness 0,65mm. Rounded corners and polished blade to mirror effect. Powder coated aluminum bar. Natural cork handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
126124-MH2K	240x130x100x0,65	1

Hardened gold stainless steel. Blade thickness 0,65mm. Rounded corners and polished blade to mirror effect. Powder coated aluminum bar. Twocomponent handle.

POOL TROWELS STAINLESS STEEL WITH ROUNDED FRONT



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127712279-MSOHK	279x120x0,65	1
127712305-MSOHK	305x120x0,65	1
127712356-MSOHK	356x120x0,65	1
127712406-MSOHK	406x120x0,65	1
127712457-MSOHK	457x120x0,65	1

Hardened gold stainless steel. Blade thickness 0,65mm. Powder coated aluminum bar. Natural cork handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127712279-MSOH2K	279x120x0,65	1
127712305-MSOH2K	305x120x0,65	1
127712356-MSOH2K	356x120x0,65	1
127712406-MSOH2K	406x120x0,65	1
127712457-MSOH2K	457x120x0,65	1

Hardened gold stainless steel. Blade thickness 0,65mm. Powder coated aluminum bar. Twocomponent handle.

POOL TROWELS SPRING STEEL WITH ROUNDED FRONT



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
02771230-MSOK	280x120x0,7	1
02771240-MSOK	380x120x0,7	1
02771250-MSOK	480x120x0,7	1
02771260-MSOK	580x120x0,7	1

Silver spring steel. Blade thickness 0,7mm. Powder coated aluminum bar. Natural cork handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
027712230-MSO2K	280x120x0,7	1
027712240-MSO2K	380x120x0,7	1
027712250-MSO2K	480x120x0,7	1
027712260-MSO2K	580x120x0,7	1

Silver spring steel. Blade thickness 0,7mm. Powder coated aluminum bar. Twocomponent handle.

FLOORING TROWELS MADE OF SPRING STEEL WITH BEVELLED FRONT



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
027440-K	380x90x1,2	1
027450-K	480x90x1,2	1
027460-K	580x90x1,2	1

Silver spring steel. Blade thickness 1,2mm. Powder coated aluminum bar. Natural cork handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
027440-2K	380x90x1,2	1
027450-2K	480x90x1,2	1
027460-2K	580x90x1,2	1

Silver spring steel. Blade thickness 1,2mm. Powder coated aluminum bar. Twocomponent handle.

HAWK



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
126713-K	330x330x1,75	1

Ultra light aluminium blade thickness 1,75mm. Milled grooves to prevent slippage of putty. Anti-abrasion rubber. Ergonomic natural cork handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
126713-2K	330x330x1,75	1

Ultra light aluminium blade thickness 1,75mm. Milled grooves to prevent slippage of putty. Anti-abrasion rubber. Ergonomic two-component handle.





SKIMMING BLADES

ECOFORM 0,3MM

SKIMMING BLADES



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
1239150G3P	150x0,3	1
1239250G3P	250x0,3	1
1239400G3P	400x0,3	1
1239600G3P	600x0,3	1
1239800G3P	800x0,3	1
12391000G3P	1000x0,3	1
12391250G3P	1250x0,3	1
12391500G3P	1500x0,3	1

PVC profile.

Super flex replaceable stainless steel blade thickness 0,3mm.

0,3MM BLADES



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
1239150GB3P	150x0,3	1
1239250GB3P	250x0,3	1
1239400GB3P	400x0,3	1
1239600GB3P	600x0,3	1
1239800GB3P	800x0,3	1
12391000GB3P	1000x0,3	1
12391250GB3P	1250x0,3	1
12391500GB3P	1500x0,3	1

Super flex replaceable stainless steel blade thickness 0,3mm.

0,5MM BLADES



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
1239150GB5P	150x0,5	1
1239250GB5P	250x0,5	1
1239400GB5P	400x0,5	1
1239600GB5P	600x0,5	1
1239800GB5P	800x0,5	1
12391000GB5P	1000x0,5	1
12391250GB5P	1250x0,5	1
12391500GB5P	1500x0,5	1

Flex replaceable stainless steel blade thickness 0,5mm.

0,5MM NOTCHED BLADES

Hardened stainless steel.

Flex replaceable blade thickness 0,5mm.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
1239150GB5E4P	150x0,5	1
1239250GB5E4P	250x0,5	1
1239400GB5E4P	400x0,5	1
1239600GB5E4P	600x0,5	1
1239800GB5E4P	800x0,5	1
12391000GB5E4P	1000x0,5	1
12391250GB5E4P	1250x0,5	1
12391500GB5E4P	1500x0,5	1

PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
1239150GB5E6P	150x0,5	1
1239250GB5E6P	250x0,5	1
1239400GB5E6P	400x0,5	1
1239600GB5E6P	600x0,5	1
1239800GB5E6P	800x0,5	1
12391000GB5E6P	1000x0,5	1
12391250GB5E6P	1250x0,5	1
12391500GB5E6P	1500x0,5	1

PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
1239150GB5E8P	150x0,5	1
1239250GB5E8P	250x0,5	1
1239400GB5E8P	400x0,5	1
1239600GB5E8P	600x0,5	1
1239800GB5E8P	800x0,5	1
12391000GB5E8P	1000x0,5	1
12391250GB5E8P	1250x0,5	1
12391500GB5E8P	1500x0,5	1

PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
1239150GB5E10P	150x0,5	1
1239250GB5E10P	250x0,5	1
1239400GB5E10P	400x0,5	1
1239600GB5E10P	600x0,5	1
1239800GB5E10P	800x0,5	1
12391000GB5E10P	1000x0,5	1
12391250GB5E10P	1250x0,5	1
12391500GB5E10P	1500x0,5	1

PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
1239150GB5E12P	150x0,5	1
1239250GB5E12P	250x0,5	1
1239400GB5E12P	400x0,5	1
1239600GB5E12P	600x0,5	1
1239800GB5E12P	800x0,5	1
12391000GB5E12P	1000x0,5	1
12391250GB5E12P	1250x0,5	1
12391500GB5E12P	1500x0,5	1

PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
1239150GB5FRDP	150x0,5	1
1239250GB5FRDP	250x0,5	1
1239400GB5FRDP	400x0,5	1
1239600GB5FRDP	600x0,5	1
1239800GB5FRDP	800x0,5	1
12391000GB5FRDP	1000x0,5	1
12391250GB5FRDP	1250x0,5	1
12391500GB5FRDP	1500x0,5	1



TELESCOPIC STICK & ADAPTER



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
205401	120-220	6
205404	95-160	6

Fiberglass telescopic stick to ergoplane

PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
205402	Adapter for ERGOPLANE	1
205402P	Adapter for ERGTOPLAST	

Skimming blades adapter

PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
205407	-	1

Universal thread adapter

PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
205406	-	1

Universal thread adapter + mud roller 2K adapter

MUD ROLLERS



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
250100	100	10
250180	180	10
250230	230	10
250300	300	10

Mud roller

PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
250180R-1K	180	10
250230R-1K	230	10

1K mud roller handle

PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
250300R-1K	300	10

1K mud roller handle

PAINT TOOLS



Ecofirm Blended fabric Roller

Sizes :

- 18" (1/2)
- 18" (3/8)
- 18" (3/4)



- Excellent paint pick up and holding capacity
- Leaves a smooth finish



Ecofirm Rolling Tray

- Reusable and easily cleaned
- Reinforced ramp and full foot stability
- Flexible plastic construction for durability



Ecofirm Adjustable Roller Frame 12"-18"

- Latch system for quick adjustment
- Greater coverage with less effort



Ecofirm Block Brush

Sizes:

- (40x140)
- (30x120)
- Great for exterior applications Of stains and sealers
- Provides durability



Ecofirm Block Brush

Sizes :

- (30x140)
- (30x120)
- (30x100)
- Paints more area in less time
- Rust and Solvent resistant ferrule



Ecofirm Paint Brush

Size : 2 3/4"

- Professional quality, satisfaction guaranteed
- Intended to be long lasting and easy to clean.
- Filaments designed to hold more paint to save time and give you the finish you are looking for.

PAINT TOOLS



4" Roller Covers

- Pack of 6
- Premium Quality
- From smooth to light textured walls, dry walls, and ceilings
- Designed for use with all paints and stains



4" Mini Black Paint Rollers

- 6 Pc roller covers
- Micro - fiber, best for smooth and Semi smooth surfaces
- Designed to use with all paints and stains
- Ideal for doors, cabinets, furniture and moldings.



4" Foam Paint Roller (6 Pcs.)

- Perfect for glossy paints , primers and stain
- Applies a lint free, spray- like finish
- Ideal for doors, cabinets, furniture and molding



Small Paint Roller Kit

- 5 Pack, 4 inch set, durable paint tray , 4 inch roller
- Interior and exterior home improvement
- Great Quality - enjoy affordable great class performance that makes your work easier



Ecofirm Spike Roller

- Simple to use and effective.
- Removes bubbles better and faster.
- The screed roller is applied to epoxy floor paint construction , make more smoother.



Ecofirm Tools Grout Cleanup Bucket System

- Cleans grout faster & more efficiently than hand sponges
- Perfect for large tile jobs
- Includes one hand sponge attachment
- Includes wheels



Ecofirm Texture Loop Roller

- Smooth Finish
- Used to pick up and release 3x more paint than a standard roller
- Perfect for painting smooth and semi-smooth surfaces.



Ecofirm Tools Large Spike Roller

- Removes air bubbles and leaves a smooth screed surface



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
250100-2K	100	10
250180-2K	180	10
250230-2K	230	10
250300-2K	300	10

2K mud roller handle



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
205225-2	279x100x0,3	1

Facade putty adapter

OPTIONAL KITS YOU CAN ASSEMBLE YOURSELF:


- 1)  +  +  SKIMMING BLADE
- 2)  +  MUD ROLLER
- 3)  +  MUD ROLLER 2K
- 4)  +  +  + 

SKIMMING BLADE SET IN RED CASE

SET WERGR CONTENTS:

SKIMMING BLADES 250MM, 400MM, 600MM, 800MM, 1000MM

TELESCOPIC STICK (205404) , ADAPTER (205402), HAWK(126713-2K), PUTTY KNIVES WITH BIT(124015-2KB), MUD ROLLER (250230) AND HANDLE (250230R-2K).



EXAMPLE PHOTO OF WERGR-G3P

PRODUCT NUMBER	SERIES, BLADE THICKNESS [MM]	
WRGR-G3P	ECOFORM 0,3	1
WERGR-G5P	ECOFORM 0,5	1

SKIMMING BLADE SET IN CASE

SET WERGM CONTENTS:

SKIMMING BLADES 250MM, 400MM, 600MM, 800MM

MUD ROLLER (250230) AND HANDLE (250230R)



EXAMPLE PHOTO OF WERGM-G3P


PRODUCT NUMBER	SERIES, BLADE THICKNESS [MM]	MIN. ORDER
WERGM-G3P	ECOFORM 0,3	1
WERGM-G4P	ECOFORM 0,5	1

SKIMMING BLADE SET IN CASE

SET WERGD CONTENTS:

SKIMMING BLADES 250MM, 400MM, 600MM, 800MM, 1000MM

TELESCOPIC STICK (205404) , ADAPTER (205402), MUD ROLLER (250230) AND HANDLE (250230R)



EXAMPLE PHOTO OF WERGD-G3P

PRODUCT NUMBER	SERIES, BLADE THICKNESS [MM]	MIN. ORDER
WERGD-G3P	ECOFORM 0,3	1
WERGD-G5P	ECOFORM 0,5	1

FACADE PUTTY



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
124916-2K	160x100x0,5	10
124918-2K	180x100x0,5	10
124920-2K	200x100x0,5	10
124922-2K	220x100x0,5	10
124930-2K	300x100x0,5	10

Stainless steel facade putty „feniks“. Blade thickness 0,5mm. Twocomponent handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
123617-2K	170x60x0,5	10
123622-2K	220x60x0,5	10
123628-2K	280x60x0,5	10
123638-2K	380x60x0,5	10
123648-2K	480x60x0,5	10
123658-2K	580x60x0,5	10
123668-2K	680x60x0,5	10

Stainless steel facade putty. Blade width 100mm, thickness 0,5mm. Twocomponent handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
123917-2K	170x100x0,5	10
123922-2K	220x100x0,5	10
123928-2K	280x100x0,5	10
123938-2K	380x100x0,5	10
123948-2K	480x100x0,5	10
123958-2K	580x100x0,5	10
123968-2K	680x100x0,5	10

Stainless steel facade putty. Blade width 60mm, thickness 0,5mm. Twocomponent handle.



Ecofirm Gauge Level Trowel

- Apply materials at a precise predetermined uniform depth.
- Tool is lightweight , very sturdy

FACADE PUTTY



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
123617-K	170x60x0,5	10
123622-K	220x60x0,5	10
123628-K	280x60x0,5	10
123638-K	380x60x0,5	10
123648-K	480x60x0,5	10
123658-K	580x60x0,5	10
123668-K	680x60x0,5	10

Stainless steel facade putty. Blade width 100mm, thickness 0,5mm. Cork handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
123917-K	170x100x0,5	10
123922-K	220x100x0,5	10
123928-K	280x100x0,5	10
123938-K	380x100x0,5	10
123948-K	480x100x0,5	10
123958-K	580x100x0,5	10
123968-K	680x100x0,5	10

Stainless steel facade putty. Blade width 60mm, thickness 0,5mm. Cork handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
123915P	150x100x0,5	10
123920P	200x100x0,5	10
123925P	25x100x0,5	10
123930P	300x100x0,5	10
123935P	350x100x0,5	10
123945P	450x100x0,5	10
123960P	600x100x0,5	10

Stainless steel facade putty POPULAR. Blade width 60mm, thickness 0,5mm.



Ecofirm Tools Concrete Smoother 24"

- High quality stainless steel blade
- Cork handle



FORGED TROWEL HARDENED STEEL



FORGED JOIN POINTING TROWEL HARDEED STEEL



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
025106F-K	6	1
025110F-K	10	1
025112F-K	12	1

One pieced forged brick trowel, hardened carbon steel.
Natural cork handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
025106F-2K	6	1
025110F-2K	10	1
025112F-2K	12	1

One pieced forged brick trowel, hardened carbon steel.
Twocomponent handle.

FORGED POITING TROWEL HARDENED STEEL



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
025313F-K	13	1
025315F-K	15	1
025318F-K	18	1

One pieced forged brick trowel, hardened carbon steel.
Natural cork handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
025313F-2K	13	1
025315F-2K	15	1
025318F-2K	18	1

One pieced forged brick trowel, hardened carbon steel.
Twocomponent handle.

FORGED MARGIN TROWEL HARDENED STEEL



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
025413F-K	13	1
025415F-K	15	1
025420F-K	20	1

One pieced forged brick trowel, hardened carbon steel.
Natural cork handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
025413F-2K	13	1
025415F-2K	15	1
025420F-2K	20	1

One pieced forged brick trowel, hardened carbon steel.
Twocomponent handle.

FORGED LARGE BRICK TROWEL LONDON HARDENED STEEL



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
026254F-K	254	1
026279F-K	279	1
026305F-K	305	1

One pieced forged brick trowel, hardened carbon steel.
Natural cork handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
026254F-2K	254	1
026279F-2K	279	1
026305F-2K	305	1

One pieced forged brick trowel, hardened carbon steel.
Twocomponent handle.

FORGED LARGE BRICK TROWEL PHILADELPHIA HARDENED STEEL



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
027254F-K	254	1
027279F-K	279	1
027305F-K	305	1


One pieced forged brick trowel, hardened carbon steel.
Natural cork handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
027254F-2K	254	1
027279F-2K	279	1
027305F-2K	305	1

One pieced forged brick trowel, hardened carbon steel.
Twocomponent handle.

STANDARD TROWELS



STANDARD TROWELS



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127128-K	280x130x0,7	10

Stainless steel blade thickness 0,7mm. Cork handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127128-2KO	280x130x0,7	10

Stainless steel blade thickness 0,7mm. Twocomponent handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127128-SG	280x130x0,7	10

Stainless steel blade thickness 0,7mm. Twoomponent handle-SG type.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127028P	280x130x0,7	10

Stainless steel blade thickness 0,7mm. Plastic handle.

STANDARD NOTCHED TROWELS



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127128E4-K	280x130x0,7	10
127128E6-K	280x130x0,7	10
127128E8-K	280x130x0,7	10
127128E10-K	280x130x0,7	10
127128E12-K	280x130x0,7	10
127128-KFRM	280x130x0,7	10
127128-KFRD	280x130x0,7	10
127128EO-K	280x130x0,7	10

Stainless steel blade with tooth thickness 0,7mm. Cork handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127128E4-2KO	280x130x0,7	10
127128E6-2KO	280x130x0,7	10
127128E8-2KO	280x130x0,7	10
127128E10-2KO	280x130x0,7	10
127128E12-2KO	280x130x0,7	10
127128-2KOFRM	280x130x0,7	10
127128-2KOFRD	280x130x0,7	10
127128EO-2KO	280x130x0,7	10

Stainless steel blade with tooth thickness 0,7mm. Twocomponent handle .



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127128E4-SG	280x130x0,7	10
127128E6-SG	280x130x0,7	10
127128E8-SG	280x130x0,7	10
127128E10-SG	280x130x0,7	10
127128E12-SG	280x130x0,7	10
127128-SGFRM	280x130x0,7	10
127128-SGFRD	280x130x0,7	10
127128EO-SG	280x130x0,7	10

Stainless steel blade with tooth thickness 0,7mm. Twocomponent SG-type handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127930-L	300x120x0,65	10
127128-K	300x120x0,65	10
127128-2KO	300x120x0,65	10
127128-SG	300x120x0,65	10

Stainless hardened steel curved blade thickness 0,65mm. Handle: leather, natural cork, twocomponent, SG-type.

STANDARD VENETIAN TROWELS



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
126520-K	200x80	10
126524-K	240x90x110	10
126528-K	280x90x110	10

Stainless steel blade thickness 0,7mm. Cork handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
126520-2KO	200x80	10
126524-2KO	240x90x110	10
126528-2KO	280x90x110	10

Stainless steel blade thickness 0,7mm. Twocomponent handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
126520-SG	200x80	10
126524-SG	240x90x110	10
126528-SG	280x90x110	10

Stainless steel blade thickness 0,7mm.
Twocomponent handle -SG type.

"SUPER PROFI" TROWELS



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127730-K	280X130X0,7	10

Stainless steel blade thickness 0,7mm. Cork handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127730-2KO	280X130X0,7	10


Stainless steel blade thickness 0,7mm. Twocomponent handle.

"SUPER PROFI" NOTCHED TROWELS



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127730E4-K	280x130x0,7	10
127730E6-K	280x130x0,7	10
127730E8-K	280x130x0,7	10
127730E10-K	280x130x0,7	10
127730E12-K	280x130x0,7	10

Stainless steel blade thickness 0,7mm. With tooth. Leather handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127730E4-2KO	280x130x0,7	10
127730E6-2KO	280x130x0,7	10
127730E8-2KO	280x130x0,7	10
127730E10-2KO	280x130x0,7	10
127730E12-2KO	280x130x0,7	10

Stainless steel blade thickness 0,7mm. With tooth. Leather handle.

POPULAR TROWELS | POPULAR NOTCHED TROWELS



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127128-2KP	280x130x0,7	10
127128E4-2KP	280x130x0,7	10
127128E6-2KP	280x130x0,7	10
127128E8-2KP	280x130x0,7	10
127128E12-2KP	280x130x0,7	10



Venetian Trowel Stainless Steel 9",11",12",14",16"

- Cork handle for natura absorbent
- Decorative plaster and stucco

ADHESIVE TROWEL STAINLESS STEEL SUPER PROFI



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127150-2K	480x130x1,2	5

Stainless steel blade thickness 1,2mm. Twocomponent handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127150E4-2K	480x130x1,2	5
127150E6-2K	480x130x1,2	5
127150E8-2K	480x130x1,2	5
127150E10-2K	480x130x1,2	5
127150E12-2K	480x130x1,2	5

Stainless steel blade with tooth thickness 1,2mm. Twocomponent handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127150-K	480x130x1,2	5

Stainless steel blade thickness 1,2mm. Cork handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127150E4-K	480x130x1,2	5
127150E6-K	480x130x1,2	5
127150E8-K	480x130x1,2	5
127150E10-K	480x130x1,2	5
127150E12-K	480x130x1,2	5

Stainless steel blade with tooth thickness 1,2mm. Cork handle.

TRIANGULAR TROWEL SPRING HARDENED STEEL



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
021118-K	180	20
021119-K	190	20
021120-K	200	20
021121-K	210	20
021123-K	230	20

Cold rolled steel blade. Natural cork handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
021118-2K	180	20
021119-2K	190	20
021120-2K	200	20
021121-2K	210	20
021123-2K	230	20

Cold rolled steel blade. Twocomponent handle.

TRAPEZOID TROWEL SPRING HARDENED STEEL WELDED



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
022214-K	140 (narrow)	20
022216-K	160 (narrow)	20
022218-K	180 (narrow)	20
022114-K	140 (wide)	20
022116-K	160 (wide)	20
022118-K	180 (wide)	20

Cold rolled hardened steel blade. Natural cork handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
022214-2K	140 (narrow)	20
022216-2K	160 (narrow)	20
022218-2K	180 (narrow)	20
022114-2K	140 (wide)	20
022116-2K	160 (wide)	20
022118-2K	180 (wide)	20

Cold rolled hardened steel blade. Twocomponent handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
022116-2KP	160 (wide)	20
022118-2KP	180 (wide)	20

Cold rolled hardened steel blade. Popular twocomponent handle.

STAINLESS STEEL TRAPEZOID TROWEL WELDED



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
122214-KS	140 (narrow)	20
122216-KS	160 (narrow)	20
122218-KS	180 (narrow)	20
122114-KS	140 (wide)	20
122116-KS	160 (wide)	20
122118-KS	180 (wide)	20

Stainless steel blade. Natural cork handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
122214-2KS	140 (narrow)	20
122216-2KS	160 (narrow)	20
122218-2KS	180 (narrow)	20
122114-2KS	140 (wide)	20
122116-2KS	160 (wide)	20
122118-2KS	180 (wide)	20

Stainless steel blade. Twocomponent handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
122116-2KP	160 (wide)	20
122118-2KP	180 (wide)	20

Stainless steel blade. Popular twocomponent handle.

STAINLESS STEEL TRAPEZOID TROWEL SPOT WELDED



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
122214-K	140 (narrow)	20
122216-K	160 (narrow)	20
122218-K	180 (narrow)	20
122114-K	140 (wide)	20
122116-K	160 (wide)	20
122118-K	180 (wide)	20

Stainless steel blade. Natural cork handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
122214-2K	140 (narrow)	20
122216-2K	160 (narrow)	20
122218-2K	180 (narrow)	20
122114-2K	140 (wide)	20
122116-2K	160 (wide)	20
122118-2K	180 (wide)	20

Stainless steel blade. Twocomponent handle.

TILERS SPATULA SPRING STEEL WELDED



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
026140-K	40	12
026160-K	60	12
026180-K	80	12
026100-K	100	12
026112-K	120	12

Stainless steel blade. Natural cork handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
026140-2K	40	12
026160-2K	60	12
026180-2K	80	12
026100-2K	100	12
026112-2K	120	12

Stainless steel blade. Twocomponent handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
026180-2KP	80	12
026100-2KP	100	12

Stainless steel blade. Popular two-component handle.

TILERS SPATULA STAINLESS STEEL WELDED



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
126140-KS	40	12
126160-KS	60	12
126180-KS	80	12
126100-KS	100	12
126112-KS	120	12

Stainless steel blade. Natural cork handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
126140-2KS	40	12
126160-2KS	60	12
126180-2KS	80	12
126100-2KS	100	12
126112-2KS	120	12

Stainless steel blade. Two-component handle.

TILERS SPATULA STAINLESS STEEL SPOT WELDED



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
126140-K	40	12
126160-K	60	12
126180-K	80	12
126100-K	100	12
126112-K	120	12

Stainless steel blade. Natural cork handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
126140-2K	40	12
126160-2K	60	12
126180-2K	80	12
126100-2K	100	12
126112-2K	120	12

Stainless steel blade. Twocomponent handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
126160-2KP	60	12
126180-2KP	180	12
126100-2KP	100	12

Stainless steel blade. Popular twocomponent handle.

TROWEL „CAT’S TONGUE” STAINLESS STEEL



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
123214-K	140	12
123216-K	160	12

Stainless steel blade. Natural cork handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
123214-2K	140	12
123216-2K	160	12

Stainless steel blade. Twocomponent handle.

HAMBURG TROWEL STAINLESS STEEL



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
126414-K	140	12
126416-K	160	12

Stainless steel blade. Natural cork handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
126414-2K	140	12
126416-2K	160	12

Stainless steel blade. Twocomponent handle.

STUCCO TROWEL STAINLESS STEEL TWO SIDED



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
122508-K	80x90	12

Stainless steel blade. Natural cork handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
122508-2K	80x90	12

Stainless steel blade. Twocomponent handle.

STAINLESS STEEL TROWEL TO EXTERNAL EDGES



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
122604-K	60x80	12
122607-K	75x110	12

Stainless steel blade. Natural cork handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
122604-2K	60x80	12
122607-2K	75x110	12

Stainless steel blade. Twocomponent handle.

STUCCO TROWEL INT + KNIFE



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
122704-2K	60x80	12
122707-2K	75x110	12

Twocomponent handle and blade with knife.

STUCCO TROWEL INTERNAL EDGES



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
122504-K	60x80	12
122507-K	75x110	12
122511-K	110x120x0,5 (ANGLE 110°)	12

Natural cork handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
122504-2K	60x80	12
122507-2K	75x110	12
122511-2K	110x120x0,5 (ANGLE 110°)	12

Twocomponent handle.

JOIN POINTING TROWEL



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
025106-K	6	12
025108-K	8	12
025110-K	10	12
025112-K	12	12

Natural cork handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
025106-2K	6	12
025108-2K	8	12
025110-2K	10	12
025112-2K	12	12

Twocomponent handle.

POINTING SET



PRODUCT NUMBER	HANDLE	MIN. ORDER
205011-K	CORK	5
205011-2K	TWOCOMPONENT	5
205011	WOOD	5

Grout float with join pointing.



PRODUCT NUMBER	HANDLE	MIN. ORDER
205011B-K	CORK	5
205011B-2K	TWOCOMPONENT	5
205011B	WOOD	5

Grout float.

PAINT PUTTY KNIFE STAINLESS STEEL WITH BIT



PRODUCT NUMBER	DIMENSIONS [MM], HANDLE	MIN. ORDER
124015-2KB	150, TWOCOMPONENT	12
124015-KB	150, CORK	12

Stainless steel blade. Cork/twocomponent handle with bit.

PAINT PUTTY KNIFE STAINLESS STEEL



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
124040-K	40	12
124060-K	60	12
124080-K	80	12
124010-K	100	12
124012-K	120	12
124015-K	150	12

Stainless steel blade. Natural cork handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
124040-2KP	40	12
124060-2KP	60	12
124080-2KP	80	12
124010-2KP	100	12
124012-2KP	120	12
124015-2KP	150	12

Stainless steel blade. Twocomponent handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
124040-P	40	12
124060-P	60	12
124080-P	80	12
124010-P	100	12

Stainless steel blade. Plastic handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
1240100-P	-	12

Stainless steel blade. Plastic handle with a convenient inward-rounded blade.

TWOCOMPONENT COLLECTION



Ecofirm Trowel Stainless Steel 3.9" with 8mm Teeth

- Hardened and tempered stainless blade for durability.
- Ergonomic soft grip handle ensures a comfortable grip, less fatigue.
- Lightweight



Ecofirm Tuck pointing Trowel 5/8", 3/8", 1/4 "

- designed for repeat use
- Tapered for the required sturdiness and correct flexibility.
- Innovative and durable, made from carbon steel.
- Pro- Grip Soft handle



Finishing trowel stainless 11"

- Made of premium high carbon steel for high strength.
- Flat blade makes applications easier with more consistent finish .



Grouting Tool Tray & Tuck Pointing Trowel 10"x6"

- One of the most important tile tools you can arm yourself with
- Rubber two component handle for comfort



Wide putty knife for Gypsum Aluminum Profile 6.7"

- Flexible blade, works well for spreading sparkle and adhesive.
- Soft grip handle, offers a secure hold and comfort, even during extended use.



Ecofirm Tilers Spatula Steel

- Stainless Steel
- Rust Proof
- Equipped with large rubber handle, gives comfortable edge to grasp.



Ecofirm Corner Trowel Internal

- Attain perfect corners with ease.
- The product is highly durable.
- Pro- grip soft handle.
- Stainless Steel Blade.
- Finishes both sides at the same time.



Ecofirm Panel Carrier

- Lightweight and handy tool for simple damage free lifting
- Carrying panels of all types

**ABS FLOATS
BUCKETS
SPIRIT LEVELS
SCRAPERS**



ABS FLOATS



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
205109-K	280x130x3	10

ABS Float natural cork handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
205109-2K	280x130x3	10

ABS Float twocomponent handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
205118	280x130x3	10
205109	280x130x2	10

ABS Float.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
205211	127x279	10
205212	127x305	10

ABS Float.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
205111-2K	280x140x18	10

ABS float orange rubber sponge base.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
205106-2K	280x140x25	10
ABS float hydro-sponge base non-cut-in.		



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
205107-2K	280x140x25	10
ABS float hydro-sponge base cut-in.		



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
205300-2K	280x140x25	10
ABS float orange hydro-sponge base.		



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
205301-2K	280x140x25	10
ABS float yellow hydro-sponge base.		



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
205116-2K	280x140x25	10
ABS float brown hydro-sponge base non-cut-in.		



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
205117-2K	280x140x25	10
ABS float brown hydro-sponge base cut-in.		




PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
205115-2K	280x140x8	10
ABS float black rubber base.		



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
205123-2K	280x140x8	10
ABS float white felt base.		




PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
205005-2K	250x100	10
ABS float red rubber base.		




PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
205107	280x140	10

ABS float hydro-sponge base cut-in.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
205106	280x140x25	10

ABS float hydro-sponge base non-cut-in.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
205111	280x140x18	5
205112	280x140x12	5

ABS float orange rubber sponge base.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
205117	280x140	10

ABS float brown hydro-sponge base cut-in.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
205116	280x140	10

ABS float brown hydro-sponge base cut-in.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
205115	280x140x8	10

ABS float black foam base.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
205123	280x140x8	10

ABS float base white felt.

ORANGE RUBBER SPONGE



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
205111G	280x140x18	24
205003G	400x200x18	24

ABS Float orange rubber sponge base.

STYROFOAM & POLIURETHANE FLOAT



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
ST14280	130x270	10
ST18320	180x320	10
ST14500	140x500	10
ST14700	140x700	10
ST141000	140x1000	10

Styrofoam float.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
PU141234	140x120x340	10

Polyurethane trapezoidal float.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
PU1280	120x180	10
PU1270	120x700	10
PU12100	120x1000	10
PU12120	120x1200	10
PU1160	110x600	10
PU2242	220x420	10
PU1219	120x190	10
PU1224	120x240	10
PU1428	140x280	10
PU1832	180x320	10

Polyurethane float.

SCRAPERS



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
205300	320	5

Dilatation saw.




PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
205271-2K	130x270	10
205380-2K	160x380	10

Scraper for styrofoam, twocomponent handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
205271	130x270	10
205380	160x380	10

Scraper for styrofoam.



+

PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
205003	stick - 130 sponge - 200x400x18	10

Aluminium float with orange rubber sponge. Includes: Aluminium plate with nut, orange rubber sponge and stick 205003T.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
205003-1	200x400x18	10

Aluminium float with orange rubber sponge.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
205003T	130	10

Wooden stick with nut.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
205002	450	5

Wall scraper.

Wall scraper.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
285040-2K	250x290	5

Steel plaster truss twocomponent handle.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127830 (without stick)	300	10

Floor scraper.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
127831	1400	10

Wooden stick.

MIXING TUBS AND BUCKETS



PRODUCT NUMBER	CAPACITY [L]	MIN. ORDER
PJ40	40	5
PJ60	60	5
PJ90	90	5

Rounded mixing tub.



PRODUCT NUMBER	CAPACITY [L]	MIN. ORDER
KS40	45	5
KS60	65	5
KS90	90	5

Mixing tub.



PRODUCT NUMBER	CAPACITY [L]	MIN. ORDER
WD12	12	5
WD16	16	5
WD20	20	5

Builders bucket.



PRODUCT NUMBER	CAPACITY [L]	MIN. ORDER
WDD12	12	5
WDD16	16	5
WDD20	20	5

Builders bucket with pouring spout.

TILLERS KITS



PRODUCT NUMBER	MIN. ORDER
ZGP	1
Set contains: bucket 22L, grill, rollers.	



PRODUCT NUMBER	MIN. ORDER
ZGPI	1
Set contains: bucket 22L, grill, rollers, 205117, 205005-2K.	




PRODUCT NUMBER	MIN. ORDER
ZGP II	1
Set contains: bucket 22L, grill, rollers, 205115, 205117.	

SPIRIT LEVELS



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
LAGE2M40	400	5
LAGE2M50	500	5
LAGE2M60	600	5
LAGE2M80	800	5
LAGE2M100	1000	5
LAGE2M120	1200	5
LAGE2M150	1500	5
LAGE2M200	2000	5

Red aluminium spirit level.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
LAGE2M40S	400	5
LAGE2M60S	600	5
LAGE2M80S	800	5
LAGE2M100S	1000	5
LAGE2M120S	1200	5
LAGE2M150S	1500	5
LAGE2M200S	2000	5

Silver anodized aluminium spirit level.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
LAGE3M40PM	400	3
LAGE3M60PM	600	3
LAGE3M80PM	800	3
LAGE3M100PM	1000	3
LAGE3M120PM	1200	3
LAGE3M150PM	1500	3
LAGE3M200PM	2000	3


Power max strengthened aluminium spirit level.

SCREEDING RULER



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
Z902LBR150	1500	10
Z902LBR200	2000	10
Z902LBR250	2500	10
Z902LBR300	3000	10

Aluminium screeding ruler. 2 vials, without holders.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
Z902L2R150	1500	10
Z902L2R200	2000	10
Z902L2R250	2500	10
Z902L2R300	3000	10

Aluminium screeding ruler. 2 vials, with holders.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
Z904L2R150	1500	10
Z904L2R200	2000	10
Z904L2R250	2500	10
Z904L2R300	3000	10

Aluminium screeding ruler. 4 vials, with holders.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
Z904LBR150	1500	10
Z904LBR200	2000	10
Z904LBR250	2500	10
Z904LBR300	3000	10

Aluminium screeding ruler. 4 vials, without holders.

SCREEDING LEVELS



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
Z80T1L100	1000	10
Z80T1L150	1500	10
Z80T1L200	2000	10
Z80T1L250	2500	10
Z80T1L300	3000	10

Aluminium screeding ruler. 1 vial, without holders.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
Z80T1L100AT	1000	10
Z80T1L150AT	1500	10
Z80T1L200AT	2000	10
Z80T1L250AT	2500	10

Aluminium screeding ruler. 4 vials, with holders.

TRAPEZOIDAL AND H-TYPE RULER



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
ZTE100	1000	10
ZTE150	1500	10
ZTE180	1800	10
ZTE200	2000	10
ZTE250	2500	10
ZTE300	3000	10

Aluminium trapezoidal ruler.



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
ZH100	1000	10
ZH150	1500	10
ZH200	2000	10
ZH250	2500	10
ZH300	3000	10

Aluminium h-type ruler

TRIANGLE TEMPLATE



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
ZTEKO60	600x600	5

Aluminium triangle template.

GENERAL HARDWARE



18" Coating Squeegee Notched Blade

Sizes : 3/16", 1/8", 1/4" and Straight Blade

Features- Plastic thread for extension pole attachment, Solvent resistant



18" AccuBlade Squeegee Frame

- Frame designed for easy insert and removal of blade
- 2 set screws at top of frame




24" Gauge Rake Frame with threaded handle

- Aluminum bodied gauge rake for the precise and even application of concrete coatings
- Heavy duty body



24" Aluminum Clamp-Style Squeegee Frame

- Aluminum clamp style Squeegee for easy blade removal heavy duty body
- Metal thread for extension pole attachment
- Solvent resistant



18" AccuBlade Squeegee

Squeegee designed to apply the following WFT(Wet Film Thickness) at the following rate of coverage (Square feet per Gallon)



24" Squeegee EPDM Rubber Blade Straight Sizes : (Straight) 3/16", 1/16", 1/8", 1/4"

- For use with Aluminum Clamp Squeegee
- Ideal for all coatings
- All notched blades are reversible



Ecofirm Tools Level 16", 20", 48", 78" red

- Durability- Aluminum body frame provides stability and strength
- All different sizes for leveling , decoration, home furnishings



Ecofirm Tools Level 48", 72", 96" Magnetic


- Strong holding magnetic edge can be attached to any iron for easy
- Ensures accuracy and durability

GENERAL HARDWARE



Ecofirm Tools Level - Magnetic Silver 16", 48", 59", 78"

- Accurate and durable, aluminum frame
- Lightweight



Ecofirm Tools Floating Ruler "H" Type 59", 78", 98", 118"

- Stainless steel material for long lasting use



Ecofirm Tools Fiberglass Extension Pole (3-5ft) (5-7 ft)

- Easy to twist on, performs all hard reach tasks
- Perfect for paint roller, Squeegee, cobweb duster, feather duster, mop



Ecofirm Leveling Pins (100 pins)

- Double sided tape on the base.
- One sided graduated in Millimeters from 5mm- 60 mm



ASL Tooling Bolt 60/80 XS-2 SEG 16/20 XS-2 SEG

- Used for extra hard concrete and aggressive grinding



ASL Tooling Bolt 16/20 M-2 SEG

- For removing heavy coating, paint mastics, trowel marks, sealers, high spots uneven joints, rough surfaces, etc.



ASL Tooling Bolt 16/20 H-2 SEG 30/40 H-2 SEG

- For soft concrete and aggressive grinding. Double segment for longer lasting diamond life.



3" Turbo Shark, 16 Grit, Soft Bond

- Durable, premium quality tool
- Used for coating removal, profiling and grinding
- Use on concrete with HD Tooling


GRINDING TOOLS



3" Ecofirm Resin Pads

Various levels of GRIT from 50G to 400G

Sizes Available: 50 Grit, 100 Grit, 200 Grit, 400 Grit



3 Inch Metal Hard Bond Diamond Polishing Pads 10 Segments

- Grinding and Polish Concrete, 3 inch Diameter , hard bond, 10 segments , 2 pieces per box
- (30 Grit, 80 Grit)



Ecofirm 3" Resin Pads (50 Grit, 100 Grit, 200 Grit, 400 Grit)

- Designed for dry polishing of concrete and cement based Terrazzo floors
- Exceptional durability and life
- Offered in wet and dry bond



Ecofirm Ceramic pads 50 Grit, 100 Grit, 200 Grit, 400 Grit)

- Ceramic bond grinding pads with Velcro backing for polishing concrete and smoothing scratch patterns.
- The strength is between metal bonding and resin bonding.



SPIKE ROLLERS



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
SR11250	11 X 250	1
SR11500	11 X 500	1
SR11750	11 X 750	1
SR13250	13 X 250	1
SR13500	13 X 500	1
SR13750	13 X 750	1

Spike height 11/13 mm.

SPIKE SHOES



PRODUCT NUMBER	MIN. ORDER
SPIKESHOES	1

Spike shoes.

LONG KNEE PADS



PRODUCT NUMBER	MIN. ORDER
KNEEPADS	1

Long knee pads.

BUCKET SCOOP



PRODUCT NUMBER	DIMENSIONS [MM]	MIN. ORDER
BS8090180	80 (HEIGHT) ,90 ,180	1

Bucket scoop.