

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 05/10/2019 Revision date: 06/01/2021 Supersedes: 05/10/2019

**SECTION 1: Identification** Identification 1.1. Product form : Mixture Product name : TKB Sugar 'n Cereal Flavoring Oil CAS-No. N/A 1.2. Recommended use and restrictions on use No additional information available 1.3. Supplier TKB TRADING, LLC 1101 9th Avenue Oakland, CA 94606 Tel: 510-922-9027 www.tkbtrading.com **Contact Information** 1.4. Contact: support@tkbtrading.com SECTION 2: Hazard(s) identification 2.1. **Classification of the substance or mixture GHS US classification** Highly flammable liquid and vapor Flammable liquids Category 2 Serious eye damage/eye irritation Category 2A Causes serious eye irritation 2.2. GHS Label elements, including precautionary statements **GHS US labeling** Hazard pictograms (GHS US) GHS02 GHS07 Signal word (GHS US) : Danger Highly flammable liquid and vapor Hazard statements (GHS US) Causes serious eye irritation Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No Precautionary statements (GHS US) smoking. Keep container tightly closed. Ground/Bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wash hands, forearms and face thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. In case of fire: Use media other than water to extinguish. Store in a well-ventilated place. Keep cool. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

Version: 1.1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 2.4. Unknown acute toxicity (GHS US)

# Not applicable

# **SECTION 3: Composition/Information on ingredients**

#### 3.1. **Substances**

### Not applicable

#### 3.2. **Mixtures**

Name	Product identifier	%	GHS US classification
ETHYL ALCOHOL	(CAS-No.) 64-17-5	10 – 25	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336 STOT SE 3, H335
ETHYL MALTOL	(CAS-No.) 4940-11-8	1 – 5	Acute Tox. 4 (Oral), H302
ETHYL VANILLIN	(CAS-No.) 121-32-4	1 – 5	Eye Irrit. 2B, H320
VANILLIN	(CAS-No.) 121-33-5	1 – 5	Eye Irrit. 2A, H319

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing.
First-aid measures after eye contact	<ul> <li>Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.</li> </ul>
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.
4.2. Most important symptoms and effe	ects (acute and delayed)
Symptoms/effects after eye contact	: Eye irritation.
4.3. Immediate medical attention and s	pecial treatment, if necessary
Treat symptomatically.	
<b>SECTION 5: Fire-fighting measures</b>	
5.1. Suitable (and unsuitable) extinguis	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Specific hazards arising from the o	chemical
Fire hazard	: Highly flammable liquid and vapor.
Reactivity	: Highly flammable liquid and vapor.
5.3. Special protective equipment and	precautions for fire-fighters
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release mea	asures
6.1. Personal precautions, protective e	quipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: No open flames, no sparks, and no smoking. Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment. Notify author	rities if product enters sewers or public waters.
6.3. Methods and material for containn	nent and cleaning up
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.
06/01/2021	EN (English US) 2/9

# Safety Data Sheet

CECTION O

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 6.4. **Reference to other sections**

### For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Avoid contact with skin and eyes.
Hygiene measures	: Separate working clothes from town clothes. Launder separately. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, includ	ling any incompatibilities
Technical measures	: Ground/bond container and receiving equipment.
Storage conditions	: Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

#### : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

SECTION 8: Exposure controls/personal p	protection
8.1. Control parameters	
TKB Sugar 'n Cereal Flavoring Oil	
No additional information available	
ETHYL VANILLIN (121-32-4)	
No additional information available	
VANILLIN (121-33-5)	
No additional information available	
ETHYL MALTOL (4940-11-8)	
No additional information available	
ETHYL ALCOHOL (64-17-5)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Ethanol
ACGIH STEL (ppm)	1000 ppm
Remark (ACGIH)	URT irr
USA - OSHA - Occupational Exposure Limits	
Local name	Ethyl alcohol (Ethanol)
OSHA PEL (TWA) (mg/m <sup>3</sup> )	1900 mg/m <sup>3</sup>
OSHA PEL (TWA) (ppm)	1000 ppm

8.2.	Appropriate engineering controls	
Appropria	te engineering controls	: Ensure good ventilation of the work station.
Environm	ental exposure controls	: Avoid release to the environment.

Individual protection measures/Personal protective equipment 8.3.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

**Respiratory protection:** 

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Wear respiratory protection.



Physical state Odor Odor threshold oH Melting point Freezing point Boiling point Flash point Relative evaporation rate (butyl acetate=1)	<ul> <li>Liquid</li> <li>COLORLESS TO YELLOW</li> <li>CHARACTERISTIC OF SWEET FRUITY MARSHMALLOW</li> <li>No data available</li> <li>No data available</li> <li>Not applicable</li> <li>No data available</li> <li>No data available</li> <li>12 °C</li> </ul>
Odor threshold pH Melting point Freezing point Boiling point Flash point	<ul> <li>CHARACTERISTIC OF SWEET FRUITY MARSHMALLOW</li> <li>No data available</li> <li>Not applicable</li> <li>Not data available</li> <li>No data available</li> <li>No data available</li> <li>No data available</li> </ul>
Odor threshold pH Melting point Freezing point Boiling point Flash point	<ul> <li>No data available</li> <li>No data available</li> <li>Not applicable</li> <li>No data available</li> <li>No data available</li> <li>No data available</li> </ul>
bH Melting point Freezing point Boiling point Flash point	<ul> <li>No data available</li> <li>Not applicable</li> <li>No data available</li> <li>No data available</li> </ul>
Melting point Freezing point Boiling point Flash point	<ul> <li>Not applicable</li> <li>No data available</li> <li>No data available</li> </ul>
Melting point Freezing point Boiling point Flash point	<ul><li>No data available</li><li>No data available</li></ul>
Freezing point Boiling point Flash point	<ul><li>No data available</li><li>No data available</li></ul>
Boiling point Flash point	
Flash point	· 12 °C
	. 12 0
	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 0.925 (0.915 – 0.935)
Solubility	: Insoluble.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
9.2. Other information	
Refractive index	. 1 420 (1 420 1 440)
Certactive index	: 1.439 (1.429 – 1.449)
SECTION 10: Stability and reactivity	
10.1. Reactivity	
Highly flammable liquid and vapor.	
10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous reactions	
No dangerous reactions known under normal con	nditions of use
-	
10.4. Conditions to avoid	
Avoid contact with hot surfaces. Heat. No flames,	no sparks. Eliminate all sources of ignition.
10.5. Incompatible materials	
No additional information available	
10.6. Hazardous decomposition products	
	ardous decomposition products should not be produced.
SECTION 11: Toxicological information	
11.1. Information on toxicological effects	. Not alreading
Acute toxicity (oral) 06/01/2021	: Not classified EN (English US) 4/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Not classified Not classified 2000 mg/kg body weight 2000 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental alue, Oral, 14 day(s)) 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s)) 200 mg/kg body weight 220 mg/kg body weight 220 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Experimental value, Oral) 200 mg/kg body weight 0470 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental alue, Oral, 14 day(s)) 25 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, nhalation (vapours), 14 day(s)) 0470 mg/kg body weight Not classified Causes serious eye irritation.
2000 mg/kg body weight 3000 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental alue, Oral, 14 day(s)) 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s)) 300 mg/kg body weight 220 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Experimental value, Oral) 200 mg/kg body weight 0470 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental alue, Oral, 14 day(s)) 15800 mg/kg body weight (Rabbit, Experimental value, Dermal) 25 mg/ air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, nhalation (vapours), 14 day(s)) 0470 mg/kg body weight Not classified Causes serious eye irritation.
<ul> <li>300 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental talue, Oral, 14 day(s))</li> <li>2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))</li> <li>300 mg/kg body weight</li> <li>220 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Experimental value, Oral)</li> <li>200 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Experimental value, Oral)</li> <li>200 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))</li> <li>15800 mg/kg body weight (Rabbit, Experimental value, Dermal)</li> <li>25 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, nhalation (vapours), 14 day(s))</li> <li>0470 mg/kg body weight</li> </ul>
<ul> <li>300 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental talue, Oral, 14 day(s))</li> <li>2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))</li> <li>300 mg/kg body weight</li> <li>220 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Experimental value, Oral)</li> <li>200 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Experimental value, Oral)</li> <li>200 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))</li> <li>15800 mg/kg body weight (Rabbit, Experimental value, Dermal)</li> <li>25 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, nhalation (vapours), 14 day(s))</li> <li>0470 mg/kg body weight</li> </ul>
alue, Oral, 14 day(s)) 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s)) 300 mg/kg body weight 220 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Experimental value, Oral) 200 mg/kg body weight 0470 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental alue, Oral, 14 day(s)) • 15800 mg/kg body weight (Rabbit, Experimental value, Dermal) 25 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, nhalation (vapours), 14 day(s)) 0470 mg/kg body weight Not classified Causes serious eye irritation.
alue, Oral, 14 day(s)) 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s)) 300 mg/kg body weight 220 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Experimental value, Oral) 200 mg/kg body weight 0470 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental alue, Oral, 14 day(s)) • 15800 mg/kg body weight (Rabbit, Experimental value, Dermal) 25 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, nhalation (vapours), 14 day(s)) 0470 mg/kg body weight Not classified Causes serious eye irritation.
Experimental value, Dermal, 14 day(s)) 300 mg/kg body weight 220 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Experimental value, Oral) 200 mg/kg body weight 0470 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental alue, Oral, 14 day(s)) • 15800 mg/kg body weight (Rabbit, Experimental value, Dermal) 25 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, nhalation (vapours), 14 day(s)) 0470 mg/kg body weight Not classified Causes serious eye irritation.
220 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Experimental value, Oral) 200 mg/kg body weight 0470 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental ralue, Oral, 14 day(s)) • 15800 mg/kg body weight (Rabbit, Experimental value, Dermal) 25 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, nhalation (vapours), 14 day(s)) 0470 mg/kg body weight Not classified Causes serious eye irritation.
200 mg/kg body weight 0470 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental alue, Oral, 14 day(s)) 15800 mg/kg body weight (Rabbit, Experimental value, Dermal) 25 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, nhalation (vapours), 14 day(s)) 0470 mg/kg body weight Not classified Causes serious eye irritation.
200 mg/kg body weight 0470 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental alue, Oral, 14 day(s)) • 15800 mg/kg body weight (Rabbit, Experimental value, Dermal) 25 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, nhalation (vapours), 14 day(s)) 0470 mg/kg body weight Not classified Causes serious eye irritation.
0470 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental alue, Oral, 14 day(s)) • 15800 mg/kg body weight (Rabbit, Experimental value, Dermal) 25 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, nhalation (vapours), 14 day(s)) 0470 mg/kg body weight Not classified Causes serious eye irritation.
ralue, Oral, 14 day(s)) 15800 mg/kg body weight (Rabbit, Experimental value, Dermal) 25 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, nhalation (vapours), 14 day(s)) 0470 mg/kg body weight Not classified Causes serious eye irritation.
ralue, Oral, 14 day(s)) 15800 mg/kg body weight (Rabbit, Experimental value, Dermal) 25 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, nhalation (vapours), 14 day(s)) 0470 mg/kg body weight Not classified Causes serious eye irritation.
<ul> <li>15800 mg/kg body weight (Rabbit, Experimental value, Dermal)</li> <li>25 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, nhalation (vapours), 14 day(s))</li> <li>0470 mg/kg body weight</li> <li>Not classified</li> <li>Causes serious eye irritation.</li> </ul>
nhalation (vapours), 14 day(s)) 0470 mg/kg body weight Not classified Causes serious eye irritation.
0470 mg/kg body weight Not classified Causes serious eye irritation.
Causes serious eye irritation.
Causes serious eye irritation.
Not classified
Not classified
Not classified
- Carcinogenic to humans
Not classified
Not classified
Aay cause drowsiness or dizziness. May cause respiratory irritation.
Not classified
Not classified
No data available
Eye irritation.
· 
The product is not considered harmful to aquatic organisms or to cause long-term adverse affects in the environment.
7 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through ystem, Fresh water, Experimental value)
6.79 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static ystem, Fresh water, Experimental value, GLP)
20 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ETHYL MALTOL (4940-11-8)	
LC50 fish 1	> 85 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Experimental value)
EC50 Daphnia 1	27 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value)
ErC50 (algae)	7.2 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
ETHYL ALCOHOL (64-17-5)	
LC50 fish 1	15300 mg/l (US EPA, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal)

### 12.2. Persistence and degradability

VANILLIN (121-33-5)	
Persistence and degradability	Readily biodegradable in water.
ETHYL MALTOL (4940-11-8)	
Persistence and degradability	Readily biodegradable in water.
ETHYL ALCOHOL (64-17-5)	
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.8 – 0.967 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	1.7 g O <sub>2</sub> /g substance
ThOD	2.1 g O <sub>2</sub> /g substance
BOD (% of ThOD)	0.43

## 12.3. Bioaccumulative potential

VANILLIN (121-33-5)	
Partition coefficient n-octanol/water (Log Pow)	1.17 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
ETHYL MALTOL (4940-11-8)	
Partition coefficient n-octanol/water (Log Pow)	2.9 (Practical experience/observation, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
ETHYL ALCOHOL (64-17-5)	
BCF fish 1	1 (Other, 72 h, Cyprinus carpio, Static system, Fresh water, Read-across)
Partition coefficient n-octanol/water (Log Pow)	-0.31 (Experimental value)
Bioaccumulative potential	Not bioaccumulative.

### 12.4. Mobility in soil

VANILLIN (121-33-5)		
Partition coefficient n-octanol/water (Log Koc)	3.438 (log Koc, Experimental value)	
Ecology - soil	Low potential for mobility in soil.	
ETHYL MALTOL (4940-11-8)		
Ecology - soil	No (test)data on mobility of the substance available.	
ETHYL ALCOHOL (64-17-5)		
Surface tension	22.31 mN/m (20 °C, 100 %)	
Partition coefficient n-octanol/water (Log Koc)	0.2 (log Koc, Experimental value)	
Ecology - soil	Highly mobile in soil.	

## 12.5. Other adverse effects

No additional information available

SECTION 13: Disposal consid	erations
13.1. Disposal methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Flammable vapors may accumulate in the container.
06/01/2021	EN (English LIS) 6/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## **SECTION 14: Transport information**

Department of Transportation (DOT)
------------------------------------

In accordance with DOT	
Transport document description	

UN-No.(DOT) Proper Shipping Name (DOT) Class (DOT) Packing group (DOT) Hazard labels (DOT)

- : UN1266 Perfumery products, 3, II
- : UN1266
- : Perfumery products
- : 3 Class 3 Flammable and combustible liquid 49 CFR 173.120
- : II Medium Danger
- : 3 Flammable liquid



DOT Packaging Non Bulk (49 CFR 173.xxx)	:	202
DOT Packaging Bulk (49 CFR 173.xxx)	:	242
DOT Special Provisions (49 CFR 172.102)	:	149 - When transported as a limited quantity or a consumer commodity, the maximum net capacity specified in 173.150(b)(2) of this subchapter for inner packaging may be increased to 5 L (1.3 gallons). IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. T4 - 2.65 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	:	150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	:	15 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	:	60 L
DOT Vessel Stowage Location	:	B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
Emergency Response Guide (ERG) Number	:	127
Other information	:	No supplementary information available.
Transportation of Dangerous Goods Not applicable		
Transport by sea		
Transport document description (IMDG)	:	UN 1266 PERFUMERY PRODUCTS, 3, II
UN-No. (IMDG)	:	1266
Proper Shipping Name (IMDG)	:	PERFUMERY PRODUCTS
Class (IMDG)	:	3 - Flammable liquids
Packing group (IMDG)	:	II - substances presenting medium danger
Limited quantities (IMDG)	:	5 L
Air transport		
Transport document description (IATA)	:	UN 1266 Perfumery products, 3, II
UN-No. (IATA)	:	1266
Proper Shipping Name (IATA)	:	Perfumery products
Class (IATA)	:	3 - Flammable Liquids

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Packing group (IATA)

: II - Medium Danger

## SECTION 15: Regulatory information

15.1. US Federal regulations

## ETHYL VANILLIN (121-32-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### VANILLIN (121-33-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### ETHYL MALTOL (4940-11-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### ETHYL ALCOHOL (64-17-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### 15.2. International regulations

#### **CANADA**

**EU-Regulations** 

### **National regulations**

ETHYL ALCOHOL (64-17-5)

Listed on IARC (International Agency for Research on Cancer)

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
ETHYL ALCOHOL(64-17-5)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

# SECTION 16: Other information

Revision date

: 06/01/2021

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Highly flammable liquid and vapor
Harmful if swallowed
Causes serious eye irritation
Causes eye irritation
May cause respiratory irritation
May cause drowsiness or dizziness

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.