

# mary maxim Buttoned Cabled Poncho

No. 97190-91N Tweed

No. 97207-8N Twist

Sizes: XS-Med, Lg-2XL

■■■■■ INTERMEDIATE

## SHOPPING LIST

**Yarn** (Worsted Weight)



Aran Irish Twist or Tweed

[4 ounces, 205 yards

(114 grams, 187 meters) per skein]:

- XS-Med            5 skeins
- Lg-2XL            7 skeins

## Knitting Needle:

16" (40 cm) Circular Needle

Size 9 (5.50 mm)

36" (90 cm) Circular Needle

Size 9 (5.50 mm)

or size needed for gauge

## SIZE INFORMATION

**Finished Measurement:**

**XS-Med:**

44" [112 cm] wide x 26" [66 cm] long

**Lg-2XL:**

50" [127 cm] wide x 29" [73.5 cm] long

## GAUGE INFORMATION

Center Cable = 3.5" [9 cm] wide

Panel B = 2" [5 cm] wide and

17 sts and 22 rows to 4" [10 cm]

measured over reverse Stocking

stitch, all using **suggested** needle or

any size knitting needle which will

give the correct gauge.



## STITCH GUIDE

- k** knit  
**p** purl  
**cm** centimeters  
**beg** beg or beginning  
**dec** decrease or decreasing  
**inc** increase or increasing  
**rem** remain or remaining  
**rep** rep or repeating  
**PM** place marker  
**st(s)** stitch(es)  
**rnd(s)** round(s)  
**C3L** Slip next st onto cable needle and hold at front of work, k2 from left needle, then k1 from cable needle.  
**C3R** Slip next 2 sts onto cable needle and hold at back of work, k1 from left needle, then k2 from cable needle.  
**C4B** Slip next 2 sts onto cable needle and hold at back of work, k2 from left needle, then k2 from cable needle.  
**T3B** Slip next st onto cable needle and hold at back of work, k2 from left needle, then p1 from cable needle.  
**T3F** Slip next 2 sts onto cable needle and hold at front, p1, then k2 from cable needle.  
**C2B** Slip next st onto cable needle and hold to back of work, k1 from left needle, then k1 from cable needle.  
**T2BP** On *wrong side row*, slip next st onto cable needle and hold to back of work, p1 from left needle, then p1 from cable needle.
- Panel B:** (worked over 13 sts)  
**Row 1:** (*right side*) C2B, p1, k7, p1, C2B.  
**Row 2:** T2BP, k1, p7, k1, T2BP.  
**Row 3:** C2B, p1, C3R, k1, C3L, p1, C2B.  
**Row 4:** T2BP, k1, p7, k1, T2BP.  
Repeat these 4 rows for Panel B.

- Center Cable:** (worked over 20 sts)  
**Row 1:** (*right side*) P2, k2, p4, k4, p4, k2, p2.  
**Rows 2 and 4:** K2, p2, k4, p4, k4, p2, k2.  
**Row 3:** P2, k2, p4, C4B, p4, k2, p2.  
**Row 5:** P2, [T3F, p2, T3B] twice, p2.  
**Row 6:** K3, [p2, k2] 3 times, p2, k3.  
**Row 7:** P3, T3F, T3B, p2, T3F, T3B, p3.  
**Row 8:** [K4, p4] twice, k4.  
**Row 9:** P4, [C4B, p4] twice.  
**Rows 10, 12 and 14:** [K4, p4] twice, k4.  
**Row 11:** [P4, k4] twice, p4.  
**Row 13:** P4, [C4B, p4] twice.  
**Row 15:** P3, T3B, T3F, p2, T3B, T3F, p3.  
**Row 16:** K3, [p2, k2] 3 times, p2, k3.  
**Row 17:** P2, T3B, p2, T3F, T3B, p2, T3F, p2.  
**Row 18:** As Row 2.  
**Row 19:** P2, k2, p4, C4B, p4, k2, p2.  
**Row 20:** K2, p2, k4, p4, k4, p2, k2.  
Repeat these 20 rows for Center Cable.

## INSTRUCTIONS

### Back:

\*\*Using longer circular needle, cast on 86(102) sts. Do not join in rnd, but work back and forth as follows:

**Row 1:** (*right side*) K2, \*p2, k2; rep from \* to end.

**Row 2:** P2, \*k2, p2; rep from \* to end.  
Repeat these 2 rows until band measures 2" [5 cm], ending after a Row 2.

Now work in pattern as follows:

**Row 1:** (*right side*) P 20(28), PM, work Row 1 of Panel B over next 13 sts, PM, work Row 1 of Center Cable over next 20 sts, PM, work Row 1 of Panel B over next 13 sts, PM, p 20(28).

**Row 2:** K 20(28), sl M, work Row 2 of Panel B to next M, sl M, work Row 2 of Center Cable to next M, sl M, work Row 2 of Panel B to next M, sl M, k 20(28).

Patterns are now set in place.

Now continue to work correct row of cable pattern between M's and keep rem sts outside M's in reverse St st (*right side row p, wrong side row k*), until piece measures about 26(29)" [66(73.5) cm] from cast on edge, ending after a Row 20 of Center Cable.

Cast off first 26(33) sts, work in pattern over next 33(35) sts, then place these center 34(36) sts on st holder for back neck, cast off rem sts.

### Front:

Work same as given for Back until piece measures 23(25)" [58.5(63.5) cm] from cast on edge, ending after a wrong side row.

### To Shape Front Neck:

**Next Row:** Work in pattern over first 30(38) sts, place next 26 sts onto st holder for front neck, join another skein of yarn to rem sts and work in pattern to end.

**Next Row:** Work in pattern to end on each side.

Now working both sides at the same time, keeping pattern correct, dec one st at each neck edge on next row, then every 6th row following until 26(33) sts rem for each side.

Now work even in pattern until each side measures same length as Back to cast off.

Cast off each side.

Sew both shoulder seams.

### Collar:

Using shorter circular needle, with right side facing, k sts from back neck st holder, dec 4(6) sts evenly across, pick up and k 20(28) sts evenly down left side of front neck, k sts from front st holder, pick up and k 20(28) sts evenly up right side of front neck - 96(112) sts.

Join in rnd, placing a M after last st to indicate end of rnd. Slip M on each rnd.

Work in k2, p2 ribbing for 5" [13 cm].  
Cast off loosely ribwise.

### Left Side Band:

Using longer circular needle, with right side facing and starting at bottom edge of Front, pick up and k 139(159) sts evenly spaced to shoulder, then pick up and k 139(159) sts evenly spaced to bottom edge of Back - 278(318) sts.

**Row 1:** (*wrong side*) K2, \*p2, k2; rep from \* to end of row.

**Row 2:** P2, \*k2, p2; rep from \* to end of row.

**Row 3:** K2, \*p2, k2; rep from \* to end of row.

**Row 4: Buttonhole Row:** P2, k2, p2, cast off next 2 sts, [(with one st rem on needle from cast off), rib next 17 sts, cast off next 2 sts] 3 times, rib to end.

**Row 5:** K2, \*p2, k2; rep from \* across, casting on 2 sts over cast off sts of previous row.

Work 3 more rows in rib.  
Cast off ribwise.

### Right Side Band:

Using longer circular needle, with right side facing and starting at bottom edge of Back, pick up and k 139(159) sts evenly spaced to shoulder, then pick up and k 139(159) sts evenly spaced to bottom edge of Front - 278(318) sts.

**Row 1:** (*wrong side*) K2, \*p2, k2; rep from \* to end of row.

**Row 2:** P2, \*k2, p2; rep from \* to end of row.

**Row 3:** (*wrong side*) K2, \*p2, k2; rep from \* to end of row.

**Row 4: Buttonhole Row:** Rib to last 68 sts, cast off 2 sts, [(with one st rem on needle from cast off), rib next 17 sts, cast off next 2 sts] 3 times, rib to end.

**Row 5:** K2, \*p2, k2; rep from \* across, casting on 2 sts over cast off sts of previous row.

Work 3 more rows in rib.  
Cast off.

### To Complete:

With Poncho folded in half at shoulder seams, lay the Left Side Band and Right Side Band, side by side.

Sew a button to opposite Band, matching each buttonhole.

Weave in all ends.

We have made every effort to ensure that these instructions are accurate and complete. We cannot be responsible for misinterpretation or errors in individual work. Any corrections that are discovered, will be posted on our website.

Copyright © 2016 by Mary Maxim, Inc. All rights reserved. This publication is protected under federal copyright laws. Reproduction or distribution of this publication or any other Mary Maxim publication, including publications which are out of print, is prohibited unless specifically authorized. This includes, but is not limited to, any form of reproduction or distribution on or through the Internet, including posting, scanning or e-mail transmission.

**mary maxim**

2001 Holland Ave., Port Huron, MI 48060;  
75 Scott Ave., Paris, Ontario, CANADA N3L 3G5

Yarn Imported