

No. 99057-8-9N  
Wandering Cables Cardigan  
Sizes: 32-34, 36-38, 40-42, 44-46



**mary maxim**<sup>®</sup>  
EXCLUSIVE NEEDLEWORK and CRAFTS Inc.



**No. 99057-8-9N**  
**Wandering Cables Cardigan**  
**Sizes: 32-34, 36-38, 40-42, 44-46**

**mary maxim**<sup>inc.</sup>  
EXCLUSIVE NEEDLEWORK and CRAFTS

**Materials:** Mary Maxim Worsted Weight yarn

**Size 32-34**  
8 balls

**Sizes 36-42**  
10 balls

**Size 44-46**  
11 balls

**Suggested Needles:**

Size 8 US, (Canadian size 6, Metric size 5.00 mm)

**Measurements:**

Finished Chest Measurement: 37(41, 45, 49)" [94(104, 114.5, 124.5) cm]

Length from Shoulder: 29(29½, 30, 30½)" [73.5(75, 76, 77.5) cm]

Sleeve Seam (with cuff folded): 18(18½, 18½, 19)" [46(47, 47, 48) cm]

**TO SAVE TIME, TAKE TIME TO CHECK GAUGE**

**Gauge:** 19 sts and 27 rows to 4" [10 cm] measured over zigzag pattern using **suggested** needles or any size needles which will give the correct stitch gauge or tension.

**Wash in cool water, gentle cycle. Dry using low heat, maximum 5 minutes, remove and lay flat to dry.**

**Abbreviations:** K, knit; p, purl; st, stitch; sts, stitches; beg, begin or beginning; dec, decrease or decreasing; inc, increase or increasing; ", inches; yds, yards; gm, gram; cm, centimeters; mm, millimeter; rem, remain or remaining; rep, repeat; sl, slip; yrn, yarn forward and around needle; tog, together; pssso, pass slipped stitch over; PM, place marker; M, marker.

**Special Abbreviations:**

**C3R - Cross 3 Right:** Slip next stitch onto cable needle and hold to back of work, k2 from left needle, then p1 from cable needle.

**C3L - Cross 3 Left:** Slip next 2 stitches onto cable needle and hold to front of work, p1 from left needle, then k2 from cable needle.

**inc in next st:** K1, then using left needle, pick up stitch in row below stitch just knit and knit into back of loop.

**ssk:** Slip next 2 stitches knitwise, one at a time to right needle, insert left needle through fronts of both stitches and k2tog as usual.

**Zigzag A:** (worked over sts between markers)

**Row 1:** (right side) P4, \*C3R, p3; rep from \* to last 4 sts, C3R, p1.

**Row 2 and every alternate row:** Purl.

**Row 3:** P3, \*C3R, p3; rep from \* to last 5 sts, C3R, p2.

**Row 5:** P2, \*C3R, p3; rep from \* to last 6 sts, C3R, p3.

**Row 7:** P1, \*C3R, p3; rep from \* to last 7 sts, C3R, p4.

**Row 9:** P1, \*C3L, p3; rep from \* to last 7 sts, C3L, p4.

**Row 11:** P2, \*C3L, p3; rep from \* to last 6 sts, C3L, p3.

**Row 13:** P3, \*C3L, p3; rep from \* to last 5 sts, C3L, p2.

**Row 15:** P4, \*C3L, p3; rep from \* to last 4 sts, C3L, p1.

**Row 16:** Purl.

Repeat these 16 rows for Zigzag A.

**Back:** Cast on 98(106, 116, 124) sts and work in pattern as follows:

**Row 1:** (right side) K2, [p2, k2] twice, p2(3, 2, 3), PM, p5, \*k2, p4; rep from \* to last 15(16, 15, 16) sts, k2, p1, PM, p2(3, 2, 3), [k2, p2] twice, k2.

**Row 2 and every alternate row:** Purl, slipping M's.

**Row 3:** K2, [p2, k2] twice, p2(3, 2, 3), sl M, work Row 1 of Zigzag A to next marker, sl M, p2(3, 2, 3), [k2, p2] twice, k2.

**Row 5:** K2, [p2, k2] twice, p2(3, 2, 3), sl M, work Row 3 of Zigzag A to next marker, sl M, p2(3, 2, 3), [k2, p2] twice, k2.

Now continue in this manner, keeping sts outside of markers in pattern as set and working Zigzag A between markers, until piece measures 12" [30.5 cm] from cast on edge, ending after a wrong side row.

**Next Row:** (dec row, right side) K1, ssk, work in pattern to marker, sl M, work Zigzag A to next marker, sl M, work pattern to last 3 sts, k2tog, k1 - 96(104, 114, 122) sts.

Now keeping pattern correct, work 9 rows even. Repeat these last 10 rows 3 times more - 90(98, 108, 116) sts.

Keeping patterns correct, continue even until piece measures 21" [53.5 cm] from cast on edge, ending after a wrong side row.

**To Shape Armholes:** Keeping pattern correct, cast off 4(4, 5, 6) sts at beg of next 4 rows - 74(82, 88, 92) sts.



Now dec one st at each end of next row, then every alternate row following 0(1, 2, 3) times - 72(78, 82, 84) sts.

Now work even in pattern until armhole measures 8½(9, 9½, 10)" [21.5(23, 24, 25.5) cm], ending after a wrong side row.

**To Shape Shoulders:** Keeping pattern correct, cast off 10(11, 11, 11) sts at beg of next 2 rows, then cast off 9(10, 11, 11) sts at beg of next 2 rows.

Cast off rem 34(36, 38, 40) sts for back neck.

**Left Front:** Cast on 53(56, 61, 66) sts and work in pattern as follows:

**Row 1:** (right side) K2, [p2, k2] 2(2, 2, 1) times, p4(1, 0, 3), PM, p5, \*k2, p4; rep from \* to last 10 sts, k2, p1, PM, p7 (these last 7 sts form buttonband).

**Row 2 and every alternate row:** Purl, slipping M's.

**Row 3:** K2, [p2, k2] 2(2, 2, 1) times, p4(1, 0, 3), sl M, work Row 1 of Zigzag A to next marker, sl M, p7.

**Row 5:** K2, [p2, k2] 2(2, 2, 1) times, p4(1, 0, 3), sl M, work Row 3 of Zigzag A to next marker, sl M, p7.

Now continue in this manner, keeping sts outside of markers in pattern as set and working Zigzag A between markers, until piece measures 12" [30.5 cm] from cast on edge, ending after a wrong side row.

**Next Row:** (dec row, right side) K1, ssk, work in pattern to M, sl M, work Zigzag A to next marker, sl M, p7 - 52(55, 60, 65) sts.

Now keeping pattern correct, work 9 rows even.

Repeat these last 10 rows 3 times more - 49(52, 57, 62) sts.

Now keeping patterns correct, continue even until piece measures 18¼" [46.5 cm] from cast on edge, ending after a wrong side row.

Place a marker at beg of last row worked to indicate beg of collar.

**To Shape Front Neck:**

**Next Row:** (right side) Work in pattern to last 10 sts, p2tog, p1, place rem 7 sts onto st holder for later - 41(44, 49, 54) sts.

Work 3 rows even in pattern.

**Next Row:** (right side) Work in pattern to last 3 sts, p2tog, p1.

Repeat these last 4 rows 3 times more - 37(40, 45, 50) sts on needle.

**Next Row:** Purl - piece should measure 21" [53.5 cm] from cast on edge as this point.

**To Shape Armhole:**

Keeping pattern correct, continue to dec at neck edge as set and AT THE SAME TIME, shape armhole as follows:

Cast off 4(4, 5, 6) sts at beg of next row, then the following alternate row (right side row), once more - 28(31, 34, 37) sts on needle at this point.

Now dec one st at armhole edge at beg of every alternate (right side) row 3(4, 4, 4) times.

Now continue to dec at front neck only on every 4th row, until 19(21, 22, 22) sts rem.

Work even in pattern until armhole measures 8½(9, 9½, 10)" [21.5(23, 24, 25.5) cm], ending after a wrong side row.

**To Shape Shoulder:** Keeping pattern correct, cast off 10(11, 11, 11) sts at beg of next row, then rem 9(10, 11, 11) sts at beg of following alternate row.

Fasten off.

Now place markers for buttons, having the first on the 12th ridge from bottom edge (which sits at the center of the 2nd zigzag), \*then place next marker on the following 8th ridge (again at center of zigzag); rep from \* 4 times more - 6 markers in all.

**Left Collar:** With right side facing, rejoin yarn to 7 sts on st holder and work sts off st holder as follows:

**Row 1:** P1, [inc in next st, p1] 3 times - 10 sts.

**Row 2:** Purl.

**Row 3:** P1, inc one st in next st, p to last 2 sts, inc one st in next st, p1 - 12 sts.

**Row 4:** Purl.

**Rows 5-12:** Repeat Rows 3 and 4 four times - 20 sts at end of Row 11.

**Row 13:** As Row 3 - 22 sts.

**Rows 14-18:** Purl.

**Row 19:** As Row 1 - 24 sts.

Repeat Rows 14-19 until there are 30 sts on needle. Now work even in Garter st - every row purl, until collar measures to center of back neck without any stretching. Place sts on st holder for now.

**Zigzag B:** (worked over sts between markers)

**Row 1:** (right side) P1, C3L, \*p3, C3L; rep from \* to last 4 sts, p4.

**Row 2 and every alternate row:** Purl.

**Row 3:** P2, C3L, \*p3, C3L; rep from \* to last 3 sts, p3.

**Row 5:** P3, C3L, \*p3, C3L; rep from \* to last 2 sts, p2.

**Row 7:** P4, C3L, \*p3, C3L; rep from \* to last st, p1.

**Row 9:** P4, C3R, \*p3, C3R; rep from \* to last st, p1.

**Row 11:** P3, C3R, \*p3, C3R; rep from \* to last 2 sts, p2.

**Row 13:** P2, C3R, \*p3, C3R; rep from \* to last 3 sts, p3.

**Row 15:** P1, C3R, \*p3, C3R; rep from \* to last 4 sts, p4.

**Row 16:** Purl.

Repeat these 16 rows for Zigzag B.

**Note:** When working the Right Front, work a buttonhole over the first 7 sts opposite each marker on right side rows only as follows: p4, yrn, p2tog, p1.

**Right Front:** Cast on 53(56, 61, 66) sts and work in pattern as follows:

**Row 1:** (right side) P7 (these sts are for front band), PM, p1, k2, \*p4, k2; rep from \* to last 19(16, 15, 14) sts, p5, PM, p4(1, 0, 3), [k2, p2] 2(2, 2, 1) times, k2.



**Row 2 and every alternate row:** Purl, slipping M's.

**Row 3:** P7, slip M, work Row 1 of Zigzag B to next M, slip M, p4(1, 0, 3), [k2, p2] 2(2, 2, 1) times, k2.

**Row 5:** P7, slip M, work Row 3 of Zigzag B to next M, slip M, p4(1, 0, 3), [k2, p2] 2(2, 2, 1) times, k2.

Now continue in this manner (making buttonholes opposite markers on Left Front), keeping sts outside of markers in pattern as set and working Zigzag B between markers, until piece measures 12" [30.5 cm] from cast on edge, ending after a wrong side row.

**Next Row:** (dec row, right side) P7, sl M, work Zigzag B to next marker, sl M, work pattern to last 3 sts, ssk, k1 - 52(55, 60, 65) sts. Now keeping pattern correct, work 9 rows more. Repeat these last 10 rows 3 times more - 49(52, 57, 62) sts.

Now keeping patterns correct, continue even until piece measures 18¼" [46.5 cm] from cast on edge, ending after a wrong side row.

Place a marker at end of last row worked to indicate beg of collar.

**To Shape Front Neck:**

**Next Row:** (right side) P7, then place these sts onto st holder for later, p1, p2tog, work in pattern to end - 41(44, 49, 54) sts.

Work 3 rows even in pattern.

**Next Row:** (right side) P1, p2tog, work pattern to end.

Repeat these last 4 rows 3 times more - 37(40, 45, 50) sts on needle. Piece should measure about 21" [53.5 cm] from cast on edge as this point.

**To Shape Armhole:**

Keeping pattern correct, continue to dec at neck edge as set and AT THE SAME TIME, shape armhole as follows:

Cast off 4(4, 5, 6) sts at beg of next row, then the following alternate row (wrong side row), once more - 29(32, 35, 38) sts on needle at this point.

Now dec one st at armhole edge at end of every right side row 3(4, 4, 4) times.

Now continue to dec at front neck only on every 4th row, until 19(21, 22, 22) sts rem.

Work even in pattern until armhole measures 8½(9, 9½, 10)" [21.5(23, 24, 25.5) cm], ending after a right side row.

**To Shape Shoulder:** Keeping pattern correct, cast off 10(11, 11, 11) sts at beg of next row, then rem 9(10, 11, 11) sts at beg of following alternate row. Fasten off.

**Right Collar:** Work as for Left Collar.

Sew both shoulder seams neatly.

**Sleeves:** Cast on 42(46, 46, 50) sts and work ribbing as follows:

**Row 1:** (right side) K2, \*p2, k2; rep from \* to end.

**Row 2:** P2, \*k2, p2; rep from \* to end.

Repeat these 2 rows until ribbing measures 6" [15 cm], ending after a Row 2.

Now work in pattern as follows:

**Next Row:** K2, \*p2, k2; rep from \* to end.

**Next Row:** Purl.

These 2 rows form pattern.

Now keeping pattern correct, inc one st at each end of the 7th row, then every 8th row following until there are 60(64, 70, 74) sts on the needle, taking inc sts into pattern as they become available.

Now work even in pattern until sleeve measures 21(21½, 22, 22½)" [53.5(54.5, 56, 57) cm] from cast on edge, ending after a wrong side row.

**To Shape Cap:** Keeping pattern correct, cast off 4(4, 5, 5) sts at beg of next 4 rows - 44(48, 50, 54) sts.

Now dec one st at each end of the next row, then every alternate row following until 10 sts rem. Cast off rem sts.

**To Complete:** Graft center back seam of collar and sew back section of collar in place to back neck.

Fold sleeves in half lengthwise and pin a fold to each shoulder seam. Sew sleeves in place, easing to fit armholes. Sew side and sleeve seams.

Sew on buttons to match buttonholes.



How to Graft

Every effort has been made to have the directions contained in this pattern accurate and complete; however, we cannot be responsible for misinterpretation or errors of workmanship.

Reproduction of this pattern in any form, is protected by copyright. Any infringement will lead to prosecution.

mary maxim

2001 HOLLAND AVE., PORT HURON, MI 48060

Yarn Imported

75 SCOTT AVE., PARIS ONTARIO, CANADA N3L 3G5