


PRODUCT SPECIFICATIONS

Product	128 Storm Water Midnight Next Generation
Code	L128SWGMINXT
Colour	Midnight Black
Length	5.6m
Width	128mm
Depth	19mm (Top Only)
Material	Anodised Aluminium
Applications	Outdoor
Features	<ul style="list-style-type: none"> • Sleek Design • Easy Installation • High Water Flow • Lifetime Rustproof Warranty • UV Stable



* Total length is 5.8m, total usable length is 5.6m to allow for any wastage during the anodising process.


* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.

Warranty information and Care & Maintenance can be found at www.lauxesgrates.com.au

Disclaimer: All Lauxes grates and accessories hold WaterMark Certification in accordance with WMTS - 040.

PRODUCT SPECIFICATIONS

Product	128 Storm Water Next Generation
Code	L128SWGNT
Colour	Silk Silver
Length	5.6m
Width	128mm
Depth	19mm (Top Only)
Material	Anodised Aluminium
Applications	Outdoor
Features	<ul style="list-style-type: none"> • Sleek Design • Easy Installation • High Water Flow • Lifetime Rustproof Warranty



* Total length is 5.8m, total usable length is 5.6m to allow for any wastage during the anodising process.


* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.

Warranty information and Care & Maintenance can be found at www.lauxesgrates.com.au

Disclaimer: All Lauxes grates and accessories hold WaterMark Certification in accordance with WMTS - 040.

PRODUCT SPECIFICATIONS

Product	128 Storm Water Midnight Tile Insert
Code	L128SWGMTI
Colour	Midnight Black
Length	5.6m
Width	128mm
Depth	19mm (Top Only)
Material	Anodised Aluminium
Applications	Outdoor
Features	<ul style="list-style-type: none"> • Sleek Design • Easy Installation • High Water Flow • Suitable for tiles up to 13mm thick • Lifetime Rustproof Warranty • UV Stable



* Total length is 5.8m, total usable length is 5.6m to allow for any wastage during the anodising process.

* Regular, gentle cleaning with soapy water is recommended. Do not use abrasive cloths or acidic chemicals on the grates.

Warranty information and Care & Maintenance can be found at www.lauxesgrates.com.au

Disclaimer: All Lauxes grates and accessories hold WaterMark Certification in accordance with WMTS - 040.