

**30627868 Revision Number** 2 **Supersedes Date:** 24-Nov-2022

## Section 1: Identification: Product identifier and chemical identity

Product identifier

Product Name 30627868

Product Code(s) 30615274 30615274

Other means of identification

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Adhesives

Uses advised against No information available.

Details of manufacturer or importer

<u>Supplier</u> <u>Manufacturer</u>

Bostik Australia Pty Ltd
51-71 High Street,
Thomastown Victoria

Bostik Australia Pty Ltd
51-71 High Street,
Thomastown Victoria

Thomastown Victoria

Australia Australia

**ABN:** 79 003 893 838 **ABN:** 79 003 893 838

E-mail address au-bostik-sds@bostik.com

Emergency telephone number

Emergency telephone number 24-hr Emergency: 1800 033 111

## Section 2: Hazard(s) identification

## **GHS Classification**

Skin sensitization	Category 1 - (H317)
Carcinogenicity	Not applicable

## Label elements

Exclamation mark



Australia - EN Page 1/11

30627868 Revision date 25-Mar-2024
Revision Number 2 Supersedes Date: 24-Nov-2022

Signal word

WARNING

#### **Hazard statements**

H317 - May cause an allergic skin reaction

### **Precautionary Statements - Prevention**

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves/clothing and eye/face protection

IF ON SKIN: Wash with plenty of water and soap

If skin irritation or rash occurs: Get medical advice/attention

Take off contaminated clothing and wash it before reuse

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Other hazards which do not result in classification

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

### Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

## Section 3: Composition and information on ingredients, in accordance with Schedule 8

### Substance

Not applicable

## <u>Mixture</u>

Chemical name	CAS No.	Weight-%
Trimethoxyvinylsilane	2768-02-7	0 - <5
N-(3-(trimethoxysilyl)propyl)ethylenediamine	1760-24-3	0 - <10
Carbon black	1333-86-4	<1
Quartz	14808-60-7	<1
Tin, dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)-	22673-19-4	<1
Non-hazardous ingredients	Proprietary	Balance

### Section 4: First aid measures

**Emergency telephone number** Poisons Information Center, Australia: 13 11 26

Poisons Information Center, New Zealand: 0800 764 766

**Description of first aid measures** 

**General advice** Show this safety data sheet to the doctor in attendance. If medical advice is needed,

have product container or label at hand.

**Inhalation** Remove to fresh air. If symptoms persist, call a physician.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Skin contact Wash with soap and water. May cause an allergic skin reaction. In the case of skin

irritation or allergic reactions see a physician.

**Ingestion** Small amounts of toxic methanol are released by hydrolysis. Call a physician

immediately. Never give anything by mouth to an unconscious person. Rinse mouth

thoroughly with water.

Australia - EN Page 2 / 11

30627868 Revision date 25-Mar-2024 Revision Number 2 Supersedes Date: 24-Nov-2022

Most important symptoms and effects, both acute and delayed

Symptoms None known.

Indication of any immediate medical attention and special treatment needed

Note to physicians Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released, when the product is exposed to moisture or water. Treat symptomatically.

Section 5: Firefighting measures

Suitable Extinguishing Media

Suitable extinguishing media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Unsuitable extinguishing media Full water jet.

Specific hazards arising from the chemical

Specific hazards arising from the Thermal decomposition can lead to release of irritating gases and vapors.

chemical

Special protective actions for fire-fighters

Special protective equipment and Wear self contained breathing apparatus for fire fighting if necessary.

precautions for fire-fighters

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

in eyes, on skin, or on clothing.

**For emergency responders** Use personal protection recommended in Section 8.

**Environmental precautions** 

**Environmental precautions** Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section

12 for additional Ecological Information.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: Handling and storage, including how the chemical may be safely used

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact

with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation,

Australia - EN Page 3 / 11

30627868 Revision date 25-Mar-2024 Revision Number 2 Supersedes Date: 24-Nov-2022

wear suitable respiratory equipment. Do not eat, drink or smoke when using this product.

Take off contaminated clothing and wash before reuse.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and after

work.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a cool, well-ventilated place. Protect from moisture.

Keep away from food, drink and animal feeding stuffs.

Recommended storage

temperature

Keep at temperatures between 50 and 95 °F / 10 and 35 °C.

#### Section 8: Exposure controls and personal protection

#### **Control parameters**

**Exposure Limits** Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing. This product contains carbon black in a non-respirable form. Inhalation of carbon black is unlikely to occur from exposure to this product. This product contains crystalline silica (quartz) in a non-respirable form. Inhalation of crystalline silica is unlikely to occur

from exposure to this product.

Chemical name	Australia
Carbon black	TWA: 3 mg/m <sup>3</sup>
1333-86-4	•
Quartz	TWA: 0.05 mg/m <sup>3</sup>
14808-60-7	-
Tin, dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)-	TWA: 0.1 mg/m <sup>3</sup>
22673-19-4	STEL: 0.2 mg/m <sup>3</sup>

OEL as published by Safe Work Australia

#### Appropriate engineering controls

**Engineering controls** Showers, eyewash stations, and ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin and body protection Lightweight protective clothing. Long sleeved clothing. Impervious clothing.

Hand protection For operations where prolonged or repeated skin contact may occur, impervious gloves

should be worn. Nitrile rubber.

**Respiratory protection** Organic gases and vapors filter conforming to EN 14387. White. Brown.

**Environmental exposure controls** No information available.

### Section 9: Physical and chemical properties

## Information on basic physical and chemical properties

Physical state Paste / Gel Liquid Appearance Thixotropic Paste

Color Beige Odor Slight

Odor threshold No information available

Australia - EN Page 4/11

30627868 Revision date 25-Mar-2024
Revision Number 2 Supersedes Date: 24-Nov-2022

Property Values Remarks • Method

pH No data available
pH (as aqueous solution)
No data available

range

Flash point > 93 °C

Evaporation rate No data available Flammability No data available

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressureNo data availableRelative vapor densityNo data available

Relative density 1.42

Water solubility
Solubility(ies)
Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity
Dynamic viscosity
No data available

Explosive properties No information available Oxidizing properties No information available

Other information

Solid content (%) No information available

Liquid Density 1.42 g/cm<sup>3</sup>

VOC content No information available

### Section 10: Stability and reactivity

Reactivity

**Reactivity** Product cures with moisture.

Chemical stability

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical None.

impact

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

**Conditions to avoid** 

Conditions to avoid Product cures with moisture. Protect from moisture. Exposure to air or moisture over

prolonged periods. Do not freeze. Keep away from open flames, hot surfaces and

sources of ignition.

**Incompatible materials** 

**Incompatible materials**None known based on information supplied.

Australia - EN Page 5 / 11

30627868 Revision date 25-Mar-2024
Revision Number 2 Supersedes Date: 24-Nov-2022

### **Hazardous decomposition products**

Hazardous decomposition Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

**products** curing.

## Section 11: Toxicological information

## **Acute toxicity**

### Information on likely routes of exposure

#### **Product Information**

**Inhalation** Based on available data, the classification criteria are not met.

**Eye contact** Based on available data, the classification criteria are not met.

Skin contact May cause sensitization by skin contact. Specific test data for the substance or mixture is

not available. Repeated or prolonged skin contact may cause allergic reactions with

susceptible persons. (based on components). Causes mild skin irritation.

**Ingestion** Based on available data, the classification criteria are not met.

Symptoms Itching. Rashes. Hives.

## Numerical measures of toxicity - Product Information

## The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 >5000

 ATEmix (dermal)
 13,587.90

 ATEmix (inhalation-gas)
 >20000

 ATEmix (inhalation-vapor)
 875.10 mg/l

ATEmix (inhalation-dust/mist) >5

## **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Trimethoxyvinylsilane	LD50 = 7120 -7236 mg/kg	= 3540 mg/kg (Oryctolagus	LC50 (4hr) 16.8 mg/l (Rattus)
	(Rattus) OECD 401	cuniculus)	OECD TG 403
N-(3-(trimethoxysilyl)propyl)eth	=2295 mg/kg (Rattus)	>2000 mg/Kg (Rattus)	LC50 4H (Aerosol)1.5 - 2.44
ylenediamine			mg/L air
Carbon black	LD50 > 8000 mg/kg (Rattus)	> 3 g/kg (Oryctolagus	> 4.6 mg/m³ (Rat) 4 h
	OECD 401	cuniculus)	
Quartz	>2000 mg/kg (Rattus)	-	-
Tin,	LD50 = 1864 mg/kg (Rattus)	LD50 > 2000 mg/kg (Rattus)	LC50 4hr: 16.8 mg/l (Rattus)
dibutylbis(2,4-pentanedionato-	OECD 401	OECD 402	(OECD TG 403)
O,O')-, (OC-6-11)-			

See section 16 for terms and abbreviations

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** No information available.

Component Information					
N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404:	Rabbit				Mild skin irritant
Acute Dermal					

Australia - EN Page 6 / 11

30627868 Revision Number 2 Revision date 25-Mar-2024 Supersedes Date: 24-Nov-2022

Irritation/Corrosion			

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Component Information					
N-(3-(trimethoxysilyI)pro	pyl)ethylenediamin	ne (1760-24-3)			
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	eye			Eye Damage
Acute Eye					
Irritation/Corrosion					

**Respiratory or skin sensitization** May cause an allergic skin reaction.

**Germ cell mutagenicity** No information available.

Component Information		
Trimethoxyvinylsilane (2768-02-7)		
Method	Species	Results
OECD Test No. 471: Bacterial Reverse	in vitro	Not mutagenic
Mutation Test		-

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)			
Method	Species	Results	
OECD Test No. 471: Bacterial Reverse	Mammalian cells in vitro	Negative	
Mutation Test			
OECD Test No. 476: In vitro Mammalian Cell	Mammalian cells in vitro	Negative	
Gene Mutation Test			

Tin, dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)- (22673-19-4)		
Method	Species	Results
OECD Test No. 476: In vitro Mammalian Cell	in vitro	Mutagenic
Gene Mutation Test		-

## Carcinogenicity

The components of this product are inextricably bound in a polymer matrix and are not expected to be available as airborne hazards (dust, mist, or spray) under normal condition of use.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	Australia	European Union	IARC
Carbon black			Group 2B
1333-86-4			
Quartz	Carc. 1A		Group 1
14808-60-7			·

Legend

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

**Reproductive toxicity** Based on available data, the classification criteria are not met.

Component Information		
N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)		
Method	Species	Results
OECD Test No. 422: Combined Repea	ted Dose Rat	NOAEL >500 mg/Kg
Toxicity Study with the	Oral	

Australia - EN Page 7/11

 30627868
 Revision date
 25-Mar-2024

 Revision Number
 2
 Supersedes Date:
 24-Nov-2022

Reproduction/Developmental Toxicity Screening	
Test	

Tin, dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)- (22673-19-4)			
Method	Species	Results	
OECD Test No. 414: Prenatal Development	Rat	Read-across. Reproductive toxicant.	
Toxicity Study	Oral	NOAEL: 1 mg/kg bw/day	
	in vivo		
OECD Test No. 421:	Rat	Read-across Reproductive toxicant	
Reproduction/Developmental Toxicity Screening	Oral	NOAEL 1.9-2.3 mg/kg bw/day	
Test	in vivo		

**STOT - single exposure** Based on available data, the classification criteria are not met.

**STOT - repeated exposure**Classification based on data available for ingredients. Based on available data, the classification criteria are not met.

Component Information Trimethoxyvinylsilane (2					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 413:	Rat	Inhalation vapor		90 days	0.058 NOAEL
Subchronic Inhalation					
Toxicity: 90-day Study					

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 422:	Rat	Subacute oral		28 days	NOAEL >500 mg/kg
Combined Repeated Dose		toxicity gavage			
Toxicity Study with the					
Reproduction/Developme					
ntal Toxicity Screening					
Test					

**Aspiration hazard** 

Based on available data, the classification criteria are not met.

# Section 12: Ecological information

# **Ecotoxicity**

## **Aquatic ecotoxicity**

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Trimethoxyvinylsilane	EC 50 (72h) > 957 mg/l	LC50 (96h) = 191 mg/l	-	EC50(48hr) 168.7mg/l
2768-02-7	(Desmodesmus	(Oncorhynchus mykiss)		(Daphnia magna)
	subspicatus)			
	EU Method C.3			
N-(3-(trimethoxysilyl)pro	-	LC50 (96H) =597 mg/L	-	EC50 (48h) =81mg/L
pyl)ethylenediamine		(Danio rerio)Semi-static		Daphnia magna Static
1760-24-3				
Carbon black	>10000 mg/l	>1000 mg/l (Brachydanio	-	EC50: >5600mg/L (24h,
1333-86-4	(Desmodesmus	rerio) OCDE 203		Daphnia magna)
	subspicatus) OECD 202			
Tin,	>2.0 mg/l	>2.0 mg/l	-	EC50 0.0036 mg/l 48Hr
dibutylbis(2,4-pentanedi				(Daphnia magna)
onato-O,O')-, (OC-6-11)-				
22673-19-4				

Australia - EN Page 8 / 11

30627868 Revision date 25-Mar-2024
Revision Number 2 Supersedes Date: 24-Nov-2022

Persistence and degradability

Persistence and degradability No information available.

Component Information			
Trimethoxyvinylsilane (2768-02-7)			
Method	Exposure time	Value	Results
OECD Test No. 301F: Ready	28 days	BOD	51 % Not readily
Biodegradability: Manometric			biodegradable
Respirometry Test (TG 301 F)			

## Quartz (14808-60-7)

## Bioaccumulative potential

**Bioaccumulation** There is no data for this product.

#### **Component Information**

Chemical name	Partition coefficient
Trimethoxyvinylsilane 2768-02-7	1.1
N-(3-(trimethoxysilyl)propyl)ethylenediamine	-0.3
1760-24-3	

## **Mobility**

Mobility in soil No information available.

**Mobility** No information available.

Other adverse effects

Other adverse effects No information available.

## Section 13: Disposal considerations

**Disposal methods** 

Waste from residues/unused

products

Dispose of contents/container in accordance with local, regional, national, and

international regulations as applicable.

Contaminated packaging Handle contaminated packages in the same way as the product itself.

## Section 14: Transport information

ADG Not regulated

IATA
Not regulated
IMDG
Not regulated

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

Australia - EN Page 9 / 11

**30627868** Revision Number 2

Revision date 25-Mar-2024 Supersedes Date: 24-Nov-2022

## Section 15: Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

### **National regulations**

### <u>Australia</u>

See section 8 for national exposure control parameters

### Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

### **Illicit Drug Precursors/Reagents**

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

#### National pollutant inventory

Subject to reporting requirement

Chemical name	National pollutant inventory
Tin, dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)-	10 tonne/yr Threshold category 1
22673-19-4	

## **International Inventories**

AIIC Listed
NZIoC Listed
ENCS Listed
IECSC Listed
KECI Listed
PICCS Not Listed

## Legend:

AIIC - Australian Inventory of Industrial Chemicals

NZIoC - New Zealand Inventory of Chemicals

**ENCS** - Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

#### **International Regulations**

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

## **Europe**

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

### **SVHC: Substances of Very High Concern for Authorization:**

This product contains one or more candidate substance(s) of very high concern (Regulation (EC) No. 1907/2006 (REACH), Article 59) >=0.1%

Chemical name	SVHC candidates
Tin, dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)-	X
22673-19-4	

Australia - EN Page 10 / 11

30627868 Revision Number 2 Revision date 25-Mar-2024 Supersedes Date: 24-Nov-2022

## Directive 2011/65/EU (EU RoHS 2), as amended by the Delegated Directive (EU) 2015/863 (EU RoHS 3)

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation

## Section 16: Any other relevant information

Prepared By Product Safety & Regulatory Affairs

Revision date 25-Mar-2024

**Revision Note** First time release.

Key or legend to abbreviations and acronyms used in the safety data sheet

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk\* Skin designation

C Carcinogen

Section 11: TOXICOLOGICAL INFORMATION

LD50 (lethal dose)

**Section 12: Ecological information** 

EC50 (effective concentration)

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet** 

Australia - EN Page 11 / 11