according to 1907/2006/EC, Article 31

#### SECTION 1: Identification of the substance/ mixture and of the Company / undertaking

### **1.1 Product Identifiers**

Product Code:1018Product Name:BULGARIAN LAVENDER OILCAS No. (TSCA):8000-28-0EINECS :289-995-2

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available

#### Application of the substance / preparation:

Washing & cleaning products, biocides (e.g. disinfectants, pest control products), air care products, polishes and waxes, perfumes and fragrances and cosmetics and personal care.

### **1.3** Manufacturer / Supplier Details:

#### **El Bi Crop Productions OOD**

Ulitsa Shesta nr 14, Vranino, Kavarna, Dobrich, 9663, Bulgaria Email: elbicrop@gmail.com

#### **1.4** Information in case of emergency:

Emergency response telephone number: +359 899753429 Email: elbicrop@gmail.com

# SECTION 2 : Hazard Idetification

#### 2.1 Classification of the substance / preparation

Classification according to Regulation (EC) No. 1272/2008

Asp. Tox. 1	H304: May be fatal if swallowed and enters airways
Skin Irrit. 2	H315: Causes skin irritation
Skin Sens. 1	H317: May cause an allergic skin reaction
Aquatic Chronic 3	H412: Harmful to aquatic life with long-lasting effects

### according to 1907/2006/EC, Article 31

Version : MSDS/2019/02 Product Name: BULGARIAN LAVENDER OIL

#### 2.2 Label Elements

### Labeling according to Regulation (EC) No. 1272/2008

This product is classified and labeled according to the CLP regulation.

**GHS Signal Word** 

DANGER

### **Hazard Pictograms**





#### Hazard Determining components of Labeling

LINALOOL LIMONENE GERANIOL

### **Hazard Statements**

- H304 May be fatal if swallowed and enters airways
- H315 Causes skin irritation
- H412 Harmful to aquatic life with long lasting effects

#### **Precautionary Statements**

P210	Keep away from heat/sparks/open flames/hot surfaces - No smoking
P264	Wash thoroughly after handling
P273	Avoid release to the environment
P280	Wear protective gloves/protective clothing/eye protection/face protection
P331	Do NOT induce vomiting
P301+310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
P302+352	IF ON SKIN: Wash with soap and water
P332+313	If skin irritation occurs: Get medical advice/attention
P403+235	Store in a well-ventilated place. Keep cool
P501	Dispose of contents/container to (in accordance with
	local/regional/national/international regulation)

### 2.3 Other Hazard

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

### according to 1907/2006/EC, Article 31

Version : MSDS/2019/02 Product Name: BULGARIAN LAVENDER OIL

#### **SECTION 3: Composition /Information of Ingredients**

#### 3.1 Chemical characterisation: Substances

TSCA CAS Number	: 8000-28-0
EINECS CAS Number	: 90063-37-9
Description :	Lavandula angustifolia Mill.
EINECS Number :	289-995-2

### **3.2** Dangerous components:

LINALOOL (CAS No 78-70-6) ATO 5(2790),EDI 2A,EH A3,FL 4,SCI 2, H303,H319,H227,H315,H402; Amount: 25-40%

LINALYL ACETATE (CAS NO 115-95-7)EDI 2A,EH A3,FL 4,SCI 2-H319,H227,H315,H402; Amount: 25-46%

LIMONENE (CAS No 7705-14-8) AH 1,EH A1,EH C1,FL 3,SCI 2,SS 1B, H304,H226,H315,H317,H410; Amount: 0.2 - 1.2%

GERANIOL (CAS No 106-24-1) ATO 5(3600),EDI 1,EH A2,SCI 2,SS 1, H303,H315,H317,H401,H318; Amount: max 1%

### **3.3** Additional Information:

For the wordings of listed H statements refer to section 16

#### **SECTION 4: First AID Measures**

#### 4.1 Description of first aid measures General information:

If health disorder happens, call for medical help immediately. Immediately remove any clothing soiled by the product.

#### After inhalation:

Supply fresh air and to be sure call for a doctor. In case of unconsciousness place patient stably in side position for transportation.

### After skin contact:

Immediately wash with water and soap and rinse thoroughly.

# Version : MSDS/2019/02 Product Name: BULGARIAN LAVENDER OIL

### After eye contact:

Rinse opened eye for several minutes under running water.

### After swallowing:

Do not induce vomiting; call for medical help immediately.

# 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### SECTION 5: Fire Fighting Measures

#### 5.1 Extinguishing media

Suitable extinguishing agents: CO2, alcohol resistant foam, powder, water spray. For safety reasons unsuitable extinguishing agents: Water with full jet.

#### 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released: Carbon monoxide (CO) Carbon dioxide (CO2) Smoke and soot Do not use water with full jet to prevend fire spreading.

#### 5.3 Advice for firefighters

**Protective equipment:** Wear self-contained respiratory protective device.

#### **Additional information**

Cool endangered receptacles with water spray. Collect contaminated firefighting water separately. It must not enter the sewage system. Dispose of debris and contaminated firefighting water in accordance with official regulations.

#### SECTION 6: Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Follow safety measures in chapter 7 and 8. Wear protective equipment. Keep unprotected persons away.

#### according to 1907/2006/EC, Article 31

Version : MSDS/2019/02 Product Name: BULGARIAN LAVENDER OIL

#### 6.2 Environmental precautions:

Do not allow to penetrate the ground/soil. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

#### 6.3 Methods and material for containment and cleaning up:

Wipe up little amounts with absorbent material like cloth or pulp. Water and cleansing agent Absorb with incombustible liquid-binding material (sand, diatomite, universal binders). Dispose of contaminated material as waste according to item 13.

#### 6.4 Reference to other sections

Keep ignition source away, do not smoke and avoid flames. See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

#### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling personal protection equipment see point 8.

Information about fire - and explosion protection: Fumes can combine with air to form an explosive mixture. Moistened solids (e.g. cloth, pulp, filter panel, binder) has to be stored hermetically sealed and/or watered and proper disposed (see chapter 9 and 13). Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

### 7.2 Conditions for safe storage, including any incompatibilities Storage:

Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles. Provide solvent resistant, sealed floor. Information about storage in one common storage facility: Store away from oxidizing agents. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well-sealed receptacles. Storage class: 3

#### 7.3 Specific end use(s)

No further relevant information available.

#### SECTION 8: Exposure controls/personalprotection

#### 8.1 Control Parameters

No Data Available

Version : MSDS/2019/02 Product Name: BULGARIAN LAVENDER OIL

#### 8.2 Exposure controls

### Personal protective equipment:

Use personal protective equipment depending on concentration and amount of hazardous substance.

### General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the eyes and skin.

### **Respiratory protection:**

Suitable respiratory protection: filter class A2 (brown colour). Use the rules for application of respiratory protection systems.

#### Protection of hands:

Preventive skin protection by use of skin-protecting agents is recommended.



**Protective gloves** 

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves:

The election of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material:

> 480 minutes at layerthickness of0,425 millimeter (Sol-Vex 37-695/Ansell). The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

# For the permanent contact gloves made of the following materials are suitable:

Nitrile rubber, NBR E.g. following product: Sol-Vex (37-695) from Ansell.

# As protection from splashes gloves made of the following materials are suitable:

PVC gloves

Version : MSDS/2019/02 Product Name: BULGARIAN LAVENDER OIL

Eye protection:



Tightly sealed goggles according to EN 166:2001

# Body protection:

Protective work clothing

### **SECTION 9: Physical and chemical properties**

General Information		
Form :	Liquid	
Colour :	Pale yellow to	
Odour :	Characteristic	
Odour Threshold :	N/A	
Change in Conditi	on	
Melting Point °C :	N/A	
Boiling Point ° C :	N/A	
Flash Point (Closed Cup) °C :	71°C	
Specific Gravity/Relative Density :	0.875 - 0.888	
Refractive Index :	1.458 -1.468 @20°C	
Vapour Density :	N/A	
Vapour Pressure :	N/A	
Solubility		
Water :	Insoluble	
Alcohol :	1:1 (v/v) 70%	
Flammability	: N/A	
Auto Ignition Temperature	: N/A	
Explosive Limits	5	
Lower Explosion Limits	: N/A	
Upper Explosion Limits	: N/A	
pH value	: N/A	
Optical Rotation	: -12° to -5°	
Surface Tension	: N/A	
Partition Coefficient	: N/A	
Granulometry	: N/A	
Oxidising Properties	: N/A	
Viscosity	: Not estimated	

# SECTION 10: Stability and reactivity

### 10.1 Reactivity

#### according to 1907/2006/EC, Article 31

Version : MSDS/2019/02 Product Name: BULGARIAN LAVENDER OIL

#### **10.2** Chemical stability

**Thermal decomposition / conditions to be avoided:** Heating causes vaporization and formation of ignitable atmosphere is possible.

#### 10.3 Possibility of hazardous reactions

Formation of explosive gas mixture with air possible. Product is not selfigniting; but in case of unpropitious storing conditions (air admission, heat accumulation) selfignition is possible for moistened solids (e.g. cloth, pulp, filter panels, binder). Reacts violently with oxidising agents.

#### **10.4** Conditions to avoid:

No further relevant information available.

#### **10.5** Incompatible materials:

No further relevant information available.

#### **10.6** Hazardous decomposition products:

No dangerous decomposition products expected by intended use.

#### SECTION 11: Toxicological information

#### **11.1** Toxicological Information Acute:

Oral: 4250 mg/kg bw (rat) Inhalation: No data available Skin: >5000 mg/kg bw (rabbit)

#### 11.2 Exposure Limits:

No data available

Note: There is a blanket recommendation of 10 mg/m3 for inspirable dusts or mists when limits have not otherwise been.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

PNEC Oral	No data available
EC50 (48hrs)	No data available
LC50 (96hrs)	No data available

#### **12.2** Persistence and degradability

Not Determined

Version : MSDS/2019/02 Product Name: BULGARIAN LAVENDER OIL

#### 12.3 Mobility in Soil

Not Determined

# 12.4 Results of PBT and vPvB assessment

No data available

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods:

Product/packaging disposal
Handle in accordance with official provisions
Waste treatment options
Recycling is preferred to disposal or burning
Disposal conditions
Dispose of in accordance with all federal, state and local environmental regulations.

#### 13.2 Recommendations:

Empty contaminated packing thoroughly as they may be recycled Moistened solids to be dispose-off adhering to necessary technical regulations after consulting concerned authorities.

#### **SECTION 14: Transport information**

14.1	Land Transport (ADR/RID/GGVSE) UN Number DG Class Packing Group Proper Shipping Name Classification code	Not regulated N/A N/A N/A N/A
14.2	Sea Transport (IMDG-Code/GGVSE) UN Number DG Class Packing Group Proper Shipping Name Marine Pollutant	Not regulated N/A N/A N/A N/A
14.3	<b>Air Transport (ICAO-TI/IATA-DGR)</b> UN Number	Not regulated

UN Number	Not regulate
DG Class	N/A
Packing Group	N/A

#### **14.4** Special precautions for users:

Wear protective gloves/protective clothing/eye protection/face protection. Take off contaminated clothing and wash before reuse. Prevent entry into drains, ground/surface water or sewerage system.

Print Date 24/01//2020

#### according to 1907/2006/EC, Article 31

Version : MSDS/2019/02 Product Name: BULGARIAN LAVENDER OIL Print Date 24/01//2020

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

N/A Other Information Custom Tariff Code 3301.29.5118 EmS Code --

#### SECTION 15: Regulatory information

#### **15.1 EU regulations**:

The product has been classified and marked in accordance with EU Directives/ Ordinance on Hazardous Materials.

- **15.2 Water Hazard Class (Germany):** WGK 2
- **15.3 Chemical safety Assessment**: No data available
- 15.4 Other regulations, limitations and prohibitive regulations:

EPA	No
TSCA	Yes
DSL	Yes
Preposition 65	No

Comply with the rules and regulations of skin protection

### **SECTION 16: Other information**

#### 16.1 Abbreviations used:

EC	European Commission
EU	European Union
DG	Dangerous Goods
CAS	Chemical Abstract Service
EINECS	European Inventory of Existing Commercial chemical Substances
GHS	Globally Harmonized System
CMR	Carcinogen, Mutagen, Reprotoxic
PNEC	Predicted No Effect Concentration
EC50	Effective Concentration 50 percent
LC50	Lethal Concentration 50 percent
PBT	Persistent Bioaccumulative and Toxic
vPvB	Very Persistent Very Bioaccumulative
EWC	European Waste Catalogue
EmS	Emergency Medical Services
ADR	Transport of Dangerous Goods by Road
RID	International Carriage of Dangerous Goods by Rail
GGVSE	German Regulation on the Transport of Dangerous Goods by Road and Rail
MDG	International Maritime Dangerous Goods
ICAO-TI	International Civil Aviation Organization-Technical Instructions
IATA-DGR	International Air Transport Association-Dangerous Goods Regulation
WGK	Wassergefahrdungsklassen
EPA	Environmental Protection Agency

### according to 1907/2006/EC, Article 31

Version : MSDS/2019/02 Product Name: BULGARIAN LAVENDER OIL

TSCA	Toxic Substance Control Act
DSL	Dangerous Substance List

# 16.2 Labelling in accordance with Directive 67/548/EEC

### Symbols



# **R-Phrases**

- R38 Irritating to skin
- R43 May cause sensitisation by skin contact
- R65 Harmful: may cause lung damage if swallowed
- R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

### **S-Phrases**

- S24 Avoid contact with skin
- S61 Avoid release to the environment. Refer to special instructions/safety data sheet
- S62 If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label where possible

# 16.3 Full text of the H-Statement used in Section -3. (follow the link)

http://ec.europa.eu/enterprise/sectors/chemicals/files/ghs/signalwords hs ps en.xls

#### 16.4 Quality Declaration

The information contained herein is based on the present state of our knowledge. It characterizes the product with regards to the appropriate safety precaution.

Print Date 24/01//2020