



# Compact Efficiency That Lasts

The most popular pool heater among pros, the Hi-E2® sets the standard with a proven in-use record of over 20 years of reliable performance. Ultra-efficient with a low-maintenance design the Hi-E2 is small, lightweight and easy to install indoors.

### Compact and Lightweight

33% smaller footprint, 42% smaller in volume and 34% lighter than the leading competitor

## Best Indoor Installation

Direct connection of PVC venting and intake air provides flexible indoor installation with no additional parts

### Ultra-Efficient Heating

Features an impressive 95% heating efficiency rating and reduces operating costs by 15% or more\*

#### Long-Lasting

Over 20 years of proven in-use performance

\*Versus 399K BTU heater with minimum DOE efficiency of 82%



### **Above and Beyond**

Exceeds the requirements of energy conservation regulations such as those in California, Hawaii, New York, Oregon and other states which require that a pool heater have intermittent ignition.

## TRADE SERIES **EXCLUSIVE**

The Hi-E2 is part of our Trade Series Exclusive line of products — over 30 of our most innovative products reserved for you to protect your profit margins.

### **Features**




### Big or Small, Fits Them All

Indoor or out, new construction or retrofit, the compact and lightweight Hi-E2® is ideal for both residential and commercial applications.



## Safe and Easy to Maintain

With no expensive cartridges to replace and built-in condensation management, maintenance is simple.



### Practical and Powerful Pool Heating

The Hi-E2 combustion system includes a heat exchanger which extracts 95% of the energy from gas fuel.




### **Anytime, Anywhere**

Unique induced draft system and included vent connections makes this the ideal heater for use in extreme weather and in difficult or unusual locations.


#### **Get More For Less.**

Turn up the heat — not your expenses. The Hi-E2 is an extremely efficient gasfired pool and spa heater that cuts your cost of operation by 15% or more!\*

\*Versus 399K BTU heater with minimum DOE efficiency of 82%  $\,$ 



### **Technical Specifications**



### Available in the Following Models

Model #	Firing Rate	Gas Type	Heat Exchanger*	Width	Depth	Height	Weight	Minimum GPM	Maximum GPM
EHE350NC	350K BTU	Natural	Copper / CuNi (ASME)	32"	23 ½"	34"	252 lbs.	30	100
EHE350PC	350K BTU	Propane	Copper / CuNi (ASME)	32"	23 ½"	34"	252 lbs.	30	100
EHE350NS	350K BTU	Natural	CuNi / CuNi (ASME)	32"	23 ½"	34"	252 lbs.	30	100
EHE350PS	350K BTU	Propane	CuNi / CuNi (ASME)	32"	23 ½"	34"	252 lbs.	30	100
EHE350NB	350K BTU	Natural	Copper / CuNi	32"	23 ½"	34"	252 lbs.	30	100
EHE350PB	350K BTU	Propane	Copper / CuNi	32"	23 ½"	34"	252 lbs.	30	100

<sup>\*</sup>The Hi-E2® utilizes a two heat exchanger design. The first material listed is for the primary heat exchanger, the second material listed is for the secondary heat exchanger.

Trade Series Exclusive product; not available for Internet sale. The Hi-E2 heater is an ultra high efficiency heater which produces condensation, see the heater manual for detailed venting instructions.

#### 1 unit per pallet

### Zodiac Pool Systems LLC

2620 Commerce Way, Vista, CA 92081 1.800.822.7933 | jandy.com Zodiac Pool Systems Canada, Inc. 2-3365 Mainway, Burlington, ON, L7M 1A6 1.888.647.4004 | zodiac.com



