



SPA FOAM OUT

1. IDENTIFICATION

Product name : SPA FOAM OUT

Product code : 29-07405 Other means of identification : Not available.

Supplier : Sani-Marc Inc. Manufacturer : Sani-Marc Inc.

 42 rue de l'Artisan
 42 rue de l'Artisan

 Victoriaville, Qc
 Victoriaville, Qc

 G6P 7E3
 G6P 7E3

 1-819-758-1541
 1-819-758-1541

This SDS is provided as information only. This product is not WHMIS regulated. This product is

Date of issue (YYYY-MM-DD) : 2019-11-14

In case of emergency : Emergency phone: CANUTEC (613) 996-6666 (Collect calls accepted)

2. HAZARDS IDENTIFICATION

Information in this section only concerns the product as supplied. Contact your account manager to get more information on diluted form hazards identification.

Product Classification : FLAMMABLE LIQUIDS - Category 3

EYE IRRITATION - Category 2B

Signal word : Warning Hazard pictograms

regulated under CCCR regulation. This product is packaged, labelled and supplied as a consumer good.



Hazard statements : Flammable liquid and vapors.

Causes eye irritation.

Precautionary statements

General : Flammable liquid and vapors. Handle with care. Read label before use. Keep out of reach of children.

Prevention : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use only in a well-ventilated area.

Specific protective equipment is suggested for this product. See section 8 for details.

Response : Rinse with water. IF IN EYES: Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical

attention.

Storage : Flammable liquid and vapors. Store away from combustibles, extreme heat and oxidizing agents. See section 7 for more informations.

Disposal : Dispose of contents and container in accordance with all local, regional, national and international regulations.

Supplemental label elements : No additional information.

Other hazards which do not result in : None known.

classification

SPA FOAM OUT Page: 1/6



3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/mixture : Mixture

Name **CAS** number % (w/w) ethanol 64-17-5 10 - 30methanol 67-56-1 1 - 5

Occupational exposure limits, if available, are listed in Section 8.

4. FIRST AID MEASURES

Description of required first aid measures

Eye contact In case of contact with eyes, flush with fresh water. Check for and remove any contact lenses. Continue rinsing. If irritation persists, get

medical attention.

Skin contact In case of irritation, rinse with water. Get medical attention if irritation persist.

Ingestion Rinse mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Inhalation Move victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if adverse health effects persist or

are severe. Maintain an open airway.

Most important symptoms/effects, acute and delayed

Eye contact Adverse symptoms may include the following:

irritation watering redness

Skin contact No specific symptoms under normal use conditions.

Ingestion No specific symptoms under normal use conditions. Inhalation No specific symptoms under normal use conditions.

Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Notes to physician

See toxicological information (Section 11)

5. FIRE-FIGHTING MEASURES

Extinguishing media

chemical

Suitable extinguishing media Use dry chemical, CO_2 , water spray (fog) or foam.

Unsuitable extinguishing media Do not use water jet.

Specific hazards arising from the Flammable liquid and vapors. In a fire or if heated, a pressure increase will occur and the container may burst, with

the risk of a subsequent explosion. Runoff to sewer may create fire or explosion hazard.

Hazardous thermal decomposition products Decomposition products may include the following materials:

carbon dioxide carbon monoxide

Special fire-fighting procedures Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action should be taken

involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use

water spray to keep fire-exposed containers cool.

Special protective equipment for fire-Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a

fighters full face-piece operated in positive pressure mode.

6. ACCIDENTAL RELEASE MEASURES

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and Personal precautions unprotected personnel from entering. Do not touch or walk through spilled material. Initiate spill response procedures if required.

Personal protection Put on appropriate personal protective equipment (see Section 8).

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in Cleaning method

container for disposal according to local regulations (see Section 13). Use a water rinse for final clean-up.



Page: 2/6

7. HANDLING AND STORAGE

Handling

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See

Section 8 for additional information on hygiene measures.

Storage and Incompatibility Store in accordance with local regulations. Store in a segregated and approved area. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Keep out of reach of children. Store away from incompatible materials (see Section 10).

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits

Ingredient name	Exposure limits		
Ethyl alcohol	CA Alberta Provincial (Canada, 4/2009).		
•	8 hrs OEL: 1000 ppm 8 hours.		
	8 hrs OEL: 1880 mg/m ³ 8 hours.		
	CA Quebec Provincial (Canada, 1/2014).		
	TWAEV: 1000 ppm 8 hours.		
	TWAEV: 1880 mg/m ³ 8 hours.		
	CA British Columbia Provincial (Canada, 6/2017).		
	STEL: 1000 ppm 15 minutes.		
	CA Ontario Provincial (Canada, 7/2015).		
	STEL: 1000 ppm 15 minutes.		
	CA Saskatchewan Provincial (Canada, 7/2013).		
	STEL: 1250 ppm 15 minutes.		
	TWA: 1000 ppm 8 hours.		
methanol	CA Alberta Provincial (Canada, 4/2009). Absorbed through skin.		
	8 hrs OEL: 262 mg/m ³ 8 hours.		
	8 hrs OEL: 200 ppm 8 hours.		
	15 min OEL: 250 ppm 15 minutes.		
	15 min OEL: 328 mg/m³ 15 minutes.		
	CA British Columbia Provincial (Canada, 6/2017). Absorbed		
	through skin.		
	TWA: 200 ppm 8 hours.		
	STEL: 250 ppm 15 minutes. CA Ontario Provincial (Canada, 7/2015). Absorbed through skin.		
	TWA: 200 ppm 8 hours.		
	STEL: 250 ppm 15 minutes.		
	CA Quebec Provincial (Canada, 1/2014). Absorbed through skin.		
	TWAEV: 200 ppm 8 hours.		
	TWAEV: 260 ppin 6 hours.		
	STEV: 250 ppm 15 minutes.		
	STEV: 328 mg/m ³ 15 minutes.		
	CA Saskatchewan Provincial (Canada, 7/2013). Absorbed through		
	skin.		
	STEL: 250 ppm 15 minutes.		
	TWA: 200 ppm 8 hours.		

Appropriate engineering controls

For manufacturing or industrial uses it can be appropriate to: Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits.

Use explosion-proof ventilating equipment.

Individual protection measures

Eye/face protection Continued or intense exposures might required to wear safety glasses. It is minimally suggested to wear safety glasses while

using or handling this product.

Hands and Body protection No specific protective equipment required under normal use conditions. Prolonged or severe exposures might require to wear

chemical-resistant gloves.

No special protective clothing is required.

Respiratory protection No specific protective equipment required under normal use conditions.



SPA FOAM OUT Page: 3/6

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state Liquid. [Opaque] pH 8 Flash point Closed cup: 45°C (113°F)

[Pensky-Martens.]

: Not available.

 Color
 White.
 Relative density
 Not available.
 Melting point
 Not available.

 Odor
 Alcohol-like.
 Viscosity
 Not available.
 Boiling point
 Not available.

 Odor
 Alcohol-like.
 Viscosity
 Not available.
 Boiling point
 Not available.

 Odor threshold
 Not available.
 Vapor pressure
 Not available.
 Fire point
 : Not available.

Solubility in water : Not available. Vapor density : Not available. Evaporation rate : Not available.

Decomposition temperature : Not available. Auto-ignition temperature : Not available.

water

Partition coefficient; n-octanol/

Lower and upper explosive (flammable) limits : Not available.

Not available.

10. STABILITY AND REACTIVITY

Flammability (solid, gas)

Reactivity No specific test data related to reactivity available for this product or its ingredients.

Chemical stability The product is stable.

Incompatible materials Reactive or incompatible with the following materials:

oxidizing materials

Conditions to avoid Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat

or sources of ignition.

Possibility of hazardous reactions Under normal conditions of storage and use, hazardous reactions will not occur.

11. TOXICOLOGICAL INFORMATION

Route of exposure Not available.

Potential acute health effects Symptoms

Eye contact May cause eye irritation. Adverse symptoms may include the following: irritation

watering

redness

Skin contact No known significant effects or critical hazards. No specific symptoms under normal use conditions.

Ingestion No known significant effects or critical hazards. No specific symptoms under normal use conditions.

Inhalation No known significant effects or critical hazards. No specific symptoms under normal use conditions.

Toxicity data

Product/ingredient name	Result	Species	Dose	Exposure
Ethyl alcohol	LC50 Inhalation	Rat	124700 mg/m ³	4 hours
	Vapor			
	LD50 Dermal	Rabbit	>20000 mg/kg	
	LD50 Oral	Rat	7 g/kg	-
methanol	LC50 Inhalation	Rat	145000 ppm	1 hours
	Gas.			
	LC50 Inhalation	Rat	64000 ppm	4 hours
	Gas.			
	LD50 Dermal	Rabbit	15800 mg/kg	
	LD50 Oral	Rat	5600 mg/kg	

Information on toxicological effects

Mutagenicity

No known significant effects or critical hazards.

Teratogenicity

No known significant effects or critical hazards.

No known significant effects or critical hazards.

Fertility effects

No known significant effects or critical hazards.

Sensitization Not available.



SPA FOAM OUT Page: 4/6

12. ECOLOGICAL INFORMATION

Ecotoxicity data

Product/ingredient name	Result	Species	Exposure
Ethyl alcohol	Acute EC50 17.921 mg/l Marine water	Algae - Ulva pertusa	96 hours
,	Acute EC50 2000 μg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 25500 μg/l Marine water	Crustaceans - Artemia franciscana - Larvae	48 hours
	Acute LC50 42000 µg/l Fresh water	Fish - Oncorhynchus mykiss	4 days
	Chronic NOEC 4.995 mg/l Marine water	Algae - Ulva pertusa	96 hours
	Chronic NOEC 100 ul/L Fresh water	Daphnia - Daphnia magna - Neonate	21 days
	Chronic NOEC 0.375 ul/L Fresh water	Fish - Gambusia holbrooki - Larvae	12 weeks
methanol	Acute EC50 16.912 mg/l Marine water	Algae - Ulva pertusa	96 hours
	Acute LC50 2500000 µg/l Marine water	Crustaceans - Crangon crangon - Adult	48 hours
	Acute LC50 3289 mg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
	Acute LC50 290 mg/l Fresh water	Fish - Danio rerio - Egg	96 hours
	Chronic NOEC 9.96 mg/l Marine water	Algae - Ulva pertusa	96 hours

Persistence and : Unknown Bioaccumulative potential : Unknown Mobility in soil : Unknown Other adverse effects : Unknown degradability

13. DISPOSAL CONSIDERATIONS

Disposal methods Dispose content and container in accordance with local, regional and national regulation in force.

14. TRANSPORT INFORMATION					
	UN number	UN proper shipping name	Transport hazard class (es)	Packing group	TDG Placard
TDG Classification	UN1993	FLAMMABLE LIQUID, N.O.S. (ethanol, methanol)	3	III	

Product classified as per the following sections of the Transportation of Dangerous Goods Regulations: 2.18-2.19 (Class 3). Special provisions Transport Dangerous Good regulation exemption paragraph 1.33

Additional information See shipping documents for specific information on DOT, IMDG or $\ensuremath{\mathsf{IATA}}$

15. REGULATORY INFORMATION

Canadian lists

Canadian NPRI The following components are listed: Ethanol

CEPA Toxic substances None of the components are listed.

Canada inventory Not determined.

International lists

United States Not determined.



SPA FOAM OUT Page: 5/6

16. OTHER INFORMATION					
Hazardous Material Information System (U.S.A.)		Health Hazard Fire Hazard Reactivity Personal Protection	1 2 1 1 B		
Date of issue/Date of revision (YYYY-MM- : 2019-11-14 DD) Prepared by : Regulatory Affairs Department					
	Sani-Marc Inc. 42 rue de l'Artisan Victoriaville, Qc G6P 7E3 1-819-758-1541				

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



SPA FOAM OUT Page: 6/6