


# Replacement Flap Kits





Hale Pet Door™ Replacement Flap Kits are designed to fit any and all of our pet door models. Our replacement flap kits come with either one or two flaps (depending on your door model and options ordered) with the appropriate number of strikes preinstalled on each flap. The placement and number of strikes depends on your pet door size and whether you are ordering an interior or exterior flap. The kit also contains the proper weather stripping and magnets for the flap ordered. This will enable you to completely refurbish the parts of the pet door that get the most wear and tear and should enable your pet door to last for decades. Instructions for installation included in the box or on our website. We offer technical support when needed and professional installation is available in many locations nationwide.

**SPECIFICATIONS:**

**Interior Flap:** Made of flexible 3/16" clear PVC vinyl with strikes and top bar riveted on. Used as the interior flap on double flap models and as the only flap on Screen, Single In Glass, OptiView single and Storm Window Replacement Models.

**Exterior Flap:** Made of flexible 3/16" clear PVC vinyl with strikes and top bar riveted on. Used as the exterior flap on double flap models and as the only flap when used on single flap versions of the Door, Wall, Double In Glass, Kennel, Panel and Window Models.

**Top Bar:** 6063-T5 Aluminum bar that is .375" high x .062" wide and runs the width of the flap. Bar is glued and riveted to the flap to add extra strength and stability when attaching to the pet door.

**Alnico5 Magnets:** A ¼" rod magnet 1 ½" long made from an aluminum, nickel and cobalt alloy known for its strength and durability. Ribbed holders made of 6063-T5 aluminum secure magnets into door frame. Door size determines number and placement of magnets.

**Strikes:** Made of ferrous stainless steel. 1 ½" long, ¾" tall and 1/32" thick. U shaped with a center hole for a rivet to securely attach to the flaps. Door size determines number and placement of strikes on each flap.

**Weather stripping:** Flap is designed to be surrounded by ½" nylon pile for maximum insulation. Nylon is woven into a backing 9/32" wide and 1/32" thick. Ribbed holders made of 6063-T5 aluminum secure weather stripping into door frame. Door size determines number and size of weather stripping pieces provided.

#### **OPTIONS:**

**Flaps:** *Single flap*—Kits can be ordered in sets for our double flap doors or separately as either an exterior or interior single flap depending on your pet door. *Flaps Only* – If you only need to replace the flap itself and do not wish to refurbish the weather stripping or magnets, you can purchase our flap only option instead.

**Sizes:** 12 standard sizes available from small to giant. Custom sizes also available.

#### **OUTSTANDING FEATURES:**

- Easy to install – varies depending on pet door model
- Covered by our 5-year prorated warranty

#### **APPLICATIONS:**

Designed to replace worn or torn flaps on any Hale Pet Door Model.

- Door, Wall, & In Glass Models – Single or Double
- Screen Model – Interior Flap only
- Panel and Window Models – Single or Double
- Storm Window Replacement Model – Interior Flap Only
- Kennel Doors & Security Barrier Frames - Varies

Cannot generally be used as replacements for other brands of pet door.