

j5create®

WORK SMARTER

PRODUCTIVITY
EFFICIENCY
CONVENIENCE



2021

Quality in Every Detail

Docking Stations / Display Adapters
Monitor Stands / Networking / USB™ Hubs
Chargers / Cables / Video Capture
Mobile Accessories / Webcams
Wireless Display / Enterprise & Education

Experts In Cross Platform Connectivity Windows®/MacOS®/ iOS®/Android™ Peripherals

WHY CHOOSE j5create?



WE DEVELOP. WE INNOVATE. WE CREATE.

j5create®

j5create is a team that has come together from a diverse set of backgrounds to make technologies more meaningful and inclusive. We design, build, sell, and support innovative technology. We find creative ways to apply new technologies to provide computing solutions.

MAKE AN IMPACT

As a passionate and practical team, we see both the details and the big picture. We pursue ideas that define the future of computer accessories through the power of technology.

CREATE EXPERIENCE

Driven by our passion for technology and our instinct for innovation, we always design products with the customers' needs in mind and develop solutions that have real significance to your world. We're on a mission to make your life simpler, more efficient, and more productive.

PASSION WITH A PURPOSE

Whether our job is designing products or empowering people to leverage technology, we're united by one mission: to bring innovation and the latest technology to every user in the world.

WORK WITH THE BEST

We only use premium quality materials and components to create our high-performance products. Additionally we collaborate with vendors of the world's top PC manufacturers.

COMMITMENT TO QUALITY

To maintain a high level of quality control and quality assurance, our product development is vertically integrated from IC design, software/hardware development, end product design, to production.

We ensure that best practices are spread throughout the entire organization and build our growth through close partnerships and long-lasting relationships with our customers.

INNOVATION DRIVES US

At j5create, we create high-tech products that help improve the way we experience our everyday lives. We tackle issues that affect you daily and turn to technological innovation to find solutions. While we strive for innovation, we never compromise the quality in product design. Our products are all carefully engineered and designed with durable materials, while maintaining a compact and sleek design.

Today, our products empower people from all over the world – from individuals and IT professionals to digital nomads and entrepreneurs – to utilize their computers to their fullest potential and create an impactful experience. Looking ahead, we aim to elevate your computing experience to be more productive, more efficient, and more convenient.



U.S. Based Customer Care



Made in Taiwan




Limited Product Warranty



Top-Selling Brand

Worldwide safety certification



In-house R & D team, in-house product design team and U.S. based customer service team

j5create is committed to customer satisfaction. We have a dedicated U.S. based team of technical support specialist waiting to assist you. We strive to stay ahead of ever changing technological needs through continuous improvements and suggestions from you.

Safety and protection for your devices



OVP (Overvoltage)
Limits output voltage



OCP (Overcurrent)
Limits the current flow



SCP (Short Circuit Protection)
Protects your device against short circuits



OTP (Over-Temperature)
Regulates the internal temperature



j5create has strategic partnerships and locations conveniently located worldwide to streamline all of our processes including sales, support and service. You can see a global list of where to purchase our products on our website at www.j5create.com. We are always just an email, live chat or phone call away, so feel free to contact us with any questions, concerns or comments.

North America

Sales : sale@j5create.com
Support: service@j5create.com
Phone: +1-888-689-4088

Canada

Sales: sales@j5create.com
Support: service@j5create.com
Phone: +604-265-3568

Europe

Sales: sales@j5create.com
Support: service@j5create.com
Phone:
NL | +31 (0)107 98 61 17
UK | +44-161-302-2230
ES | +34-935-22 25 76

Taiwan

Sales: sales@j5create.com
Support: service.tw@j5create.com

Toll Free : 888-988-0488

Sales : sales@j5create.com

Customer Service / Support : service@j5create.com

DOCKING STATIONS

Full Dock P.01



Powered Dock P.02



mini Dock P.03-04



DISPLAY ADAPTERS

USB-C® P.05



mini DisplayPort™ P.06



DisplayPort™ P.06



USB™ Type-A P.06



Monitor Display Cable P.06



HDMI™ & VGA P.06



MONITOR STANDS

P.02



NETWORKING

Wireless Ethernet Adapter P.07



Ethernet Adapter P.07



USB™ HUBS

USB-C® P.08



USB™ Type-A P.08



CHARGERS

Charging Station P.09



Wall Charger P.09



Wireless Charger P.10



CABLES

USB-C® P.11



Lightning® P.12



Thunderbolt™ P.11



Wormhole P.12



VIDEO CAPTURE

P.13



MOBILE ACCESSORIES

P.12



WEBCAMS

P.14



WIRELESS DISPLAY

P.15



ENTERPRISE & EDUCATION

Video Wall & Wireless Extender P.16

Wireless Meeting Router P.17





Docking Stations

Transform your laptop into a full-sized work station

USB-C®

USB-C® Triple Display Docking Station


JCD543 13-in-1

100W PD
Power Delivery

Extend & Mirror

USB™ 3.1 Gen 1
USB-C®

HDMI™/ DisplayPort™/ VGA Display



Cable Storage with Dual Openings
Cutting-Edge Design

- 4K HDMI™
- VGA
- USB™ Type-A
- Ethernet
- Mic / Speaker
- SD™/microSD™
- 5G USB-C®
- USB-C®
- 4K DP™

USB™ Type-A

Boomerang Station

JUD481 11-in-1

Dual Display



- HDMI™
- VGA
- USB™ Type-A
- Ethernet
- Mic / Speaker

Mini Ultra Station

JUD531 10-in-1

Dual Display



- HDMI™
- VGA
- USB™ Type-A
- Ethernet
- Mic / Speaker

90W Built-in USB-C® Travel Dock

JCDP392 4-in-1

65W PD



Power Delivery AC Power Built-in USB-C® 3.1 C-to-C cable included



4K HDMI™



USB™ Type-A



USB-C® Upstream



Overvoltage Protection



Overcurrent Protection



Overtemperature Protection



Short-Circuit Protection

90W Built-in Power Supply USB-C®



Slim ▶ Portable ▶ Highpower

65W Power for NB

Multi-Adapter

25W Power for Dock



Monitor Stands

Wood Monitor Stand with Docking Station Wood Series*

JCT425

100W PD



Power Delivery Handmade Solid Wood



Viewing Angle



Max Load 40 kg / 88 lb



ORGANIZED DESK



USB-C® 3.1 C-to-C cable included



4K HDMI™



USB™ Type-A



USB-C®



USB-C®



USB-C® Upstream



INSIDE



OUTSIDE





Mini Docks

Be productive on the go. Extend the port you have into the ports you need.

USB-C®


USB-C® to 4K 60 Hz HDMI™ Travel Dock for iPad Pro® JCD612

100W PD

Power Delivery



L-Shape Design



• Designed for iPad Pro®: fits perfectly with iPad Pro® 11 inch and 12.9 inch with or without a case

- 4K@60 HDMI™
- USB™ Type-A
- 5G USB-C®
- USB-C®
- Mic / Speaker
- SD™/microSD™

ULTRADRIVE MINIDOCK

For Surface™ Pro 7 JCD324S/B 7-in-1 functions

SILVER
BLACK

60W PD

Power Delivery

10 Gbps

USB™ 3.1 Gen2



4K@60 HDMI™



- 4K@60 HDMI™
- USB™ Type-A
- 10G USB-C®
- USB-C®
- SD™/microSD™

USB-C® Modular Multi-Adapter with 2 Kits


JCD375 2 Kits / 9-in-1 functions

100W PD

Power Delivery

2.4Amps

Fast Charging



L-Shape Design

10 Gbps

USB™ 3.1 Gen2



- 2 Kits
- Ethernet
 - SD™/microSD™
 - USB™ Type-A
 - 10G USB-C®
 - USB-C®
 - 4K HDMI™



ULTRADRIVE KIT USB-C® Multi-Display Modular Dock JCD389 5 Kits / 11-in-1 functions

For MacBook Pro® / MacBook Air®

100W PD
Power Delivery Triple 4K Display



*Includes hard carrying case
*Can be used separately

USB-C® 3.1 SuperSpeed+ Multi-Adapter JCD372 5-in-1 functions



HDMI™



USB™ 3.1



L-Shape Design



USB-C® Multi-Adapter JCA374 5-in-1 functions

60W PD
Power Delivery



USB-C® Dual HDMI™ Mini Dock JCD381 6-in-1 functions

60W PD
Power Delivery Dual Display



USB-C® Multi Adapter JCD383 9-in-1 functions

60W PD
Power Delivery

2.4Amps
Fast Charging



USB-C® Multi Adapter JCD384 10-in-1 functions

60W PD
Power Delivery




USB™ Type-A

USB™ 3.0 Mini Dock JUD380 6-in-1 functions

Dual Display
HDMI™ & VGA





Display Adapters

Turn any USB™ port into an external video output

USB-C®

USB-C® to 4-Port HDMI™ Multi-Monitor Adapter JCA366




- Drag & Drop
- Extend/Mirror Primary/Rotation
- Assistant Application
- Free download
- Zoom in/out

USB-C® Display Adapters & Cables

JCC154G

7.5W



4K@60 HDMI™



JCC155G

100W

Power Delivery
4K@60 HDMI™



JCA140 4K DP™



JCA142 4K mDP™



JCA153 4K HDMI™



JCA111 VGA



JCA174 VGA 4K HDMI™



JCA153G 4K HDMI™



JCA141 4K DP™



JCC153G 4K HDMI™



JCC111 VGA

USB-C® to HDMI™ / VGA & USB™ 3.0 with Power Delivery

JCA378



60W PD Power Delivery

- VGA
- USB-C®
- USB™ Type-A

JCA379



60W PD Power Delivery

- 4K HDMI™
- USB-C®
- USB™ Type-A

JCA175



100W PD Power Delivery Mirror Mode

- 4K HDMI™
- VGA
- USB-C®
- USB™ Type-A

USB™ Type-A

USB™ 3.0 Display Adapters



JUA311



VGA



JUA354



4K HDMI™



JUA360



VGA HDMI™ Dual Display



JUA365



4K HDMI™ Dual Display



JUA214



VGA



JUA254



HDMI™

USB™ 2.0 Display Adapters



JUA355



HDMI™



JUA350



HDMI™



JUA210



VGA



JUA250



HDMI™

mDP™

mini DisplayPort™ to 4K DisplayPort™/ 4K HDMI™/ DVI Adapter

- * Plug-and-play
- * 3-in-1 design gives you the ability to connect any HDMI™/DVI/DP™ using a single adapter
- * Resolutions up to 4K @ 60 Hz using DisplayPort™, 4K @ 30 Hz using HDMI™, 1920 x 1080 using DVI
- * DP++ Dual Mode DisplayPort™ Adapter
- * Supports audio using DisplayPort™/HDMI™



DisplayPort™



JDA173



4K HDMI™ DVI 4K DP™




Mirror Mode



4K HDMI™ VGA Mirror Mode

mini DisplayPort™ Adapters & Cable

- * Plug-and-play
- * DP++ Dual Mode DisplayPort™ Adapter (JDA132/JDA152/JDA159/JDC159)
- * Active DisplayPort™ conversion (JDA112)
- * Resolutions up to 1920 x 1200 @ 60 Hz (JDA112) 1920 x 1080 @ 60 Hz (JDA152/JDA132) 4K @ 30 Hz (JDA159/JDC159)
- * Supports HDMI™ audio (JDA152/JDA159/JDC159)
- * Length: 1.8m (JDC159)



JDA159
4K HDMI™

JDA112
VGA

JDA132
DVI

JDA152
HDMI™

JDC159
4K HDMI™

DP™

DisplayPort™ Adapters & Cable

- * Plug-and-play
- * DP++ Dual Mode DisplayPort™ Adapter (JDA134/JDA154)
- * Active DisplayPort™ conversion (JDA114/JDA158)
- * Resolutions up to 1920 x 1200 @ 60 Hz (JDA114) 1920 x 1080 @ 60 Hz (JDA154/JDA134) 4K @ 60 Hz (JDA158) 4K @ 30 Hz (JDC158)
- * Supports HDMI™ audio (JDA154/JDA158/JDC158)
- * Length: 1.8m (JDC158)



JDA158
4K HDMI™

JDA114
VGA

JDA134
DVI

JDA154
HDMI™

JDC158
HDMI™

Monitor Display Cable

Ultra HD 4K HDMI™ Cable

- * HDMI™ 2.0 - certified
- * Resolutions up to 4K @ 60 Hz (JDC52)
- * Resolutions up to 8K @ 60 Hz (JDC53)
- * Ethernet & audio return channel
- * Length: 2m



JDC52
4K HDMI™

JDC53
8K HDMI™

8K / 4K DisplayPort™ Cable

- * DisplayPort™ 1.4 HBR3 certified (JDC42)
- * DisplayPort™ 1.2 certified (JDC43)
- * Resolutions up to 8K @ 60 Hz (JDC43) 4K @ 60 Hz (JDC42)
- * Length: 1.8m (JDC42)/2m (JDC43)



JDC42
4K DP™

JDC43
8K DP™

HDMI™ / VGA

HDMI™ to VGA Adapter

- * Video + Audio
- * Plug-and-play
- * Supports PC resolutions up to 1920 x 1200 @ 60 Hz (WUXGA) and HDTV resolutions up to 1080p @ 60 Hz
- * 2-channel analog audio output
- * Reserved Micro USB™ Type B power input port



JDA213
VGA

JDA213S
VGA

VGA to HDMI™ Video Adapter + Audio

- * Plug-and-play
- * Video resolutions up to 1920 x 1080 @ 60 Hz
- * Supports USB™ audio
- * Easily transform your VGA device into an HDMI™ connection



JDA214
HDMI™



Networking


Driver-free USB™ adapter for immediate network expansion

Ethernet Adapter | USB-C®

USB-C® to 2.5 Gigabit Ethernet Adapter

JCE145


- * Quickly add a 2.5G/1G/100M Ethernet port
- * Supports USB™ 3.1, 3.0, 2.0 and 1.1
- * USB™ bus-powered
- * USB-C® port



USB-C® to 5 Gigabit Ethernet Adapter

JCE150

- * Quickly add a 5G/2.5G/1G/100M Ethernet port
- * Supports USB™ 3.1, 3.0, 2.0 and 1.1
- * USB™ bus-powered
- * USB-C® port



USB-C® to Gigabit Ethernet Adapter

JCE133G

- * Quickly add a Gigabit Ethernet port over USB-C®
- * USB™ 3.1 and backwards compatible with USB™ 2.0/1.1
- * USB™ bus-powered
- * Compatible with Windows® and macOS®



Ethernet Adapter | USB™ Type-A

USB™ to Ethernet Adapters


- * Quickly add a 10/100 Mbps or Gigabit Ethernet port
- * USB™ 3.0/2.0 plug-and-play
- * USB™ bus-powered
- * Windows®, Mac®, Linux®, Chrome OS™ compatible



JUE130



JUE125



Wireless Ethernet Adapter | USB™ Type-A

Wireless 802.11n USB™ Type-A Mini Adapter

JUE301

- * Complies with IEEE 802.11n standard and IEEE 802.11g / IEEE 802.11b standards
- * 2.4 GHz wireless operating frequency
- * Wireless data rates up to 150 Mbps
- * WEP 64/128 bit and WPA/WPA2/TKIP/AES encryption mode





USB™ Hubs

High-speed peripheral connectivity & port expansion

USB-C®

USB-C® 4-Port HUB

JCH343



USB™ Type-A

USB-C® 7-Port HUB

JCH377



2.4Amps
Fast Charging



USB™ Type-A

USB-C® Multi-Adapter

JCH471



3 Port
USB™ 3.0



Gigabit
Ethernet



DC 5V



USB™ Type-A



Ethernet

HUB + Connectivity

* USB™ Type-A 3.0 SD™/microSD™ slots for external memory card up to 2 TB

* HDMI™ resolutions up to 4K @ 30 Hz (JCH451)

* VGA resolutions up to 1920 x 1200 @ 60 Hz (JCH411)



Micro-B DC in



JCH347



SD™/microSD™ USB™ Type-A



JCH411



VGA USB™ Type-A



JCH451



HDMI™ USB™ Type-A

USB™ Type-A

USB™ Type-A SuperSpeed 4-port HUB

JUH340



2.1Amps
Fast Charging



USB™ Type-A

USB™ Type-A 3.0 SuperSpeed 7-port HUB

JUH377



2.4Amps
Fast Charging



USB™ Type-A

Gigabit Ethernet & HUB USB™ Type-A 3.0 Multi-Adapter

JUH470



USB™ Type-A



Ethernet



Simultaneously Charge 2 Laptops With Up To 60W Output

Chargers Quicker. Smarter. Safer. j5create high-efficiency chargers ensure that you don't run out of power, no matter where you go.

Wall charger

**20W 1-Port
JUP1420**



20W PD **CERTIFIED USB CHARGER 20W**

Designed for iPhone® 12

USB-C*

**65W 1-Port
JUP1365**



65W PD **GaN** **CERTIFIED USB CHARGER 65W**

USB-C*

**45W 2-Port
JUP2445**



45W PD **2.4Amps** **CERTIFIED USB CHARGER 45W**

Auto Balance USB™ Type-A USB-C*

**30W 1-Port
JUP1230**



30W PD

USB-C*

**30W 2-Port
JUP2230**



18W PD **2.4Amps** **Fast Charging**

USB™ Type-A USB-C*

**30W 2-Port
JUP20**



18W **2.4Amps** **18W QC™** **Qualcomm 3.0** **Quick Charge 3.0**

USB™ Type-A

Charging Station

**75W 4-Port
JUP4275**



60W PD **2.4Amps**

USB™ Type-A USB-C*

Phone Stand

**100W 4-Port
JUP44100**



100W PD **18W QC™** **Auto Balance**

USB-C* USB™ Type-A **Qualcomm Quick Charge 3.0**

**100W 2-Port
JUP2290**



CERTIFIED USB CHARGER 100W

100W PD **2.4Amps** **Fast Charging**

USB-C* USB™ Type-A

**63W 4-Port
JUP4263**



45W PD **18W QC™**

USB™ Type-A USB-C*

**48W 3-Port
JUP3248**



30W PD **18W QC™**

USB™ Type-A USB-C*

**58W 6-Port
JUP60**



18W QC™ **Qualcomm Quick Charge 3.0**

USB™ Type-A

**40W 5-Port
JUP50**



2.4Amps **Fast Charging**

USB™ Type-A



Wireless charger

mightywave™ Wood Series*

10W Wireless Fast Charger

JUPW1101W



18W QC™ 3.0 Power Adapter Included

mightywave™ Wood Series*

10W 2-Coil Wireless Fast Charger

JUPW1102W



18W QC™ 3.0 Power Adapter Included

mightywave™
10W Fast Wireless Charger with Heat Dissipation

JUPW1103NP



mightywave™
10W Fast Wireless Charger

JUPW1101



18W QC™ 3.0 Power Adapter Included



Max
100W
E-Mark

Power Meter

Fast Charging

2-Way Connector

Cables

Charging, Sync, File Transfer. We've got you covered.

USB-C®

JUCX24
60W PD

USB-C® 2.0 Cable
(6 ft/180 cm) 480 Mbps/3A

JUCX12B/R

USB-C® 2.0 Cable
(4 ft/120 cm) 480 Mbps/3A

JUCX01

USB-C® 3.1 Coaxial Cable
(2.3 ft/70 cm) 10 Gbps/5A

JUCX03

USB-C® 3.1 Cable
(3 ft/90 cm) 10 Gbps/3A

JUCX04

USB-C® 2.0 Cable
(3 ft/90 cm) 480 Mbps/3A

JUCX05

USB-C® 3.1 Adapter
(4 in/10 cm) 5 Gbps/1.5A

JUCX06

USB-C® 3.1 to A Cable
(3 ft/90 cm) 10 Gbps/3A

JUCX07

USB-C® 3.1 to Micro-B Cable
(3 ft/90 cm) 10 Gbps/3A

JUCX08

USB-C® 2.0 to A Cable
(6 ft/180 cm) 480 Mbps/3A

JUCX09

USB-C® 2.0 to Micro-B Cable
(6 ft/180 cm) 480 Mbps/3A

JUCX10

USB-C® 2.0 to Mini-B Cable
(6 ft/180 cm) 480 Mbps/3A

JUCX11

USB-C® 2.0 to B Cable
(6 ft/180 cm) 480 Mbps/3A

USB-C® Dynamic Power Meter Charging Cable

JUCP15
6-in-1
USB-C® to Right Angle USB-C®
100W E-Mark

JUCP14
6-in-1
USB-C® to USB-C®
100W E-Mark

JUCP13
5-in-1
USB® Type-A to USB-C®
60W

Thunderbolt™

Thunderbolt™ 3 Cable

Supports 5K
UP TO 100W Power Delivery

JTCX03
3.3 ft/100 cm
Active
UP TO 40 Gbps

JTCX01
1.65 ft/50 cm
UP TO 40 Gbps

JTCX02
3.3 ft/100 cm
UP TO 20 Gbps

Wormhole™ | USB-C™ Transfer Cable



wormhole switch™ USB™ 3.1 Wormhole Switch JUC501



- Share files/clipboard/keyboard/mouse
- Drag & drop files
- USB™ 3.0 SuperSpeed



Wormhole™ | USB™ Type-A Transfer Cable

wormhole switch™



USB™ 2.0 SuperSpeed File Sharing Between Mac® and PC JUC400

USB™ 3.0 SuperSpeed File Sharing Between Mac® and PC JUC500

USB™ 3.0 SuperSpeed File Sharing Between Mac® and PC JUC700




Lightning®

Charging Sync Cables

- * MFi-certified
- * Simultaneously charge and sync your connected devices
- * Supports USB™ up to 2.4A
- * Cable length 3.3 ft/100 cm
- * Aluminum housing
- * Nylon braided cords for superior durability and flexibility

JMLC11

3-in-1 Lightning®+USB-C®+Micro-B



USB-C® to Lightning® Cable



JALC15



Right Angle



JLC15



Apple® MFi
USB-C® to Lightning® Cable
C94 connector for MFi Manufacturer

Mobile Accessories

Everything you need to make the most of your phone

Android™ USB™ Display Adapter

- Compatible with most Android™ phones
- j5 Display Adapter App
- Portable

High efficiency & low power consumption with 2 modes:

- Video mode (work for 3 hrs)
- Text mode (work for 5.5 hrs)

JUA161C



JUA165C







Video Capture


Take gaming and live streaming to the next level

Dual HDMI™ 2 HDMI™ to USB-C® with Power Delivery JVA06

- No driver required
- PIP
- PBP
- Chroma Key
- A



Chroma Key
Press Chroma Key "AB + BA" for 2 seconds to switch on/off image synthesis



Streaming
Event streaming (i.e. weddings)

Console Gaming
Game streaming (i.e. reaction videos)



Broadcasting
Virtual events (i.e. online classes)

Conferencing
Remote (webinar)

Live Capture Adapter HDMI™ to USB-C® with Power Delivery JVA02





360° All Around Webcam

JVCU360

- 360° video conferencing camera
- Built-in omnidirectional microphone
- Six display modes deliver exceptional viewing angles with flexibility and versatility
- Capture six different viewing angles
- Adjustable fields of view
- Full HD 1080p video playback @ 30 Hz
- Supports your favorite video conferencing apps
- USB™ UVC/UAC plug-and-play
- Supports USB™ Type-A and USB-C®



• Six Display Modes



USB™ 4K ULTRA HD Webcam with 5x Digital Zoom Remote Control

JVCU435

- 4K Ultra HD image sensor with up to 8 MP capture
- Delivers 4K UHD and 1080p HD resolutions at 30 FPS
- Built-in low light enhancement (0.5 lux) with F/1.6 aperture lens
- Supports H.264 and MJPEG image formats
- Easily operate camera pan/tilt/zoom functions with ePTZ remote control
- Built-in high fidelity microphone
- Privacy cover for privacy, security, and peace of mind
- Supports both USB-C® and USB™ Type-A connections
- Compliant with standard UVC /UAC protocol, driver-free



USB™ HD Webcam with 360° Rotation

JVCU100

- Full HD 1080p video calling & recording
- H.264 video compression
- Security camera image sensor
- Enhanced light sensitivity
- Better low light capture and blurless movement
- 80° field of view
- Built-in high fidelity microphone
- Works with various video conferencing apps
- Standard UVC/UAC protocol
- USB™ plug-and-play



Product Dimensions : 10.2(W) x 5.35(D) x 5.3(H) cm



JVAW50TX for all HDMI™ enabled devices

JVAW50RX for all HDMI™ enabled TVs or displays

Wireless Display HDMI™ & USB™ Extender JVAW50

Wireless Display HDMI™ Extender JVAW53



TX-Transmitter

RX-Receiver

RX-Receiver

TX-Transmitter

- Supports USB™
- 1TX 1RX
- Ultra-Low Latency
- Up to 200 ft (60m)
- Supports IR remote control passthrough



- ◆ Wireless: high quality, stable connection with low latency under 0.06 sec
- ◆ Antenna 5 dB x 2: longer distance up to 200 ft (60m)
- ◆ Supports the transfer of IR remote control signals
- ◆ Supports 480p/576p/720p/1080p /480i/576i/720i/1080i
- ◆ USB™ 2.0 wireless extender unit works with a USB™ keyboard and mouse. (JVAW50)


ScreenCast HDMI™ Wireless Display JVAW56

- 1080p HDMI™
- 60 cm / 23.6 inch USB™ Extension Cable Included
- Wireless display iOS® Compatible



How do I connect the ScreenCast to my HDTV?
j5create.com/screencast

- 5G/2.4G: Stable connection
- Wide compatibility: works with macOS®, Windows®, Android™ and iOS®
- USB™ extension cable for longer signal distance.
- 1080p HDMI™: wirelessly mirror your smartphone, tablet or laptop screen to an HDTV or projector.
- Light and elegant: incredibly compact and easily fits in your pocket, perfect for home use or travel.



Video Wall & Extender


HDMI™ Video Wall over IP Extender **JVAE52**




TX-Transmitter



RX-Receiver



Application Diagram



Features

Easily set up a matrix with the rotary switch

Professional overlap set up with free software

Multiple sources to multiple receivers

Wireless meeting



Wireless Presentation Display Router

16 Users model no. **JWR2100**

40 Users model no. **JWR2105**




- ◆ Supports displaying up to 16 or 40 users with USB™ Touch Screen Control



- MCT's USB™ Graphics SoC technology is built in. U.S. Patent No. : US 7,203,788
- Synchronized operation of touch device Patent No. : US 9,229,552

- ◆ ScreenWave™ Control App on Windows®, Mac®, Android™, iOS®, and Chrome OS™



► **For Laptop**




Plug in the "ScreenWave control" USB™ device and launch the "ScreenWave" App.
*You can download the application at j5create.com/screenwave




► **For Smartphones and Tablets**




- ◆ 3 System Structure Modes to Fulfill Any Networking Environment



◆ Quickly Switch to Different Projection Devices Through a Wireless Connection



◆ Smart Conference room



- ▶ **Group Meeting**
- Improve Productivity & Teamwork












- ▶ **Presentation**
- No more cables to do presentations
- Bring Your Own Device (BYOD)



- ▶ **Classroom**
- Project your presentation wirelessly
- Setup a high-speed wireless network






Comparison

Product Picture					
Model No. Product Name	JCD543 USB-C® Triple Display Docking Station	JCD543P USB-C® Triple Display Docking Station	JUD481 Boomerang Station Universal USB™ 3.0 Docking Station	JUD531 Mini Ultra Universal USB™ Do	
Hardware	Upstream	USB-C® 3.1	USB-C® 3.1	USB™ Type-A 3.0	
	Power Built-in				
	HDMI™	● X2, 4K @ 30 Hz	● X2, 4K @ 30 Hz	● 2K @ 30 Hz	● 2K @ 30 Hz
	DP™	● 4K @ 30 Hz	● 4K @ 30 Hz		
	VGA	● 1080p @ 60 Hz	● 1080p @ 60 Hz	● 2K @ 30 Hz	● 2K @ 30 Hz
	Multi-Display	● X3	● X3	● X2	● X2
	Audio Out	●	●	●	●
	Mic In	●	●	●	●
	Gigabit Ethernet	●	●	●	●
	USB™ Type-A 3.0 / 3.1	● X3	● X3	● X4	● X3
	USB-C® 3.1	●	●		
	BC1.2 Fast Charging	●	●	●	●
	microSD™ / SD™	●	●		
	USB-C® PD Power in	● 100W	● 100W		
Power adapter		PD100W	DC 5V/3A or 5V/4A	DC 5V/3A or 5V/4A	
Compatibility	Operating System	Windows®, macOS®, Chrome OS™ (DP™ Alt mode)	Windows®, macOS®, Chrome OS™ (DP™ Alt mode)	Windows®, macOS®	Windows®, macOS®
Certificate	FCC / CE / VCCI / BSMI / RCM	FCC / CE / VCCI / BSMI / RCM	FCC / CE / VCCI / BSMI / RCM	FCC / CE / VCCI / BSMI / RCM	








Product Picture							
Model No. Product Name	JCD383 USB-C® Multi Adapter	JCD384 USB-C® Multi Adapter	JCD381 Dual HDMI™ Mini Dock	JUD380 USB™ 3.0 Mini Dock	JDD320 USB™ Type-A 6-in-1 ULTRADRIVEMINIDOCK®	JDD320 Mini Ultra Universal USB™ Do	
Hardware	Upstream	USB-C® 3.1	USB-C® 3.1	USB-C® 3.1	USB™ Type-A 3.0	USB™ Type-A 3.0 & mini DP™	
	HDMI™	● 4K @ 30 Hz	● 4K @ 30 Hz	● X2, 4K @ 30 Hz+2K @ 60 Hz	● 2K @ 30 Hz	● 4K @ 30 Hz	● 4K @ 30 Hz
	mini DP™					● 4K @ 60 Hz	● 4K @ 60 Hz
	VGA		● 1080p @ 60 Hz		● 2K @ 60 Hz		
	Multi-Display			● X2	● X2		
	Ethernet	●	●	●	●		
	USB™ Type-A 2.0						
	USB™ Type-A 3.0 / 3.1	● X3	● X3	● X2	● X2	● X2	● X2
	USB-C® 3.1	●	●				
	BC 1.2 Fast Charging	●	●				
	microSD™ / SD™	●	●			●	●
	USB-C® Power in	● 60W	● 60W	● 60W			
Thunderbolt™							
Compatibility	Operating System	Windows®, macOS® Chrome OS™ (DP™ Alt Mode)	Windows®, macOS® Chrome OS™ (DP™ Alt Mode)	Windows®, macOS® Chrome OS™ (DP™ Alt Mode)	Windows®, macOS®	Surface™ Pro 4/5/6	
Certificate	FCC / CE / BSMI / RCM	FCC / CE / BSMI / RCM	FCC / CE / VCCI / BSMI / RCM	FCC / CE / VCCI / BSMI / RCM	FCC / CE / RCM	FCC / CE / RCM	

Docking Station | Full Dock & Powered Dock

Docking Station | Mini Dock

 JCT425 Wood Monitor Stand with Docking Station	 JCDP392 90W Built in USB-C Travel Dock	 JCD612 USB-C to 4K 60 Hz HDMI Travel Dock for iPad Pro	 JCD324 S/B ULTRADRIVEMINIDOCK for Surface Pro 7	 JCD375 USB-C Modular Multi-Adapter with 2 Kits	
USB-C® 3.1	USB-C® 3.1	USB-C® 3.1	USB-C® 3.1	USB-C® 3.1	USB-C® 3.1
		USB-C® PD 90W			
● 4K @ 30 Hz	● 4K @ 30 Hz	● 4K @ 60 Hz	● 4K @ 60 Hz	● 4K @ 30 Hz	
		●			
		●			
● X5	● X2	●	● X2 Gen2, 10 Gbps	● X3 Gen2, 10 Gbps	
●		●	● Gen2, 10 Gbps	● Gen2, 10 Gbps	
●	●			●	
		●	●	● SD 4.0	
● 100W	● 65W	● 100W	● 60W	● 100W	
Windows®, macOS®, Chrome OS™ (DP™ Alt mode)	Windows®, macOS®, Chrome OS™ (DP™ Alt mode)	Windows®, macOS®, iPad Pro® (DP™ Alt mode)	Surface™ Pro 7	Windows®, macOS®, Chrome OS™ (DP™ Alt mode)	
FCC / CE / VCCI / BSMI / RCM	FCC / CE / VCCI / BSMI / RCM				

Docking Station | Mini Dock

 JCD321 Mini Dock for Surface™ Pro	 JCD372 USB-C® 3.1 SuperSpeed + Multi-Adapter	 JCD389 ULTRADRIVE KIT USB-C® Modular Mini Dock 11-in-1	 JCD382 USB-C® 8-in-1 ULTRADRIVEMINIDOCK®	 JCD386 USB-C® 7-in-1 ULTRADRIVEMINIDOCK®	 JCD376 USB-C® Multiport Adapter with Power Delivery	 JCA374 USB-C® Multi-Adapter
USB-C® 3.1	USB-C® 3.1	USB-C® 3.1	USB-C® X2 (3.1+ Thunderbolt™)	USB-C® 3.1	USB-C® 3.1	USB-C® 3.1
● 4K @ 30 Hz	● 4K @ 30 Hz	● X2, 4K @ 60 Hz+4K @ 30 Hz	● 4K @ 30 Hz	● 4K @ 30 Hz	● 4K @ 30 Hz	● 4K @ 30 Hz
● 4K @ 60 Hz		● 4K @ 60 Hz				
		● 1080p @ 60 Hz			● 1080p @ 60 Hz	
		● X3	● X2		●	●
		●			●	
● X2	● Gen2, 10 Gbps	● X2	● X2	● X2	●	● X2
●		●		●	●	
●	●	●	●	●		
		● 100W	● PD100W	● 60W	● 60W	● 60W
			● 40Gbps + 5K @60 Hz+PD100W			
Surface™ Pro 4/5/6	Windows®, macOS®, Chrome OS™ (DP™ Alt Mode)	macOS®	MacBook Pro® 2016 or later 13-inch or 15-inch (DP™ Alt Mode)	Windows®, macOS®, Chrome OS™ (DP™ Alt Mode)	Windows®, macOS®, Chrome OS™ (DP™ Alt Mode)	Windows®, macOS®, Chrome OS™ (DP™ Alt Mode)
	FCC / CE / BSMI	FCC / CE / BSMI	FCC / CE / BSMI / RCM	FCC / CE	FCC / CE / BSMI / RCM	FCC / CE / VCCI / BSMI / RCM

Comparison

Product Picture								
Model No.	Product Name	JCC154G USB-C® to 4K HDMI™ Cable	JCC155G USB-C® to 4K HDMI™ Cable	JCA153G USB-C® to 4K HDMI™ Adapter	JCC153G USB-C® to 4K HDMI™ Cable	JCA366 USB-C® to Quad HDMI™ Multi-Monitor Adapter	JCA174 USB-C® to Dual HDMI™ & VGA Multi-Display Adapter	JCA174 USB-C® to Dual HDMI™ & VGA Multi-Display Adapter
Hardware	Upstream	USB-C® 3.1	USB-C® 3.1	USB-C® 3.1	USB-C® 3.1	USB-C® 3.1	USB-C® 3.1	USB-C® 3.1
	HDMI™	● 4K @ 60 Hz	● 4K @ 60 Hz	● 4K @ 60 Hz	● 4K @ 60 Hz	● x 4 1920 x 1080 @ 60 Hz	● 4K @ 60 Hz	● 4K @ 60 Hz
	DP™						● 1080p @ 60 Hz	● 1080p @ 60 Hz
	mini DP™							
	VGA							
	Multi-Display					● x 4	● x 2	● x 2
	USB™ Type-A 3.0 / 3.1							●
	Power in	● USB™ Type-A 5V	● PD 100W					
Cable Length	USB-C®: 180 cm/6 Ft USB™ Type-A: 120 cm/4 Ft	USB-C®: 180 cm/6 Ft USB™ Type-A: 120 cm/4 Ft	135 mm / 0.44 ft	1540 mm / 5.05 ft	500 mm / 1.64 ft	150 mm / 0.49 ft	150 mm / 0.49 ft	150 mm / 0.49 ft
Compatibility	Operating System	Windows®, macOS® Chrome OS™ (DP™ Alt Mode)	Windows®, macOS® Chrome OS™ (DP™ Alt Mode)	Windows®, macOS® Chrome OS™ (DP™ Alt Mode)	Windows®, macOS® Chrome OS™ (DP™ Alt Mode)	Windows®, macOS®	Windows®, macOS® Chrome OS™ iPad Pro® (DP™ Alt Mode)	Windows®, macOS® Chrome OS™ iPad Pro® (DP™ Alt Mode)
	Certificate			FCC / CE / RCM	FCC / CE / RCM	FCC / CE / VCCI / RCM	FCC / CE / RCM	FCC / CE / RCM







Product Picture						
Model No.	Product Name	JUA311 USB™ 3.0 to VGA Display Adapter	JUA365 USB™ 3.0 to Dual HDMI™ Multi-Monitor Adapter	JUA360 USB™ 3.0 to HDMI™ /VGA Multi-Monitor Adapter	JUA354 USB™ 3.0 to 4K HDMI™ Display Adapter	JUA355 USB™ 3.0 to HDMI™ Slim Display Adapter
Hardware	Upstream	USB™ Type-A 3.0	USB™ Type-A 3.0	USB™ Type-A 3.0	USB™ Type-A 3.0	USB™ Type-A 3.0
	HDMI™		● x 2 4K @ 30 Hz 2K @ 60 Hz	● 2K @ 60 Hz	● 4K @ 30 Hz	● 2K @ 30 Hz
	VGA	● 1080p @ 60 Hz		● 2K @ 60 Hz		
	DVI					
	Multi-Display		● x 2	● x 2		
	Cable Length	150 mm / 0.49 ft	200 mm / 0.66 ft	200 mm / 0.66 ft	80 mm / 0.26 ft	130 mm / 0.43 ft
Compatibility	Operating System	Windows®, macOS®	Windows®, macOS®	Windows®, macOS®	Windows®, macOS®	Windows®, macOS®
	Certificate		FCC / CE / VCCI / RCM	FCC / CE / VCCI / RCM	FCC / CE / VCCI / RCM	FCC / CE / VCCI / RCM

Display Adapters | USB-C®




Model	JCA375	JCA378	JCA379	JCA141	JCA111	JCA140	JCA142	JCA153	JCC111
Image									
Description	USB-C® to VGA Adapter with Power Delivery	USB-C® to VGA & USB™ 3.0 with Power Delivery	USB-C® to HDMI™ & USB™ 3.0 with Power Delivery	USB-C® to 4K DisplayPort™ Cable	USB-C® to VGA Adapter	USB-C® to 4K DisplayPort™ Adapter	USB-C® to 4K mini DisplayPort™ Adapter	USB-C® to 4K HDMI™ Adapter	USB-C® to VGA Cable
Resolution	4K @ 30 Hz	4K @ 30 Hz	4K @ 30 Hz	4K @ 60 Hz	4K @ 60 Hz	4K @ 60 Hz	4K @ 60 Hz	4K @ 60 Hz	1080p @ 60 Hz
Power	100W	100W	100W	100W	100W	100W	100W	100W	100W
Dimensions	200 mm / 0.66 ft	200 mm / 0.66 ft	200 mm / 0.66 ft	1200 mm / 3.94 ft	145 mm / 0.48 ft	145 mm / 0.48 ft	145 mm / 0.48 ft	145 mm / 0.48 ft	1800 mm / 5.91 ft
OS Support	Windows®, macOS®, Chrome OS™ (DP™ Alt Mode)	Windows®, macOS®, Chrome OS™ (DP™ Alt Mode)	Windows®, macOS®, Chrome OS™ (DP™ Alt Mode)	Windows®, macOS®, Chrome OS™ (DP™ Alt Mode)	Windows®, macOS®, Chrome OS™ (DP™ Alt Mode)	Windows®, macOS®, Chrome OS™ (DP™ Alt Mode)	Windows®, macOS®, Chrome OS™ (DP™ Alt Mode)	Windows®, macOS®, Chrome OS™ (DP™ Alt Mode)	Windows®, macOS®, Chrome OS™ (DP™ Alt Mode)
Certification	FCC / CE	FCC / CE	FCC / CE	FCC / CE / RCM	FCC / CE / RCM	FCC / CE / VCCI / RCM	FCC / CE	FCC / CE / RCM	FCC / CE / RCM


Display Adapters | USB™ TYPE-A

Model	JUA315	JUA350	JUA210	JUA250	JUA214	JUA254
Image						
Description	USB™ 3.0 to VGA Slim Display Adapter	USB™ 3.0 to HDMI™ Display Adapter	USB™ 2.0 to VGA Display Adapter	USB™ 2.0 to HDMI™ Display Adapter	USB™ 3.0 to VGA Multi-Monitor Adapter	USB™ 3.0 to HDMI™ Multi-Monitor Adapter
Resolution	2K @ 60 Hz	2K @ 30 Hz	1080p @ 60 Hz	1080p @ 60 Hz	2K @ 60 Hz	2K @ 30 Hz
Dimensions	130 mm / 0.43 ft	200 mm / 0.66 ft	130 mm / 0.43 ft	130 mm / 0.43 ft	80 mm / 0.26 ft	80 mm / 0.26 ft
OS Support	Windows®, macOS®	Windows®, macOS®	Windows®, macOS®	Windows®, macOS®	Windows®, macOS®	Windows®, macOS®
Certification	FCC / CE / RCM	FCC / CE / VCCI / RCM	FCC / CE / VCCI / RCM	FCC / CE / VCCI / RCM	FCC / CE	FCC / CE / VCCI / RCM

Product Picture							
	Model No.	JDA172	JDA173	JDC159	JDA159	JDA112	JDA111
	Product Name	mini DisplayPort™ to HDMI™/VGA Adapter	mini DisplayPort™ to 4K DisplayPort™/4K HDMI™/DVI Adapter	mini DisplayPort™ to 4K HDMI™ Cable	mini DisplayPort™ to 4K HDMI™ Adapter	mini DisplayPort™ to VGA Adapter	mini DisplayPort™ to VGA Adapter
Hardware	Upstream	mini DisplayPort™	mini DisplayPort™	mini DisplayPort™	mini DisplayPort™	mini DisplayPort™	mini DisplayPort™
	HDMI™	● 4K @ 30 Hz	● 4K @ 30 Hz	● 4K @ 30 Hz	● 4K @ 30 Hz		
	VGA	● 1080p @ 60 Hz				● 1080p @ 60 Hz	
	DP		● 4K @ 60 Hz				
	DVI		● 1080p @ 60 Hz				
	Cable	100 mm / 0.33 ft	100 mm / 0.33 ft	1800 mm / 6 ft	125 mm / 0.41 ft	100 mm / 0.33 ft	100 mm / 0.33 ft
Compatibility	Operating System	Windows®, macOS®	Windows®, macOS®	Windows®, macOS®	Windows®, macOS®	Windows®, macOS®	Windows®, macOS®
	Certificate	FCC / CE / RCM	FCC / CE / RCM	FCC / CE / RCM	FCC / CE / RCM	FCC / CE	FCC / CE








Display Adapters | HDMI™ / VGA

Product Picture				
	Model No.	JDA213	JDA213S	JDA214
	Product Name	HDMI™ to VGA Video / Audio Adapter	HDMI™ to VGA Video / Audio Adapter	VGA to HDMI™ Video / Audio Adapter
Hardware	Upstream	HDMI™	HDMI™	VGA / USB™ Type-A 2.0
	HDMI™			● 1080p @ 60 Hz
	VGA	● 1080p @ 60 Hz	● 1080p @ 60 Hz	
	Audio Out	● 3.5 mm	● 3.5 mm	● USB™ Type-A
	Cable	100 mm / 0.33 ft	80 mm / 0.26 ft	176 mm / 0.57 ft
	Compatibility	Operating System	Windows®, macOS®	Windows®, macOS®
	Certificate	FCC / CE / RCM	FCC / CE / RCM	FCC / CE / RCM

Product Picture		
	Model No.	
	Product Name	
Hardware	Upstream	
	Ethernet	
	LED indicator	
	Cable	
Compatibility	Operating System	
	Certificate	

ers | mini DisplayPort™

Display Adapters | DisplayPort™

 JDA132 mini DisplayPort™ to DVI Adapter	 JDA152 mini DisplayPort™ to HDMI™ Adapter	 JDA114 DisplayPort™ to VGA Adapter	 JDA134 DisplayPort™ to DVI Adapter	 JDA154 DisplayPort™ to HDMI™ Adapter	 JDC158 DisplayPort™ to 4K HDMI™ Cable	 JDA158 DisplayPort™ to 4K HDMI™ Active Adapter
mini DisplayPort™	mini DisplayPort™	DisplayPort™	DisplayPort™	DisplayPort™	DisplayPort™	DisplayPort™
	● 1080p @ 60 Hz			● 1080p @ 60 Hz	● 4K @ 60 Hz	● 4K @ 60 Hz
		● 1080p @ 60 Hz				
● 1080p @ 60 Hz			● 1080p @ 60 Hz			
100 mm / 0.33 ft	100 mm / 0.33 ft	90 mm / 0.3 ft	90 mm / 0.3 ft	90 mm / 0.3 ft	1800 mm / 6 ft	160 mm / 0.52 ft
Windows®, macOS®	Windows®, macOS®	Windows®, macOS®	Windows®, macOS®	Windows®, macOS®	Windows®, macOS®	Windows®, macOS®
FCC / CE	FCC / CE	FCC / CE / RCM	FCC / CE / RCM	FCC / CE / RCM	FCC / CE / RCM	FCC / CE / RCM

Networking | Ethernet Adapters

 JUE125 USB™ 2.0 Ethernet Adapter	 JUE130 USB™ 3.0 Gigabit Ethernet Adapter	 JCE131 USB-C® to Gigabit Ethernet Adapter	 JCE133G USB-C® to Gigabit Ethernet Adapter	 JCE145 USB-C® to 2.5G Ethernet Adapter	 JCE150 USB-C® to 5G Ethernet Adapter
USB™ Type-A 2.0	USB™ Type-A 3.0	USB-C® 3.1	USB-C® 3.1	USB-C® 3.1	USB-C® 3.1
● 10/100 Mbps	● 10/100/1000 Mbps	● 10/100/1000 Mbps	● 10/100/1000 Mbps	● 10/100/1000/2500 Mbps	● 10/100/1000/2500/5000 Mbps
●	●	●	●	●	●
80 mm/0.26 ft	145 mm/0.48 ft	145 mm/0.48 ft	100 mm/0.33 ft	100 mm/0.33 ft	100 mm/0.33 ft
Windows®, macOS®, Linux®	Windows®, macOS®, Linux®	Windows®, macOS®, Linux®	Windows®, macOS®, Linux®	Windows®, macOS®, Linux®	Windows®, macOS®, Linux®
FCC / CE / VCCI / RCM	FCC / CE / VCCI / RCM	FCC / CE / VCCI / RCM	FCC / CE / VCCI / RCM	FCC / CE / VCCI / RCM	FCC / CE / VCCI / RCM







Comparison

USB™ Hubs | USB-C®

USB™



Product Picture							
Model No. Product Name	JCH377 USB-C® 7-Port HUB	JCH347 USB-C® 3.1 USB™ 3.0 HUB/Card reader	JCH411 USB-C® 3.1 USB™ 3.0 HUB/VGA	JCH451 USB-C® 3.1 USB™ 3.0 HUB/HDMI™	JCH471 USB-C® Multi-Adapter Gigabit Ethernet/USB™ 3.1 HUB	JCH343 USB-C® 3.1 to 4-Port USB™ 3.0 HUB	JUH340 USB™ 3.0 4-Port Mini HUB
Hardware	Upstream	USB-C® 3.1	USB-C® 3.1	USB-C® 3.1	USB-C® 3.1	USB-C® 3.1	USB™ Type-A 3.0
HDMI™				● 4K @ 30Hz			
VGA			● 1080p @ 60Hz				
Gigabit Ethernet					●		
USB™ 3.0	● X7	● X3	● X3	● X3	● X3	● X4	● X4
BC 1.2 Fast Charging	●						●
micro SD™ / SD™		●					
Power adapter	5V4A				5V		5V3A / 5V4A
Cable	900 mm / 2.95 ft	230 mm / 0.75 ft	230 mm / 0.75 ft	230 mm / 0.75 ft		230 mm / 0.75 ft	600 mm / 1.97 ft
Compatibility	Operating System	Windows®, macOS® Linux®, Chrome OS™	Windows®, macOS® Linux®, Chrome OS™	Windows®, macOS® Chrome OS™	Windows®, macOS® Chrome OS™	Windows®, macOS® Linux®, Chrome OS™	Windows®, macOS® Linux®
Certificate	CE / RCM	FCC / CE / BSMI / RCM	FCC / CE / BSMI / RCM	FCC / CE / BSMI / RCM	FCC / CE / RCM	FCC / CE / RCM	FCC / CE / VCCI RCM / BSMI

Charge

Product Picture							
Model No. Product Name	JUP1420 PD USB-C® Wall Charger	JUP20 2-Port USB™ QC™ 3.0 Super Charger	JUP23 2-Port USB™ Super Charger	JUP1230 30W PD USB-C® Wall Charger	JUP2230 30W PD USB-C® Wall Charger	JUP24 45W PD USB-C® Mini Charger	
Hardware	Total Charging Output	20W	30W	24W	30W	18W	45W
USB™ Type-A Ports			● X2	● X2		● X1	● X1
USB-C® Ports				● X1	● X1		● X1
Charging Output of USB™ Type-A			QC™ 18W and Fast Charging 12W		Fast Charging 12W	Fast Charging 12W	
Charging Output of USB-C®				PD 30W	PD 18W	PD 45W	
Charging Technology	PD 3.0 / 2.0	QC™ 3.0 Fast Charging 2.4A		PD 30W	PD 3.0 / 2.0 Fast Charging 2.4A	PD 3.0 / 2.0 Fast Charging 2.4A	
Accessory	AC Cable length						
Type of AC power plug	US / UK / EU / AU	US / UK / EU	US / UK / EU	US / UK / EU	US / UK / EU	US / UK / EU	
Compatibility	Compatibility Device	Smartphones Designed for iPhone 12	Smartphones Tablets	Smartphones Tablets	Smartphones Tablets	Smartphones	Smartphones Laptops
Certificate	FCC / CE / RCM BSMI / PSE / cTUVus	FCC / CE / PSE BSMI / PSB / DOE Nrcan / CB / QC3.0	FCC / CE / RCM	FCC / CE / PSE / PSB ETL / DOE / CB / ST	FCC / CE / BSMI / PSE ETL / DOE / CB / ST / QC3.0	FCC / CE / PSB /	

USB and USB-C are trademarks of USB Implementers Forum, Inc., its affiliates or its respective owners, registered worldwide. mini DisplayPort, DisplayPort, DP and mDP are trademarks of Video Electronics Standards Association. Windows, macOS, Linux, Chrome OS, and Chrome are trademarks of Microsoft Corp., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Qi is a trademark of The Wireless Power Consortium or its respective owners, registered or used in many jurisdictions worldwide. OBS is a trademark of Wizards of the Coast, Inc. or its respective owners, registered or used in many jurisdictions worldwide. OBS is a trademark of Wizards of the Coast, Inc. or its respective owners, registered or used in many jurisdictions worldwide. Qi is a trademark of Samsung Electronics Co., Ltd., its affiliates or its respective owners, registered or used in many jurisdictions worldwide.

USB™ TYPE-A

	
JUH377 3.0 7-Port Hub	JUH470 USB™ 3.0 Multi-Adapter
USB™ Type-A 3.0	USB™ Type-A 3.0
	●
● X7	● X3
●	
5V4A	
150 mm / 3.28 ft	145 mm / 0.48 ft
Windows®, macOS® Linux®	Windows®, macOS® Linux®
FCC / CE / RCM	FCC / CE / RCM




Chargers | Wireless Chargers

			
JUPW1103 10W Fast Wireless Charger	JUPW1101 10W Wireless Fast Charger	JUPW1101W 10W Wireless Fast Charger	JUPW1102W 10W 2-Coil Wireless Fast Charger
Product Picture			
Model No.			
Product Name			
Total Charging Output	10W	10W	10W
Coils	Single Coil	Single Coil	Single Coil
Charging Technology	Qi™ Wireless Charger, Samsung® 10W fast charge, iPhone® 7.5W, Standard 5W	Qi™ Wireless Charger, Samsung® 10W fast charge, iPhone® 7.5W, Standard 5W	Qi™ Wireless Charger, Samsung® 10W fast charge, iPhone® 7.5W, Standard 5W
AC Cable length	1000 mm / 3.3 ft	1000 mm / 3.3 ft	1000 mm / 3.3 ft
QC™ 3.0 Charger adapter		QC™ 18W	QC™ 18W
Compatibility			
Compatibility Device	Android™, iPhone®, AirPods®	Android™, iPhone®, AirPods®	Android™, iPhone®, AirPods®
Certificate	FCC / ID	FCCID / NCC / VCCI / QI BSMI	FCCID / NCC / BSMI

Wall Chargers


JUP1365 65W GaN PD USB-C® Mini Charger
65W
● X5
● X1
5 ports: 40W
PD 65W
Fast Charging 2.4A
1500 mm / 4.92ft
US / UK / EU / AU
Smartphones, Tablets, Laptops
FCC / CE / PSB / PSE / ETL

Chargers | Charging Stations

					
JUP50 40W 5-Port USB™ Super Charger	JUP60 6-Port USB™ QC™ 3.0 Super Charger	JUP3248 48W PD USB-C® Super Charger	JUP4263 63W PD USB-C® Super Charger	JUP4275 75W PD USB-C® Super Charger	JUP44100 100W PD USB-C® Super Charger
40W	58W	48W	63W	75W	100W
● X5	● X6	● X2	● X3	● X3	● X2
● X1		● X1	● X1	● X1	● X2
5 ports: 40W	1port: QC™ 18W and 5 ports: 40W	1port: QC™ 18W or 2 ports: 18W	1port: QC™ 18W or 3 ports: 18W	3 ports: 15W	1 port: QC™ 18W 2 ports: QC™ 36W
PD 65W		PD 30W	PD 45W	PD 60W	1 port: PD 100W 2 ports: PD 100W
Fast Charging 2.4A	QC™ 3.0 Fast Charging 2.4A	PD 3.0 / 2.0, QC™ 3.0 Fast Charging 2.4A	PD 3.0 / 2.0, QC™ 3.0 Fast Charging 2.4A	PD 3.0 / 2.0 Fast Charging 2.4A	PD 3.0 / 2.0, QC™ 3.0 Auto Balance
1500 mm / 4.92ft	1500 mm / 4.92 ft	1500 mm / 4.92 ft	1500 mm / 4.92 ft	1500 mm / 4.92 ft	1500 mm / 4.92 ft
US / UK / EU / AU	US / UK / EU / AU	US / UK / EU	US / UK / EU / AU	US / UK / EU / AU	US / UK / EU / AU
Smartphones, Tablets	Smartphones, Tablets	Smartphones, Tablets	Smartphones, Tablets, Nintendo Switch™, Ultra Laptops	Smartphones, Tablets, Nintendo Switch™, Ultra Laptops	Smartphones, Tablets, Nintendo Switch™, Ultra Laptops, High-end Laptops
FCC / CE / PSB / PSE / BSMI RCM / DOE / Nrcan	FCC / CE / RCM / PSE / PSB ETL / DOE / Nrcan / CB ST / QC3.0	FCC / CE / DOE	FCC / CE / BSMI / RCM PSE / PSB / DOE / CB	FCC / CE / BSMI / RCM PSE / PSB / DOE / CB	FCC / CE / BSMI / RCM PSE / PSB / DOE / Nrcan ST / QC3.0

used in many jurisdictions worldwide. Lightning, iPad Pro, MacBook Pro, MacBook Air, Mac, iPhone, AirPods Pro, Apple, iPad, iOS, macOS, and AirPods are trademarks of Apple Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Thunderbolt and the Thunderbolt logo are trademarks of Intel Corporation, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. HDMI is a trademark of HDMI Licensing Administrator, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. SD and microSD are trademarks of SD-3, LLC, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Surface, Windows, Skype, Microsoft, and Xbox are trademarks of Microsoft Corporation, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Chrome OS, YouTube, and Android are trademarks of Google LLC, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. QC, Qualcomm, and Quick Charge are trademarks of Qualcomm Technologies International Ltd., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Twitch is a trademark of Twitch Interactive, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Zoom is a trademark of Zoom Video Communications, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Facebook is a trademark of Facebook, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. PlayStation is a trademark of Sony Interactive Entertainment Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Nintendo and Nintendo Switch are trademarks of Nintendo of America, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Samsung is a trademark of Samsung Electronics Co., Ltd., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Other trademarks and trade names may be used in this document to refer to other entities claiming the marks and/or names or their products and are the property of their respective owners. All company, product and service names used are for identification purposes only. Use of these names, logos, and brands does not imply endorsement. We disclaim any interest in the marks of others.



AMERICAS

+1 (888) 988-0488



EUROPE

+31 10 798-6117

ASIA

+886-2-2269-5533

j5create[®]

j5create.com: 
sales@j5create.com: 

KaiJet Technology International Limited, Inc.