



j5create®



ASIA

+886-2-2269-5533


EUROPE

+31 10 798-6117

AMERICAS

+1 (888) 988-0488

# 2022 WORK SMARTER



j5create®

j5create.com:   
sales@j5create.com:

KaiJet Technology International Limited, Inc.

Quality in Every Detail

- Docking Stations / Display Adapters
- Monitor Stands / Networking / USB™ Hubs
- Chargers / Cables / Video Capture
- Mobile Accessories / Webcams
- Wireless Display / Enterprise & Education






# WHY CHOOSE j5create?



U.S. Based Customer Care  
 Made in Taiwan  
 Limited Product Warranty  
 Top-Selling Brand

## WE DEVELOP. WE INNOVATE. WE CREATE.

j5create is a team that has come together from a diverse set of backgrounds to make technologies more meaningful and inclusive. We design, build, sell, and support innovative technology. We find creative ways to apply new technologies to provide computing solutions.



## QUALITY IN EVERY DETAIL



### WORK WITH THE BEST

In collaboration with the suppliers of top PC manufacturers, we create our high-performance products by using premium components and materials.



### COMMITMENT TO QUALITY


From concept generation through software and hardware development, and end-product design to production, we're involved in every stage of the vertical integration process.



### MAKE AN IMPACT

We aim to elevate your computing experience to be more productive, more efficient, and more convenient.

### Worldwide safety certification



### In-house R & D team, in-house product design team and U.S. based customer service team

j5create is committed to customer satisfaction. We have a dedicated U.S. based technical support team waiting to assist you. We strive to stay ahead of ever changing technological needs through continuous improvements and suggestions from you.

### Safety and protection for your devices

- OVP (Overvoltage) Limits output voltage
- OCP (Overcurrent) Limits the current flow
- SCP (Short Circuit Protection) Protects your device against short circuits
- OTP (Over-Temperature) Regulates the internal temperature



j5create has strategic partnerships and locations conveniently located worldwide to streamline all of our processes including sales, support, and service. You can see a global list of where to purchase our products on our website at [www.j5create.com](http://www.j5create.com). We are always just an email, live chat or phone call away, so feel free to contact us with any questions, concerns or comments.

**North America**  
 Sales : [sale@j5create.com](mailto:sale@j5create.com)  
 Support: [service@j5create.com](mailto:service@j5create.com)  
 Phone: +1-888-689-4088

**Taiwan**  
 Sales: [sales@j5create.com](mailto:sales@j5create.com)  
 Support: [service.tw@j5create.com](mailto:service.tw@j5create.com)

**Canada**  
 Sales: [sales@j5create.com](mailto:sales@j5create.com)  
 Support: [service@j5create.com](mailto:service@j5create.com)  
 Phone: +604-265-3568

**Toll Free** : 888-988-0488  
**Sales** : [sales@j5create.com](mailto:sales@j5create.com)  
**Customer Service / Support** : [service@j5create.com](mailto:service@j5create.com)

**Europe**  
 Sales: [sales@j5create.com](mailto:sales@j5create.com)  
 Support: [service@j5create.com](mailto:service@j5create.com)  
 Phone:  
 NL | +31 (0)107 98 61 17  
 UK | +44-161-302-2230  
 ES | +34-935-22 25 76

### GLOBAL STRATEGIC LOCATIONS





# Bluetooth® / USB™ Conference Speakerphone

**JSS820**

• **Features**



- Built-in 360° omnidirectional microphone
- Portable design with battery
- Bluetooth™ / USB™ connection
- Crystal clear high-quality sound
- Digital signal processing technologies:
  - Acoustic echo cancellation
  - Noise reduction
  - Auto Gain Control

# 360° All Around Webcam with Speakerphone

**JVU368**

• **Features**

- 360° video conferencing camera with remote control
  - Built-in omnidirectional speakerphone
- Advanced Acoustic Echo Cancellation (AEC) technology
  - Automatic Gain Control (AGC) function
  - Automatic Noise Reduction (ANR) reduces background noise
- Six display modes deliver exceptional viewing angles with flexibility and versatility
  - Full HD 1080p video playback @ 30 Hz



Four omnidirectional microphones and 5W speaker



Vertical 90° Rotation



Horizontal Perspective



Host Selection Touch Control





# ScreenWave™ Wireless Presentation System

**JWR1000**



## • Features

- Plug & Play
- Host control
- Cross platform wireless presentations
- Split screen (up to 4 sections)

## • Specifications

- Supports 1080p input (TX), 4K output (RX)
- Supports 802.11ax
- TX supports HDMI™ input

# Wireless Camera Extender

**JVW120**



## • Features

- Low-latency audio and video transmission via USB™
- Converts a wired USB™ webcam to a wireless one
- Provides support for webcams with microphones
- Wireless transmission distance can reach up to 82 ft. (25m)
- Built-in 5 GHz ensures a stable connection
- Supports H.264 and MJPEG video formats
- Compatible with Windows®, macOS®, Chrome OS™, and Android™



# USB4™ Dual 4K Multi-Port Hub & Docking Station Featuring Intel® USB4™ Controller

JCD401

**5-in-1**  
FUNCTIONS



JCD402

**14-in-1**  
FUNCTIONS



# USB-C® to HDMI™ 2.1 8K Cable & Adapter

JCC157



JCA157



# 4K / 8K HDMI™ AOC Cable



JDCA52L40 (40m)

JDCA52L20 (20m)



JDCA53L40 (40m)

JDCA53L20 (20m)




# Audio Gaming Mixer Adapter

JAM01



# wormhole<sub>switch</sub><sup>™</sup> USB<sup>™</sup> Transfer Cable and Video Switch

JUC502




- **Features**
  - Designed to playback audio from a Nintendo Switch™ while simultaneously calling a smartphone
  - Bluetooth® connection for mobile phone
  - Three different modes

- **Specifications**
  - Audio : CTIA / OMTP
  - Bluetooth® 5.0
  - USB™ Audio : USB™ 2.0 Stereo 48K

• **Features**

- Supports keyboard, mouse, clipboard and file sharing across two Windows® devices
- Provides both a Full Screen or Picture-in-Picture (PIP) window when using Duplicate Mode while video sharing
- Screen will rotate and resize automatically to fit the screen and adjust to the current rotation of the second device when using Extended Mode while video sharing
- Supports multi-touch and USI pen for Windows® touch screen devices


**VIDEO**



- **Includes**  
USB-C® to Type-A Adapter



**DATA**





# DOCKING STATIONS

Full Dock P.12-13



Mini Dock P.16-17



Powered Dock P.13



# STANDS

P.14-15



# DISPLAY ADAPTERS

USB-C® P.18



USB™ Type-A P.19



Monitor Display Cables P.19



DP™ P.19



HDMI™ & VGA P.19



# USB™ HUBS

USB-C® P.21



USB™ Type-A P.21



# NETWORKING

Ethernet Adapters USB-C® P.20



Ethernet Adapters USB™ Type-A P.20



# CHARGERS

Wall Chargers P.22



Charging Stations P.22



# KEYBOARD / MOUSE

Keyboard / Mouse P.23



Stylus Pen P.23



# CABLES

P.24-25

USB-C®



Lightning®



Wormhole Switch™



# MOBILE ACCESSORIES

P.25



# CAPTURE

P.26



# WEBCAMS

P.27-29




# WIRELESS DISPLAY

P.29









100W Power Delivery  
Connect Your Devices  
Anti-Theft Protection

## M.2 NVMe® USB-C® Gen 2 Docking Station JCD552



## USB-C® Triple Display Docking Station JCD543



## USB-C® 4K HDMI™ Docking Station with Power Delivery JCD533




## USB-C® Dual HDMI™ Docking Station JCD542




# Docking Stations

Transform your laptop into a full-sized work station


## Docking Station for Chromebook™ JCD547




## Thunderbolt™ 4 Hub / Docking Station JTH560



## JTD562




## 90W Built-in USB-C® Travel Dock JCDP392



## USB™ Type-A Boomerang Station JUD481




## Mini Ultra Station JUD531





## Multi-Angle Laptop Stand JTS127



## Multi-Angle Dual HDMI™ Docking Stand JTS427



## Multi-Angle 4K Docking Stand JTS327



## Stands

## Multi-Angle iPad Pro® Stand with Docking Station JTS224



## Laptop Stand with USB™ Hub JTS223







# Mini Docks

Be productive on the go. Use the port you have to add the ports you need.

USB-C® to 4K HDMI™  
Multi-Port Hub  
JCD353  
6-in-1 Functions



- 4K HDMI™
- USB™ 3.2 Type-A
- USB-C®
- SD™/microSD™

USB-C® 3.1 SuperSpeed+  
Multi-Adapter  
JCD372  
7-in-1 Functions

10  
Gbps



- 4K HDMI™
- USB™ Type-A
- 10G USB-C®
- USB-C®
- SD™/microSD™

USB-C® 3.1 SuperSpeed+  
Multi-Adapter  
JCD373  
7-in-1 Functions



- 4K HDMI™
- Mic / Speaker
- USB™ Type-A
- USB-C®
- SD™/microSD™

## USB-C® 10Gbps Mini Docks

4K60 ELITE  
USB4™ Ready E-Mark Chip

JCD392 6-in-1 Functions



- 4K HDMI™
- Ethernet
- USB™ Type-A 10Gbps
- 10G USB-C®

JCD393 9-in-1 Functions



- 4K@60 HDMI™
- Ethernet
- SD™/microSD™
- USB™ Type-A 10Gbps
- 5G USB-C®
- 10G USB-C®

JCD397 11-in-1 Functions



- 4K@60 DP™
- 4K@60 HDMI™
- Ethernet
- SD™/microSD™
- USB™ Type-A 10Gbps
- 5G USB-C®
- 10G USB-C®

USB-C® Multi Adapter  
JCD383  
9-in-1 Functions



- 4K HDMI™
- USB™ Type-A
- 5G+ USB-C®
- Ethernet
- SD™/microSD™

USB-C® Multi Adapter  
JCD384  
10-in-1 Functions



- 60W Power Delivery
- 4K HDMI™
- USB™ Type-A
- Ethernet
- 5G+ USB-C®
- SD™/microSD™
- VGA

USB-C® Multi-Adapter  
JCA374  
5-in-1 Functions



- 60W Power Delivery
- 4K HDMI™
- USB™ Type-A
- Ethernet
- USB-C®

USB-C® Dual HDMI™  
Mini Dock  
JCD381  
6-in-1 Functions



- 60W Power Delivery
- HDMI™
- USB™ Type-A
- Ethernet
- USB-C®

USB-C® PD Multi-Port Adapter  
for Chromebook™  
JCD391  
5-in-1 Functions



- 4K@60 HDMI™
  - Ethernet
  - USB™ Type-A
  - 5G USB-C®
- 86W Power Delivery
- works with chromebook

USB-C® to 4K 60 Hz HDMI™  
Travel Dock for iPad Pro®  
JCD612



- 4K@60 HDMI™
  - USB™ Type-A
  - 5G USB-C®
  - Mic / Speaker
  - SD™/microSD™
- Flush Mount

USB-C® Modular Multi-Adapter with 2 Kits  
JCD375  
2Kits / 9-in-1 Functions



- 2 Kits
- Ethernet
- SD™/microSD™
- USB™ Type-A
- 10G USB-C®
- USB-C®
- 4K HDMI™

ULTRADRIVE™ KIT  
USB-C® Multi Display  
Modular Dock  
JCD389  
5Kits / 11-in-1 Functions



- 5 Kits
- 4K HDMI™
- Ethernet
- SD™/microSD™
- VGA
- USB™ Type-A
- 5G USB-C®
- USB-C®

ULTRADRIVE™ MINIDOCK  
JCD348  
5-in-1 Functions



- USB™ Type-A
- SD™/microSD™

USB™ 3.0 Mini Dock  
JUD380  
6-in-1 Functions



- HDMI™
- USB™ Type-A
- VGA
- Ethernet



## USB-C®

### USB-C® to Dual HDMI™ Multi-Monitor Adapter JCA365



### USB-C® to 4-Port HDMI™ Multi-Monitor Adapter JCA366



### USB-C® to 4K HDMI™ Ethernet Adapter JCA351



### USB-C™ to VGA & HDMI™ Adapter JCA174



## USB-C® Display Adapters & Cables

### JCC154G





### JCC155G



### JCA153G



### JCC153G



## VGA & USB™ 3.0 with Power Delivery / USB-C® to HDMI™

### JCA378



### JCA379



### JCA175



### JCA140



### JCA142



### JCA153



### JCA111



### JCC111



### JCA141



## USB™ Type-A


## USB™ 3.0 Display Adapters



## USB™ 2.0 Display Adapters

## Monitor Display Cables

### Ultra High Speed HDMI™ Cable JDC53




### Ultra HD 4K HDMI™ Cable

- \* HDMI™ 2.0 - certified
- \* Resolutions up to 4K @ 60 Hz (JDC52)
- \* Ethernet & audio return channel
- \* Length: 2m



### 8K / 4K DisplayPort™ Cable

- \* DisplayPort™ 1.4 HBR3 certified (JDC43)
- \* DisplayPort™ 1.2 certified (JDC42)
- \* Resolutions up to 8K @ 60 Hz (JDC43)
- \* 4K @ 60 Hz (JDC42)
- \* Length: 1.8m (JDC42)/2m (JDC43)



## DP™

## DisplayPort™ Adapters & Cable

- \* Plug-and-play
- \* DP++ Dual Mode DisplayPort™ Adapter (JDA134/JDA154)
- \* Active DisplayPort™ conversion (JDA114/JDA158)
- \* Resolutions up to 1920 x 1200 @ 60 Hz (JDA114)
- \* 1920 x 1080 @ 60 Hz (JDA154/JDA134)
- \* 4K @ 60 Hz (JDA158)
- \* 4K @ 30 Hz (JDC158)
- \* Supports HDMI™ audio (JDA154/JDA158/JDC158)
- \* Length: 1.8m (JDC158)



## HDMI™ / VGA

## HDMI™ to VGA Adapter

- \* Video + Audio
- \* Plug-and-play
- \* Supports PC resolutions up to 1920 x 1200 @ 60 Hz (WUXGA) and HDTV resolutions up to 1080p @ 60 Hz
- \* 2-channel analog audio output
- \* Reserved Micro USB™ Type B power input port



## VGA to HDMI™ Video Adapter + Audio

- \* Plug-and-play
- \* Video resolutions up to 1920 x 1080 @ 60 Hz
- \* Supports USB™ audio
- \* Easily transform your VGA device into an HDMI™ connection








## Networking

Driver-free USB™ adapter for immediate network expansion

### Ethernet Adapters | USB-C®


#### USB-C® to 2.5 Gigabit Ethernet Adapter JCE145

- \* Quickly add a 2.5G/1G/100M Ethernet port
- \* Supports USB™ 3.1, 3.0, 2.0 and 1.1
- \* USB™ bus-powered
- \* USB-C® port



#### USB-C® to 5 Gigabit Ethernet Adapter JCE150

- \* Quickly add a 5G/2.5G/1G/100M Ethernet port
- \* Supports USB™ 3.1, 3.0, 2.0 and 1.1
- \* USB™ bus-powered
- \* USB-C® port



#### USB-C® to Gigabit Ethernet Adapter JCE133G

- \* Quickly add a Gigabit Ethernet port over USB-C®
- \* USB™ 3.1 and backwards compatible with USB™ 2.0/1.1
- \* USB™ bus-powered
- \* Compatible with Windows® and macOS®



### Ethernet Adapters | USB™ Type-A

#### USB™ to Ethernet Adapters

- \* Quickly add a 10/100 Mbps or Gigabit Ethernet port
- \* USB™ 3.0/2.0 plug-and-play
- \* USB™ bus-powered
- \* Windows®/Mac®/Linux®/Chrome OS™ compatible



**JUE130**



**JUE125**



## USB™ Hubs

High-speed peripheral connectivity & port expansion

### USB-C®


#### USB-C® 4-Port HUB JCH343



#### USB-C® 7-Port HUB JCH377




#### USB-C® Multi-Adapter JCH471



DC 5V

#### HUB + Connectivity

- \* USB™ Type-A 3.0 SD™/microSD™ slots for external memory card up to 2 TB
- \* HDMI™ resolutions up to 4K @ 30 Hz (JCH451)
- \* VGA resolutions up to 1920 x 1200 @ 60 Hz (JCH411)



#### USB-C® 3-Port HUB with SD™/microSD™ Card Reader JCH347



#### USB-C® 3-Port Hub with VGA JCH347



#### USB-C® 3-Port Hub with & 4K HDMI™ JCH451



#### USB-C® 4-port HUB JCH344




#### USB-C® 3-port HUB with Gigabit Ethernet JCH474



### USB™ Type-A

#### USB™ Type-A SuperSpeed 4-port HUB JUH340



#### USB™ Type-A 3.0 SuperSpeed 7-port HUB JUH377



#### Gigabit Ethernet & HUB USB™ Type-A 3.0 Multi-Adapter JUH470







## Chargers

Quicker, Smarter, Safer, j5create high-efficiency chargers ensure that you don't run out of power, no matter where you go.



## Keyboard & Mouse / Stylus

j5create offers a variety of input devices, choose the keyboard that works for you.

### Extension Cords

**Extension Cord With 47W USB™ Fast Charging Ports**  
**JUPAC345**



**Extension Cord With 48W USB™ Fast Charging Ports**  
**JUPAC648**



### PD Wall Chargers



**20W 1-Port**  
**JUP1420**



USB-C®

**65W 1-Port**  
**JUP1365**



GaN

USB-C®

**45W 2-Port**  
**JUP2445**



USB™ Type-A  
USB-C®

### PD Laptop Chargers

**67W GaN PD USB-C® Mini Charger with 4.5mm DC Converter**  
**JUP1565**



GaN

USB-C®  
4.5mm DC

**100W PD USB-C® Super Charger**  
**JUP2290**



USB-C®  
USB™ Type-A

**108W PD USB-C® Super Charger**  
**JUP34108**



USB-C®  
100W  
USB™ Type-A  
2.4A

**USI Stylus Pen for Chromebook™**  
**JITP100**



4096 Levels of Pressure Sensitivity



**Compact Wireless Keyboard and Mouse for Chrome OS™**  
**JIKBW602**



**Universal Multi-Device Wireless Keyboard**  
**JIKW603**



**Full-Size Wireless Keyboard and Mouse**  
**JIKMW115**





## Cables

Charging, Sync, File Transfer. We've got you covered.

### USB-C® Charging Cables

**JUCX24**  
USB-C® 2.0 60W Cable  
(1.8m) 480 Mbps/3A

**JUCX25L18/JUCX25L30**  
USB-C® 2.0 100W Cable  
(1.8m/3m) 480 Mbps/5A

**JUCX27L10**  
PD3.1 240W Cable  
(1m) 10 Gbps/5A

**JUCX28L08**  
USB4™ Certified Cable  
(0.8m) 40 Gbps/5A

### USB-C® Dynamic Power Meter Charging Cables

**JUCP15**  
6-in-1 Meter  
USB-C® to Right Angle USB-C®  
Direction | Amp | Voltage | mA·h | Timer | Watt

**JUCP14**  
6-in-1 Meter  
USB-C® to USB-C®  
Direction | Amp | Voltage | mA·h | Timer | Watt

**JUCX05**  
USB-C® 3.1 Adapter  
(4 in./10 cm) 5 Gbps/1.5A

### Thunderbolt™ 3 Cables


**JTCX03**  
3.3 ft/100 cm  
Active  
UP TO 40 Gbps

**JTCX01**  
1.65 ft/50 cm  
UP TO 40 Gbps

**JTCX02**  
3.3 ft/100 cm  
UP TO 20 Gbps

### Wormhole Switch™ | USB-C® Transfer Cable

wormhole switch  
File Sharing Between Mac® and PC



**JUC501**  
USB™ 3.1

**JUC500**  
USB™ 3.0

**JUC400**  
USB™ 2.0



Model	JUC501	JUC500	JUC400
Interface	USB™ 3.0 A+C	USB™ 3.0	USB™ 2.0
Operating system	Win® to Win® Win® to Mac® Mac® to Mac®	Win® to Win® Win® to Mac® Mac® to Mac®	Win® to Win® Win® to Mac® Mac® to Mac®
Functions for the keyboard and mouse sharing			
Keyboard and mouse sharing between two devices	Yes	Yes	Yes
Hotkey Switch [Alt+S]	Yes	Yes	Yes
Keyboard sharing	Yes	Yes	Yes
Clipboard sharing			
Text sharing	Yes	Yes	Yes
Photo sharing	Yes	Yes	Yes
Data transfer			
Duplicate / Paste	Yes	Yes	Yes
Drag and Drop	Yes	Yes	Yes
Data transfer management software (File Shuttle)	Yes	Yes	

### Lightning®

#### 3-in-1 Charging Sync Cables

Lightning®+USB-C®+Micro-B

**JMLC11**




Rose  
Gray

#### USB-C® to Lightning® Cables

**JALC15**

**JLC15**



90°  
Right Angle  
White  
Black

Made for iPhone | iPad | iPod  
18W Compatible with Apple® Devices  
40% USB-C® PD Fast Charge

## Mobile Accessories

Everything you need to make the most of your phone

#### Android™ USB™ Display Adapter

- Compatible with most Android™ phones
- The j5 Display Adapter App allows your phone to connect to a display
- Portable

High efficiency & low power consumption with 2 modes:

- Video mode (work for 3 hrs)
- Text mode (work for 5.5 hrs)

VGA

**JUA161C**



**JUA165C**



HDMI™





HDR Passthrough

4K60 Hz HDR  
2K144 Hz HDR  
1080p 240 Hz HDR

Capture

4K30 FPS  
2K60 FPS  
1080p 120 FPS



## Video Capture

Take gaming and live streaming to the next level

## Webcams

Anticipate your current & future workplace needs

### 4K HDMI™ Capture Adapter JVA11



4K 30  
Video Capture

### 4K Game Capture Station JVA14



4K 30 Video Capture  
4K60 HDR Video Passthrough  
60W PD Power Delivery  
Ultra-Low Latency

### USB™ 4K ULTRA HD Webcam with 5x Digital Zoom Remote Control Model: JVCU435



4K 30 Resolution  
Privacy Cover  
F/1.6 APERTURE Low Light Enhancement  
5X Digital Zoom  
Built-in Microphone

### Dual HDMI™ Video Capture JVA06 EFP



No driver required PIP PBP  
Chroma Key

HDMI

### Video Capture USB™ Hub JVA01



1080P 30 Video Capture  
60W PD Power Delivery  
4K HDMI™ USB™ Type-A Mic / Speaker

### USB™ 4K ULTRA HD Webcam JVU430



4K 30 Resolution  
1080P 60 Resolution  
Privacy Cover  
F/2.0 APERTURE Low Light Enhancement  
Built-in Microphone



### USB™ HD Webcam Model: JVCU100

1080P 30 Resolution  
F/2.4 APERTURE Low Light Enhancement  
H.264 Hardware Acceleration  
Built-in Microphone

Customize Your Webcam Settings  
The JVCU Series Companion App is a free utility tool available for download.




1080P 60 Video Capture  
Audio Mixer  
60W PD Power Delivery

1080P 60 Video Capture  
60W PD Power Delivery

### Live Capture Adapter JVA02







## Webcam Speakerphones

The perfect companion for every conversation



## Wireless Displays

Anticipate your current & future workplace needs

### 360° All Around Webcam with Speakerphone JVU368

- 1080P 30 Resolution
- Six Display Modes
- Host Selection Touch Control
- Speakerphone (AGC/ANR/AEC)
- Remote Control
- 180° Single View (Zoom in/Out)



### Six Display Modes

<p><b>For Full Screen</b></p> <p>Full Screen 360°</p> <p>360° All Around View (Zoom in/Out)</p> <p>Horizontal Perspective</p>	<p><b>For Host</b></p> <p>Host Mode</p> <p>Dual Host Mode</p> <p>Three Speakers Mode</p> <p>Host Selection Touch Control</p>	<p><b>For Single View</b></p> <p>Single View Mode 180° (Zoom in/Out)</p> <p>Vertical 90° Rotation</p>
---	--	---

### USB™ Conference Speakerphone JSS810

- Speakerphone (AGC/ANR/AEC)



### 360° All Around Webcam Model: JVCU360

- 1080P 30 Resolution
- Six Display Modes
- Host Selection Touch Control



## ScreenCast

### Wireless Display Adapter JVAW56



- 1080P Resolution

### USB-C® Wireless Display HDMI™ Extender JVAW62



- 1080P Resolution

### Wireless Display Adapter JVAW76 4K



- 4K Resolution

### Wireless Display HDMI™ Extender JVAW53



- 1080P 60 Resolution
- Ultra-Low Latency
- Up to 200 ft (60m)

### Wireless Display HDMI™ & USB™ Extender JVAW50



- 1080P 60 Resolution
- Ultra-Low Latency
- Up to 200 ft (60m)

### Wireless Display HDMI™ 4K@60 & USB™ Extender JVAW59 4K



- 4K 60 Resolution









## Docking Stations

Docking Station Comparison

4K60 Elite Mini Dock Comparison

## Mini Docks

				
Model No.	JCD552	JCD543	JCD542	JCD533
Name	M.2 NVMe™ USB-C® Gen 2 Docking Station	USB-C™ Triple Display Docking Station	USB-C® Dual HDMI™ Docking Station	USB-C® 4K HDMI™ Docking Station with Power Delivery
Features	<b>11-in-1</b> Functions M.2 NVMe™, Dual 4K60	<b>13-in-1</b> Functions Triple display	<b>10-in-1</b> Functions Dual display	<b>9-in-1</b> Functions Single display
Display	4K@60Hz HDMI™ x 1 4K@60Hz DisplayPort™ x 1	4K HDMI™ x 1 4K DisplayPort™ / HDMI™ x 1 1080p VGA x 1	4K HDMI™ x 1 2K HDMI™ x 1	4K HDMI™ x 1
M.2 NVMe™	M.2 NVMe™ SSD Slot x 1			
USB™ Type-A	10Gbps x 2 5Gbps x 1	5Gbps x 2 5Gbps with BC 1.2 x 1	5Gbps x 3	5Gbps x 3
USB-C™	10Gbps x 1	5Gbps x 1		
Ethernet	●	●	●	●
SD™ & microSD™	●	●	●	●
PD Pass Through	●	●	●	●
Audio		3.5 mm combo audio jack	3.5 mm combo audio jack	3.5 mm combo audio jack
Security Lock	●		●	●

				
Model No.	JCD397	JCD393	JCD392	JCD391
Name	USB-C® Triple-Monitor 10Gbps Mini Dock	USB-C® 10Gbps Mini Dock	USB-C® 10Gbps Travel Dock	USB-C® PD Multi-Port Adapter
Features	<b>11-in-1</b> Functions MST Triple 4K Display SuperSpeed+ 10Gbps	<b>9-in-1</b> Functions 4K60, SuperSpeed + 10 Gbps	<b>6-in-1</b> Functions 4K60, SuperSpeed +10Gbps	<b>5-in-1</b> Functions 4K60 Works with Chromebook Certified
Display	4K @ 60 Hz HDMI™ x 2 4K @ 60 Hz DisplayPort™ x 1 <i>*Supports dual 4K60 or MST triple 4K30</i>	4K @ 60 Hz HDMI™ x 1	4K @ 60 Hz HDMI™ x 1	4K @ 60 Hz HDMI™ x 1
USB™ Type-A	10Gbps x 2	10Gbps x 2	10Gbps x 2	5Gbps x 2
USB-C®	10Gbps x 1 5Gbps with PD pass through x 1	10Gbps x 1 5Gbps with PD pass through x 1	10Gbps with PD pass through x 1	
Ethernet	●	●	●	●
SD™ & microSD™	●	●		
PD Pass Through	●	●	●	●





## CAPTURE

Video Capture Comparison

Webcam Comparison

## WEBCAMS

				
Model No.	JVA14	JVA06	JVA02	JVA01
Name	4K Game Capture Station	Dual HDMI™ Video Capture	Live Capture Adapter	Video Capture USB™ Hub
Video Capture	4K @ 30	1080p @ 60	1080p @ 60	1080p @ 30
HDMI™ Input	1	2	1	1
Video Pass Through	HDMI™ 4K @ 60 HDR	HDMI™ 1080p @ 60		
PD Pass Through	Up to 60W	Up to 60W	Up to 60W	Up to 60W
HDMI™ Display				4K @ 30

				
Model No.	Model: JVCU100	Model: JVCU360	Model: JVCU435	JVU430
Feature	F/2.4 aperture lens and high-sensitivity image sensor	360° video camera with omnidirectional microphone	Includes remote control for 5x digital zoom & ePTZ	Offering up to 60 FPS for videos with no motion artifacts.
Resolution	1080p	1080p	4K	4K
Maximum Refresh Rate	30 Hz	30 Hz	30 Hz	1080p @ 60 Hz, 4K @ 30 Hz
Display FOV	82°	<b>1. Full screen mode:</b> 2 - 180° (H), 53° (V) <b>2. 360° all around view mode:</b> 360° (H), 53° (V) <b>3. Host mode:</b> 360° (H), 120° (H), 53° (V) <b>4. Dual host mode:</b> 360° (H), 60° (H), 53° (V) <b>5. Single view mode:</b> 98° (H), 58.5° (V) <b>6. Wide angle view mode:</b> 120° (H), 88.6° (V)	70°	87°
Privacy Cover			●	●
Microphone	Single	Omnidirectional microphone	Dual	Dual

Windows is a trademark of Microsoft Corp., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. macOS, iOS, iPad Pro, Mac, iPhone, iPad, iPod, Lightning, and Apple are trademarks of Apple Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Android, Chrome OS, and Chromebook are trademarks of Google LLC, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Bluetooth is a trademark of Bluetooth SIG, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. USB, USB4, and USB-C are trademarks of USB Implementers Forum, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Intel and Thunderbolt are trademarks of Intel Corporation, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. HDMI is a trademark of HDMI Licensing Administrator, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Nintendo Switch is a trademark of Nintendo of America, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. DP, mDP, and DisplayPort are trademarks of Video Electronics Standards Association, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. SD and microSD are trademarks of SD-3, LLC, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Dolby Vision is a trademark of Dolby Laboratories, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Linux is a trademark of The Linux Foundation, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. NvMe is a trademark of NVM Express Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Other trademarks and trade names may be used in this document to refer to either the entities claiming the marks and/or names or their products and are the property of their respective owners. All company, product and service names used are for identification purposes only. Use of these names, logos, and brands does not imply endorsement. We disclaim any interest in the marks of others.