

**Alliance Analytical Laboratories, Inc.**

179 West Randall Street
Coopersville, MI 49404
Phone: (616) 837-7670
Fax: (616) 837-7701



Test methods marked with ^ are accredited under the laboratory's ISO/IEC 17025:2017 accreditation issued by ANSI National Accreditation Board. Refer to certificate and scope of accreditation AT-2044

**TEST RESULTS
REPORT****CUSTOMER**

SAMPLE DESCRIPTION	White Kratom 0128	
SAMPLE DATE		
DATE RECEIVED	1/22/2024	
REFERENCE NUMBER	2029939: 2403634	Customer PO
TEMPERATURE AT RECEIVING		



Test Requested	Test Method	Results	Ref Number	Start Date
Kratom P3				
7 Hydroxymitragynine		<0.01 %	20081:157	1/29 10:13 AM
	Analyst: 49			
Mitragynine		1.38 %	20081:157	1/29 10:13 AM
	Analyst: 49			
Aerobic Plate Count	^Bam Ch 3	Log: 5.6		1/23 5:50 PM
	Analyst: 57			
Coliform	^AOAC 991.14	Log: 3.3		1/23 5:50 PM
	Analyst: 57			
Mold	^Bam Ch18	Log: 5.6		1/23 5:50 PM
	Analyst: 57			
Salmonella	AOAC 011404	Negative/25g		1/23 12:02 PM
	Analyst: 57			Kit Lot Number: SSp-789
Staphylococcus aureus	CMMEF 39.52	<3 mpn/g		1/23 5:51 PM
	Analyst: 57			
Yeast	^Bam Ch18	Log: 2.6		1/23 5:50 PM
	Analyst: 57			
E.coli Generic	^AOAC 991.14	Log: <2.0		1/23 5:50 PM
	Analyst: 57			
Arsenic		0.574 mg/kg	20104:44	1/24 7:00 AM
	Analyst: 45			

It is the customer's responsibility to evaluate the compliance of these results to any regulatory requirement.
Test results apply to the sample as received.

**THIS DOCUMENT CONTAINS TRADE SECRET/CONFIDENTIAL INFORMATION
PURSUANT TO 5 U.S.C.(b)(4)**

This report must not be reproduced, except in full, without written approval of the laboratory.

Reviewed and Approved by:

Audrey Monroe - Laboratory Director

Date: 2/1/2024

Date: 2/1/2024

Page 1 of 2

**Alliance Analytical Laboratories, Inc.**

179 West Randall Street
Coopersville, MI 49404
Phone: (616) 837-7670
Fax: (616) 837-7701



Test methods marked with ^ are accredited under the laboratory's ISO/IEC 17025:2017 accreditation issued by ANSI National Accreditation Board. Refer to certificate and scope of accreditation AT-2044

**TEST RESULTS
REPORT**

SAMPLE DESCRIPTION	White Kratom 0128	
SAMPLE DATE		
DATE RECEIVED	1/22/2024	
REFERENCE NUMBER	2029939: 2403634	Customer PO
TEMPERATURE AT RECEIVING		



Test Requested	Test Method	Results	Ref Number	Start Date
Cadmium		<0.5 mg/kg	20104:44	1/24 7:00 AM
	Analyst: 45			
Lead		0.632 mg/kg	20104:44	1/24 7:01 AM
	Analyst: 45			
Mercury		<0.11 mg/kg	24A0955-20	1/29 12:00 PM
	Analyst: *212 ID#8001			*Subcontracted