



Cheetah 200EX

TrailMaster is very proud to announce the deluxe Cheetah 200EX has arrived!

True to its namesake, the Cheetah 200EX is sleek, powerful, fast and agile with the 168.9cc GY6 power plant with (EFI) Electronic Fuel Injection, drivetrain, suspension of a high performance go-kart and the functionality of a utility vehicle. Extra-long, independent front swing arms, a double ball joint, articulating rear suspension and ample ground clearance lets you glide over the roughest terrain and performing like independent suspension making it much harder to flip over. Adjustable high back bucket seats, and adjustable steering wheel will accommodate all shapes, sizes and skill level of the wild animal tamers in your family.

Automatic CVT with reverse, hydraulic disk brake, 3-point automotive style retractable seat belts, parking brake, fenders, canopy top and cargo rack are just a few of the many special features. Add the dramatic body panels and the LED light package with flowing turn signals and this is one cool cat!

With the Cheetah 200X, it also comes with all the bells and whistles which includes aluminum wheels, high quality windshield, LED light bar, side review mirrors and spare tire.



We have this model in blue and red





Cheetah 200EX Specifications

Engine Information

- EPA certificated
- Engine type: 4-stroke, single cylinder, air cooled (EFI)
- Displacement: 168.9cc
- Max HP: 11.1hp/8000rpm
- Max torque: 8.1 lb ft/6000rpm
- Bore x stroke: 2.4x2.28 inches
- Max speed: 38 mph
- Climbing ability: 12 degrees
- Ignition: C.D.I
- Starting system: Electric
- Battery: 12V 10Ah
- Carburetor brand: Deli (Vacuum film)
- Engine oil: SAE 15W-40

General Information

- Clutch: Automatic CTV with reverse
- Driveline / Driving wheel: Chain / Dual wheel drive
- Suspension F / R: Double A-arm / swing-arm
- Brakes, F / R: Both hydraulic brakes, Disc
- Tires, F / R: 22x7-10 / 22x10-10
- Wheel: Alumilum
- Fuel capacity: 2.64 gal
- Weight, G.W. / N.W.: 650 / 521 lbs
- Max load: 500 lbs

Dimension Information

- Wheelbase: 71 inches
- OA L x W x H: 92.1x55x58.3 inches
- Height to seat: 18.5 inches
- Min ground clearance: 5.9 inches
- Pedal to seat back distance: 36" to 42"



Key features:

- 168.9cc Electronic Fuel Injection
- Articulating rear suspension equipped with anti-slop pull belts, much harder to roll over comparing to other rear solid axle machines
- **Alloy wheels with 22X7-10 front and 22X10-10 rear aggressive tires**
- **Top LED light bar**
- **Spare tire**
- **High quality windshield**
- **Side rearview mirrors**
- **3 point automotive style retractable seat belt**
- LED headlight and turn signal
- Electric start with kill switch
- Fully automatic with reverse, high performance 168.9cc GY6 engine with internal F-N-R
- Adjustable steering wheel
- Individual sports seats
- Bikini sunshade top
- Adjustable driver seat: pedal to seat back adjustable from 36" to 42"
- Rack and pinion steering wheel
- Front and rear hydraulic disc brake
- Large 22" front and rear tires
- Max speed 38 m/h
- Parking brake
- 4-wheel stylish fenders
- Large rear utility rack
- Large gas tank