










序号 Ref NO.	编码Code	中文名称 CH Description	英文名称 Description in English	规格描述 Specifications Description	用量 QTY
A					
A-01	052QMIB-0403000A0	凸轮轴组合	Cam shaft assy	GY7_带减压阀状态	1
A-02	063YMK0-040200000	凸轮轴固定座组合	Fix base assy,cam shaft	GY6_凸轮轴固定支架组合	1
A-03	GB19675-05-100160	定位销10×16	Dowel pin	Q/RT JS 26.2_A型_d=10_L=16_材料1	2
A-04	GB19675-05-190200	垫片(φ8×φ19×2)	Washer (φ8×φ19×2)	GY6_内径8_外径19_厚度2	3
A-05	GB06177-86-080000	六角法兰面螺母(M8)	Hex head and flange nut(M8)	GY6_固定支架锁紧螺母_M8 镀蓝白锌	4
A-06	063YMK0-040000100	进气门摇臂轴挡板	Plate,air intake valve swing arm shaft	镀白锌	1
A-02					
A-02-01	063YMK0-040200100	凸轮轴固定座	Fix base,cam shaft	GY6_凸轮轴固定支架	1
A-02-02	052QMIO-040200600	进气门摇臂轴	Swing arm shaft, air intake valve	GY6_进气门用	1
A-02-03	063YMK0-040200500	排气门摇臂轴	Swing arm shaft, air exhaust valve		1
A-02-04	063YMK0-040200300	气门摇臂	Valve swing arm	GY7_气门摇臂组合	2
A-02-05	052QMIO-040200400	气门调节螺钉	Adjusting screw, valve	GY6_	2
A-02-06	052QMIO-040200500	气门调节螺母	Adjusting nut, valve	GY6_	2
A-02-07	052QMIO-040200700	止动板	Stop plate	GY6_带减压阀状态	1
B					
B-01	052QMIO-1001000E0	前驱动皮带轮组合(衬套高度51mm, 14g)	Drive belt wheel assy(bush 51mm high,14g)	GY6	1
B-02	057QMIO-100200000	从动皮带轮组合	Driven belt wheel assy	GY6	1
B-03	GB19675-05-080140	定位销8×14	Dowel pin 8×14	Q/RT JS 26.2_A型_d=8_L=14_材料10	2
B-04	052QMIO-090000100	起动从动齿轮	Starting driven gear		1
B-05	052QMIO-100000100	驱动皮带(743长) 阪东	Drive belt(lenth:743)	GY6_743x20x30	1
B-06	GB19675-05-290250	垫片 12×φ29×2.5	Washer (φ12×φ29×2.5)	GY6_内径12.2_外径29_厚度 2.5_优质碳素结构钢;镀白锌	2
B-07	GB06177-86-120110	六角法兰面螺母M12×11	Hex head and flange nut M12×11	GY6_皮带轮锁紧螺母_M12_厚11_镀蓝白锌	1



B-08	GB06177-86-120080	六角法兰面螺母M12×8	Hex head and flange nut M12×8	GY6_离合器锁紧螺母_M12_厚8_镀锌白锌	1
B-01					
B-01-01	052QM10-100110400	钢丝挡圈	Steel wire retaining ring	GY6	2
B-01-02	052QM10-100110300	滑动式驱动盘	Driven disc	GY6	1
B-01-03	052QM10-100110200	套筒28	Sleeve 28	GY6	1
B-01-04	052QM10-100100500	前驱动叶轮盘	Front drive impeller disc	GY6	1
B-01-05	052QM10-100100400	中心管	Middle pipe	GY6_长度51mm	1
B-01-06	052QM10-1001003A0	滚子14g	Roller 14g	GY6_14g	6
B-01-07	052QM10-100100100	斜坡板	Slope plate	GY6	1
B-01-08	052QM10-100100200	斜坡板边件	accessory,slope plate	GY6	3
B-01-09	052QM10-100110000	滑动式驱动盘组件	Drive disc assy	GY6	1
B-02					
B-02-01	052QM10-100200700	从动轮滚针轴承	Needle bearing,driven wheel	GY6	1
B-02-02	052QM10-100220300	内环夹28mm	Inner ring clamp 28mm	GY6	1
B-02-03	GB00307-94-069020	轴承（6902，从动轮内）	Bearing(6902, in the driven wheel)	GY6	1
B-02-04	052QM10-100230100	从动皮带盘	Belt disc,driven	GY6	1
B-02-05	052QM10-100200600	油封（34*41*4）	Oil seal(34*41*4)	GY6	2
B-02-06	052QM10-100220600	滚导销	Rolling pin	GY6	3
B-02-07	052QM10-100220900	从动皮带盘滚子	Roller,driven belt disc	GY6	3
B-02-08	052QM10-100220500	滑动式从动皮带盘	Driven belt disc,sliding type	GY6	1
B-02-09	052QM10-100230200	O型圈38*2	O ring 38*2	GY6	2
B-02-10	052QM10-100200500	油封套筒	Sleeve, oil seal	GY6	1
B-02-11	057QM10-100220400	驱动弹簧	Drive spring	GY6	1
B-02-12	052QM10-100200800	套筒	Sleeve	GY6	1
B-02-13	052QM10-100210000	从动皮带轮外套组	Cover,driven belt wheel	GY6_内径125mm	1
B-02-14	052QM10-100200400	开口挡圈（7mm）	Washers with split(7 mm)	GY6	3
B-02-15	052QM10-100200300	离合器边板	Side plate,clutch	GY6	1
B-02-16	052QM10-100220100	摩擦蹄块	Friction shoe	GY6_摩擦块23×31	3
B-02-17	052QM10-100200200	摩擦蹄块弹簧	Friction shoe spring	GY6	3
B-02-18	052QM10-100220800	离合器防震橡胶	Anti-shock rubber,clutch	GY6	3
B-02-19	052QM10-100240100	驱动板	Drive plate	GY6	1
B-02-20	052QM10-100200100	螺母（M28）	Nut(M28)	GY6	1
B-02-21	052QM10-100231000	从动皮带盘组件	Driven belt disc assy	GY6	1
B-02-22	052QM10-100230000	从动皮带盘底座组	Base,driven belt disc assy	GY6_离合器底座组合	1
B-02-23	052QM10-100240000	驱动板组件	Drive plate assy	GY6	1



C					
C-01	063YMK0-020110000	左曲轴箱	Left crankcase	GY6_带倒档_左曲轴箱	1
C-02	GB00307-94-062040	轴承6204/P6	Bearing 6204/P6	GB/T 276_6204/P53	1
C-03	GB00307-94-062020	轴承6202/P6	Bearing 6202/P6	GB/T 276_6202;	1
C-04	GB00307-94-062030	轴承6203/P6	Bearing 6203/P6	GB/T 276_6203;	2
C-05	052QM10-0201001A0	大减震套	Big shock sleeve	GY6_前悬挂减震套_外径28 _内径10_长22	1
C-06	052QM10-0201002A0	小减震套	Small shock sleeve	GY6_后悬挂减震套_外径20 _内径8_长19	1
C-07	057QMJD-100300100	输入轴	Input shaft	GY6_带倒档	1
C-08	057QMJD-100320000	中间轴组件	Mid-shaft assy	GY6_带倒档	1
C-09	057QMJD-1003100E0	输出轴组件	Output shaft assy	GY6_带倒档, 203长	1
C-10	GB15326-94-030051	油封19.8×30×5(带回油线)	Oil seal 19.8×30×5	GY6_d=19.8_D=30_b=5_氟 橡胶_带回油线_绿色	1
C-11	GB19675-05-200151	垫片φ12×φ20×1.5(铜)	Washer φ12×φ20×1.5 (copper)	90电/脚_内径12_外径20_厚 度2_铜垫圈	2
C-12	GB05787-86-120150	放油螺栓M12×15	Oil drain plug M12×15	90电/脚_M12×1.5;镀蓝白锌;	2
C-13	GB19675-05-160150	垫片φ8×φ16×1.5	Washer φ8×φ16×1.5	GY6_内径8_外径16_厚度1.5 铜	1
C-14	GB05787-86-080120	六角法兰面螺栓M8×12	Hex head flange bolt M8×12	M8×12	1
C-15	GB05785-86-082090	双头螺栓M8×209	Double-head bolt M8×209	GY6_M8×209_12.9级;镀蓝白 锌;下端螺纹长18;上端螺纹 长17	2
C-16	063YMK0-020100000	左曲轴箱组合	Left crankcase assy	GY6_带倒档_左曲轴箱组合	1
D					
D-01	GB05785-86-082010	双头螺栓M8×201	Double-head bolt M8×201	GY6_M8×201_12.9级;镀蓝白 锌;下端螺纹长20;上端螺纹 长17	2
D-02	063YMK0-020000300	右曲轴箱密封垫	Seal gasket, right crankcase	GY6_曲轴箱密封垫	1
D-03	052QM10-0201001A0	大减震套	Big shock sleeve	GY6_前悬挂减震套_外径28 _内径10_长22	1
D-04	063YMK0-020410000	右曲轴箱	Right crankcase	GY6_右曲轴箱, 带油冷孔_ _亚墨 Q/RT JS	1
D-05	GB19675-05-080140	定位销8×14	Dowel pin 8×14	26.2_A型_d=8_L=14_材料10 #(20#)钢;	3
D-06	GB05787-86-060500	六角法兰面螺栓M6×50	Hex head flange bolt M6×50	M6×50	2
D-07	063YMK0-020400000	右曲轴箱组合	Right crankcase assy	GY6_右曲轴箱组合, 带油 冷孔	1

E						
E-01	052QM10-030100300	活塞销挡圈	Retaining ring,piston pin	GY6 G形活塞销挡圈;氧化;	2	
E-02	052QM10-040400100	链条导板	Plate,chain	GY6 齿形链	1	
E-03	GB34521-92-152150	O型环15.2x1.5	O ring 15.2x1.5	GY6 止时链条调节板销轴 密封圈_D=15.5_d=1.5_氟橡 胶	1	
E-04	063YMK0-0404200A0	正时链条(94节, 加长0.6mm)	Timing chain(94 knots,prolonged 0.6mm)	GY6 齿形链_47齿, 5片	1	
E-05	052QM10-0103100A0	气缸(新状态, 高度70mm)	Cylinder(new type,70mm high)	GY6_缸径62.5mm_端面距70 mm_177cm3	1	
E-06	063YMK0-030200000	曲柄连杆组合(TPI)	Crank connecting road(TPI)	GY6-	1	
E-07	GB06178-86-060220	张紧板螺栓(M6x22)	Tension plate bolt(M6x22)	GY6-	1	
E-08	063YMK0-120000011	活塞环	Piston ring	GY6_缸径φ62.5_一环钢质环 _CK;二环球铁磷化;刮片环 镀铬;一、二环厚1	1	
E-09	063YMK0-0301001A0	活塞(加高, 阳极氧化)	Piston(higher,anodic oxidation)	GY6 缸径φ62.5	1	
E-10	052QM10-040400200	张紧板	Tension plate	GY6 齿形链	1	
E-11	063YMK0-010300100	气缸体密封垫	Seal gasket,cylinder body	GY6 0.5厚纸垫	1	
E-12	GB19675-05-100160	定位销10x16	Downen pin 10x16	Q/RT JS 26.2_A型_d=10_L=16_材料1 0H(20#)钢	2	
E-13	063YMK0-030100200	活塞销	Piston pin	GY6_φ15x46	1	
F						
F-01	063YMK0-010210080	气缸头(改进款)	Cylinder head(improved type)	GY6 端面距73mm 抛丸	1	
F-02	052QM18-040100200	排气门	Exhaust valve	GY6 φ5x80 盘部直径φ23	1	
F-03	052QM18-040100100	进气门	Intake valve	GY6 φ5x81.5 盘部直径φ27.	1	
F-04	063YMK0-040100300	气门外弹簧	Outer spring, valve	GY6-φ22x37 钢丝直径2.8	2	
F-05	063YMK0-040100400	气门内弹簧	Inner spring, valve	GY6-φ22x37 钢丝直径2.8	2	
F-06	GB19675-05-100160	定位销10x16	Downen pin 10x16	Q/RT JS 26.2_A型_d=10_L=16_材料1 0H(20#)钢	2	
F-07	GB05785-86-060630	双头螺栓M6x63	Double head bolt M6x63	GY6 M6 L=63 镀蓝白锌;	2	
F-08	052QM10-040100600	气门弹簧下座	Lower base, valve spring	GY6-气门外弹簧座圈	2	
F-09	052QM10-040110000	气门油封	Oil seal, valve	GY6-挡油罩	2	
F-10	063YMK0-010200100	气缸头密封垫	Seal gasket,cylinder head	GY6 单层金属垫	1	
F-11	GB05787-86-061000	六角法兰面螺栓M6x100	Hex head flange bolt M6x100	M6x100	2	
F-12	052QM10-0600001C0	火花塞(带电阻)	Spark plug(resistance)	90电/脚 抗干扰型, 湘火炬	1	
F-13	GB05785-86-080320	双头螺栓M8x32	Double head bolt M8x32	GY6 M8 L=32 镀蓝白锌;	2	
F-14	052QM10-040100500	气门弹簧上座	Upper base, valve spring	GY6-气门弹簧座	2	
F-15	052QM10-040100700	气门锁夹	Locker, valve	GY6-气门锁头	4	

G					
G-01	052QM10-0101100H0	缸头回气管组件	Air tube,cylinder head	430长 6*9*430	1
G-02	063YMK0-010100100	气缸头罩	Cylinder head cover	GY6-	1
G-03	052QM10-010100300	气缸头罩密封橡胶圈	Seal ring,cylinder head cover	GY6 氟橡胶;	1
G-04	GB05787-86-060250	六角法兰面螺栓M6×25	Hex head flange bolt M6×25	M6×25	4
G-05	052QM10-040400300	张紧器密封垫	Tensioner seal gasket	GY6_安装孔中心距42mm	1
G-06	052QM10-040410000	张紧器	Tensioner	GY6_安装孔中心距42mm_自由长度60mm	1
G-07	GB05787-86-060220	六角法兰面螺栓M6×22	Hex head flange bolt M6×22	M6×22	2
G-08	GB00818-00-060060	十字大扁头螺钉(M6×6)	Crossed flat head screw(M6×6)	GY6	1
G-09	GB34521-92-095150	O型圈(9.5×1.5)	O-ring(9.5×1.5)	GY6	1
G-10	063YMK0-010100500	通气压板密封垫	Seal washer,pressed plate	GY6 0.5厚纸垫	1
G-11	063YMK0-010100400	通气压板	Pressed plate	GY6	1
G-12	GB00845-85-040080	自攻螺钉ST4×8	Self tapping screw ST4×8	ST4×8	3
H					
H-01	052QM10-020200110	左曲轴箱盖(手拉专用有孔边盖)	Left crankcase cover		1
H-02	057QMJS-090000100	手拉起动盘	Recoil start disc		1
H-03	057QMJS-090000200	手拉起动杯	Recoil start cup		1
H-04	GB05787-86-060400	六角法兰面螺栓M6×40	Hex head flange bolt M6×40		8
H-05	GB05787-86-060250	六角法兰面螺栓M6×25	Hex head flange bolt M6×25		2
H-06	GB05787-86-060160	六角法兰面螺栓M6×16	Hex head flange bolt M6×16		3
H-07	057QMJS-090000300	手拉起动盘密封垫	Seal washer, recoil start disc		1
H-08	052QM10-020000100	左曲轴箱盖密封垫	Seal washer, left crankcase cover		1
H-09	052QM10-0202005A0	吸风管(大)	Aspiration tube(big)		1
H-10	052QM10-020500600	吸风管卡箍	Aspiration tube clamp		1
H-11	052QM10-090100300	起轴轴下衬套	Lower bush start shaft		1
H-12	057QMJD-020210500	弹性挡圈Φ11	Spring retaining ringΦ11		1
H-13	057QMJD-020210100	特定轴销子	Special shaft pin		1
H-14	057QMJD-020210200	特定轴螺母	Special shaft nut		1
H-15	GB19675-05-230400	弹簧垫片φ15×φ23×4	Spring washerφ15×φ23×4		1
H-16	GB19675-05-230250	垫片φ14×φ23×2.5	Washer φ14×φ23×2.5		1
H-17	057QMJD-0202010A0	特定轴	Special shaft		1
H-18	GB19675-05-080140	定位销8×14	Dowel pin 8×14	M6×40	2

I					
I-01	G806177-86-120110	六角法兰面螺母M12x11	Hex head flange bolt M12x11	GY6_皮带轮锁紧螺母_M12_厚11_镀锌白锌	1
I-02	G819675-05-200150	垫片φ12×φ24×2	Washer φ12×φ24×2	GY6_内径12_外径24_厚度2	1
I-03	052QM10-0601000F0	磁电机(8极直小)	Magneto (8 poles)	GY6_交流点火, 直流照明	1
I-04	G805782-00-050120	六角螺栓M5x12	Hex head bolt M5x12	M5x12	2
I-05	G805787-86-060250	六角法兰面螺栓M6x25	Hex head flange bolt M6x25	M6x25	2
I-06	G805787-86-060180	六角法兰面螺栓M6x18	Hex head flange bolt M6x18	M6x18	4
I-07	052QM18-080000300	风扇	Fan	GY6_磁电机散热风扇	1
I-08	052QM10-060120000	转子	Rotation	GY6_8极	1
I-09	052QM10-0601100A0	定子	Stator	GY6_8极直小	1
J					
J-01	G805787-86-060160	六角法兰面螺栓M6x16	Hex head flange bolt M6x16	M6x16	2
J-02	G805787-86-060120	六角法兰面螺栓M6x12	Hex head flange bolt M6x12	M6x12	2
J-03	052QM10-070000200	机油泵压板	Pressed plate,oil pump	GY6	1
J-04	052QM10-070020000	机油泵驱动链条	Drive chain,oil pump	GY6_机油泵驱动链条_22节5片齿形链	1
J-05	057QM10-0701000A0	机油泵(带铜套)	Oil pump(copper sleeve is included)	GY6_带铜套带传动销轴	1
J-06	G806177-86-060000	六角法兰面螺母M6	Hex head flange nut	M6	1
J-07	052QM10-070010000	机油泵从动链轮组合	Driven sprocket assy,oil pump	23齿	1
J-08	G800819-00-060300	十字槽沉头螺钉M6x30	Crossed head screw M6x30	GY6_机油泵螺钉	2
J-09	G819675-05-310250	垫片φ22×φ31×2.5	Washer φ22×φ31×2.5	GY6_内径22.2_外径31_厚度2.5_优质碳素结构钢;镀锌	1
J-10	057QMJD-090400000	起动机(线长: 725)	Start motor(wire length:725)	9齿	1
J-11	G806177-86-220000	圆螺母 M22	Round nut M22	GY6_起动机离合器锁紧螺母_M22镀锌白锌	1
J-12	063YMK0-090500000	超越离合器	Overrunning clutch	GY6_滚柱式单向器_带滚针轴承, 多滚珠	1
J-13	052QM10-090000400	起动机减速齿轮轴	Speed reduction gear shaft,start	CB125电/脚 Φ10×46;	1
J-14	052QM10-090000300	起动机减速齿轮	Speed reduction gear,start	小齿17齿_大齿49齿_高29.5	1
J-12					
J-12-01	052QM10-090520200	超越离合器齿轮组	Overrunning clutch gear assy	GY6_60齿	1

J-12-02	052QM10-090500100	滚针轴承	Needle bearing	GY6_φ32×φ28×16.8 起动离合器滚针轴承	1
J-12-03	063YMK0-090510100	超越离合器外环	Outer ring,overrunning clutch		1
J-12-04	063YMK0-090510200	超越离合器凸缘	Flange,overrunning clutch		1
J-12-05	063YMK0-090510600	超越离合器内六角螺栓 (M6×8)	Inside hex head bolt (M6×8)		6
J-12-06	063YMK0-090510000	超越离合器外套组件	Cover assy,overrunning clutch		1
K					
K-01	052QM10-070200100	滤网弹簧	Filter screen spring	GY6	1
K-02	052QM10-020000400	右曲轴箱盖密封垫	Seal gasket,right crankcase cover	GY6 0.5厚纸垫	1
K-03	052QM10-020500100	右曲轴箱盖	Right crankcase cover	GY6	1
K-04	GB15326-94-030050	油封19.8×30×5	Oil seal 19.8×30×5	GY6_d=19.8_D=30_b=5_丙 烯酸脂CII	1
K-05	052QM10-060000200	ACG线夹	ACG wire clamp	GY6 镀蓝白锌	1
K-06	GB34521-92-308310	O型环30.8×3.1	O-ring 30.8×3.1	GY_D=30.8_d=3.1	1
K-07	052QM10-070210000	机油过滤网组件	Oil filter screen assy	GY6	1
K-08	052QM10-070200200	机油滤网螺帽盖	Nut cover,oil filter screen assy	GY6	1
K-09	GB05787-86-060350	六角法兰面螺栓M6×35	Hex head flange bolt M6×35	M6×35	1
K-10	GB05787-86-060280	六角法兰面螺栓M6×28	Hex head flange bolt M6×28	M6×28	1
K-11	052QM10-020500200	机油标尺	Dipstick	GY6_带O型密封圈_长79_黑 色 QJ/RT JS	1
K-12	GB19675-05-080140	定位销8×14	Dowel pin 8×14	26.2_A型_d=8_L=14_材料10 #(20#)级	2
K-13	GB05787-86-061100	六角法兰面螺栓M6×110	Hex head flange bolt M6×110	M6×110	2
K-14	GB05787-86-060950	六角法兰面螺栓M6×95	Hex head flange bolt M6×95	M6×95	4
K-15	GB05787-86-060100	六角法兰面螺栓M6×100	Hex head flange bolt M6×100	M6×100	1
L					
L-01	GB00307-94-062050	轴承6205-2RS/P6 (带防尘罩)	Bearing 6205-2RS/P6(dust-proofed inside)	GB/T 276_6205RS;	1
L-02	GB00307-94-060042	轴承6004/P6	Bearing 6004/P6	GB/T 276_6004/P6;	1
L-03	GB00307-94-062030	轴承6203/P6	Bearing 6203/P6	GB/T 276_6203;	1
L-04	GB00307-94-062020	轴承6202/P6	Bearing 6202/P6	GB/T 276_6202;	1
L-05	GB15326-94-052070	油封32×52×7	Oil seal 32×52×7	GY6_带倒档_d=32_D=52_b= 7_丙烯酸脂CII	1
L-06	052QM10-100310000	六角法兰面螺栓M6×35	Hex head flange bolt M6×35	M6×35	10
L-07	GB15326-94-026060	油封14×26×6	Oil seal 14×26×6	GY6_带倒档_d=14_D=26_b= 6_丙烯酸脂CII	1
L-08	GB15326-94-022050	油封14×22×5	Oil seal 14×22×5	GY6_带倒档_d=14_D=22_b= 5_丙烯酸脂	1
L-09	GB05787-86-060400	六角法兰面螺栓M6×40	Hex head flange bolt M6×40	M6×40	2
L-10	052QM10-0201002A0	小减震套	Small shock sleeve	GY6_后悬挂减震套_外径20 内径8 长19	1

L-11	057QMJD-020300100	齿轮箱盖	Gearbox cover	GY6_带倒档	1
L-12	057QMJD-020000200	齿轮箱盖密封垫	Seal gasket,gearbox cover	GY6_带倒档_传动箱密封垫	1
L-13	GB19675-05-080140	定位销8×14	Dowel pin 8×14	Q/RT JS 26.2_A型_d=8_L=14_材料10	2
L-14	057QMJD-020300000	齿轮箱盖组合	Gearbox cover assy	GY6_带倒档	
M					
M-01	052QMIB-080000100	导风罩A	Fan cover A	GY7_排气导风罩_带导风罩	1
M-02	052QMIO-050000300	防尘罩	Dust proof cover		1
M-03	052QMIO-020000700	起动机线夹	Wire clamp,start motor	GY6_磁电机散热风扇	1
M-04	GB05787-86-060250	六角法兰面螺栓M6×25	Hex head flange bolt M6×25	M6×25	3
M-05	GB00845-85-050160	六角法兰面螺栓M6×16	Hex head flange bolt M6×16	M6×16	4
M-06	052QMIO-020000900	溢油管夹	Oil overflow tube clamp	GY6_镀蓝白锌	1
M-07	GB06177-86-060000	六角法兰面螺母(M6)	Hex head flange nut(M6)	M6	2
M-08	052QMIB-080010000	风扇罩组件	Fan cover assy	GY7_磁电机散热风扇	1
M-09	052QMIB-080000200	导风罩B	Fan cover B	GY7_进气导风罩_带导风罩 密封条	1
M-10	052QMIO-050100000	进气管组件	Air intake assy	GY6-带O型密封圈- 带进气管业	1
M-11	052QMIO-050000100	隔热板	Insulation plate	GY6- φ23.5 中心距45.5 厚4.5	1
M-12	052QMIO-050000200	隔热板密封垫	Seal gasket,insulation plate	GY6- φ23.5 中心距45.5 厚0.5	1
M-13	052QMIB-080000600	高压线夹	High voltage wire clamp	GY7-塑料,白色	
N					
N-01	057QMJD-100360000	变档齿组件	Gearshift gear assy	GY6_带倒档	1
N-02	057QMJD-100300200	拨叉	Fork	GY6_带倒档	1
N-03	057QMJD-100300300	拨叉轴	Fork shaft	GY6_带倒档	1
N-04	GB19675-05-260200	垫片φ17×φ26×2	Washer φ17×φ26×2	GY6_带倒档_中间轴垫片	1
N-05	GB19675-05-210050	垫片φ14×φ21×0.5	Washer φ14×φ21×0.5	GY6_带倒档_变档壳垫片	1
N-06	057QMJD-100020000	档显线组件	Gear indicator wire assy	GY6_带倒档	1
N-07	052QMIO-020001500	溢油管夹	Oil overflow tube clamp	GY6_镀蓝白锌	1
N-08	057QMJD-100000700	定位螺丝弹簧	Fixed position screw spring	GY6_带倒档_定位螺栓弹簧	1
N-09	GB19675-05-220200	垫片φ14×φ22×2	Washer φ14×φ22×2	GY6_带倒档_定位螺栓垫圈	1
N-10	GB06177-86-140210	定位螺栓M4×21	Fixed position bolt M4×21	GY6_带倒档_定位螺栓	1
N-11	057QMJD-100000800	定位钢球	Fixed position steel ball	GY6_带倒档_定位钢球9.5	1
N-12	GB05787-86-060120	六角法兰面螺栓M6×12	Hex head flange bolt M6×12	M6×12	1
N-13	057QMJD-100340000	变档壳组件	Gearshift drum assy	GY6_带倒档	1
N-14	052QMIO-010110200	缸头盖通气咀	Air pipe,cylinder head cover	GY6_镀白锌	1
N-15	057QMJD-0200006D0	齿轮箱通气管	Air tube,gearbox	110长	1
N-16	057QMJD-100330000	变档轴组件	Gearshift shaft assy	GY6_带倒档	1
N-17	GB05787-86-060160	六角法兰面螺栓M6×16	Hex head flange bolt M6×16	M6×16	2

