

No-Touch TOOL

FOR SAFELY
MANEUVERING OBJECTS




Acts as an extension
of your arm to
move, push or
reposition items



Keeps workers
safe distance from
danger zones



Removes risk
of hand injuries




HandSafetyTools.com

HookIt™

HAND SAFETY TOOL

FOUR HOOK OPTIONS TO FIT JOB REQUIREMENTS



FIXED OR SWIVEL HOOK OPTIONS AVAILABLE

LENGTH OPTIONS FOR PROPER ERGONOMIC USE

44" STANDARD OVERALL LENGTH



24" SHORT OVERALL LENGTH

The HookIt™ is a hand safety tool that helps you maintain control of an item while keeping hands away from "No-Touch" hazards. It acts as an extension of a worker's body to move, push or reposition an item, keeping users out of the danger zone while sustaining control of the object. It can also be used as a rigid tagline. Visit our website for complete tool information. Visit our website for complete tool information.

MADE IN THE U.S.A.



HandSafetyTools.com

800.674.9224

Tech SPECS

HookIt™
HAND SAFETY TOOL



HOOK DESIGN



- Durable steel material
- Four standard hook configurations

HEAD DESIGN



- All hook designs and lengths come in two head options to best fit the end-use application:
 - » Fixed head design option
 - » Swivel head design option

MATERIALS



- Lightweight and durable plastic coated FRP material
- Hi-Viz safety orange
- Textured shaft for slip-resistant handling to keep hands in place
- Ergonomic and slip resistant D-Handle



HAND SAFETY TOOL CO.

HookIt™
HAND SAFETY TOOL

MADE IN THE U.S.A.



800.674.9224

HandSafetyTools.com

Tech SPECS



PART NUMBER	HOOK TYPE	PART WEIGHT	PART DIMENSIONS
HOOKIT-AH	Standard (44" OAL) – Fixed – Angled Hook	2.4 lbs.	44" x 5" x 2"
HOOKIT-JH	Standard (44" OAL) – Fixed – J Hook	2.4 lbs.	44" x 5" x 2"
HOOKIT-LH	Standard (44" OAL) – Fixed – L Hook	2.4 lbs.	44" x 5" x 2"
HOOKIT-TH	Standard (44" OAL) – Fixed – T Hook	2.4 lbs.	44" x 5" x 2"
HOOKIT-AH24	Short (24" OAL) – Fixed – Angled Hook	1.7 lbs.	24" x 5" x 2"
HOOKIT-JH24	Short (24" OAL) – Fixed – J Hook	1.7 lbs.	24" x 5" x 2"
HOOKIT-LH24	Short (24" OAL) – Fixed – L Hook	1.7 lbs.	24" x 5" x 2"
HOOKIT-TH24	Short (24" OAL) – Fixed – T Hook	1.7 lbs.	24" x 5" x 2"
HOOKIT-AHS	Standard (44" OAL) – Swivel – Angled Hook	2.4 lbs.	44" x 5" x 2"
HOOKIT-JHS	Standard (44" OAL) – Swivel – J Hook	2.4 lbs.	44" x 5" x 2"
HOOKIT-LHS	Standard (44" OAL) – Swivel – L Hook	2.4 lbs.	44" x 5" x 2"
HOOKIT-THS	Standard (44" OAL) – Swivel – T Hook	2.4 lbs.	44" x 5" x 2"
HOOKIT-AH24S	Short (24" OAL) – Swivel – Angled Hook	1.7 lbs.	24" x 5" x 2"
HOOKIT-JH24S	Short (24" OAL) – Swivel – J Hook	1.7 lbs.	24" x 5" x 2"
HOOKIT-LH24S	Short (24" OAL) – Swivel – L Hook	1.7 lbs.	24" x 5" x 2"
HOOKIT-TH24S	Short (24" OAL) – Swivel – T Hook	1.7 lbs.	24" x 5" x 2"

Distributed By:



4620 S. Sam Houston Pkwy. W.
Ste. 410, Houston, TX 77053
800-943-2324

115 N 3rd Street Kenedy, TX 78119
830-583-0515

lhfsafety.com



MADE IN THE U.S.A.



800.674.9224