

No-Touch TOOL

FOR SAFELY
MANEUVERING OBJECTS



LhrSafety.com



Acts as an extension
of your arm to
move, push or
reposition items



Keeps workers
safe distance from
danger zones



Removes risk
of hand injuries





THIN, LIGHT-WEIGHT DESIGN
ENABLES TOOL TO REACH IN
TIGHT SPACES

LENGTH OPTIONS
FOR PROPER
ERGONOMIC USE




RIGID HEAD TO SECURELY
GRAB A SLING

24" STANDARD
OVERALL LENGTH

36" LONGER
OVERALL LENGTH

The SnagIt "no touch" hand safety tool acts as an extension of a worker's body to securely grab, push or pull chain slings, web slings, wire rope, cables or any other object that needs repositioning. This light-weight tool addresses line of fire and pinch point hazards, keeping users out of the danger zone while sustaining control of an item. Visit our website for complete tool information.

MADE IN THE U.S.A.



LhrSafety.com

800.943.2324

Tech SPECS

SnagIt™
HAND SAFETY TOOL



HEAD DESIGN



- Serrated head design ensures secure control when pushing and pulling an object
- Wide head openings enable easy grab and release of hook points

HANDLE DESIGN



- Good-grip tool handle
- Promotes proper hand placement for better ergonomics

MATERIALS



- Made of lightweight aluminum
- Thin design enables the SnagIt tool to reach in tight spaces
- Hi-Viz safety orange

PART NUMBER	LENGTH	PART WEIGHT	PART DIMENSIONS
SNAGIT24	24"	1 lbs	24" x 3" x 1.25"
SNAGIT36	36"	1.4 lbs.	36" x 3" x 1.25"



SnagIt™
HAND SAFETY TOOL

MADE IN THE U.S.A.



800.943.2324

LhrSafety.com

The Proper Way


TO KEEP YOUR

HANDS OFF IT™


WHEN USING A **SNAGIT™**

The Snagit "no touch" hand safety tool acts as an extension of a worker's body to securely grab, push or pull chain slings, web slings, wire rope, cables or other any other object that needs repositioning. This light-weight tool addresses line of fire and pinch point hazards, keeping users out of the danger zone while sustaining control of an item.


USE THE SNAGIT HAND SAFETY TOOL TO:



Snag a sling leg to push or pull the object



Grab a tagline to maneuver an object



Snag a lifting eye to maneuver a suspended load



Securely grab, push or pull chain slings

PROPER HAND PLACEMENT



Snagit™
HAND SAFETY TOOL

MADE IN THE U.S.A.



800.943.2324

LhrSafety.com

✓ DO'S



Always wear proper personal protective equipment as the job requires



Inspect the tool before each use



Use both hands when operating tool



Stand with both feet firmly planted on the ground




Use only for pushing / pulling / guiding / maneuvering / lifting items up to 50 lbs. per tool



Clean tool after each use and store in clean, dry environment

✗ DONT'S



Do not use the tool if damaged



Do not use the tool as a pry bar



Do not use tool while tired or under the influence of drugs, alcohol, or medication



Do not overreach

Distributed By:



4620 S. Sam Houston Pkwy. W.
Ste. 410, Houston, TX 77053
800-943-2324

115 N 3rd Street Kenedy, TX 781
830-583-0515

lhfsafety.com



MADE IN THE U.S.A.



800.943.2324